

JOeSandbox Cloud BASIC



ID: 492062

Sample Name: earyzq

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 10:23:06

Date: 28/09/2021

Version: 33.0.0 White Diamond

Table of Contents

Table of Contents	2
Linux Analysis Report earyzq	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Process Tree	3
Yara Overview	4
Jbx Signature Overview	4
AV Detection:	4
Spreading:	4
System Summary:	4
Mitre Att&ck Matrix	4
Malware Configuration	4
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	5
Initial Sample	5
Dropped Files	5
Domains	5
URLs	5
Domains and IPs	5
Contacted Domains	6
Contacted IPs	6
Public	6
Runtime Messages	6
Joe Sandbox View / Context	6
IPs	6
Domains	7
ASN	7
JA3 Fingerprints	8
Dropped Files	8
Created / dropped Files	8
Static File Info	8
General	8
Static ELF Info	9
ELF header	9
Sections	9
Program Segments	9
Symbols	10
Network Behavior	20
Network Port Distribution	20
TCP Packets	21
System Behavior	21
Analysis Process: earyzq PID: 5225 Parent PID: 5117	21
General	21
File Activities	21
File Deleted	21
File Read	21
File Written	21
Analysis Process: earyzq PID: 5227 Parent PID: 5225	21
General	21
Analysis Process: earyzq PID: 5229 Parent PID: 5227	21
General	22


Linux Analysis Report earyzq

Overview

General Information

Sample Name:	earyzq
Analysis ID:	492062
MD5:	7fecf5809e5ab66..
SHA1:	f78296acac2c310..
SHA256:	41af33fe2b340a1..
Infos:	


Detection

	
Score:	56
Range:	0 - 100
Whitelisted:	false

Signatures

Multi AV Scanner detection for subm...
Contains symbols with names comm...
Opens /proc/net/* files useful for find...
Uses the "uname" system call to qu...
Tries to connect to HTTP servers, b...
Detected TCP or UDP traffic on non...

Classification



Analysis Advice

Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures

All HTTP servers contacted by the sample do not answer. Likely the sample is an old dropper which does no longer work

Static ELF header machine description suggests that the sample might not execute correctly on this machine

General Information

Joe Sandbox Version:	33.0.0 White Diamond
Analysis ID:	492062
Start date:	28.09.2021
Start time:	10:23:06
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 6m 35s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	earyzq
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal56.spre.lin@0/1@0/0


Process Tree

- system is Inxubuntu20
 - earyzq (PID: 5225, Parent: 5117, MD5: 0083f1f0e77be34ad27f849842bbb00c) Arguments: /tmp/earyzq
 - earyzq New Fork (PID: 5227, Parent: 5225)
 - earyzq New Fork (PID: 5229, Parent: 5227)
- cleanup

Yara Overview

No yara matches

Jbx Signature Overview



AV Detection:

Multi AV Scanner detection for submitted file

Spreading:

Opens /proc/net/* files useful for finding connected devices and routers

System Summary:

Contains symbols with names commonly found in malware


Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	Security Software Discovery 1 1	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	Encrypted Channel 1	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Remote System Discovery 1	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	Non-Standard Port 1	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	Application Layer Protocol 1	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

Malware Configuration

No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
earyzq	52%	Virustotal		Browse
earyzq	51%	ReversingLabs	Linux.Trojan.Gafgyt	

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs

No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info

Contacted IPs

Public

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
178.128.193.205	unknown	Netherlands		14061	DIGITALOCEAN-ASNUS	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Runtime Messages

Command:	/tmp/earyzq
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Joe Sandbox View / Context

IPs

Match	Associated Sample Name / URL	SHA 256	Detection	Link	Context
178.128.193.205	cemtop	Get hash	malicious	Browse	
	cemtop	Get hash	malicious	Browse	
	SSFBQqwQ9R	Get hash	malicious	Browse	
	DWz1M0rUQw	Get hash	malicious	Browse	
	n5XCy5mBCv	Get hash	malicious	Browse	
	1MI4MiZDNv	Get hash	malicious	Browse	
	60kS8pbAHR	Get hash	malicious	Browse	
	f037OvxMEk	Get hash	malicious	Browse	
	PexUyOEtTk	Get hash	malicious	Browse	
	mirkatclpb.arm7	Get hash	malicious	Browse	
	h9EQqBJlb6	Get hash	malicious	Browse	
	RflXQCW8gW	Get hash	malicious	Browse	
	okamiii.16	Get hash	malicious	Browse	
	okamiii.m1psel	Get hash	malicious	Browse	
	okamiii.4rm6	Get hash	malicious	Browse	
	okamiii.m1ps	Get hash	malicious	Browse	
	qax608U4oR	Get hash	malicious	Browse	
	78mne21kC0	Get hash	malicious	Browse	
	exIOc2VzNA	Get hash	malicious	Browse	
	QJWckLL0hW	Get hash	malicious	Browse	
91.189.91.43	sA7VlyESBy	Get hash	malicious	Browse	
	cemtop	Get hash	malicious	Browse	
	SSFBQqwQ9R	Get hash	malicious	Browse	
	DWz1M0rUQw	Get hash	malicious	Browse	
	n5XCy5mBCv	Get hash	malicious	Browse	
	1MI4MiZDNv	Get hash	malicious	Browse	
	60kS8pbAHR	Get hash	malicious	Browse	
	f037OvxMEk	Get hash	malicious	Browse	
	PexUyOEtTk	Get hash	malicious	Browse	
	mirkatclpb.arm7	Get hash	malicious	Browse	

Match	Associated Sample Name / URL	SHA 256	Detection	Link	Context
	h9EQqBJlb6	Get hash	malicious	Browse	
	RflXQCW8gW	Get hash	malicious	Browse	
	okamiii.16	Get hash	malicious	Browse	
	okamiii.m1psel	Get hash	malicious	Browse	
	okamiii.4rm6	Get hash	malicious	Browse	
	okamiii.m1ps	Get hash	malicious	Browse	
	qax608U4oR	Get hash	malicious	Browse	
	78mne21kC0	Get hash	malicious	Browse	
	exIOc2VzNA	Get hash	malicious	Browse	
	QJWckLL0hW	Get hash	malicious	Browse	
	sA7VlyESBy	Get hash	malicious	Browse	

Domains

No context

ASN

Match	Associated Sample Name / URL	SHA 256	Detection	Link	Context
INIT7CH	cemtop	Get hash	malicious	Browse	109.202.202.202
	SSFBQqwQ9R	Get hash	malicious	Browse	109.202.202.202
	DWz1M0rUQw	Get hash	malicious	Browse	109.202.202.202
	n5XCY5mBCv	Get hash	malicious	Browse	109.202.202.202
	1MI4MiZDNv	Get hash	malicious	Browse	109.202.202.202
	60kS8pbAHR	Get hash	malicious	Browse	109.202.202.202
	f037OvxMEk	Get hash	malicious	Browse	109.202.202.202
	PexUyOEttk	Get hash	malicious	Browse	109.202.202.202
	mirkatclpb.arm7	Get hash	malicious	Browse	109.202.202.202
	h9EQqBJlb6	Get hash	malicious	Browse	109.202.202.202
	RflXQCW8gW	Get hash	malicious	Browse	109.202.202.202
	okamiii.16	Get hash	malicious	Browse	109.202.202.202
	okamiii.m1psel	Get hash	malicious	Browse	109.202.202.202
	okamiii.4rm6	Get hash	malicious	Browse	109.202.202.202
	okamiii.m1ps	Get hash	malicious	Browse	109.202.202.202
	qax608U4oR	Get hash	malicious	Browse	109.202.202.202
	78mne21kC0	Get hash	malicious	Browse	109.202.202.202
	exIOc2VzNA	Get hash	malicious	Browse	109.202.202.202
	QJWckLL0hW	Get hash	malicious	Browse	109.202.202.202
	sA7VlyESBy	Get hash	malicious	Browse	109.202.202.202
DIGITALOCEAN-ASNUS	FmtpSM8PqG.dll	Get hash	malicious	Browse	161.35.19.83
	jl9fLPhFu.dll	Get hash	malicious	Browse	161.35.19.83
	cemtop	Get hash	malicious	Browse	178.128.193.205
	O4RiolgYtt.dll	Get hash	malicious	Browse	161.35.19.83
	amm4Lw6xgJ.dll	Get hash	malicious	Browse	161.35.19.83
	TWsmIoYqC6.dll	Get hash	malicious	Browse	161.35.19.83
	bT2842KdOz.dll	Get hash	malicious	Browse	161.35.19.72
	Order778.exe	Get hash	malicious	Browse	64.225.91.73
	6SYurvkD8X.dll	Get hash	malicious	Browse	161.35.19.83
	ZXRYejz88D.dll	Get hash	malicious	Browse	161.35.19.83

Match	Associated Sample Name / URL	SHA 256	Detection	Link	Context
	vg7OaNVgqD.exe	Get hash	malicious	Browse	206.189.58.26
	bj5cFZzcKn.dll	Get hash	malicious	Browse	207.154.252.203
	bj5cFZzcKn.dll	Get hash	malicious	Browse	207.154.252.203
	6_msvcp60.dll.dll	Get hash	malicious	Browse	207.154.252.203
	6_msvcp60.dll.dll	Get hash	malicious	Browse	207.154.252.203
	InvPixcareer.-43329_20210927.xlsb	Get hash	malicious	Browse	207.154.252.203
	InvPixcareer.-5589234_20210927.xlsb	Get hash	malicious	Browse	207.154.252.203
	triage_dropped_file.dll	Get hash	malicious	Browse	207.154.252.203
	triage_dropped_file.dll	Get hash	malicious	Browse	207.154.252.203
	triage_dropped_file.dll	Get hash	malicious	Browse	207.154.252.203

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

/tmp/qemu-open.u9Ui0f (deleted)	
Process:	/tmp/earyzq
File Type:	ASCII text
Category:	dropped
Size (bytes):	230
Entropy (8bit):	3.709552666863289
Encrypted:	false
SSDEEP:	6:iekrEcwvAsE5KlwSd4pzKaV6Lpms/a/1VCxGF:ur+m5MwSdIKaV6L1adVRF
MD5:	2E667F43AE18CD1FE3C108641708A82C
SHA1:	12B90DE2DA0FBCFE66F3D6130905E56C8D6A68D3
SHA-256:	6F721492E7A337C5B498A8F55F5EB7AC745AFF716D0B5B08EFF2C1B6B250F983
SHA-512:	D2A0EE2509154EC1098994F38BE172F98F4150399C534A04D5C675D7C05630802225019F19344CC9070C576BC465A4FEB382AC7712DE6BF25E9244B54A9DB830
Malicious:	false
Reputation:	moderate, very likely benign file
Preview:	Iface.Destination.Gateway .Flags.RefCnt.Use.Metric.Mask..MTU.Window.IRTT 00.0.0.0.ens160.c0a80200.00000000.0001.0.0.0.ffff00.0.0.0. .ens160.00000000.c0a80201.0003.0.0.0.000000

Static File Info

General	
File type:	ELF 32-bit MSB executable, MIPS, MIPS-I version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	5.260110641302663
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	earyzq
File size:	125968
MD5:	7fecf5809e5ab66224e0f08c40a8777a
SHA1:	f78296acac2c310e035d04907bbdfabd75c40454
SHA256:	41af33fe2b340a117e8e87a6763817049e004fb58820f0242388b8e75470dd2e

General

SHA512:	0d11f034ac498b6a4f31f2522f9a61a61b2de0aa49f427fd2740283fe7fb56ded3f428306c707712f1a59ef7653b7924930dabe43cd725e167ebd64185606b98
SSDEEP:	1536:M7je1TMGq+f+AQ2rK7zeXeReXe8V2rK7le+u60GAzQj1l72HBeKEd3ilfrmW+IFj:Ted0W0MZQHcd3zfrmW+IFB1D1t1hR/
File Content Preview:	.ELF.....@....4.....4. ...(...p.....@...@.....@...@....pD..pD.....pD.EpD.EpD....l...dt.Q.....E.<...'!'.....<...'!'.....

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, big endian
Version:	1 (current)
Machine:	MIPS R3000
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x4002a0
Flags:	0x1007
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	4
Section Header Offset:	106268
Section Header Size:	40
Number of Section Headers:	21
Header String Table Index:	18

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.reginfo	MIPS_REGINFO	0x4000b4	0xb4	0x18	0x18	0x2	A	0	0	4
.init	PROGBITS	0x4000cc	0xcc	0x8c	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x400160	0x160	0x146c0	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x414820	0x14820	0x5c	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x414880	0x14880	0x27c0	0x0	0x2	A	0	0	16
.eh_frame	PROGBITS	0x417040	0x17040	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x457044	0x17044	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x45704c	0x1704c	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x457054	0x17054	0x4	0x0	0x3	WA	0	0	4
.data.rel.ro	PROGBITS	0x457058	0x17058	0x20	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x457080	0x17080	0x440	0x0	0x3	WA	0	0	16
.got	PROGBITS	0x4574c0	0x174c0	0x460	0x4	0x10000003	WA	0	0	16
.sbss	NOBITS	0x457920	0x17920	0x18	0x0	0x10000003	WA	0	0	4
.bss	NOBITS	0x457940	0x17920	0x63a4	0x0	0x3	WA	0	0	16
.comment	PROGBITS	0x0	0x17920	0xa9e	0x0	0x0		0	0	1
.mdebug.abi32	PROGBITS	0xa9e	0x183be	0x0	0x0	0x0		0	0	1
.pdr	PROGBITS	0x0	0x183c0	0x1ac0	0x0	0x0		0	0	4
.shstrtab	STRTAB	0x0	0x19e80	0x9a	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x1a264	0x2a30	0x10	0x0		20	285	4
.strtab	STRTAB	0x0	0x1cc94	0x1f7c	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
<unknown>	0xb4	0x4000b4	0x4000b4	0x18	0x18	0.4102	0x4	R	0x4		.reginfo
LOAD	0x0	0x400000	0x400000	0x17044	0x17044	3.3681	0x5	R E	0x10000		.reginfo .init .text .fini .rodata .eh_frame
LOAD	0x17044	0x457044	0x457044	0x8dc	0x6ca0	2.4528	0x6	RW	0x10000		.ctors .dtors .jcr .data.rel.ro .data .got .sbss .bss

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x4000b4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x4000cc	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x400160	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x414820	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x414880	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x417040	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x457044	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x45704c	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x457054	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x457058	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x457080	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x4574c0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x457920	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x457940	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0xa9e	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
C.111.5048			.symtab	0x457058	8	OBJECT	<unknown>	DEFAULT	10
C.148.5367			.symtab	0x457060	24	OBJECT	<unknown>	DEFAULT	10
Q			.symtab	0x457978	16384	OBJECT	<unknown>	DEFAULT	14
SendSTD			.symtab	0x404774	516	FUNC	<unknown>	DEFAULT	3
SendSTDHEX			.symtab	0x4038c4	540	FUNC	<unknown>	DEFAULT	3
SendSTD_HEX			.symtab	0x404b88	588	FUNC	<unknown>	DEFAULT	3
SendUDP			.symtab	0x4028f8	1712	FUNC	<unknown>	DEFAULT	3
_GLOBAL_OFFSET_TABLE_			.symtab	0x4574c0	0	OBJECT	<unknown>	DEFAULT	12
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x457048	0	OBJECT	<unknown>	DEFAULT	7
__CTOR_LIST__			.symtab	0x457044	0	OBJECT	<unknown>	DEFAULT	7
__C_ctype_b			.symtab	0x4570e0	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x4158a0	768	OBJECT	<unknown>	DEFAULT	5
__C_ctype_tolower			.symtab	0x4574b0	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x415fd0	768	OBJECT	<unknown>	DEFAULT	5
__C_ctype_toupper			.symtab	0x4570f0	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x415ba0	768	OBJECT	<unknown>	DEFAULT	5
__DTOR_END__			.symtab	0x457050	0	OBJECT	<unknown>	DEFAULT	8
__DTOR_LIST__			.symtab	0x45704c	0	OBJECT	<unknown>	DEFAULT	8
__EH_FRAME_BEGIN__			.symtab	0x417040	0	OBJECT	<unknown>	DEFAULT	6
__FRAME_END__			.symtab	0x417040	0	OBJECT	<unknown>	DEFAULT	6
__GI__C_ctype_b			.symtab	0x4570e0	4	OBJECT	<unknown>	HIDDEN	11
__GI__C_ctype_b_data			.symtab	0x4158a0	768	OBJECT	<unknown>	HIDDEN	5
__GI__C_ctype_tolower			.symtab	0x4574b0	4	OBJECT	<unknown>	HIDDEN	11
__GI__C_ctype_tolower_data			.symtab	0x415fd0	768	OBJECT	<unknown>	HIDDEN	5
__GI__C_ctype_toupper			.symtab	0x4570f0	4	OBJECT	<unknown>	HIDDEN	11
__GI__C_ctype_toupper_data			.symtab	0x415ba0	768	OBJECT	<unknown>	HIDDEN	5
__GI__ctype_b			.symtab	0x4570e4	4	OBJECT	<unknown>	HIDDEN	11
__GI__ctype_tolower			.symtab	0x4574b4	4	OBJECT	<unknown>	HIDDEN	11
__GI__ctype_toupper			.symtab	0x4570f4	4	OBJECT	<unknown>	HIDDEN	11
__GI_errno_location			.symtab	0x40a780	24	FUNC	<unknown>	HIDDEN	3
__GI_fgetc_unlocked			.symtab	0x4127d0	388	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI___glibc_strerror_r			.symtab	0x412c50	68	FUNC	<unknown>	HIDDEN	3
__GI___h_errno_location			.symtab	0x40d5f0	24	FUNC	<unknown>	HIDDEN	3
__GI___libc_fcntl			.symtab	0x40a050	136	FUNC	<unknown>	HIDDEN	3
__GI___libc_fcntl64			.symtab	0x40a0e0	104	FUNC	<unknown>	HIDDEN	3
__GI___libc_open			.symtab	0x40a450	124	FUNC	<unknown>	HIDDEN	3
__GI___uClibc_fini			.symtab	0x40cbe0	196	FUNC	<unknown>	HIDDEN	3
__GI___uClibc_init			.symtab	0x40cd3c	140	FUNC	<unknown>	HIDDEN	3
__GI___xpg_strerror_r			.symtab	0x412ca0	392	FUNC	<unknown>	HIDDEN	3
__GI__exit			.symtab	0x40a150	80	FUNC	<unknown>	HIDDEN	3
__GI_abort			.symtab	0x40ebd0	428	FUNC	<unknown>	HIDDEN	3
__GI_atoi			.symtab	0x40c590	28	FUNC	<unknown>	HIDDEN	3
__GI_atol			.symtab	0x40c590	28	FUNC	<unknown>	HIDDEN	3
__GI_brk			.symtab	0x40edb0	112	FUNC	<unknown>	HIDDEN	3
__GI_chdir			.symtab	0x40a200	88	FUNC	<unknown>	HIDDEN	3
__GI_close			.symtab	0x40a260	84	FUNC	<unknown>	HIDDEN	3
__GI_connect			.symtab	0x40b300	84	FUNC	<unknown>	HIDDEN	3
__GI_errno			.symtab	0x45bbd0	4	OBJECT	<unknown>	HIDDEN	14
__GI_exit			.symtab	0x40c820	236	FUNC	<unknown>	HIDDEN	3
__GI_fclose			.symtab	0x40ee80	512	FUNC	<unknown>	HIDDEN	3
__GI_fcntl			.symtab	0x40a050	136	FUNC	<unknown>	HIDDEN	3
__GI_fcntl64			.symtab	0x40a0e0	104	FUNC	<unknown>	HIDDEN	3
__GI_fflush_unlocked			.symtab	0x40f8f0	628	FUNC	<unknown>	HIDDEN	3
__GI_fgetc_unlocked			.symtab	0x4127d0	388	FUNC	<unknown>	HIDDEN	3
__GI_fgets			.symtab	0x40f680	216	FUNC	<unknown>	HIDDEN	3
__GI_fgets_unlocked			.symtab	0x40fb70	268	FUNC	<unknown>	HIDDEN	3
__GI_fopen			.symtab	0x40f080	28	FUNC	<unknown>	HIDDEN	3
__GI_fork			.symtab	0x40a2c0	84	FUNC	<unknown>	HIDDEN	3
__GI_fputs_unlocked			.symtab	0x412960	128	FUNC	<unknown>	HIDDEN	3
__GI_fseek			.symtab	0x414360	68	FUNC	<unknown>	HIDDEN	3
__GI_fseeko64			.symtab	0x4143b0	388	FUNC	<unknown>	HIDDEN	3
__GI_fwrite_unlocked			.symtab	0x4129e0	280	FUNC	<unknown>	HIDDEN	3
__GI_getc_unlocked			.symtab	0x4127d0	388	FUNC	<unknown>	HIDDEN	3
__GI_getegid			.symtab	0x40d280	88	FUNC	<unknown>	HIDDEN	3
__GI_geteuid			.symtab	0x40d2e0	88	FUNC	<unknown>	HIDDEN	3
__GI_getgid			.symtab	0x40d340	84	FUNC	<unknown>	HIDDEN	3
__GI_gethostbyname			.symtab	0x40ae20	116	FUNC	<unknown>	HIDDEN	3
__GI_gethostbyname_r			.symtab	0x40aea0	1108	FUNC	<unknown>	HIDDEN	3
__GI_getpid			.symtab	0x40a320	84	FUNC	<unknown>	HIDDEN	3
__GI_getsockname			.symtab	0x40b360	84	FUNC	<unknown>	HIDDEN	3
__GI_getuid			.symtab	0x40d3a0	84	FUNC	<unknown>	HIDDEN	3
__GI_h_errno			.symtab	0x45bbd4	4	OBJECT	<unknown>	HIDDEN	14
__GI_inet_addr			.symtab	0x40add0	72	FUNC	<unknown>	HIDDEN	3
__GI_inet_aton			.symtab	0x40dc70	244	FUNC	<unknown>	HIDDEN	3
__GI_inet_ntoa			.symtab	0x40adac	32	FUNC	<unknown>	HIDDEN	3
__GI_inet_ntoa_r			.symtab	0x40ad10	156	FUNC	<unknown>	HIDDEN	3
__GI_inet_ntop			.symtab	0x410580	852	FUNC	<unknown>	HIDDEN	3
__GI_inet_pton			.symtab	0x4100d0	700	FUNC	<unknown>	HIDDEN	3
__GI_initstate_r			.symtab	0x40c440	328	FUNC	<unknown>	HIDDEN	3
__GI_ioctl			.symtab	0x40a380	104	FUNC	<unknown>	HIDDEN	3
__GI_isatty			.symtab	0x40fef0	60	FUNC	<unknown>	HIDDEN	3
__GI_kill			.symtab	0x40a3f0	88	FUNC	<unknown>	HIDDEN	3
__GI_lseek64			.symtab	0x414700	168	FUNC	<unknown>	HIDDEN	3
__GI_memchr			.symtab	0x414140	264	FUNC	<unknown>	HIDDEN	3
__GI_memcpy			.symtab	0x40a7a0	308	FUNC	<unknown>	HIDDEN	3
__GI_memmove			.symtab	0x40d770	816	FUNC	<unknown>	HIDDEN	3
__GI_mempcpy			.symtab	0x412b00	76	FUNC	<unknown>	HIDDEN	3
__GI_memrchr			.symtab	0x414250	272	FUNC	<unknown>	HIDDEN	3
__GI_memset			.symtab	0x40a8e0	144	FUNC	<unknown>	HIDDEN	3
__GI_nanosleep			.symtab	0x40d400	84	FUNC	<unknown>	HIDDEN	3
__GI_open			.symtab	0x40a450	124	FUNC	<unknown>	HIDDEN	3
__GI_poll			.symtab	0x40ee20	84	FUNC	<unknown>	HIDDEN	3
__GI_raise			.symtab	0x4111e0	76	FUNC	<unknown>	HIDDEN	3
__GI_random			.symtab	0x40be10	164	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_random_r			.symtab	0x40c21c	176	FUNC	<unknown>	HIDDEN	3
__GI_rawmemchr			.symtab	0x40fc80	200	FUNC	<unknown>	HIDDEN	3
__GI_read			.symtab	0x40a4f0	84	FUNC	<unknown>	HIDDEN	3
__GI_recv			.symtab	0x40b440	84	FUNC	<unknown>	HIDDEN	3
__GI_sbrk			.symtab	0x40d460	144	FUNC	<unknown>	HIDDEN	3
__GI_select			.symtab	0x40a550	120	FUNC	<unknown>	HIDDEN	3
__GI_send			.symtab	0x40b4a0	84	FUNC	<unknown>	HIDDEN	3
__GI_sendto			.symtab	0x40b500	128	FUNC	<unknown>	HIDDEN	3
__GI_setsid			.symtab	0x40a5d0	84	FUNC	<unknown>	HIDDEN	3
__GI_setsockopt			.symtab	0x40b580	120	FUNC	<unknown>	HIDDEN	3
__GI_setstate_r			.symtab	0x40c0e0	316	FUNC	<unknown>	HIDDEN	3
__GI_sigaction			.symtab	0x40d130	232	FUNC	<unknown>	HIDDEN	3
__GI_signal			.symtab	0x40b660	252	FUNC	<unknown>	HIDDEN	3
__GI_sigprocmask			.symtab	0x40d4f0	148	FUNC	<unknown>	HIDDEN	3
__GI_sleep			.symtab	0x40c910	564	FUNC	<unknown>	HIDDEN	3
__GI_socket			.symtab	0x40b600	84	FUNC	<unknown>	HIDDEN	3
__GI_sprintf			.symtab	0x411270	80	FUNC	<unknown>	HIDDEN	3
__GI_srandom_r			.symtab	0x40c2cc	372	FUNC	<unknown>	HIDDEN	3
__GI_strcasecmp			.symtab	0x412e30	108	FUNC	<unknown>	HIDDEN	3
__GI_strchr			.symtab	0x40a970	256	FUNC	<unknown>	HIDDEN	3
__GI_strcmp			.symtab	0x40aa70	44	FUNC	<unknown>	HIDDEN	3
__GI_strcoll			.symtab	0x40aa70	44	FUNC	<unknown>	HIDDEN	3
__GI_strcpy			.symtab	0x40aaa0	36	FUNC	<unknown>	HIDDEN	3
__GI_strdup			.symtab	0x40fe60	144	FUNC	<unknown>	HIDDEN	3
__GI_strlen			.symtab	0x40aad0	184	FUNC	<unknown>	HIDDEN	3
__GI_strncat			.symtab	0x40fd50	180	FUNC	<unknown>	HIDDEN	3
__GI_strncpy			.symtab	0x40daa0	188	FUNC	<unknown>	HIDDEN	3
__GI_strnlen			.symtab	0x412b50	256	FUNC	<unknown>	HIDDEN	3
__GI_strpbrk			.symtab	0x40dc30	64	FUNC	<unknown>	HIDDEN	3
__GI_strspn			.symtab	0x40fe10	76	FUNC	<unknown>	HIDDEN	3
__GI_strstr			.symtab	0x40ab90	256	FUNC	<unknown>	HIDDEN	3
__GI_strtok			.symtab	0x40acd0	32	FUNC	<unknown>	HIDDEN	3
__GI_strtok_r			.symtab	0x40db60	204	FUNC	<unknown>	HIDDEN	3
__GI_strtol			.symtab	0x40c5b0	28	FUNC	<unknown>	HIDDEN	3
__GI_tcgetattr			.symtab	0x40ff30	176	FUNC	<unknown>	HIDDEN	3
__GI_time			.symtab	0x40a630	84	FUNC	<unknown>	HIDDEN	3
__GI_tolower			.symtab	0x411230	60	FUNC	<unknown>	HIDDEN	3
__GI_toupper			.symtab	0x40a740	60	FUNC	<unknown>	HIDDEN	3
__GI_vsnprintf			.symtab	0x4112c0	260	FUNC	<unknown>	HIDDEN	3
__GI_wait4			.symtab	0x40d590	88	FUNC	<unknown>	HIDDEN	3
__GI_waitpid			.symtab	0x40a690	28	FUNC	<unknown>	HIDDEN	3
__GI_wctomb			.symtab	0x413170	112	FUNC	<unknown>	HIDDEN	3
__GI_wcsnrtombs			.symtab	0x413220	228	FUNC	<unknown>	HIDDEN	3
__GI_wcsrtombs			.symtab	0x4131e0	64	FUNC	<unknown>	HIDDEN	3
__GI_write			.symtab	0x40a6b0	84	FUNC	<unknown>	HIDDEN	3
__JCR_END__			.symtab	0x457054	0	OBJECT	<unknown>	DEFAULT	9
__JCR_LIST__			.symtab	0x457054	0	OBJECT	<unknown>	DEFAULT	9
__app_fini			.symtab	0x45bbbc	4	OBJECT	<unknown>	HIDDEN	14
__atexit_lock			.symtab	0x4572e0	24	OBJECT	<unknown>	DEFAULT	11
__bsd_signal			.symtab	0x40b660	252	FUNC	<unknown>	HIDDEN	3
__bss_start			.symtab	0x457920	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x40ccb4	136	FUNC	<unknown>	DEFAULT	3
__ctype_b			.symtab	0x4570e4	4	OBJECT	<unknown>	DEFAULT	11
__ctype_tolower			.symtab	0x4574b4	4	OBJECT	<unknown>	DEFAULT	11
__ctype_toupper			.symtab	0x4570f4	4	OBJECT	<unknown>	DEFAULT	11
__curbrk			.symtab	0x45bc10	4	OBJECT	<unknown>	HIDDEN	14
__data_start			.symtab	0x4570a0	0	OBJECT	<unknown>	DEFAULT	11
__decode_answer			.symtab	0x410be0	340	FUNC	<unknown>	HIDDEN	3
__decode_dotted			.symtab	0x412fc0	340	FUNC	<unknown>	HIDDEN	3
__decode_header			.symtab	0x4109f0	228	FUNC	<unknown>	HIDDEN	3
__deregister_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__dns_lookup			.symtab	0x40dd70	2568	FUNC	<unknown>	HIDDEN	3
__do_global_ctors_aux			.symtab	0x4147b0	0	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__do_global_dtors_aux			.symtab	0x400160	0	FUNC	<unknown>	DEFAULT	3
__dso_handle			.symtab	0x457080	0	OBJECT	<unknown>	HIDDEN	11
__encode_dotted			.symtab	0x412ea0	280	FUNC	<unknown>	HIDDEN	3
__encode_header			.symtab	0x4108e0	272	FUNC	<unknown>	HIDDEN	3
__encode_question			.symtab	0x410ae0	172	FUNC	<unknown>	HIDDEN	3
__environ			.symtab	0x45bbb4	4	OBJECT	<unknown>	DEFAULT	14
__errno_location			.symtab	0x40a780	24	FUNC	<unknown>	DEFAULT	3
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x45bba0	4	OBJECT	<unknown>	HIDDEN	14
__fgetc_unlocked			.symtab	0x4127d0	388	FUNC	<unknown>	DEFAULT	3
__fini_array_end			.symtab	0x457044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x457044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x40eb60	104	FUNC	<unknown>	HIDDEN	3
__glibc_strerror_r			.symtab	0x412c50	68	FUNC	<unknown>	DEFAULT	3
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x40d5f0	24	FUNC	<unknown>	DEFAULT	3
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__heap_alloc			.symtab	0x40bb70	188	FUNC	<unknown>	DEFAULT	3
__heap_free			.symtab	0x40bc78	364	FUNC	<unknown>	DEFAULT	3
__heap_link_free_area			.symtab	0x40bc30	44	FUNC	<unknown>	DEFAULT	3
__heap_link_free_area_after			.symtab	0x40bc5c	28	FUNC	<unknown>	DEFAULT	3
__init_array_end			.symtab	0x457044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x457044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x413120	72	FUNC	<unknown>	HIDDEN	3
__length_question			.symtab	0x410b90	72	FUNC	<unknown>	HIDDEN	3
__libc_close			.symtab	0x40a260	84	FUNC	<unknown>	DEFAULT	3
__libc_connect			.symtab	0x40b300	84	FUNC	<unknown>	DEFAULT	3
__libc_creat			.symtab	0x40a4cc	28	FUNC	<unknown>	DEFAULT	3
__libc_fcntl			.symtab	0x40a050	136	FUNC	<unknown>	DEFAULT	3
__libc_fcntl64			.symtab	0x40a0e0	104	FUNC	<unknown>	DEFAULT	3
__libc_fork			.symtab	0x40a2c0	84	FUNC	<unknown>	DEFAULT	3
__libc_getpid			.symtab	0x40a320	84	FUNC	<unknown>	DEFAULT	3
__libc_lseek64			.symtab	0x414700	168	FUNC	<unknown>	DEFAULT	3
__libc_nanosleep			.symtab	0x40d400	84	FUNC	<unknown>	DEFAULT	3
__libc_open			.symtab	0x40a450	124	FUNC	<unknown>	DEFAULT	3
__libc_poll			.symtab	0x40ee20	84	FUNC	<unknown>	DEFAULT	3
__libc_read			.symtab	0x40a4f0	84	FUNC	<unknown>	DEFAULT	3
__libc_recv			.symtab	0x40b440	84	FUNC	<unknown>	DEFAULT	3
__libc_select			.symtab	0x40a550	120	FUNC	<unknown>	DEFAULT	3
__libc_send			.symtab	0x40b4a0	84	FUNC	<unknown>	DEFAULT	3
__libc_sendto			.symtab	0x40b500	128	FUNC	<unknown>	DEFAULT	3
__libc_sigaction			.symtab	0x40d130	232	FUNC	<unknown>	DEFAULT	3
__libc_stack_end			.symtab	0x45bbb0	4	OBJECT	<unknown>	DEFAULT	14
__libc_waitpid			.symtab	0x40a690	28	FUNC	<unknown>	DEFAULT	3
__libc_write			.symtab	0x40a6b0	84	FUNC	<unknown>	DEFAULT	3
__malloc_heap			.symtab	0x457210	4	OBJECT	<unknown>	DEFAULT	11
__malloc_heap_lock			.symtab	0x45bb80	24	OBJECT	<unknown>	DEFAULT	14
__malloc_sbrk_lock			.symtab	0x45dcb0	24	OBJECT	<unknown>	DEFAULT	14
__nameserver			.symtab	0x45dcd8	12	OBJECT	<unknown>	HIDDEN	14
__nameservers			.symtab	0x457928	4	OBJECT	<unknown>	HIDDEN	13
__open_etc_hosts			.symtab	0x410d40	108	FUNC	<unknown>	HIDDEN	3
__open_nameservers			.symtab	0x40e780	984	FUNC	<unknown>	HIDDEN	3
__pagesize			.symtab	0x45bbb8	4	OBJECT	<unknown>	DEFAULT	14
__preinit_array_end			.symtab	0x457044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x457044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x40cca4	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_lock			.symtab	0x40cca4	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_trylock			.symtab	0x40cca4	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_unlock			.symtab	0x40cca4	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_0			.symtab	0x40cca4	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_void			.symtab	0x40ccac	8	FUNC	<unknown>	DEFAULT	3
__raise			.symtab	0x4111e0	76	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__read_etc_hosts_r			.symtab	0x410dac	1076	FUNC	<unknown>	HIDDEN	3
__register_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x457320	24	OBJECT	<unknown>	DEFAULT	11
__rtld_fini			.symtab	0x45bbc0	4	OBJECT	<unknown>	HIDDEN	14
__searchdomain			.symtab	0x45dcc8	16	OBJECT	<unknown>	HIDDEN	14
__searchdomains			.symtab	0x45792c	4	OBJECT	<unknown>	HIDDEN	13
__sigaddset			.symtab	0x40b788	44	FUNC	<unknown>	DEFAULT	3
__sigdelset			.symtab	0x40b7b4	48	FUNC	<unknown>	DEFAULT	3
__sigismember			.symtab	0x40b760	40	FUNC	<unknown>	DEFAULT	3
__start			.symtab	0x4002a0	100	FUNC	<unknown>	DEFAULT	3
__stdin			.symtab	0x4573ac	4	OBJECT	<unknown>	DEFAULT	11
__stdio_READ			.symtab	0x413310	140	FUNC	<unknown>	HIDDEN	3
__stdio_WRITE			.symtab	0x4113d0	280	FUNC	<unknown>	HIDDEN	3
__stdio_adjust_position			.symtab	0x414540	324	FUNC	<unknown>	HIDDEN	3
__stdio_fwite			.symtab	0x4133a0	472	FUNC	<unknown>	HIDDEN	3
__stdio_init_mutex			.symtab	0x40f4c8	32	FUNC	<unknown>	HIDDEN	3
__stdio_mutex_initializer.3833			.symtab	0x415f50	24	OBJECT	<unknown>	DEFAULT	5
__stdio_rfill			.symtab	0x413580	88	FUNC	<unknown>	HIDDEN	3
__stdio_seek			.symtab	0x414690	112	FUNC	<unknown>	HIDDEN	3
__stdio_trans2r_o			.symtab	0x4135e0	228	FUNC	<unknown>	HIDDEN	3
__stdio_trans2w_o			.symtab	0x4136d0	308	FUNC	<unknown>	HIDDEN	3
__stdio_wcommit			.symtab	0x40f610	100	FUNC	<unknown>	HIDDEN	3
__stdout			.symtab	0x4573b0	4	OBJECT	<unknown>	DEFAULT	11
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x40d220	84	FUNC	<unknown>	HIDDEN	3
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x40cbe0	196	FUNC	<unknown>	DEFAULT	3
__uClibc_init			.symtab	0x40cd3c	140	FUNC	<unknown>	DEFAULT	3
__uClibc_main			.symtab	0x40cdc8	864	FUNC	<unknown>	DEFAULT	3
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x457300	4	OBJECT	<unknown>	HIDDEN	11
__xpg_strerror_r			.symtab	0x412ca0	392	FUNC	<unknown>	DEFAULT	3
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__charpad			.symtab	0x4114f0	128	FUNC	<unknown>	DEFAULT	3
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__dl_aux_init			.symtab	0x40ed80	44	FUNC	<unknown>	DEFAULT	3
__dl_phdr			.symtab	0x457930	4	OBJECT	<unknown>	DEFAULT	13
__dl_phnum			.symtab	0x457934	4	OBJECT	<unknown>	DEFAULT	13
__edata			.symtab	0x457920	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__end			.symtab	0x45dce4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__errno			.symtab	0x45bbd0	4	OBJECT	<unknown>	DEFAULT	14
__exit			.symtab	0x40a150	80	FUNC	<unknown>	DEFAULT	3
__exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fbss			.symtab	0x457920	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__fdata			.symtab	0x457080	0	NOTYPE	<unknown>	DEFAULT	11
__fini			.symtab	0x414820	28	FUNC	<unknown>	DEFAULT	4
__fixed_buffers			.symtab	0x45bc28	8192	OBJECT	<unknown>	DEFAULT	14
__fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fp_out_narrow			.symtab	0x411570	228	FUNC	<unknown>	DEFAULT	3
__fpmaxtostr			.symtab	0x4138f0	2120	FUNC	<unknown>	HIDDEN	3
__fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ftext			.symtab	0x400160	0	NOTYPE	<unknown>	DEFAULT	3
__fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gp			.symtab	0x45f4b0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__gp_disp			.symtab	0x0	0	OBJECT	<unknown>	DEFAULT	SHN_UNDEF
__h_errno			.symtab	0x45bbd4	4	OBJECT	<unknown>	DEFAULT	14
__init			.symtab	0x4000cc	28	FUNC	<unknown>	DEFAULT	2
__load_inttype			.symtab	0x413810	136	FUNC	<unknown>	HIDDEN	3
__load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_init			.symtab	0x411e00	220	FUNC	<unknown>	HIDDEN	3
__ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_ppfs_parsespec			.symtab	0x4121dc	1512	FUNC	<unknown>	HIDDEN	3
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x411ee0	100	FUNC	<unknown>	HIDDEN	3
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x411f50	540	FUNC	<unknown>	HIDDEN	3
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x412170	108	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_pop_restore			.symtab	0x40ccac	8	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_push_defer			.symtab	0x40ccac	8	FUNC	<unknown>	DEFAULT	3
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signtr			.symtab	0x45dc30	128	OBJECT	<unknown>	HIDDEN	14
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x40f0a0	880	FUNC	<unknown>	HIDDEN	3
_stdio_init			.symtab	0x40f410	184	FUNC	<unknown>	HIDDEN	3
_stdio_openlist			.symtab	0x4573b4	4	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_add_lock			.symtab	0x457360	24	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_dec_use			.symtab	0x40f760	400	FUNC	<unknown>	DEFAULT	3
_stdio_openlist_del_count			.symtab	0x45bc24	4	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_del_lock			.symtab	0x457378	24	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_use_count			.symtab	0x45bc20	4	OBJECT	<unknown>	DEFAULT	14
_stdio_streams			.symtab	0x4573b8	240	OBJECT	<unknown>	DEFAULT	11
_stdio_term			.symtab	0x40f4e8	284	FUNC	<unknown>	HIDDEN	3
_stdio_user_locking			.symtab	0x457390	4	OBJECT	<unknown>	DEFAULT	11
_stdlib_strto_l			.symtab	0x40c5d0	592	FUNC	<unknown>	HIDDEN	3
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x4138a0	68	FUNC	<unknown>	HIDDEN	3
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x416420	2934	OBJECT	<unknown>	HIDDEN	5
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x40d610	340	FUNC	<unknown>	HIDDEN	3
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x411654	1960	FUNC	<unknown>	HIDDEN	3
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x40ebd0	428	FUNC	<unknown>	DEFAULT	3
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
access			.symtab	0x40a1a0	84	FUNC	<unknown>	DEFAULT	3
access.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
astd			.symtab	0x406650	536	FUNC	<unknown>	DEFAULT	3
atcp			.symtab	0x405d34	2332	FUNC	<unknown>	DEFAULT	3
atoi			.symtab	0x40c590	28	FUNC	<unknown>	DEFAULT	3
atol			.symtab	0x40c590	28	FUNC	<unknown>	DEFAULT	3
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
audp			.symtab	0x4054a8	2188	FUNC	<unknown>	DEFAULT	3
bcopy			.symtab	0x40ac90	32	FUNC	<unknown>	DEFAULT	3
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x45bc00	4	OBJECT	<unknown>	DEFAULT	14
been_there_done_that.2792			.symtab	0x45bbc4	4	OBJECT	<unknown>	DEFAULT	14
brk			.symtab	0x40edb0	112	FUNC	<unknown>	DEFAULT	3
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x40b660	252	FUNC	<unknown>	DEFAULT	3
buf.2601			.symtab	0x45b990	16	OBJECT	<unknown>	DEFAULT	14
buf.4833			.symtab	0x45b9a0	460	OBJECT	<unknown>	DEFAULT	14
bzero			.symtab	0x40acb0	28	FUNC	<unknown>	DEFAULT	3
bzero.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
c			.symtab	0x4570b4	4	OBJECT	<unknown>	DEFAULT	11
chdir			.symtab	0x40a200	88	FUNC	<unknown>	DEFAULT	3
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
chernobyl-metode.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x40a260	84	FUNC	<unknown>	DEFAULT	3
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
commServer			.symtab	0x4570c0	4	OBJECT	<unknown>	DEFAULT	11
completed.2296			.symtab	0x457940	1	OBJECT	<unknown>	DEFAULT	14
connect			.symtab	0x40b300	84	FUNC	<unknown>	DEFAULT	3
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x401ed8	828	FUNC	<unknown>	DEFAULT	3
creat			.symtab	0x40a4cc	28	FUNC	<unknown>	DEFAULT	3
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x402490	460	FUNC	<unknown>	DEFAULT	3
currentServer			.symtab	0x4570b0	4	OBJECT	<unknown>	DEFAULT	11
data_start			.symtab	0x4570a0	0	OBJECT	<unknown>	DEFAULT	11
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x45bbb4	4	OBJECT	<unknown>	DEFAULT	14
errno			.symtab	0x45bbd0	4	OBJECT	<unknown>	DEFAULT	14
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
estridx			.symtab	0x416390	126	OBJECT	<unknown>	DEFAULT	5
exit			.symtab	0x40c820	236	FUNC	<unknown>	DEFAULT	3
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x416ff8	72	OBJECT	<unknown>	DEFAULT	5
fclose			.symtab	0x40ee80	512	FUNC	<unknown>	DEFAULT	3
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x40a050	136	FUNC	<unknown>	DEFAULT	3
fcntl64			.symtab	0x40a0e0	104	FUNC	<unknown>	DEFAULT	3
fdgets			.symtab	0x4006bc	292	FUNC	<unknown>	DEFAULT	3
fflush_unlocked			.symtab	0x40f8f0	628	FUNC	<unknown>	DEFAULT	3
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x4127d0	388	FUNC	<unknown>	DEFAULT	3
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x40f680	216	FUNC	<unknown>	DEFAULT	3
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x40fb70	268	FUNC	<unknown>	DEFAULT	3
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x416fe0	20	OBJECT	<unknown>	DEFAULT	5
fopen			.symtab	0x40f080	28	FUNC	<unknown>	DEFAULT	3
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x40a2c0	84	FUNC	<unknown>	DEFAULT	3
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x412960	128	FUNC	<unknown>	DEFAULT	3
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x40021c	0	FUNC	<unknown>	DEFAULT	3
free			.symtab	0x40b9e0	396	FUNC	<unknown>	DEFAULT	3
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x414360	68	FUNC	<unknown>	DEFAULT	3
fseeko			.symtab	0x414360	68	FUNC	<unknown>	DEFAULT	3
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x4143b0	388	FUNC	<unknown>	DEFAULT	3
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ftcp			.symtab	0x402fa8	2332	FUNC	<unknown>	DEFAULT	3
fwrite_unlocked			.symtab	0x4129e0	280	FUNC	<unknown>	DEFAULT	3
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getArch			.symtab	0x406868	56	FUNC	<unknown>	DEFAULT	3
getHost			.symtab	0x4019c0	160	FUNC	<unknown>	DEFAULT	3
getOurIP			.symtab	0x4007e0	896	FUNC	<unknown>	DEFAULT	3
getPortz			.symtab	0x4068a0	380	FUNC	<unknown>	DEFAULT	3
getRandomIP			.symtab	0x400610	172	FUNC	<unknown>	DEFAULT	3
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getc_unlocked			.symtab	0x4127d0	388	FUNC	<unknown>	DEFAULT	3
getegid			.symtab	0x40d280	88	FUNC	<unknown>	DEFAULT	3
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x40d2e0	88	FUNC	<unknown>	DEFAULT	3
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x40d340	84	FUNC	<unknown>	DEFAULT	3
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x40ae20	116	FUNC	<unknown>	DEFAULT	3
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x40aea0	1108	FUNC	<unknown>	DEFAULT	3
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x40a320	84	FUNC	<unknown>	DEFAULT	3
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x40b360	84	FUNC	<unknown>	DEFAULT	3
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x40b3c0	120	FUNC	<unknown>	DEFAULT	3
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x40d3a0	84	FUNC	<unknown>	DEFAULT	3
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gotIP			.symtab	0x457964	4	OBJECT	<unknown>	DEFAULT	14
h.4832			.symtab	0x45bb6c	20	OBJECT	<unknown>	DEFAULT	14
h_erno			.symtab	0x45bbd4	4	OBJECT	<unknown>	DEFAULT	14
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
hlt			.symtab	0x4002fc	0	NOTYPE	<unknown>	DEFAULT	3
htonl			.symtab	0x40ad00	8	FUNC	<unknown>	DEFAULT	3
htons			.symtab	0x40ad08	8	FUNC	<unknown>	DEFAULT	3
i.4126			.symtab	0x4570b8	4	OBJECT	<unknown>	DEFAULT	11
index			.symtab	0x40a970	256	FUNC	<unknown>	DEFAULT	3
inet_addr			.symtab	0x40add0	72	FUNC	<unknown>	DEFAULT	3
inet_aton			.symtab	0x40dc70	244	FUNC	<unknown>	DEFAULT	3
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x40adac	32	FUNC	<unknown>	DEFAULT	3
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x40ad10	156	FUNC	<unknown>	DEFAULT	3
inet_ntop			.symtab	0x410580	852	FUNC	<unknown>	DEFAULT	3
inet_ntop4			.symtab	0x41038c	500	FUNC	<unknown>	DEFAULT	3
inet_pton			.symtab	0x4100d0	700	FUNC	<unknown>	DEFAULT	3
inet_pton4			.symtab	0x40ffe0	240	FUNC	<unknown>	DEFAULT	3
initConnection			.symtab	0x409220	592	FUNC	<unknown>	DEFAULT	3
init_rand			.symtab	0x400310	300	FUNC	<unknown>	DEFAULT	3
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x457100	264	OBJECT	<unknown>	DEFAULT	11
initstate			.symtab	0x40bf64	208	FUNC	<unknown>	DEFAULT	3
initstate_r			.symtab	0x40c440	328	FUNC	<unknown>	DEFAULT	3
ioctl			.symtab	0x40a380	104	FUNC	<unknown>	DEFAULT	3
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x40fef0	60	FUNC	<unknown>	DEFAULT	3
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x40a710	44	FUNC	<unknown>	DEFAULT	3
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x40a3f0	88	FUNC	<unknown>	DEFAULT	3
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x402214	636	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x414700	168	FUNC	<unknown>	DEFAULT	3
macAddress			.symtab	0x457970	6	OBJECT	<unknown>	DEFAULT	14
main			.symtab	0x409470	3028	FUNC	<unknown>	DEFAULT	3
mainCommSock			.symtab	0x457960	4	OBJECT	<unknown>	DEFAULT	14
makeIPPacket			.symtab	0x4027c0	312	FUNC	<unknown>	DEFAULT	3
makeRandomStr			.symtab	0x401a60	268	FUNC	<unknown>	DEFAULT	3
makevsepacket			.symtab	0x403c9c	348	FUNC	<unknown>	DEFAULT	3
malloc			.symtab	0x40b7f0	492	FUNC	<unknown>	DEFAULT	3
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memchr			.symtab	0x414140	264	FUNC	<unknown>	DEFAULT	3
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x40a7a0	308	FUNC	<unknown>	DEFAULT	3
memmove			.symtab	0x40d770	816	FUNC	<unknown>	DEFAULT	3
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x412b00	76	FUNC	<unknown>	DEFAULT	3
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x414250	272	FUNC	<unknown>	DEFAULT	3
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x40a8e0	144	FUNC	<unknown>	DEFAULT	3
mylock			.symtab	0x457220	24	OBJECT	<unknown>	DEFAULT	11
mylock			.symtab	0x45bbe0	24	OBJECT	<unknown>	DEFAULT	14
mylock			.symtab	0x457340	24	OBJECT	<unknown>	DEFAULT	11
nanosleep			.symtab	0x40d400	84	FUNC	<unknown>	DEFAULT	3
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1065			.symtab	0x45b980	4	OBJECT	<unknown>	DEFAULT	14
ntohl			.symtab	0x40acf0	8	FUNC	<unknown>	DEFAULT	3
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x40acf8	8	FUNC	<unknown>	DEFAULT	3
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x457968	8	OBJECT	<unknown>	DEFAULT	14
object.2349			.symtab	0x457944	24	OBJECT	<unknown>	DEFAULT	14
open			.symtab	0x40a450	124	FUNC	<unknown>	DEFAULT	3
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x457920	4	OBJECT	<unknown>	DEFAULT	13
p.2294			.symtab	0x457090	0	OBJECT	<unknown>	DEFAULT	11
pids			.symtab	0x457924	4	OBJECT	<unknown>	DEFAULT	13
poll			.symtab	0x40ee20	84	FUNC	<unknown>	DEFAULT	3
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4045			.symtab	0x4162e0	12	OBJECT	<unknown>	DEFAULT	5
print			.symtab	0x4012b8	1456	FUNC	<unknown>	DEFAULT	3
printchar			.symtab	0x400d2c	184	FUNC	<unknown>	DEFAULT	3
printi			.symtab	0x401020	664	FUNC	<unknown>	DEFAULT	3
prints			.symtab	0x400de4	572	FUNC	<unknown>	DEFAULT	3
processCmd			.symtab	0x406a1c	10244	FUNC	<unknown>	DEFAULT	3
qual_chars.4050			.symtab	0x416300	20	OBJECT	<unknown>	DEFAULT	5
raise			.symtab	0x4111e0	76	FUNC	<unknown>	DEFAULT	3
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x40bdf0	28	FUNC	<unknown>	DEFAULT	3
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmwc			.symtab	0x40043c	468	FUNC	<unknown>	DEFAULT	3
random			.symtab	0x40be10	164	FUNC	<unknown>	DEFAULT	3
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x415ea0	40	OBJECT	<unknown>	DEFAULT	5
random_r			.symtab	0x40c21c	176	FUNC	<unknown>	DEFAULT	3
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x457238	128	OBJECT	<unknown>	DEFAULT	11
rawmemchr			.symtab	0x40fc80	200	FUNC	<unknown>	DEFAULT	3
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x40a4f0	84	FUNC	<unknown>	DEFAULT	3
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
recv			.symtab	0x40b440	84	FUNC	<unknown>	DEFAULT	3
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x401b6c	876	FUNC	<unknown>	DEFAULT	3
rtcp			.symtab	0x404dd4	1748	FUNC	<unknown>	DEFAULT	3
sbrk			.symtab	0x40d460	144	FUNC	<unknown>	DEFAULT	3
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
select			.symtab	0x40a550	120	FUNC	<unknown>	DEFAULT	3
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x40b4a0	84	FUNC	<unknown>	DEFAULT	3
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendto			.symtab	0x40b500	128	FUNC	<unknown>	DEFAULT	3
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsid			.symtab	0x40a5d0	84	FUNC	<unknown>	DEFAULT	3
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x40b580	120	FUNC	<unknown>	DEFAULT	3
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x40beb4	176	FUNC	<unknown>	DEFAULT	3
setstate_r			.symtab	0x40c0e0	316	FUNC	<unknown>	DEFAULT	3
sigaction			.symtab	0x40d130	232	FUNC	<unknown>	DEFAULT	3
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0x40b660	252	FUNC	<unknown>	DEFAULT	3
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x40d4f0	148	FUNC	<unknown>	DEFAULT	3
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x40c910	564	FUNC	<unknown>	DEFAULT	3
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x40b600	84	FUNC	<unknown>	DEFAULT	3
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x403ae0	444	FUNC	<unknown>	DEFAULT	3
sockprintf			.symtab	0x401868	344	FUNC	<unknown>	DEFAULT	3
spec_and_mask.4049			.symtab	0x416314	16	OBJECT	<unknown>	DEFAULT	5
spec_base.4044			.symtab	0x4162ec	7	OBJECT	<unknown>	DEFAULT	5
spec_chars.4046			.symtab	0x416340	21	OBJECT	<unknown>	DEFAULT	5
spec_flags.4045			.symtab	0x416358	8	OBJECT	<unknown>	DEFAULT	5
spec_or_mask.4048			.symtab	0x416324	16	OBJECT	<unknown>	DEFAULT	5
spec_ranges.4047			.symtab	0x416334	9	OBJECT	<unknown>	DEFAULT	5
sprintf			.symtab	0x411270	80	FUNC	<unknown>	DEFAULT	3
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x40c034	172	FUNC	<unknown>	DEFAULT	3
srandom			.symtab	0x40c034	172	FUNC	<unknown>	DEFAULT	3
srandom_r			.symtab	0x40c2cc	372	FUNC	<unknown>	DEFAULT	3
static_id			.symtab	0x457310	2	OBJECT	<unknown>	DEFAULT	11
static_ns			.symtab	0x45bbf8	4	OBJECT	<unknown>	DEFAULT	14
stderr			.symtab	0x4573a8	4	OBJECT	<unknown>	DEFAULT	11
stdhexflood			.symtab	0x404978	528	FUNC	<unknown>	DEFAULT	3
stdin			.symtab	0x4573a0	4	OBJECT	<unknown>	DEFAULT	11
stdout			.symtab	0x4573a4	4	OBJECT	<unknown>	DEFAULT	11
strcasecmp			.symtab	0x412e30	108	FUNC	<unknown>	DEFAULT	3
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x40a970	256	FUNC	<unknown>	DEFAULT	3
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x40aa70	44	FUNC	<unknown>	DEFAULT	3
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x40aa70	44	FUNC	<unknown>	DEFAULT	3
strcpy			.symtab	0x40aaa0	36	FUNC	<unknown>	DEFAULT	3
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strdup			.symtab	0x40fe60	144	FUNC	<unknown>	DEFAULT	3
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x412ca0	392	FUNC	<unknown>	DEFAULT	3
strlen			.symtab	0x40aad0	184	FUNC	<unknown>	DEFAULT	3
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncat			.symtab	0x40fd50	180	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x40daa0	188	FUNC	<unknown>	DEFAULT	3
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strlen			.symtab	0x412b50	256	FUNC	<unknown>	DEFAULT	3
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x40dc30	64	FUNC	<unknown>	DEFAULT	3
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x40fe10	76	FUNC	<unknown>	DEFAULT	3
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x40ab90	256	FUNC	<unknown>	DEFAULT	3
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x40acd0	32	FUNC	<unknown>	DEFAULT	3
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x40db60	204	FUNC	<unknown>	DEFAULT	3
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x40c5b0	28	FUNC	<unknown>	DEFAULT	3
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcgetattr			.symtab	0x40ff30	176	FUNC	<unknown>	DEFAULT	3
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpsum			.symtab	0x40265c	356	FUNC	<unknown>	DEFAULT	3
time			.symtab	0x40a630	84	FUNC	<unknown>	DEFAULT	3
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tolower			.symtab	0x411230	60	FUNC	<unknown>	DEFAULT	3
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x40a740	60	FUNC	<unknown>	DEFAULT	3
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x400b60	460	FUNC	<unknown>	DEFAULT	3
type_codes			.symtab	0x416360	24	OBJECT	<unknown>	DEFAULT	5
type_sizes			.symtab	0x416378	12	OBJECT	<unknown>	DEFAULT	5
unknown.1088			.symtab	0x416410	14	OBJECT	<unknown>	DEFAULT	5
unsafe_state			.symtab	0x4572c0	28	OBJECT	<unknown>	DEFAULT	11
useragents			.symtab	0x4570c4	28	OBJECT	<unknown>	DEFAULT	11
usleep			.symtab	0x40cb50	144	FUNC	<unknown>	DEFAULT	3
usleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
vseattack			.symtab	0x403df8	2428	FUNC	<unknown>	DEFAULT	3
vsprintf			.symtab	0x4112c0	260	FUNC	<unknown>	DEFAULT	3
vsprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x40d590	88	FUNC	<unknown>	DEFAULT	3
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x40a690	28	FUNC	<unknown>	DEFAULT	3
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x413170	112	FUNC	<unknown>	DEFAULT	3
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x413220	228	FUNC	<unknown>	DEFAULT	3
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x4131e0	64	FUNC	<unknown>	DEFAULT	3
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
write			.symtab	0x40a6b0	84	FUNC	<unknown>	DEFAULT	3
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
xdigits.3043			.symtab	0x415f84	17	OBJECT	<unknown>	DEFAULT	5

Network Behavior

Network Port Distribution

Total Packets: 43



- 443 (HTTPS)
- 606 undefined
- 80 (HTTP)

TCP Packets

System Behavior

Analysis Process: earyzq PID: 5225 Parent PID: 5117

General

Start time:	10:23:52
Start date:	28/09/2021
Path:	/tmp/earyzq
Arguments:	/tmp/earyzq
File size:	5777432 bytes
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c

File Activities

File Deleted

File Read

File Written

Analysis Process: earyzq PID: 5227 Parent PID: 5225

General

Start time:	10:23:53
Start date:	28/09/2021
Path:	/tmp/earyzq
Arguments:	n/a
File size:	5777432 bytes
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c

Analysis Process: earyzq PID: 5229 Parent PID: 5227

General	
Start time:	10:23:53
Start date:	28/09/2021
Path:	/tmp/earyzq
Arguments:	n/a
File size:	5777432 bytes
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c