

JOeSandbox Cloud BASIC



ID: 510749

Sample Name: 4wA5neDGrq

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 08:02:15

Date: 28/10/2021

Version: 33.0.0 White Diamond

Table of Contents

Table of Contents	2
Linux Analysis Report 4wA5neDGrq	4
Overview	4
General Information	4
Detection	4
Signatures	4
Classification	4
Analysis Advice	4
General Information	4
Process Tree	4
Yara Overview	5
Jbx Signature Overview	5
AV Detection:	5
Mitre Att&ck Matrix	5
Malware Configuration	6
Behavior Graph	6
Antivirus, Machine Learning and Genetic Malware Detection	6
Initial Sample	6
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	7
Contacted Domains	7
URLs from Memory and Binaries	7
Contacted IPs	7
Runtime Messages	7
Joe Sandbox View / Context	7
IPs	7
Domains	7
ASN	7
JA3 Fingerprints	7
Dropped Files	7
Created / dropped Files	7
Static File Info	8
General	8
Static ELF Info	8
ELF header	8
Sections	8
Program Segments	9
Symbols	9
Network Behavior	26
System Behavior	26
Analysis Process: dash PID: 5204 Parent PID: 4331	26
General	26
Analysis Process: cat PID: 5204 Parent PID: 4331	26
General	26
File Activities	26
File Read	26
Analysis Process: dash PID: 5205 Parent PID: 4331	26
General	26
Analysis Process: head PID: 5205 Parent PID: 4331	26
General	26
File Activities	27
File Read	27
Analysis Process: dash PID: 5206 Parent PID: 4331	27
General	27
Analysis Process: tr PID: 5206 Parent PID: 4331	27
General	27
File Activities	27
File Read	27
Analysis Process: dash PID: 5207 Parent PID: 4331	27
General	27
Analysis Process: cut PID: 5207 Parent PID: 4331	27
General	27
File Activities	28
File Read	28
Analysis Process: dash PID: 5208 Parent PID: 4331	28
General	28
Analysis Process: cat PID: 5208 Parent PID: 4331	28
General	28
File Activities	28
File Read	28
Analysis Process: dash PID: 5209 Parent PID: 4331	28
General	28
Analysis Process: head PID: 5209 Parent PID: 4331	28
General	28
File Activities	28
File Read	28

Analysis Process: dash PID: 5210 Parent PID: 4331	29
General	29
Analysis Process: tr PID: 5210 Parent PID: 4331	29
General	29
File Activities	29
File Read	29
Analysis Process: dash PID: 5211 Parent PID: 4331	29
General	29
Analysis Process: cut PID: 5211 Parent PID: 4331	29
General	29
File Activities	29
File Read	29
File Written	29
Analysis Process: dash PID: 5212 Parent PID: 4331	30
General	30
Analysis Process: rm PID: 5212 Parent PID: 4331	30
General	30
File Activities	30
File Read	30
Analysis Process: 4wA5neDGrq PID: 5263 Parent PID: 5109	30
General	30
File Activities	30
File Read	30
Analysis Process: 4wA5neDGrq PID: 5265 Parent PID: 5263	30
General	30
Analysis Process: 4wA5neDGrq PID: 5267 Parent PID: 5265	31
General	31
Analysis Process: 4wA5neDGrq PID: 5269 Parent PID: 5267	31
General	31
File Activities	31
File Read	31
Analysis Process: 4wA5neDGrq PID: 5271 Parent PID: 5269	31
General	31


Linux Analysis Report 4wA5neDGrq

Overview

General Information

Sample Name:	4wA5neDGrq
Analysis ID:	510749
MD5:	00d772fea556f87..
SHA1:	4bf5cde6a09bca3..
SHA256:	22f50f9e41244e3..
Tags:	32 arm elf gafgyt
Infos:	


Detection

	
Score:	56
Range:	0 - 100
Whitelisted:	false

Signatures

Antivirus / Scanner detection for sub...
Multi AV Scanner detection for subm...
Uses the "uname" system call to qu...
Executes the "rm" command used to...

Classification



Analysis Advice

- Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures
- Static ELF header machine description suggests that the sample might not execute correctly on this machine

General Information

Joe Sandbox Version:	33.0.0 White Diamond
Analysis ID:	510749
Start date:	28.10.2021
Start time:	08:02:15
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 42s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	4wA5neDGrq
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal56.lin@0/1@0/0


Process Tree

```
■ system is Inxubuntu20
● dash New Fork (PID: 5204, Parent: 4331)
○ cat (PID: 5204, Parent: 4331, MD5: 7e9d213e404ad3bb82e4ebb2e1f2c1b3) Arguments: cat /tmp/tmp.USJYxaCuE
● dash New Fork (PID: 5205, Parent: 4331)
○ head (PID: 5205, Parent: 4331, MD5: fd96a67145172477dd57131396fc9608) Arguments: head -n 10
● dash New Fork (PID: 5206, Parent: 4331)
○ tr (PID: 5206, Parent: 4331, MD5: fbd1402dd9f72d8ebfff00ce7c3a7bb5) Arguments: tr -d \000-\011\013\014\016-\037
● dash New Fork (PID: 5207, Parent: 4331)
○ cut (PID: 5207, Parent: 4331, MD5: d8ed0ea8f22c0de0f8692d4d9f1759d3) Arguments: cut -c -80
● dash New Fork (PID: 5208, Parent: 4331)
○ cat (PID: 5208, Parent: 4331, MD5: 7e9d213e404ad3bb82e4ebb2e1f2c1b3) Arguments: cat /tmp/tmp.USJYxaCuE
● dash New Fork (PID: 5209, Parent: 4331)
○ head (PID: 5209, Parent: 4331, MD5: fd96a67145172477dd57131396fc9608) Arguments: head -n 10
● dash New Fork (PID: 5210, Parent: 4331)
○ tr (PID: 5210, Parent: 4331, MD5: fbd1402dd9f72d8ebfff00ce7c3a7bb5) Arguments: tr -d \000-\011\013\014\016-\037
● dash New Fork (PID: 5211, Parent: 4331)
○ cut (PID: 5211, Parent: 4331, MD5: d8ed0ea8f22c0de0f8692d4d9f1759d3) Arguments: cut -c -80
● dash New Fork (PID: 5212, Parent: 4331)
○ rm (PID: 5212, Parent: 4331, MD5: aa2b5496fdbfd88e38791ab81f90b95b) Arguments: rm -f /tmp/tmp.USJYxaCuE /tmp/tmp.T3hUP4mjcM /tmp/tmp.wRaDNMdR2W
○ 4wA5neDGrq (PID: 5263, Parent: 5109, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/4wA5neDGrq
  ● 4wA5neDGrq New Fork (PID: 5265, Parent: 5263)
    ● 4wA5neDGrq New Fork (PID: 5267, Parent: 5265)
      ● 4wA5neDGrq New Fork (PID: 5269, Parent: 5267)
        ● 4wA5neDGrq New Fork (PID: 5271, Parent: 5269)
■ cleanup
```

Yara Overview

No yara matches

Jbx Signature Overview



AV Detection:

Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file


Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	File Deletion 1	OS Credential Dumping	Security Software Discovery 1 1	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition

Malware Configuration

No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
4wA5neDGrq	59%	Virustotal		Browse
4wA5neDGrq	61%	ReversingLabs	Linux.Trojan.Gafgyt	
4wA5neDGrq	100%	Avira	LINUX/Gafgyt.opnd	

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs

No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info

URLs from Memory and Binaries

Contacted IPs

No contacted IP infos

Runtime Messages

Command:	/tmp/4wA5neDGrq
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASN

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

/var/cache/motd-news	
Process:	/usr/bin/cut
File Type:	ASCII text
Category:	dropped
Size (bytes):	191
Entropy (8bit):	4.515771857099866
Encrypted:	false

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.fini	PROGBITS	0x1cc74	0x14c74	0x10	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x1cc88	0x14c88	0x3794	0x0	0x2	A	0	0	8
.ARM.extab	PROGBITS	0x2041c	0x1841c	0x18	0x0	0x2	A	0	0	4
.ARM.exidx	ARM_EXIDX	0x20434	0x18434	0x10	0x0	0x82	AL	2	0	4
.eh_frame	PROGBITS	0x28444	0x18444	0x4	0x0	0x3	WA	0	0	4
.init_array	INIT_ARRAY	0x28448	0x18448	0x4	0x0	0x3	WA	0	0	4
.fini_array	FINI_ARRAY	0x2844c	0x1844c	0x4	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x28450	0x18450	0x4	0x0	0x3	WA	0	0	4
.got	PROGBITS	0x28454	0x18454	0x78	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x284cc	0x184cc	0x2f8	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x287c8	0x187c4	0x6680	0x0	0x3	WA	0	0	8
.comment	PROGBITS	0x0	0x187c4	0xcac	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x19470	0xe0	0x0	0x0		0	0	8
.debug_info	PROGBITS	0x0	0x19550	0x4b0	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x19a00	0x8c	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x19a8c	0x655	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x1a0e4	0x58	0x0	0x0		0	0	4
.ARM.attributes	ARM_ATTRIBUTES	0x0	0x1a13c	0x10	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x1a14c	0xdd	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x1a5ec	0x50b0	0x10	0x0		23	707	4
.strtab	STRTAB	0x0	0x1f69c	0x2aa5	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
EXIDX	0x18434	0x20434	0x20434	0x10	0x10	0.8750	0x4	R	0x4		.ARM.exidx
LOAD	0x0	0x8000	0x8000	0x18444	0x18444	3.5527	0x5	R E	0x8000		.init .text .fini .rodata .ARM.extab .ARM.exidx
LOAD	0x18444	0x28444	0x28444	0x380	0x6a04	2.2544	0x6	RW	0x8000		.eh_frame .init_array .fini_array .jcr .got .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x80b4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80d0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x1cc74	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x1cc88	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x2041c	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x20434	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x28444	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x28448	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x2844c	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x28450	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x28454	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x284cc	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x287c8	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	21
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	22
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	23
\$a			.symtab	0x80b4	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1cc74	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80c0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1cc80	0	NOTYPE	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x810c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8150	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x82c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8408	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8d14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x90f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x927c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9644	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9970	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9c60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9e08	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9e6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa460	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa790	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa944	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xaaf8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xacac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xae60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb014	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb1c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb320	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb478	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb5d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb728	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb880	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbc44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbe10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcb94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd21c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd934	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe484	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe5b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf610	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x107ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1093c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10bf8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1151c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11630	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11650	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11690	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x116c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11738	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11798	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x117cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x117e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11814	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11844	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11884	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x118b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x118d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11908	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11948	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1197c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x119b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x119dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11a10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11a44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11b1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11b50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11ba4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11bd0	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x11c04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11c3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11c70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11c98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11cc8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11ce4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11d18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11dcc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11f3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11f6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1272c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x127cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12810	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x129c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12a14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12f84	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12fbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13070	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13110	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13170	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13180	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x131a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x131b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x131c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x132bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13388	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x133ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13468	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13558	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13570	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x135a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x136a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x136c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13740	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x137a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13848	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13870	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1388c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x138f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1392c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13964	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x139a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x139e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13a18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13a58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13a9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13ad4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13af0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13b34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13b48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13c00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13c6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14604	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14aa4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14ae4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14c0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14c24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14cc8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14d80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14e40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14ee4	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x14fc8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15058	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15130	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15214	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15234	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15250	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15410	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x154c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15574	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x156c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15c98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15d44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15d94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15e54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ea8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15f14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x161e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16250	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16270	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x162f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16304	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16310	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16344	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16378	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x163a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x163b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x163e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1641c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16430	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16444	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x164b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x164c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x164f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1652c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16560	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16658	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16728	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x167d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1686c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16958	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16974	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16d18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16d6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16d90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16e40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16ff4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17014	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x170c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x173d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17510	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x175e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17650	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1767c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x177d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17fcc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x180a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18164	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x182ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x184f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18624	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x186d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18b60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18c50	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x18cc8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18d0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18dbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18e9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18ee8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18f38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18f5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19048	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19088	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19180	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19420	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19554	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19908	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19940	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1998c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19998	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x199f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19c20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19c60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19da4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19dc8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19f18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19f70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a034	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a064	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a0fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a138	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a424	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a7ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a8e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b0cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b120	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b178	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b5d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b66c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b6b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b9b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b9e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ba5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bab4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bb20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bb30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bb64	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bc50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bd04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bd64	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bd94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bf98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bfcc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c038	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c0e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c228	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c644	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1cae0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1cc20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8144	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2844c	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x819c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x28448	0	NOTYPE	<unknown>	DEFAULT	8
\$d			.symtab	0x284d0	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x81e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x284d4	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x82bc	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x83fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8d10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x90e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9278	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1ccb4	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x9640	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x996c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9c58	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9e00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9e68	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa45c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa788	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa93c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xaaaf0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xaca4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xae58	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb00c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb1c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb31c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb474	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb5cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb724	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb87c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbc20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbe00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc78c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd210	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd904	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe480	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe5a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf5b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x107a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10930	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10be4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x114f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11c90	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11cc0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x28568	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x28570	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x11cdc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e2c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e60	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11f28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x285ac	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x28578	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x1f374	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x1270c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x129bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12a08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12f54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x286b4	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x13380	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13550	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13598	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13694	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1373c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13840	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x138e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13928	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13960	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x139a4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x139dc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13a14	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x13a54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13a98	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13ad0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13bf8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x145e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x286b8	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x14a88	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14adc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14bf8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x286d0	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x14cac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14d64	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14e24	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14ec8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x286e8	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x28780	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x14fc0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15054	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15124	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1520c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1ffa0	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x15408	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x154a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x28794	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x15570	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1569c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15c74	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15d3c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15d90	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15e40	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15ea0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15f04	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x161a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x287ac	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x162ec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16398	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x164a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16644	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16720	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x167d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2001c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x16944	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2ea20	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1696c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16d10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16fd4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1739c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17fac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x20050	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x18094	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18150	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x182c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x184d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1861c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18c48	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18db4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18e94	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19040	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19178	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1953c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x198ec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19934	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19984	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x19f04	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a418	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a7e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b090	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b118	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b170	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b58c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b654	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1bd8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1bf8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c030	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x287bc	0	NOTYPE	<unknown>	DEFAULT	12
\$t			.symtab	0x80d0	0	NOTYPE	<unknown>	DEFAULT	2
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
C.1.3506			.symtab	0x2001c	24	OBJECT	<unknown>	DEFAULT	4
C.100.5050			.symtab	0x1d46c	144	OBJECT	<unknown>	DEFAULT	4
C.103.5088			.symtab	0x1d4fc	144	OBJECT	<unknown>	DEFAULT	4
C.106.5126			.symtab	0x1d58c	144	OBJECT	<unknown>	DEFAULT	4
C.109.5164			.symtab	0x1d61c	144	OBJECT	<unknown>	DEFAULT	4
C.112.5201			.symtab	0x1d7ec	8	OBJECT	<unknown>	DEFAULT	4
C.115.5232			.symtab	0x1d7f4	8	OBJECT	<unknown>	DEFAULT	4
C.118.5263			.symtab	0x1d7fc	8	OBJECT	<unknown>	DEFAULT	4
C.121.5294			.symtab	0x1d804	8	OBJECT	<unknown>	DEFAULT	4
C.124.5325			.symtab	0x1d80c	8	OBJECT	<unknown>	DEFAULT	4
C.126.5352			.symtab	0x1e5d0	12	OBJECT	<unknown>	DEFAULT	4
C.127.5353			.symtab	0x1e5b0	12	OBJECT	<unknown>	DEFAULT	4
C.91.4935			.symtab	0x1d2bc	144	OBJECT	<unknown>	DEFAULT	4
C.94.4974			.symtab	0x1d34c	144	OBJECT	<unknown>	DEFAULT	4
C.97.5012			.symtab	0x1d3dc	144	OBJECT	<unknown>	DEFAULT	4
GetRandomIP			.symtab	0x9e08	100	FUNC	<unknown>	DEFAULT	2
Laligned			.symtab	0x13138	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0x13154	0	NOTYPE	<unknown>	DEFAULT	2
OreoServer			.symtab	0x284d4	4	OBJECT	<unknown>	DEFAULT	12
Q			.symtab	0x28808	16384	OBJECT	<unknown>	DEFAULT	13
RandString			.symtab	0x98b8	184	FUNC	<unknown>	DEFAULT	2
Send100UP			.symtab	0xb478	344	FUNC	<unknown>	DEFAULT	2
SendNUKE			.symtab	0xb728	344	FUNC	<unknown>	DEFAULT	2
SendOVH			.symtab	0xb1c8	344	FUNC	<unknown>	DEFAULT	2
SendPAKI			.symtab	0xb5d0	344	FUNC	<unknown>	DEFAULT	2
SendZAP			.symtab	0xb320	344	FUNC	<unknown>	DEFAULT	2
_Exit			.symtab	0x11ba4	44	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x28454	0	OBJECT	<unknown>	HIDDEN	11
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b			.symtab	0x28568	4	OBJECT	<unknown>	DEFAULT	12
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__C_ctype_b_data			.symtab	0x1ed74	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x287bc	4	OBJECT	<unknown>	DEFAULT	12
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x2011c	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x28570	4	OBJECT	<unknown>	DEFAULT	12
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x1f074	768	OBJECT	<unknown>	DEFAULT	4
__EH_FRAME_BEGIN__			.symtab	0x28444	0	OBJECT	<unknown>	DEFAULT	7
__FRAME_END__			.symtab	0x28444	0	OBJECT	<unknown>	DEFAULT	7
__GI__C_ctype_b			.symtab	0x28568	4	OBJECT	<unknown>	HIDDEN	12
__GI__C_ctype_tolower			.symtab	0x287bc	4	OBJECT	<unknown>	HIDDEN	12
__GI__C_ctype_toupper			.symtab	0x28570	4	OBJECT	<unknown>	HIDDEN	12
__GI__ctype_b			.symtab	0x2856c	4	OBJECT	<unknown>	HIDDEN	12
__GI__ctype_tolower			.symtab	0x287c0	4	OBJECT	<unknown>	HIDDEN	12
__GI__ctype_toupper			.symtab	0x28574	4	OBJECT	<unknown>	HIDDEN	12
__GI__errno_location			.symtab	0x11cc8	28	FUNC	<unknown>	HIDDEN	2
__GI__fcntl_nocancel			.symtab	0x11ab0	108	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x184f8	300	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x13558	24	FUNC	<unknown>	HIDDEN	2
__GI__h_errno_location			.symtab	0x16958	28	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x11a44	108	FUNC	<unknown>	HIDDEN	2
__GI__sigaddset			.symtab	0x13c24	36	FUNC	<unknown>	HIDDEN	2
__GI__sigdelset			.symtab	0x13c48	36	FUNC	<unknown>	HIDDEN	2
__GI__sigismember			.symtab	0x13c00	36	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x15dd8	124	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x15ea8	108	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x135a0	256	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x11ba4	44	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x14ae4	296	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0x15214	32	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x19940	76	FUNC	<unknown>	HIDDEN	2
__GI__chdir			.symtab	0x11948	52	FUNC	<unknown>	HIDDEN	2
__GI__clock_getres			.symtab	0x163b4	52	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0x11c3c	52	FUNC	<unknown>	HIDDEN	2
__GI__closedir			.symtab	0x16560	248	FUNC	<unknown>	HIDDEN	2
__GI__config_close			.symtab	0x16c9c	52	FUNC	<unknown>	HIDDEN	2
__GI__config_open			.symtab	0x16cd0	72	FUNC	<unknown>	HIDDEN	2
__GI__config_read			.symtab	0x16974	808	FUNC	<unknown>	HIDDEN	2
__GI__connect			.symtab	0x138f4	56	FUNC	<unknown>	HIDDEN	2
__GI__dup2			.symtab	0x11690	52	FUNC	<unknown>	HIDDEN	2
__GI__errno			.symtab	0x2ea20	4	OBJECT	<unknown>	HIDDEN	13
__GI__execl			.symtab	0x15c98	172	FUNC	<unknown>	HIDDEN	2
__GI__execve			.symtab	0x16344	52	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x15410	184	FUNC	<unknown>	HIDDEN	2
__GI__fclose			.symtab	0x16e40	436	FUNC	<unknown>	HIDDEN	2
__GI__fcntl			.symtab	0x11a44	108	FUNC	<unknown>	HIDDEN	2
__GI__fflush_unlocked			.symtab	0x182ec	524	FUNC	<unknown>	HIDDEN	2
__GI__fgetc			.symtab	0x17fcc	220	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x184f8	300	FUNC	<unknown>	HIDDEN	2
__GI__fgets			.symtab	0x180a8	188	FUNC	<unknown>	HIDDEN	2
__GI__fgets_unlocked			.symtab	0x18624	160	FUNC	<unknown>	HIDDEN	2
__GI__fopen			.symtab	0x16ff4	32	FUNC	<unknown>	HIDDEN	2
__GI__fork			.symtab	0x11884	52	FUNC	<unknown>	HIDDEN	2
__GI__fputs_unlocked			.symtab	0x12f84	56	FUNC	<unknown>	HIDDEN	2
__GI__fseek			.symtab	0x19da4	36	FUNC	<unknown>	HIDDEN	2
__GI__fseeko64			.symtab	0x19dc8	336	FUNC	<unknown>	HIDDEN	2
__GI__fstat			.symtab	0x19998	88	FUNC	<unknown>	HIDDEN	2
__GI__fwrite_unlocked			.symtab	0x12fbc	176	FUNC	<unknown>	HIDDEN	2
__GI__getc_unlocked			.symtab	0x184f8	300	FUNC	<unknown>	HIDDEN	2
__GI__getdtablesize			.symtab	0x119b0	44	FUNC	<unknown>	HIDDEN	2
__GI__getegid			.symtab	0x1641c	20	FUNC	<unknown>	HIDDEN	2
__GI__geteuid			.symtab	0x16430	20	FUNC	<unknown>	HIDDEN	2
__GI__getgid			.symtab	0x164b0	20	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_gethostbyname			.symtab	0x13870	28	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname2			.symtab	0x1388c	104	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname2_r			.symtab	0x19180	672	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname_r			.symtab	0x1b6b8	760	FUNC	<unknown>	HIDDEN	2
__GI_gethostname			.symtab	0x1b9e4	120	FUNC	<unknown>	HIDDEN	2
__GI_getpagesize			.symtab	0x16378	40	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0x117cc	20	FUNC	<unknown>	HIDDEN	2
__GI_getrlimit			.symtab	0x163e8	52	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0x1392c	56	FUNC	<unknown>	HIDDEN	2
__GI_gettimeofday			.symtab	0x11a10	52	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x163a0	20	FUNC	<unknown>	HIDDEN	2
__GI_h_errno			.symtab	0x2ea24	4	OBJECT	<unknown>	HIDDEN	13
__GI_htonl			.symtab	0x13750	32	FUNC	<unknown>	HIDDEN	2
__GI_htons			.symtab	0x13740	16	FUNC	<unknown>	HIDDEN	2
__GI_inet_addr			.symtab	0x13848	40	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x19088	248	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa			.symtab	0x1382c	28	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa_r			.symtab	0x137a0	140	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntop			.symtab	0x1a568	644	FUNC	<unknown>	HIDDEN	2
__GI_inet_pton			.symtab	0x1a208	540	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0x15130	228	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0x11b50	84	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x136a0	36	FUNC	<unknown>	HIDDEN	2
__GI_isspace			.symtab	0x11c70	40	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0x119dc	52	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x1bab4	100	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x18b60	240	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x131a0	4	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0x1bb20	4	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x18f38	36	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x18dbc	224	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0x13070	156	FUNC	<unknown>	HIDDEN	2
__GI_mmap			.symtab	0x161e8	104	FUNC	<unknown>	HIDDEN	2
__GI_mremap			.symtab	0x19c20	64	FUNC	<unknown>	HIDDEN	2
__GI_munmap			.symtab	0x164c4	52	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x164f8	52	FUNC	<unknown>	HIDDEN	2
__GI_ntohl			.symtab	0x13780	32	FUNC	<unknown>	HIDDEN	2
__GI_ntohs			.symtab	0x13770	16	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x11738	96	FUNC	<unknown>	HIDDEN	2
__GI_opendir			.symtab	0x16728	172	FUNC	<unknown>	HIDDEN	2
__GI_pipe			.symtab	0x11798	52	FUNC	<unknown>	HIDDEN	2
__GI_poll			.symtab	0x1b9b0	52	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x13ad4	28	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0x14c24	164	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x14fc8	144	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x18d0c	176	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x1197c	52	FUNC	<unknown>	HIDDEN	2
__GI_readdir64			.symtab	0x1686c	236	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0x139a8	56	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x16444	108	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0x11908	64	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0x139e0	56	FUNC	<unknown>	HIDDEN	2
__GI_sendto			.symtab	0x13a18	64	FUNC	<unknown>	HIDDEN	2
__GI_seteuid			.symtab	0x116c4	116	FUNC	<unknown>	HIDDEN	2
__GI_setresuid			.symtab	0x11bd0	52	FUNC	<unknown>	HIDDEN	2
__GI_setreuid			.symtab	0x118d4	52	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0x13a58	68	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0x14ee4	228	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0x16270	136	FUNC	<unknown>	HIDDEN	2
__GI_sigaddset			.symtab	0x13af0	68	FUNC	<unknown>	HIDDEN	2
__GI_sigemptyset			.symtab	0x13b34	20	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0x13b48	184	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0x11c04	56	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_sleep			.symtab	0x154c8	172	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0x13a9c	56	FUNC	<unknown>	HIDDEN	2
__GI_sprintf			.symtab	0x11ce4	52	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0x15058	216	FUNC	<unknown>	HIDDEN	2
__GI_stat			.symtab	0x1ba5c	88	FUNC	<unknown>	HIDDEN	2
__GI_strcasecmp			.symtab	0x1bfcc	108	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0x13468	240	FUNC	<unknown>	HIDDEN	2
__GI_strchrnul			.symtab	0x18f5c	236	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0x13180	28	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0x13180	28	FUNC	<unknown>	HIDDEN	2
__GI_strcpy			.symtab	0x13388	36	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0x18cc8	68	FUNC	<unknown>	HIDDEN	2
__GI_strdup			.symtab	0x1bb30	52	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0x13110	96	FUNC	<unknown>	HIDDEN	2
__GI_strncpy			.symtab	0x133ac	188	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0x132bc	204	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0x19048	64	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0x18ee8	80	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0x18e9c	76	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0x131c0	252	FUNC	<unknown>	HIDDEN	2
__GI_strtok			.symtab	0x13570	48	FUNC	<unknown>	HIDDEN	2
__GI_strtok_r			.symtab	0x18c50	120	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0x15234	28	FUNC	<unknown>	HIDDEN	2
__GI_sysconf			.symtab	0x156c0	1496	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0x136c4	124	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0x11814	48	FUNC	<unknown>	HIDDEN	2
__GI_toupper			.symtab	0x11c98	48	FUNC	<unknown>	HIDDEN	2
__GI_uname			.symtab	0x1bf98	52	FUNC	<unknown>	HIDDEN	2
__GI_vfork			.symtab	0x11650	64	FUNC	<unknown>	HIDDEN	2
__GI_vsnprintf			.symtab	0x11d18	180	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0x16310	52	FUNC	<unknown>	HIDDEN	2
__GI_waitpid			.symtab	0x118b8	28	FUNC	<unknown>	HIDDEN	2
__GI_wctomb			.symtab	0x16d18	84	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x16d90	176	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0x16d6c	36	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x11b1c	52	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x28450	0	OBJECT	<unknown>	DEFAULT	10
__JCR_LIST__			.symtab	0x28450	0	OBJECT	<unknown>	DEFAULT	10
__adddf3			.symtab	0x1c234	784	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmpeq			.symtab	0x1cb90	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmpne			.symtab	0x1cb90	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdrcmpne			.symtab	0x1cb74	52	FUNC	<unknown>	HIDDEN	2
__aeabi_d2uiz			.symtab	0x1cc20	84	FUNC	<unknown>	HIDDEN	2
__aeabi_dadd			.symtab	0x1c234	784	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpeq			.symtab	0x1c8a8	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpge			.symtab	0x1cbf0	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpgt			.symtab	0x1cc08	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmple			.symtab	0x1cbd8	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmplt			.symtab	0x1cbc0	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ddiv			.symtab	0x1c8d4	524	FUNC	<unknown>	HIDDEN	2
__aeabi_dmul			.symtab	0x1c644	656	FUNC	<unknown>	HIDDEN	2
__aeabi_drsb			.symtab	0x1c228	0	FUNC	<unknown>	HIDDEN	2
__aeabi_dsub			.symtab	0x1c230	788	FUNC	<unknown>	HIDDEN	2
__aeabi_f2d			.symtab	0x1c590	64	FUNC	<unknown>	HIDDEN	2
__aeabi_i2d			.symtab	0x1c568	40	FUNC	<unknown>	HIDDEN	2
__aeabi_idiv			.symtab	0x1c0e4	0	FUNC	<unknown>	HIDDEN	2
__aeabi_idivmod			.symtab	0x1c210	24	FUNC	<unknown>	HIDDEN	2
__aeabi_l2d			.symtab	0x1c5e4	96	FUNC	<unknown>	HIDDEN	2
__aeabi_ui2d			.symtab	0x1c544	36	FUNC	<unknown>	HIDDEN	2
__aeabi_uidiv			.symtab	0x1151c	0	FUNC	<unknown>	HIDDEN	2
__aeabi_uidivmod			.symtab	0x11618	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ul2d			.symtab	0x1c5d0	116	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr0			.symtab	0x1998c	4	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__aeabi_unwind_cpp_pr1			.symtab	0x19990	4	FUNC	<unknown>	DEFAULT	2
__aeabi_unwind_cpp_pr2			.symtab	0x19994	4	FUNC	<unknown>	DEFAULT	2
__app_fini			.symtab	0x2ea18	4	OBJECT	<unknown>	HIDDEN	13
__atexit_lock			.symtab	0x28794	24	OBJECT	<unknown>	DEFAULT	12
__bss_end__			.symtab	0x2ee48	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x287c4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x287c4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x15e54	84	FUNC	<unknown>	DEFAULT	2
__close_nameservers			.symtab	0x1b5d4	152	FUNC	<unknown>	HIDDEN	2
__cmpdf2			.symtab	0x1caf0	132	FUNC	<unknown>	HIDDEN	2
__ctype_b			.symtab	0x2856c	4	OBJECT	<unknown>	DEFAULT	12
__ctype_tolower			.symtab	0x287c0	4	OBJECT	<unknown>	DEFAULT	12
__ctype_toupper			.symtab	0x28574	4	OBJECT	<unknown>	DEFAULT	12
__curbrk			.symtab	0x2ea28	4	OBJECT	<unknown>	HIDDEN	13
__data_start			.symtab	0x284cc	0	NOTYPE	<unknown>	DEFAULT	12
__decode_dotted			.symtab	0x1a7ec	248	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x1bc50	180	FUNC	<unknown>	HIDDEN	2
__default_rt_sa_restorer			.symtab	0x16308	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0x162fc	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__div0			.symtab	0x11630	20	FUNC	<unknown>	HIDDEN	2
__divdf3			.symtab	0x1c8d4	524	FUNC	<unknown>	HIDDEN	2
__divsi3			.symtab	0x1c0e4	300	FUNC	<unknown>	HIDDEN	2
__dns_lookup			.symtab	0x1a8e4	2024	FUNC	<unknown>	HIDDEN	2
__do_global_dtors_aux			.symtab	0x810c	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux_fini_array_entry			.symtab	0x2844c	0	OBJECT	<unknown>	DEFAULT	9
__dso_handle			.symtab	0x284cc	0	OBJECT	<unknown>	HIDDEN	12
__encode_dotted			.symtab	0x1c038	172	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x1bb64	236	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x1bd04	96	FUNC	<unknown>	HIDDEN	2
__end__			.symtab	0x2ee48	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x2ea10	4	OBJECT	<unknown>	DEFAULT	13
__eqdf2			.symtab	0x1caf0	132	FUNC	<unknown>	HIDDEN	2
__errno_location			.symtab	0x11cc8	28	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__error			.symtab	0x1168c	0	NOTYPE	<unknown>	DEFAULT	2
__exidx_end			.symtab	0x20444	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exidx_start			.symtab	0x20434	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x2ea08	4	OBJECT	<unknown>	HIDDEN	13
__extendsfdf2			.symtab	0x1c590	64	FUNC	<unknown>	HIDDEN	2
__fcntl_nocancel			.symtab	0x11ab0	108	FUNC	<unknown>	DEFAULT	2
__fgetc_unlocked			.symtab	0x184f8	300	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x28450	0	NOTYPE	<unknown>	HIDDEN	9
__fini_array_start			.symtab	0x2844c	0	NOTYPE	<unknown>	HIDDEN	9
__fixunsdfsi			.symtab	0x1cc20	84	FUNC	<unknown>	HIDDEN	2
__floatdidf			.symtab	0x1c5e4	96	FUNC	<unknown>	HIDDEN	2
__floatsidf			.symtab	0x1c568	40	FUNC	<unknown>	HIDDEN	2
__floatundidf			.symtab	0x1c5d0	116	FUNC	<unknown>	HIDDEN	2
__floatunsidf			.symtab	0x1c544	36	FUNC	<unknown>	HIDDEN	2
__frame_dummy_init_array_entry			.symtab	0x28448	0	OBJECT	<unknown>	DEFAULT	8
__gedf2			.symtab	0x1cae0	148	FUNC	<unknown>	HIDDEN	2
__get_hosts_byname_r			.symtab	0x1b66c	76	FUNC	<unknown>	HIDDEN	2
__getdents64			.symtab	0x19c60	324	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x16378	40	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x13558	24	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gtdf2			.symtab	0x1cae0	148	FUNC	<unknown>	HIDDEN	2
__h_errno_location			.symtab	0x16958	28	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__init_array_end			.symtab	0x2844c	0	NOTYPE	<unknown>	HIDDEN	8
__init_array_start			.symtab	0x28448	0	NOTYPE	<unknown>	HIDDEN	8
__ledf2			.symtab	0x1cae8	140	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x11c3c	52	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__libc_connect			.symtab	0x138f4	56	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x11a44	108	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x11884	52	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x1bab4	100	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x164f8	52	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x11738	96	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x1197c	52	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x139a8	56	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x11908	64	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x139e0	56	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x13a18	64	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x16270	136	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x2ea0c	4	OBJECT	<unknown>	DEFAULT	13
__libc_waitpid			.symtab	0x118b8	28	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x11b1c	52	FUNC	<unknown>	DEFAULT	2
__local_nameserver			.symtab	0x200fc	16	OBJECT	<unknown>	HIDDEN	4
__ltdf2			.symtab	0x1cae8	140	FUNC	<unknown>	HIDDEN	2
__malloc Consolidate			.symtab	0x146b4	436	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x13c6c	120	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x286b8	24	OBJECT	<unknown>	DEFAULT	12
__malloc_state			.symtab	0x2eab4	888	OBJECT	<unknown>	DEFAULT	13
__malloc_trim			.symtab	0x14604	176	FUNC	<unknown>	DEFAULT	2
__muldf3			.symtab	0x1c644	656	FUNC	<unknown>	HIDDEN	2
__nameserver			.symtab	0x2ee3c	4	OBJECT	<unknown>	HIDDEN	13
__nameservers			.symtab	0x2ee40	4	OBJECT	<unknown>	HIDDEN	13
__nedf2			.symtab	0x1caf0	132	FUNC	<unknown>	HIDDEN	2
__open_etc_hosts			.symtab	0x1bd64	48	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x1b178	1116	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x2ea14	4	OBJECT	<unknown>	DEFAULT	13
__preinit_array_end			.symtab	0x28448	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x28448	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__progname			.symtab	0x287b0	4	OBJECT	<unknown>	DEFAULT	12
__progname_full			.symtab	0x287b4	4	OBJECT	<unknown>	DEFAULT	12
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x15d9c	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x15d94	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x15d94	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x15d94	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x15d94	8	FUNC	<unknown>	DEFAULT	2
__read_etc_hosts_r			.symtab	0x1bd94	516	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__res_sync			.symtab	0x2ee34	4	OBJECT	<unknown>	HIDDEN	13
__resolv_attempts			.symtab	0x287bb	1	OBJECT	<unknown>	HIDDEN	12
__resolv_lock			.symtab	0x2ea30	24	OBJECT	<unknown>	DEFAULT	13
__resolv_timeout			.symtab	0x287ba	1	OBJECT	<unknown>	HIDDEN	12
__rtdl_fini			.symtab	0x2ea1c	4	OBJECT	<unknown>	HIDDEN	13
__searchdomain			.symtab	0x2ee38	4	OBJECT	<unknown>	HIDDEN	13
__searchdomains			.symtab	0x2ee44	4	OBJECT	<unknown>	HIDDEN	13
__sigaddset			.symtab	0x13c24	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x13c48	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x13c00	36	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x285b8	4	OBJECT	<unknown>	DEFAULT	12
__stdio_READ			.symtab	0x19f18	88	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x17014	180	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x19f70	196	FUNC	<unknown>	HIDDEN	2
__stdio_fwrit			.symtab	0x173d0	320	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x11e34	52	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.4636			.symtab	0x1f374	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x1a034	48	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x1a0fc	60	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x1a064	152	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x17510	208	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__stdio_wcommit			.symtab	0x11f3c	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x285bc	4	OBJECT	<unknown>	DEFAULT	12
__subdf3			.symtab	0x1c230	788	FUNC	<unknown>	HIDDEN	2
__syscall_error			.symtab	0x16250	32	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x1652c	52	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x15dd8	124	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x15ea8	108	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x15f14	724	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x287ac	4	OBJECT	<unknown>	HIDDEN	12
__udivsi3			.symtab	0x1151c	252	FUNC	<unknown>	HIDDEN	2
__vfork			.symtab	0x11650	64	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0x135a0	256	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__xstat32_conv			.symtab	0x19abc	172	FUNC	<unknown>	HIDDEN	2
__xstat64_conv			.symtab	0x199f0	204	FUNC	<unknown>	HIDDEN	2
__xstat_conv			.symtab	0x19b68	184	FUNC	<unknown>	HIDDEN	2
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__bss_custom_printf_spec			.symtab	0x2e818	10	OBJECT	<unknown>	DEFAULT	13
__bss_end__			.symtab	0x2ee48	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__call_via_fp			.symtab	0x80fd	4	FUNC	<unknown>	HIDDEN	2
__call_via_ip			.symtab	0x8101	4	FUNC	<unknown>	HIDDEN	2
__call_via_lr			.symtab	0x8109	4	FUNC	<unknown>	HIDDEN	2
__call_via_r0			.symtab	0x80d1	4	FUNC	<unknown>	HIDDEN	2
__call_via_r1			.symtab	0x80d5	4	FUNC	<unknown>	HIDDEN	2
__call_via_r2			.symtab	0x80d9	4	FUNC	<unknown>	HIDDEN	2
__call_via_r3			.symtab	0x80dd	4	FUNC	<unknown>	HIDDEN	2
__call_via_r4			.symtab	0x80e1	4	FUNC	<unknown>	HIDDEN	2
__call_via_r5			.symtab	0x80e5	4	FUNC	<unknown>	HIDDEN	2
__call_via_r6			.symtab	0x80e9	4	FUNC	<unknown>	HIDDEN	2
__call_via_r7			.symtab	0x80ed	4	FUNC	<unknown>	HIDDEN	2
__call_via_r8			.symtab	0x80f1	4	FUNC	<unknown>	HIDDEN	2
__call_via_r9			.symtab	0x80f5	4	FUNC	<unknown>	HIDDEN	2
__call_via_sl			.symtab	0x80f9	4	FUNC	<unknown>	HIDDEN	2
__call_via_sp			.symtab	0x8105	4	FUNC	<unknown>	HIDDEN	2
__charpad			.symtab	0x11f6c	84	FUNC	<unknown>	DEFAULT	2
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__custom_printf_arginfo			.symtab	0x2ea5c	40	OBJECT	<unknown>	HIDDEN	13
__custom_printf_handler			.symtab	0x2ea84	40	OBJECT	<unknown>	HIDDEN	13
__custom_printf_spec			.symtab	0x286b4	4	OBJECT	<unknown>	HIDDEN	12
__dl_aux_init			.symtab	0x19908	56	FUNC	<unknown>	DEFAULT	2
__dl_phdr			.symtab	0x2ee2c	4	OBJECT	<unknown>	DEFAULT	13
__dl_phnum			.symtab	0x2ee30	4	OBJECT	<unknown>	DEFAULT	13
__edata			.symtab	0x287c4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__end			.symtab	0x2ee48	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__errno			.symtab	0x2ea20	4	OBJECT	<unknown>	DEFAULT	13
__exit			.symtab	0x11ba4	44	FUNC	<unknown>	DEFAULT	2
__exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fini			.symtab	0x1cc74	0	FUNC	<unknown>	DEFAULT	3
__fixed_buffers			.symtab	0x2c818	8192	OBJECT	<unknown>	DEFAULT	13
__fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fp_out_narrow			.symtab	0x11fc0	132	FUNC	<unknown>	DEFAULT	2
__fpmaxtostr			.symtab	0x177d8	2036	FUNC	<unknown>	HIDDEN	2
__fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno			.symtab	0x2ea24	4	OBJECT	<unknown>	DEFAULT	13
__init			.symtab	0x80b4	0	FUNC	<unknown>	DEFAULT	1
__load_inttype			.symtab	0x175e0	112	FUNC	<unknown>	HIDDEN	2
__load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__memcpy			.symtab	0x186d0	0	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_ppfs_init			.symtab	0x1272c	160	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x12a14	1392	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x127cc	68	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x12810	432	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x129c0	84	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x15dac	44	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x15da4	8	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signtr			.symtab	0x2eaac	8	OBJECT	<unknown>	HIDDEN	13
_start			.symtab	0x81b0	0	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x170c8	776	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x11dcc	104	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x285c0	4	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_add_lock			.symtab	0x28578	24	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_dec_use			.symtab	0x18164	392	FUNC	<unknown>	HIDDEN	2
_stdio_openlist_del_count			.symtab	0x2c814	4	OBJECT	<unknown>	DEFAULT	13
_stdio_openlist_del_lock			.symtab	0x28590	24	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_use_count			.symtab	0x2c810	4	OBJECT	<unknown>	DEFAULT	13
_stdio_streams			.symtab	0x285c4	240	OBJECT	<unknown>	DEFAULT	12
_stdio_term			.symtab	0x11e68	212	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x285a8	4	OBJECT	<unknown>	DEFAULT	12
_stdlib_strto_l			.symtab	0x15250	448	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x17650	44	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x1f444	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x1767c	348	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x12044	1768	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x14ae4	296	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
aeabi_unwind_cpp_pr1.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x15214	32	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x15214	32	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bcopy			.symtab	0x13170	16	FUNC	<unknown>	DEFAULT	2
been_there_done_that			.symtab	0x2ea04	4	OBJECT	<unknown>	DEFAULT	13
bot.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x19940	76	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x13b48	184	FUNC	<unknown>	DEFAULT	2
buf.2975			.symtab	0x2e828	16	OBJECT	<unknown>	DEFAULT	13
buf.5444			.symtab	0x2e838	440	OBJECT	<unknown>	DEFAULT	13
bzero			.symtab	0x131b0	12	FUNC	<unknown>	DEFAULT	2
c			.symtab	0x284e0	4	OBJECT	<unknown>	DEFAULT	12
calloc			.symtab	0x19420	308	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
chdir			.symtab	0x11948	52	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_tcp_udp			.symtab	0x9fc0	424	FUNC	<unknown>	DEFAULT	2
clock_getres			.symtab	0x163b4	52	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x11c3c	52	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
closedir			.symtab	0x16560	248	FUNC	<unknown>	DEFAULT	2
closedir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
closenameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.4959			.symtab	0x287c8	1	OBJECT	<unknown>	DEFAULT	13
connect			.symtab	0x138f4	56	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x9350	624	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x9e6c	340	FUNC	<unknown>	DEFAULT	2
currentServer			.symtab	0x284d8	4	OBJECT	<unknown>	DEFAULT	12
data_start			.symtab	0x284d0	0	NOTYPE	<unknown>	DEFAULT	12
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x11690	52	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x2ea10	4	OBJECT	<unknown>	DEFAULT	13
errno			.symtab	0x2ea20	4	OBJECT	<unknown>	DEFAULT	13
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execl			.symtab	0x15c98	172	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x16344	52	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x15410	184	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x20050	72	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x16e40	436	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x11a44	108	FUNC	<unknown>	DEFAULT	2
fd_to_DIR			.symtab	0x16658	208	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x927c	212	FUNC	<unknown>	DEFAULT	2
fdopen_pids			.symtab	0x2c808	4	OBJECT	<unknown>	DEFAULT	13
fdopendir			.symtab	0x167d4	152	FUNC	<unknown>	DEFAULT	2
fdpclose			.symtab	0x90f4	392	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x8e6c	648	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x182ec	524	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc			.symtab	0x17fcc	220	FUNC	<unknown>	DEFAULT	2
fgetc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x184f8	300	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x180a8	188	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x18624	160	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x20038	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x16ff4	32	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x11884	52	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x12f84	56	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8150	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x14868	572	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x19da4	36	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x19da4	36	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x19dc8	336	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fstat			.symtab	0x19998	88	FUNC	<unknown>	DEFAULT	2
fstat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x12fbc	176	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getHost			.symtab	0x97f0	104	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x1093c	700	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc			.symtab	0x17fcc	220	FUNC	<unknown>	DEFAULT	2
getc_unlocked			.symtab	0x184f8	300	FUNC	<unknown>	DEFAULT	2
getdents64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdtablesize			.symtab	0x119b0	44	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x1641c	20	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x16430	20	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x164b0	20	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x13870	28	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname2			.symtab	0x1388c	104	FUNC	<unknown>	DEFAULT	2
gethostbyname2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname2_r			.symtab	0x19180	672	FUNC	<unknown>	DEFAULT	2
gethostbyname2_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x1b6b8	760	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostname			.symtab	0x1b9e4	120	FUNC	<unknown>	DEFAULT	2
gethostname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x16378	40	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x117cc	20	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x163e8	52	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x1392c	56	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x13964	68	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gettimeofday			.symtab	0x11a10	52	FUNC	<unknown>	DEFAULT	2
gettimeofday.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x163a0	20	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gotIP			.symtab	0x287f0	4	OBJECT	<unknown>	DEFAULT	13
h_errno			.symtab	0x2ea24	4	OBJECT	<unknown>	DEFAULT	13
hextable			.symtab	0x1ccb4	1024	OBJECT	<unknown>	DEFAULT	4
hoste.5443			.symtab	0x2e9f0	20	OBJECT	<unknown>	DEFAULT	13
htonl			.symtab	0x13750	32	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x13740	16	FUNC	<unknown>	DEFAULT	2
i.4037			.symtab	0x284e4	4	OBJECT	<unknown>	DEFAULT	12
index			.symtab	0x13468	240	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x13848	40	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x19088	248	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x1382c	28	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x137a0	140	FUNC	<unknown>	DEFAULT	2
inet_ntop			.symtab	0x1a568	644	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x1a424	324	FUNC	<unknown>	DEFAULT	2

Network Behavior

No network behavior found

System Behavior

Analysis Process: dash PID: 5204 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cat PID: 5204 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/cat
Arguments:	cat /tmp/tmp.USJYxzaCuE
File size:	43416 bytes
MD5 hash:	7e9d213e404ad3bb82e4ebb2e1f2c1b3

File Activities

File Read

Analysis Process: dash PID: 5205 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: head PID: 5205 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/head
Arguments:	head -n 10

File size:	47480 bytes
MD5 hash:	fd96a67145172477dd57131396fc9608

File Activities

File Read

Analysis Process: dash PID: 5206 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: tr PID: 5206 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/tr
Arguments:	tr -d \000-\011\013\014\016-\037
File size:	51544 bytes
MD5 hash:	fbd1402dd9f72d8ebfff00ce7c3a7bb5

File Activities

File Read

Analysis Process: dash PID: 5207 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cut PID: 5207 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/cut
Arguments:	cut -c -80
File size:	47480 bytes
MD5 hash:	d8ed0ea8f22c0de0f8692d4d9f1759d3

File Activities

File Read

Analysis Process: dash PID: 5208 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cat PID: 5208 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/cat
Arguments:	cat /tmp/tmp.USJYxzaCuE
File size:	43416 bytes
MD5 hash:	7e9d213e404ad3bb82e4ebb2e1f2c1b3

File Activities

File Read

Analysis Process: dash PID: 5209 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: head PID: 5209 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/head
Arguments:	head -n 10
File size:	47480 bytes
MD5 hash:	fd96a67145172477dd57131396fc9608

File Activities

File Read

Analysis Process: dash PID: 5210 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: tr PID: 5210 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/tr
Arguments:	tr -d \000-\011\013\014\016-\037
File size:	51544 bytes
MD5 hash:	fbf1402dd9f72d8ebff00ce7c3a7bb5

File Activities

File Read

Analysis Process: dash PID: 5211 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cut PID: 5211 Parent PID: 4331

General

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/cut
Arguments:	cut -c -80
File size:	47480 bytes
MD5 hash:	d8ed0ea8f22c0de0f8692d4d9f1759d3

File Activities

File Read

File Written

Analysis Process: dash PID: 5212 Parent PID: 4331**General**

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: rm PID: 5212 Parent PID: 4331**General**

Start time:	08:02:47
Start date:	28/10/2021
Path:	/usr/bin/rm
Arguments:	rm -f /tmp/tmp.USJYxzaCuE /tmp/tmp.T3hUP4mjcM /tmp/tmp.wRaDNMdR2W
File size:	72056 bytes
MD5 hash:	aa2b5496fdbfd88e38791ab81f90b95b

File Activities**File Read****Analysis Process: 4wA5neDGrq PID: 5263 Parent PID: 5109****General**

Start time:	08:02:58
Start date:	28/10/2021
Path:	/tmp/4wA5neDGrq
Arguments:	/tmp/4wA5neDGrq
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities**File Read****Analysis Process: 4wA5neDGrq PID: 5265 Parent PID: 5263****General**

Start time:	08:02:58
Start date:	28/10/2021
Path:	/tmp/4wA5neDGrq
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: 4wA5neDGrq PID: 5267 Parent PID: 5265**General**

Start time:	08:02:58
Start date:	28/10/2021
Path:	/tmp/4wA5neDGrq
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: 4wA5neDGrq PID: 5269 Parent PID: 5267**General**

Start time:	08:02:58
Start date:	28/10/2021
Path:	/tmp/4wA5neDGrq
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities**File Read****Analysis Process: 4wA5neDGrq PID: 5271 Parent PID: 5269****General**

Start time:	08:02:58
Start date:	28/10/2021
Path:	/tmp/4wA5neDGrq
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1