

JOeSandbox Cloud BASIC



ID: 510751

Sample Name: ZErnXU2XR1

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 08:07:23

Date: 28/10/2021

Version: 33.0.0 White Diamond

Table of Contents

Table of Contents	2
Linux Analysis Report ZErnXU2XR1	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Process Tree	3
Yara Overview	4
Jbx Signature Overview	4
AV Detection:	4
Mitre Att&ck Matrix	4
Malware Configuration	4
Behavior Graph	4
Antivirus, Machine Learning and Genetic Malware Detection	5
Initial Sample	5
Dropped Files	5
Domains	5
URLs	5
Domains and IPs	5
Contacted Domains	5
Contacted IPs	6
Public	6
Runtime Messages	6
Joe Sandbox View / Context	6
IPs	6
Domains	7
ASN	7
JA3 Fingerprints	8
Dropped Files	8
Created / dropped Files	8
Static File Info	8
General	8
Static ELF Info	9
ELF header	9
Sections	9
Program Segments	9
Symbols	9
Network Behavior	21
Network Port Distribution	21
TCP Packets	22
System Behavior	22
Analysis Process: ZErnXU2XR1 PID: 5239 Parent PID: 5117	22
General	22
Analysis Process: ZErnXU2XR1 PID: 5240 Parent PID: 5239	22
General	22
Analysis Process: ZErnXU2XR1 PID: 5241 Parent PID: 5240	22
General	22
Analysis Process: ZErnXU2XR1 PID: 5242 Parent PID: 5241	23
General	23
Analysis Process: ZErnXU2XR1 PID: 5243 Parent PID: 5242	23
General	23

Linux Analysis Report ZErnXU2XR1

Overview

General Information

Sample Name:	ZErnXU2XR1
Analysis ID:	510751
MD5:	dec1c1dff6adf62...
SHA1:	2c22e2e33f8a786.
SHA256:	fabf187ea5f3a82...
Tags:	32 elf gafgyt intel
Infos:	↑ ↓

Detection

MALICIOUS

SUSPICIOUS

CLEAN


UNKNOWN

Score:	52
Range:	0 - 100
Whitelisted:	false

Signatures

- Multi AV Scanner detection for subm...
- Machine Learning detection for samp...
- Tries to connect to HTTP servers, b...
- Detected TCP or UDP traffic on non...

Classification



Analysis Advice

All HTTP servers contacted by the sample do not answer. Likely the sample is an old dropper which does no longer work

General Information

Joe Sandbox Version:	33.0.0 White Diamond
Analysis ID:	510751
Start date:	28.10.2021
Start time:	08:07:23
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 16s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	ZErnXU2XR1
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal52.lin@0/0@0/0


Process Tree

- system is Inxubuntu20
 - ZErnXU2XR1 (PID: 5239, Parent: 5117, MD5: dec1c1dff6adf627db111bb9629e872a) Arguments: /tmp/ZErnXU2XR1
 - ZErnXU2XR1 New Fork (PID: 5240, Parent: 5239)
 - ZErnXU2XR1 New Fork (PID: 5241, Parent: 5240)
 - ZErnXU2XR1 New Fork (PID: 5242, Parent: 5241)
 - ZErnXU2XR1 New Fork (PID: 5243, Parent: 5242)
- cleanup

Yara Overview

No yara matches

Jbx Signature Overview



AV Detection:



Multi AV Scanner detection for submitted file

Machine Learning detection for sample


Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	System Service Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	Encrypted Channel 1	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	Non-Standard Port 1	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	Application Layer Protocol 1	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

Malware Configuration

No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
ZEmXU2XR1	55%	Virustotal		Browse
ZEmXU2XR1	56%	ReversingLabs	Linux.Trojan.Gafgyt	
ZEmXU2XR1	100%	Joe Sandbox ML		

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs

No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info

Contacted IPs

Public

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
45.148.120.226	unknown	Netherlands		64425	SKB-ENTERPRISENL	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Runtime Messages

Command:	/tmp/ZErnXU2XR1
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Joe Sandbox View / Context

IPs

Match	Associated Sample Name / URL	SHA 256	Detection	Link	Context
45.148.120.226	sTHJvS5LPJ	Get hash	malicious	Browse	
	THzHjYQ4z6	Get hash	malicious	Browse	
	jC0B6sMh1d	Get hash	malicious	Browse	
	JoLmvC65B7	Get hash	malicious	Browse	
	AOaKSm1cij	Get hash	malicious	Browse	
109.202.202.202	sTHJvS5LPJ	Get hash	malicious	Browse	
	THzHjYQ4z6	Get hash	malicious	Browse	
	jC0B6sMh1d	Get hash	malicious	Browse	
	JoLmvC65B7	Get hash	malicious	Browse	
	AOaKSm1cij	Get hash	malicious	Browse	
	Mozi.a	Get hash	malicious	Browse	
	ggbMKQDdG2	Get hash	malicious	Browse	
	SecuriteInfo.com.Linux.Siggen.4218.31606.9155	Get hash	malicious	Browse	
	AbriuSDkeL	Get hash	malicious	Browse	
	xjmPNreY8l	Get hash	malicious	Browse	
	u7kfj23xQc	Get hash	malicious	Browse	
	nrT4coM180	Get hash	malicious	Browse	
	Fy8Spch79	Get hash	malicious	Browse	
	6vqWv6BFhR	Get hash	malicious	Browse	
	WaH4Q4OTzD	Get hash	malicious	Browse	
	6s4RqypN8p	Get hash	malicious	Browse	
	0vknf5ybYd	Get hash	malicious	Browse	
	sddX6Yllru	Get hash	malicious	Browse	
	8NC2CO6W0B	Get hash	malicious	Browse	
	nEzZe0JYXL	Get hash	malicious	Browse	
91.189.91.43	sTHJvS5LPJ	Get hash	malicious	Browse	
	THzHjYQ4z6	Get hash	malicious	Browse	
	jC0B6sMh1d	Get hash	malicious	Browse	
	JoLmvC65B7	Get hash	malicious	Browse	
	AOaKSm1cij	Get hash	malicious	Browse	
	Mozi.a	Get hash	malicious	Browse	
	ggbMKQDdG2	Get hash	malicious	Browse	
	SecuriteInfo.com.Linux.Siggen.4218.31606.9155	Get hash	malicious	Browse	
	AbriuSDkeL	Get hash	malicious	Browse	

Match	Associated Sample Name / URL	SHA 256	Detection	Link	Context
	xjmPNreY8l	Get hash	malicious	Browse	
	u7kjf23xQc	Get hash	malicious	Browse	
	nrT4coM180	Get hash	malicious	Browse	
	Fy8SpcfH79	Get hash	malicious	Browse	
	6vqWv6BFhR	Get hash	malicious	Browse	
	WaH4Q4OTzD	Get hash	malicious	Browse	
	6s4RqypN8p	Get hash	malicious	Browse	
	0vknf5ybYd	Get hash	malicious	Browse	
	sddX6Yllru	Get hash	malicious	Browse	
	8NC2CO6W0B	Get hash	malicious	Browse	
	nEzZe0JYXL	Get hash	malicious	Browse	

Domains

No context

ASN

Match	Associated Sample Name / URL	SHA 256	Detection	Link	Context
CANONICAL-ASGB	sTHJvS5LPJ	Get hash	malicious	Browse	91.189.91.42
	THzHjYQ4z6	Get hash	malicious	Browse	91.189.91.42
	jC0B6sMh1d	Get hash	malicious	Browse	91.189.91.42
	JoLmvC65B7	Get hash	malicious	Browse	91.189.91.42
	AOaKSm1cij	Get hash	malicious	Browse	91.189.91.42
	Mozi.a	Get hash	malicious	Browse	91.189.91.42
	ggbMKQDdG2	Get hash	malicious	Browse	91.189.91.42
	SecuriteInfo.com.Linux.Siggen.4218.31606.9155	Get hash	malicious	Browse	91.189.91.42
	AbriuSDkeL	Get hash	malicious	Browse	91.189.91.42
	xjmPNreY8l	Get hash	malicious	Browse	91.189.91.42
	u7kjf23xQc	Get hash	malicious	Browse	91.189.91.42
	nrT4coM180	Get hash	malicious	Browse	91.189.91.42
	Fy8SpcfH79	Get hash	malicious	Browse	91.189.91.42
	6vqWv6BFhR	Get hash	malicious	Browse	91.189.91.42
	WaH4Q4OTzD	Get hash	malicious	Browse	91.189.91.42
	6s4RqypN8p	Get hash	malicious	Browse	91.189.91.42
	0vknf5ybYd	Get hash	malicious	Browse	91.189.91.42
	sddX6Yllru	Get hash	malicious	Browse	91.189.91.42
	8NC2CO6W0B	Get hash	malicious	Browse	91.189.91.42
	nEzZe0JYXL	Get hash	malicious	Browse	91.189.91.42
SKB-ENTERPRISENL	sTHJvS5LPJ	Get hash	malicious	Browse	45.148.120.226
	THzHjYQ4z6	Get hash	malicious	Browse	45.148.120.226
	jC0B6sMh1d	Get hash	malicious	Browse	45.148.120.226
	JoLmvC65B7	Get hash	malicious	Browse	45.148.120.226
	AOaKSm1cij	Get hash	malicious	Browse	45.148.120.226
	3lcXhYvbTF	Get hash	malicious	Browse	45.148.120.80
	7Q0wg7rNbd	Get hash	malicious	Browse	45.148.120.80
	EqOEaxmbw1	Get hash	malicious	Browse	45.148.120.171
	33OR050FYd	Get hash	malicious	Browse	45.148.120.80
	CyGmg9k4rh	Get hash	malicious	Browse	45.148.120.171
	WGk1hy0exE	Get hash	malicious	Browse	45.148.120.80
	hoDXATv9mt	Get hash	malicious	Browse	45.148.120.171
	UCqpVo71IW	Get hash	malicious	Browse	45.148.120.80
	n9yn51PMGf	Get hash	malicious	Browse	45.148.120.171
	f4EDUeZQ5X	Get hash	malicious	Browse	45.148.120.171
	DWxGY7x9kJ	Get hash	malicious	Browse	45.148.120.171
	OwqxloEcpC	Get hash	malicious	Browse	45.148.120.171
	HPbm04j7IG	Get hash	malicious	Browse	45.148.121.228
	9WngNSSgIR	Get hash	malicious	Browse	45.148.121.228
	TEdtM5ETHd	Get hash	malicious	Browse	45.148.121.228
INIT7CH	sTHJvS5LPJ	Get hash	malicious	Browse	109.202.20.2.202
	THzHjYQ4z6	Get hash	malicious	Browse	109.202.20.2.202
	jC0B6sMh1d	Get hash	malicious	Browse	109.202.20.2.202

Match	Associated Sample Name / URL	SHA 256	Detection	Link	Context
	JoLmvC65B7	Get hash	malicious	Browse	109.202.202.202
	AOaKSm1cij	Get hash	malicious	Browse	109.202.202.202
	Mozi.a	Get hash	malicious	Browse	109.202.202.202
	ggbMKQDdG2	Get hash	malicious	Browse	109.202.202.202
	SecuritelInfo.com.Linux.Siggen.4218.31606.9155	Get hash	malicious	Browse	109.202.202.202
	AbriuSDkeL	Get hash	malicious	Browse	109.202.202.202
	xjmPNreY8l	Get hash	malicious	Browse	109.202.202.202
	u7kjf23xQc	Get hash	malicious	Browse	109.202.202.202
	nrT4coM180	Get hash	malicious	Browse	109.202.202.202
	Fy8SpcfH79	Get hash	malicious	Browse	109.202.202.202
	6vqWv6BFhR	Get hash	malicious	Browse	109.202.202.202
	WaH4Q4OTzD	Get hash	malicious	Browse	109.202.202.202
	6s4RqypN8p	Get hash	malicious	Browse	109.202.202.202
	0vknf5ybYd	Get hash	malicious	Browse	109.202.202.202
	sddX6Yllru	Get hash	malicious	Browse	109.202.202.202
	8NC2CO6W0B	Get hash	malicious	Browse	109.202.202.202
	nEzZe0JYXL	Get hash	malicious	Browse	109.202.202.202

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, Intel 80386, version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	6.348948577301533
TrID:	- ELF Executable and Linkable format (Linux) (4029/14) 50.16% - ELF Executable and Linkable format (generic) (4004/1) 49.84%
File name:	ZErnXU2XR1
File size:	99084
MD5:	dec1c1dff6adf627db111bb9629e872a
SHA1:	2c22e2e33f8a786ac575f275608f05a0b346c540
SHA256:	fabf187ea5f3a82f9b13083203deccf34ac00881428b080be04b92fbe2a53c42
SHA512:	a1e24a703ce9a63b7bac2ba922c0d06eeb6916a1749daa9c5d0ddc5fc50ea16fd04ed2ad781340ebab6a82b8a9c8411706dab28bc6175b94a4ff75b4c4a4aa97

General	
SSDEEP:	3072:sWCjQrLpnr85EdT9Oa8vqbVr7x/CEgmqAgcVyZl cBl:sf5EdTbpr7xWmqAgcVyZlcBl
File Content Preview:	.ELF.....h...4..l/....4. ..(.....d...d.....`...D].....Q.td.....U..S.....W. ...h.....[]..\$......U.....='...t.1...\$......u.....t.. \$`.....`.

Static ELF Info

ELF header	
Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	Intel 80386
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x8048168
Flags:	0x0
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	3
Section Header Offset:	77676
Section Header Size:	40
Number of Section Headers:	16
Header String Table Index:	13

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x8048094	0x94	0x1c	0x0	0x6	AX	0	0	1
.text	PROGBITS	0x80480b0	0xb0	0xe6b4	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x8056764	0xe764	0x17	0x0	0x6	AX	0	0	1
.rodata	PROGBITS	0x8056780	0xe780	0x37e0	0x0	0x2	A	0	0	32
.eh_frame	PROGBITS	0x8059f60	0x11f60	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x805a000	0x12000	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x805a008	0x12008	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x805a010	0x12010	0x4	0x0	0x3	WA	0	0	4
.got.plt	PROGBITS	0x805a014	0x12014	0xc	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x805a020	0x12020	0x340	0x0	0x3	WA	0	0	32
.bss	NOBITS	0x805a360	0x12360	0x66e4	0x0	0x3	WA	0	0	32
.comment	PROGBITS	0x0	0x12360	0xb9a	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x12efa	0x6f	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x131ec	0x2e60	0x10	0x0		15	267	4
.strtab	STRTAB	0x0	0x1604c	0x22c0	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x8048000	0x8048000	0x11f64	0x11f64	3.7945	0x5	R E	0x1000		.init .text .fini .rodata .eh_frame
LOAD	0x12000	0x805a000	0x805a000	0x360	0x6a44	2.4720	0x6	RW	0x1000		.ctors .dtors .jcr .got.plt .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x8048094	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80480b0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x8056764	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x8056780	0	SECTION	<unknown>	DEFAULT	4

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x8059f60	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x805a000	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x805a008	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x805a010	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x805a014	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x805a020	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x805a360	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
C.100.4686			.symtab	0x8056e40	144	OBJECT	<unknown>	DEFAULT	4
C.104.4726			.symtab	0x8056ee0	144	OBJECT	<unknown>	DEFAULT	4
C.108.4766			.symtab	0x8056f80	144	OBJECT	<unknown>	DEFAULT	4
C.112.4806			.symtab	0x8057020	144	OBJECT	<unknown>	DEFAULT	4
C.116.4846			.symtab	0x80570c0	144	OBJECT	<unknown>	DEFAULT	4
C.120.4886			.symtab	0x8057160	144	OBJECT	<unknown>	DEFAULT	4
C.96.4645			.symtab	0x8056da0	144	OBJECT	<unknown>	DEFAULT	4
GetRandomIP			.symtab	0x8049491	44	FUNC	<unknown>	DEFAULT	2
OreoServer			.symtab	0x805a040	4	OBJECT	<unknown>	DEFAULT	10
Q			.symtab	0x805a3a0	16384	OBJECT	<unknown>	DEFAULT	11
RandString			.symtab	0x804914c	106	FUNC	<unknown>	DEFAULT	2
Send100UP			.symtab	0x804a6ad	306	FUNC	<unknown>	DEFAULT	2
SendNUKE			.symtab	0x804a911	306	FUNC	<unknown>	DEFAULT	2
SendOVH			.symtab	0x804a449	306	FUNC	<unknown>	DEFAULT	2
SendPAKI			.symtab	0x804a7df	306	FUNC	<unknown>	DEFAULT	2
SendZAP			.symtab	0x804a57b	306	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x805a014	0	OBJECT	<unknown>	HIDDEN	9
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x805a004	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x805a000	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x805a0e0	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x8058620	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x805a358	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x8059c60	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x805a0e8	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x8058920	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x805a00c	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x805a008	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x8059f60	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x8059f60	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x805a0e0	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_b_data			.symtab	0x8058620	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_tolower			.symtab	0x805a358	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_tolower_data			.symtab	0x8059c60	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x805a0e8	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_toupper_data			.symtab	0x8058920	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x805a0e4	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_tolower			.symtab	0x805a35c	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_toupper			.symtab	0x805a0ec	4	OBJECT	<unknown>	HIDDEN	10
__GI__errno_location			.symtab	0x8050318	6	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x8056378	220	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x8051388	29	FUNC	<unknown>	HIDDEN	2
__GI__h_errno_location			.symtab	0x80537d8	6	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x804fd58	87	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl64			.symtab	0x804fdb0	63	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x804ffcc	75	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x80531c0	63	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI___uClibc_init			.symtab	0x8053237	64	FUNC	<unknown>	HIDDEN	2
__GI___xpg_strerror_r			.symtab	0x80513a8	182	FUNC	<unknown>	HIDDEN	2
__GI___exit			.symtab	0x804dfd0	40	FUNC	<unknown>	HIDDEN	2
__GI_abort			.symtab	0x80527fc	273	FUNC	<unknown>	HIDDEN	2
__GI_atoi			.symtab	0x8052c94	20	FUNC	<unknown>	HIDDEN	2
__GI_atol			.symtab	0x8052c94	20	FUNC	<unknown>	HIDDEN	2
__GI_brk			.symtab	0x8054e20	54	FUNC	<unknown>	HIDDEN	2
__GI_chdir			.symtab	0x804fe18	46	FUNC	<unknown>	HIDDEN	2
__GI_clock_getres			.symtab	0x80535c4	50	FUNC	<unknown>	HIDDEN	2
__GI_close			.symtab	0x804fe48	46	FUNC	<unknown>	HIDDEN	2
__GI_connect			.symtab	0x805193c	43	FUNC	<unknown>	HIDDEN	2
__GI_dup2			.symtab	0x804fe78	50	FUNC	<unknown>	HIDDEN	2
__GI_errno			.symtab	0x80605e0	4	OBJECT	<unknown>	HIDDEN	11
__GI_execl			.symtab	0x8052e50	105	FUNC	<unknown>	HIDDEN	2
__GI_execve			.symtab	0x80535f8	54	FUNC	<unknown>	HIDDEN	2
__GI_exit			.symtab	0x8052de8	103	FUNC	<unknown>	HIDDEN	2
__GI_fclose			.symtab	0x8054e90	271	FUNC	<unknown>	HIDDEN	2
__GI_fcntl			.symtab	0x804fd58	87	FUNC	<unknown>	HIDDEN	2
__GI_fcntl64			.symtab	0x804fdb0	63	FUNC	<unknown>	HIDDEN	2
__GI_fflush_unlocked			.symtab	0x8055520	333	FUNC	<unknown>	HIDDEN	2
__GI_fgetc_unlocked			.symtab	0x8056378	220	FUNC	<unknown>	HIDDEN	2
__GI_fgets			.symtab	0x80553d8	98	FUNC	<unknown>	HIDDEN	2
__GI_fgets_unlocked			.symtab	0x8055670	105	FUNC	<unknown>	HIDDEN	2
__GI_fopen			.symtab	0x8054fa0	24	FUNC	<unknown>	HIDDEN	2
__GI_fork			.symtab	0x804feac	38	FUNC	<unknown>	HIDDEN	2
__GI_fputs_unlocked			.symtab	0x8051138	49	FUNC	<unknown>	HIDDEN	2
__GI_fseek			.symtab	0x8054fb8	27	FUNC	<unknown>	HIDDEN	2
__GI_fseeko64			.symtab	0x8054fd4	231	FUNC	<unknown>	HIDDEN	2
__GI_fwrite_unlocked			.symtab	0x805116c	120	FUNC	<unknown>	HIDDEN	2
__GI_getc_unlocked			.symtab	0x8056378	220	FUNC	<unknown>	HIDDEN	2
__GI_getdtablesize			.symtab	0x804fed4	37	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0x8053630	38	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0x8053658	38	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0x8053680	38	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname			.symtab	0x80515d8	48	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname_r			.symtab	0x8051608	818	FUNC	<unknown>	HIDDEN	2
__GI_getpagesize			.symtab	0x80536a8	17	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0x804fefc	38	FUNC	<unknown>	HIDDEN	2
__GI_getrlimit			.symtab	0x804ff24	50	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0x8051968	43	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x80536bc	38	FUNC	<unknown>	HIDDEN	2
__GI_h_errno			.symtab	0x80605e4	4	OBJECT	<unknown>	HIDDEN	11
__GI_inet_addr			.symtab	0x80515b0	37	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x805439c	148	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa			.symtab	0x805159b	21	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa_r			.symtab	0x805154c	79	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntop			.symtab	0x8055b5d	465	FUNC	<unknown>	HIDDEN	2
__GI_inet_pton			.symtab	0x8055882	458	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0x8052be9	171	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0x804ff58	63	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x8051494	29	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0x804ff98	50	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x8056300	86	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x80541f8	35	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x80511e4	39	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0x805421c	39	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x8054244	33	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x8054268	176	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0x805120c	21	FUNC	<unknown>	HIDDEN	2
__GI_mmap			.symtab	0x8053538	27	FUNC	<unknown>	HIDDEN	2
__GI_munmap			.symtab	0x80536e4	50	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x8053718	50	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x804ffcc	75	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_pipe			.symtab	0x8050030	46	FUNC	<unknown>	HIDDEN	2
__GI_poll			.symtab	0x8054e58	54	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x8054df4	24	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0x8052918	72	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x8052af1	94	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x805572c	99	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x80500a0	54	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0x80519d0	51	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x805374c	78	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0x80500d8	63	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0x8051a04	51	FUNC	<unknown>	HIDDEN	2
__GI_sendto			.symtab	0x8051a38	67	FUNC	<unknown>	HIDDEN	2
__GI_seteuid			.symtab	0x8050118	82	FUNC	<unknown>	HIDDEN	2
__GI_setresuid			.symtab	0x805016c	54	FUNC	<unknown>	HIDDEN	2
__GI_setreuid			.symtab	0x80501a4	50	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0x8051a7c	59	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0x8052a58	153	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0x8053443	218	FUNC	<unknown>	HIDDEN	2
__GI_sigaddset			.symtab	0x8051ae4	42	FUNC	<unknown>	HIDDEN	2
__GI_sigemptyset			.symtab	0x8051b10	25	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0x8051b2c	175	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0x8050208	85	FUNC	<unknown>	HIDDEN	2
__GI_sleep			.symtab	0x8052ebc	393	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0x8051ab8	43	FUNC	<unknown>	HIDDEN	2
__GI_sprintf			.symtab	0x8050320	31	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0x8052b4f	154	FUNC	<unknown>	HIDDEN	2
__GI_strerrorcmp			.symtab	0x8056454	54	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0x8051224	30	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0x80556dc	29	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0x80556dc	29	FUNC	<unknown>	HIDDEN	2
__GI_strcpy			.symtab	0x8051244	27	FUNC	<unknown>	HIDDEN	2
__GI_strdup			.symtab	0x80557c4	54	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0x8051260	19	FUNC	<unknown>	HIDDEN	2
__GI_strncat			.symtab	0x80556fc	46	FUNC	<unknown>	HIDDEN	2
__GI_strncpy			.symtab	0x8051274	38	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0x805129c	25	FUNC	<unknown>	HIDDEN	2
__GI_strpbrk			.symtab	0x8054374	39	FUNC	<unknown>	HIDDEN	2
__GI_strspn			.symtab	0x8055790	50	FUNC	<unknown>	HIDDEN	2
__GI_strstr			.symtab	0x80512b8	206	FUNC	<unknown>	HIDDEN	2
__GI_strtok			.symtab	0x8051478	25	FUNC	<unknown>	HIDDEN	2
__GI_strtok_r			.symtab	0x8054318	89	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0x8052ca8	26	FUNC	<unknown>	HIDDEN	2
__GI_sysconf			.symtab	0x8053048	325	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0x80514b4	112	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0x8050260	46	FUNC	<unknown>	HIDDEN	2
__GI_tolower			.symtab	0x8056358	29	FUNC	<unknown>	HIDDEN	2
__GI_toupper			.symtab	0x80502f8	29	FUNC	<unknown>	HIDDEN	2
__GI_vfork			.symtab	0x804fd40	21	FUNC	<unknown>	HIDDEN	2
__GI_vsnprintf			.symtab	0x8050340	176	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0x805379c	59	FUNC	<unknown>	HIDDEN	2
__GI_waitpid			.symtab	0x8050290	26	FUNC	<unknown>	HIDDEN	2
__GI_wctomb			.symtab	0x80537e0	69	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x8053848	133	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0x8053828	30	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x80502ac	54	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x805a010	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x805a010	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x80605d4	4	OBJECT	<unknown>	HIDDEN	11
__atexit_lock			.symtab	0x805a320	24	OBJECT	<unknown>	DEFAULT	10
__bsd_signal			.symtab	0x8051b2c	175	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x805a360	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x8053203	52	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x805a0e4	4	OBJECT	<unknown>	DEFAULT	10

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__ctype_tolower			.symtab	0x805a35c	4	OBJECT	<unknown>	DEFAULT	10
__ctype_toupper			.symtab	0x805a0ec	4	OBJECT	<unknown>	DEFAULT	10
__curbrk			.symtab	0x8060604	4	OBJECT	<unknown>	HIDDEN	11
__data_start			.symtab	0x805a028	0	NOTYPE	<unknown>	DEFAULT	10
__decode_answer			.symtab	0x8055efc	249	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x805651c	217	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x8055de0	171	FUNC	<unknown>	HIDDEN	2
__deregister_frame_info_bases			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__dns_lookup			.symtab	0x8054430	1876	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x8056730	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x80480c0	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x805a020	0	OBJECT	<unknown>	HIDDEN	10
__encode_dotted			.symtab	0x805648c	144	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x8055d30	175	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x8055e8c	83	FUNC	<unknown>	HIDDEN	2
__environ			.symtab	0x80605cc	4	OBJECT	<unknown>	DEFAULT	11
__errno_location			.symtab	0x8050318	6	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x80605c4	4	OBJECT	<unknown>	HIDDEN	11
__fgetc_unlocked			.symtab	0x8056378	220	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x805a000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x805a000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x8054dc8	44	FUNC	<unknown>	HIDDEN	2
__get_pc_thunk_bx			.symtab	0x80480b0	0	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x80536a8	17	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x8051388	29	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x80537d8	6	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__init_array_end			.symtab	0x805a000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x805a000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x80565f8	65	FUNC	<unknown>	HIDDEN	2
__length_question			.symtab	0x8055ee0	28	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x804fe48	46	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x805193c	43	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x8050017	25	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x804fd58	87	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x804fdb0	63	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x804feac	38	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x804fec	38	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x8056300	86	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x8053718	50	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x804ffcc	75	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x8054e58	54	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x80500a0	54	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x80519d0	51	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x80500d8	63	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x8051a04	51	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x8051a38	67	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x8053443	218	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x80605c8	4	OBJECT	<unknown>	DEFAULT	11
__libc_waitpid			.symtab	0x8050290	26	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x80502ac	54	FUNC	<unknown>	DEFAULT	2
__malloc Consolidate			.symtab	0x8052495	424	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x8051c40	38	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x805a230	24	OBJECT	<unknown>	DEFAULT	10
__malloc_state			.symtab	0x80606a0	888	OBJECT	<unknown>	DEFAULT	11
__malloc_trim			.symtab	0x8052408	141	FUNC	<unknown>	DEFAULT	2
__nameserver			.symtab	0x8060a28	12	OBJECT	<unknown>	HIDDEN	11
__nameservers			.symtab	0x8060a34	4	OBJECT	<unknown>	HIDDEN	11
__open_etc_hosts			.symtab	0x8055ff8	49	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x8054b84	579	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x80605d0	4	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__preinit_array_end			.symtab	0x805a000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x805a000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x80531ff	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x80531ff	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x80531ff	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x80531ff	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x80531ff	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x8053202	1	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x8054df4	24	FUNC	<unknown>	HIDDEN	2
__read_etc_hosts_r			.symtab	0x8056029	724	FUNC	<unknown>	HIDDEN	2
__register_frame_info_bases			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x805a340	24	OBJECT	<unknown>	DEFAULT	10
__restore			.symtab	0x805343b	0	NOTYPE	<unknown>	DEFAULT	2
__restore_rt			.symtab	0x8053434	0	NOTYPE	<unknown>	DEFAULT	2
__rtd_fini			.symtab	0x80605d8	4	OBJECT	<unknown>	HIDDEN	11
__searchdomain			.symtab	0x8060a18	16	OBJECT	<unknown>	HIDDEN	11
__searchdomains			.symtab	0x8060a38	4	OBJECT	<unknown>	HIDDEN	11
__sigaddset			.symtab	0x8051c00	32	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x8051c20	32	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x8051bdc	36	FUNC	<unknown>	DEFAULT	2
__socketcall			.symtab	0x8053554	50	FUNC	<unknown>	HIDDEN	2
__socketcall.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__stdin			.symtab	0x805a0fc	4	OBJECT	<unknown>	DEFAULT	10
__stdio_READ			.symtab	0x805663c	79	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x80538d0	128	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x80550bc	164	FUNC	<unknown>	HIDDEN	2
__stdio_fwrit			.symtab	0x8053950	234	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x8050453	23	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.4160			.symtab	0x8058c20	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x805668c	40	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x80553a4	51	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x80566b4	110	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x8053a3c	167	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x80504f4	43	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x805a100	4	OBJECT	<unknown>	DEFAULT	10
__syscall_error			.symtab	0x8053520	21	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x8053588	59	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x80531c0	63	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x8053237	64	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x8053277	443	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x805a338	4	OBJECT	<unknown>	HIDDEN	10
__vfork			.symtab	0x804fd40	21	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0x80513a8	182	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__charpad			.symtab	0x8050520	54	FUNC	<unknown>	DEFAULT	2
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__dl_aux_init			.symtab	0x8054e0c	18	FUNC	<unknown>	DEFAULT	2
__dl_phdr			.symtab	0x8060a3c	4	OBJECT	<unknown>	DEFAULT	11
__dl_phnum			.symtab	0x8060a40	4	OBJECT	<unknown>	DEFAULT	11
__edata			.symtab	0x805a360	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__end			.symtab	0x8060a44	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__errno			.symtab	0x80605e0	4	OBJECT	<unknown>	DEFAULT	11
__exit			.symtab	0x804fdf0	40	FUNC	<unknown>	DEFAULT	2
__exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fini			.symtab	0x8056764	3	FUNC	<unknown>	DEFAULT	3
__fixed_buffers			.symtab	0x805e3c0	8192	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x8050556	106	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x8053c4c	1449	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x80605e4	4	OBJECT	<unknown>	DEFAULT	11
_init			.symtab	0x8048094	3	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x8053ae4	86	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x8050b78	111	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x8050d69	975	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x8050be8	66	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x8050c2c	273	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x8050d40	41	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x8053202	1	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x8053202	1	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signintr			.symtab	0x8060620	128	OBJECT	<unknown>	HIDDEN	11
_start			.symtab	0x8048168	34	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x8055160	579	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x80503f0	99	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x805a104	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_add_lock			.symtab	0x805a108	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_dec_use			.symtab	0x805543c	228	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x805e3a8	4	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_del_lock			.symtab	0x805a120	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_use_count			.symtab	0x805e3a4	4	OBJECT	<unknown>	DEFAULT	11
_stdio_streams			.symtab	0x805a140	240	OBJECT	<unknown>	DEFAULT	10
_stdio_term			.symtab	0x805046a	136	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x805a138	4	OBJECT	<unknown>	DEFAULT	10
_stdlib_strto_l			.symtab	0x8052cc4	289	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x8053b3c	61	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x8058d00	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x8053b7c	207	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x80505c0	1464	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x80527fc	273	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x8052c94	20	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x8052c94	20	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bcopy			.symtab	0x8051460	21	FUNC	<unknown>	DEFAULT	2
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x80605c0	1	OBJECT	<unknown>	DEFAULT	11
been_there_done_that.3001			.symtab	0x80605dc	1	OBJECT	<unknown>	DEFAULT	11
bot.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x8054e20	54	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x8051b2c	175	FUNC	<unknown>	DEFAULT	2
buf.2827			.symtab	0x80603c4	16	OBJECT	<unknown>	DEFAULT	11
buf.5162			.symtab	0x80603e0	460	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
c			.symtab	0x805a04c	4	OBJECT	<unknown>	DEFAULT	10
chdir			.symtab	0x804fe18	46	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_tcp_udp			.symtab	0x804955c	207	FUNC	<unknown>	DEFAULT	2
clock_getres			.symtab	0x80535c4	50	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x804fe48	46	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.2429			.symtab	0x805a360	1	OBJECT	<unknown>	DEFAULT	11
connect			.symtab	0x805193c	43	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x8048d70	523	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x8050017	25	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x80494bd	159	FUNC	<unknown>	DEFAULT	2
currentServer			.symtab	0x805a044	4	OBJECT	<unknown>	DEFAULT	10
data_start			.symtab	0x805a028	0	NOTYPE	<unknown>	DEFAULT	10
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x804fe78	50	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x80605cc	4	OBJECT	<unknown>	DEFAULT	11
errno			.symtab	0x80605e0	4	OBJECT	<unknown>	DEFAULT	11
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execl			.symtab	0x8052e50	105	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x80535f8	54	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x8052de8	103	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x8059b20	156	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x8054e90	271	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x804fd58	87	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x804fdb0	63	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x8048d01	111	FUNC	<unknown>	DEFAULT	2
fdopen_pids			.symtab	0x805e3a0	4	OBJECT	<unknown>	DEFAULT	11
fdpclose			.symtab	0x8048b8c	373	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x80489a6	486	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x8055520	333	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x8056378	220	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x80553d8	98	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x8055670	105	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x8059afc	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x8054fa0	24	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x804feac	38	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x8051138	49	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8048110	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x805263d	412	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x8054fb8	27	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x8054fb8	27	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x8054fd4	231	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x805116c	120	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getHost			.symtab	0x80490e6	55	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x804f44f	547	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x8056378	220	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x804fed4	37	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x8053630	38	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x8053658	38	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x8053680	38	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x80515d8	48	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x8051608	818	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x80536a8	17	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x804fetc	38	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x804ff24	50	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x8051968	43	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x8051994	59	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x80536bc	38	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gotIP			.symtab	0x805a388	4	OBJECT	<unknown>	DEFAULT	11
h.5161			.symtab	0x80605ac	20	OBJECT	<unknown>	DEFAULT	11
h_erno			.symtab	0x80605e4	4	OBJECT	<unknown>	DEFAULT	11
hextable			.symtab	0x80567c0	1024	OBJECT	<unknown>	DEFAULT	4
htonl			.symtab	0x8051531	7	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x8051524	13	FUNC	<unknown>	DEFAULT	2
i.3754			.symtab	0x805a050	4	OBJECT	<unknown>	DEFAULT	10
index			.symtab	0x8051224	30	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x80515b0	37	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x805439c	148	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x805159b	21	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x805154c	79	FUNC	<unknown>	DEFAULT	2
inet_ntop			.symtab	0x8055b5d	465	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x8055a4c	273	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x8055882	458	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x80557fc	134	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0x804f301	334	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x804818c	111	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0x80529bd	87	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x8052be9	171	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x804ff58	63	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ioctl_keepalive			.symtab	0x804cf15	246	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
ioctl_pid			.symtab	0x805a380	4	OBJECT	<unknown>	DEFAULT	11
isatty			.symtab	0x8051494	29	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x80502e4	17	FUNC	<unknown>	DEFAULT	2
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x804ff98	50	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/mmap.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x804938c	261	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x8056300	86	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x805a398	6	OBJECT	<unknown>	DEFAULT	11
main			.symtab	0x804f672	1741	FUNC	<unknown>	DEFAULT	2
mainCommSock			.symtab	0x805a384	4	OBJECT	<unknown>	DEFAULT	11
makeIPPacket			.symtab	0x80496e3	132	FUNC	<unknown>	DEFAULT	2
makeVSEPacket			.symtab	0x8049767	151	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x8051c66	1954	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0x80527d9	34	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x80541f8	35	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x80511e4	39	FUNC	<unknown>	DEFAULT	2
memcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memmove			.symtab	0x805421c	39	FUNC	<unknown>	DEFAULT	2
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x8054244	33	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x8054268	176	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x805120c	21	FUNC	<unknown>	DEFAULT	2
memset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mmap			.symtab	0x8053538	27	FUNC	<unknown>	DEFAULT	2
munmap			.symtab	0x80536e4	50	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x805a248	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x805a260	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x80605e8	24	OBJECT	<unknown>	DEFAULT	11
nanosleep			.symtab	0x8053718	50	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1278			.symtab	0x80603c0	4	OBJECT	<unknown>	DEFAULT	11
ntohl			.symtab	0x8051545	7	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x8051538	13	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x805a390	8	OBJECT	<unknown>	DEFAULT	11
object.2482			.symtab	0x805a364	24	OBJECT	<unknown>	DEFAULT	11
open			.symtab	0x804ffcc	75	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x8060608	4	OBJECT	<unknown>	DEFAULT	11
ourPublicIP			.symtab	0x806060c	4	OBJECT	<unknown>	DEFAULT	11
ovhl7			.symtab	0x804afcf	3073	FUNC	<unknown>	DEFAULT	2
p.2427			.symtab	0x805a024	0	OBJECT	<unknown>	DEFAULT	10
parseHex			.symtab	0x8048f7b	68	FUNC	<unknown>	DEFAULT	2
pids			.symtab	0x8060614	4	OBJECT	<unknown>	DEFAULT	11
pipe			.symtab	0x8050030	46	FUNC	<unknown>	DEFAULT	2
pipe.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
poll			.symtab	0x8054e58	54	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0x8050060	63	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4371			.symtab	0x8058c45	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x80485c1	722	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x8048366	66	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x8048482	319	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x80483a8	218	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x804d00b	8950	FUNC	<unknown>	DEFAULT	2
qual_chars.4377			.symtab	0x8058c58	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x8054df4	24	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x8052910	5	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmw			.symtab	0x80481fb	192	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x8052918	72	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x8059860	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x8052af1	94	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x805a2a0	128	OBJECT	<unknown>	DEFAULT	10
rangechoice			.symtab	0x805a048	4	OBJECT	<unknown>	DEFAULT	10
rawmemchr			.symtab	0x805572c	99	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x80500a0	54	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x80519d0	51	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x80491b6	470	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x805374c	78	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x8060610	4	OBJECT	<unknown>	DEFAULT	11
sclose			.symtab	0x80497fe	44	FUNC	<unknown>	DEFAULT	2
select			.symtab	0x80500d8	63	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x8051a04	51	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendFLUX			.symtab	0x804c694	890	FUNC	<unknown>	DEFAULT	2
sendHEX			.symtab	0x804ae20	431	FUNC	<unknown>	DEFAULT	2
sendHTTP			.symtab	0x804aa43	989	FUNC	<unknown>	DEFAULT	2
sendLDAP			.symtab	0x8049abf	407	FUNC	<unknown>	DEFAULT	2
sendNTP			.symtab	0x8049c56	407	FUNC	<unknown>	DEFAULT	2
sendSNMP			.symtab	0x8049ded	407	FUNC	<unknown>	DEFAULT	2
sendSSDP			.symtab	0x804a11b	407	FUNC	<unknown>	DEFAULT	2
sendSTD			.symtab	0x8049928	407	FUNC	<unknown>	DEFAULT	2
sendTCP			.symtab	0x804c0cc	1480	FUNC	<unknown>	DEFAULT	2
sendTELNET			.symtab	0x804a2b2	407	FUNC	<unknown>	DEFAULT	2
sendTFTP			.symtab	0x8049f84	407	FUNC	<unknown>	DEFAULT	2
sendUDP			.symtab	0x804bbd0	1276	FUNC	<unknown>	DEFAULT	2
sendVSE			.symtab	0x804ca0e	1287	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x8051a38	67	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
seteuid			.symtab	0x8050118	82	FUNC	<unknown>	DEFAULT	2
seteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setresuid			.symtab	0x805016c	54	FUNC	<unknown>	DEFAULT	2
setresuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setreuid			.symtab	0x80501a4	50	FUNC	<unknown>	DEFAULT	2
setreuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x8051a7c	59	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x8052960	93	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
setstate_r			.symtab	0x8052a58	153	FUNC	<unknown>	DEFAULT	2
setuid			.symtab	0x80501d8	46	FUNC	<unknown>	DEFAULT	2
setuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaction			.symtab	0x8053443	218	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x8051ae4	42	FUNC	<unknown>	DEFAULT	2
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x8051b10	25	FUNC	<unknown>	DEFAULT	2
signal			.symtab	0x8051b2c	175	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x8050208	85	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x8052ebc	393	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x8051ab8	43	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x804982a	254	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x80488e2	196	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4376			.symtab	0x8058c6c	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4370			.symtab	0x8058c51	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4373			.symtab	0x8058c95	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4372			.symtab	0x8058caa	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4375			.symtab	0x8058c7c	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4374			.symtab	0x8058c8c	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x8050320	31	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x8052a14	67	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x8052a14	67	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x8052b4f	154	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x805a33c	2	OBJECT	<unknown>	DEFAULT	10
static_ns			.symtab	0x8060600	4	OBJECT	<unknown>	DEFAULT	11
stderr			.symtab	0x805a0f8	4	OBJECT	<unknown>	DEFAULT	10
stdin			.symtab	0x805a0f0	4	OBJECT	<unknown>	DEFAULT	10
stdout			.symtab	0x805a0f4	4	OBJECT	<unknown>	DEFAULT	10
strcasemp			.symtab	0x8056454	54	FUNC	<unknown>	DEFAULT	2
strcasemp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x8051224	30	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x80556dc	29	FUNC	<unknown>	DEFAULT	2
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x80556dc	29	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x8051244	27	FUNC	<unknown>	DEFAULT	2
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strdup			.symtab	0x80557c4	54	FUNC	<unknown>	DEFAULT	2
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x80513a8	182	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x8051260	19	FUNC	<unknown>	DEFAULT	2
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncat			.symtab	0x80556fc	46	FUNC	<unknown>	DEFAULT	2
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x8051274	38	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x805129c	25	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x8054374	39	FUNC	<unknown>	DEFAULT	2
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x8055790	50	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x80512b8	206	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x8051478	25	FUNC	<unknown>	DEFAULT	2


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x8054318	89	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x8052ca8	26	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sysconf			.symtab	0x8053048	325	FUNC	<unknown>	DEFAULT	2
sysconf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x80488bb	39	FUNC	<unknown>	DEFAULT	2
tcgetattr			.symtab	0x80514b4	112	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpsum			.symtab	0x804962b	184	FUNC	<unknown>	DEFAULT	2
time			.symtab	0x8050260	46	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tolower			.symtab	0x8056358	29	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x80502f8	29	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x80482bb	171	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x8058cb2	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x8058cca	12	OBJECT	<unknown>	DEFAULT	4
unknown.1330			.symtab	0x8058cd6	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x805a278	28	OBJECT	<unknown>	DEFAULT	10
uppercase			.symtab	0x804911d	47	FUNC	<unknown>	DEFAULT	2
useragents			.symtab	0x805a060	128	OBJECT	<unknown>	DEFAULT	10
usleep			.symtab	0x8053190	48	FUNC	<unknown>	DEFAULT	2
usleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
vfork			.symtab	0x804fd40	21	FUNC	<unknown>	DEFAULT	2
vsprintf			.symtab	0x8050340	176	FUNC	<unknown>	DEFAULT	2
vsprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x805379c	59	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x8050290	26	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x80537e0	69	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x8053848	133	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x8053828	30	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x8048fbf	295	FUNC	<unknown>	DEFAULT	2
write			.symtab	0x80502ac	54	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
xdigits.3285			.symtab	0x8059c14	17	OBJECT	<unknown>	DEFAULT	4
zprintf			.symtab	0x8048893	40	FUNC	<unknown>	DEFAULT	2

Network Behavior

Network Port Distribution

Total Packets: 23

- 80 (HTTP)
- 443 (HTTPS)
- 666 undefined



TCP Packets

System Behavior

Analysis Process: ZErnXU2XR1 PID: 5239 Parent PID: 5117

General

Start time:	08:08:04
Start date:	28/10/2021
Path:	/tmp/ZErnXU2XR1
Arguments:	/tmp/ZErnXU2XR1
File size:	99084 bytes
MD5 hash:	dec1c1dff6adf627db111bb9629e872a

Analysis Process: ZErnXU2XR1 PID: 5240 Parent PID: 5239

General

Start time:	08:08:04
Start date:	28/10/2021
Path:	/tmp/ZErnXU2XR1
Arguments:	n/a
File size:	99084 bytes
MD5 hash:	dec1c1dff6adf627db111bb9629e872a

Analysis Process: ZErnXU2XR1 PID: 5241 Parent PID: 5240

General

Start time:	08:08:04
Start date:	28/10/2021
Path:	/tmp/ZErnXU2XR1
Arguments:	n/a
File size:	99084 bytes
MD5 hash:	dec1c1dff6adf627db111bb9629e872a

Analysis Process: ZErnXU2XR1 PID: 5242 Parent PID: 5241**General**

Start time:	08:08:04
Start date:	28/10/2021
Path:	/tmp/ZErnXU2XR1
Arguments:	n/a
File size:	99084 bytes
MD5 hash:	dec1c1dff6adf627db111bb9629e872a

Analysis Process: ZErnXU2XR1 PID: 5243 Parent PID: 5242**General**

Start time:	08:08:04
Start date:	28/10/2021
Path:	/tmp/ZErnXU2XR1
Arguments:	n/a
File size:	99084 bytes
MD5 hash:	dec1c1dff6adf627db111bb9629e872a