

JOeSandbox Cloud BASIC



ID: 551890

Sample Name: x-3.2-.Fourloko

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 17:02:07

Date: 12/01/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report x-3.2-.Fourloko	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Process Tree	3
Yara Overview	4
Jbx Signature Overview	4
AV Detection:	4
Spreading:	4
System Summary:	4
Mitre Att&ck Matrix	4
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	5
Initial Sample	5
Dropped Files	5
Domains	5
URLs	5
Domains and IPs	6
Contacted Domains	6
Contacted IPs	6
Public	6
Runtime Messages	6
Joe Sandbox View / Context	6
IPs	6
Domains	6
ASN	6
JA3 Fingerprints	6
Dropped Files	6
Created / dropped Files	6
Static File Info	7
General	7
Static ELF Info	7
ELF header	7
Sections	7
Program Segments	8
Symbols	8
Network Behavior	18
Network Port Distribution	19
TCP Packets	19
System Behavior	19
Analysis Process: x-3.2-.Fourloko PID: 5208 Parent PID: 5112	19
General	19
File Activities	19
File Read	19
Analysis Process: x-3.2-.Fourloko PID: 5212 Parent PID: 5208	19
General	19
Analysis Process: x-3.2-.Fourloko PID: 5213 Parent PID: 5212	19
General	19
Analysis Process: dash PID: 5249 Parent PID: 4331	20
General	20
Analysis Process: rm PID: 5249 Parent PID: 4331	20
General	20
File Activities	20
File Deleted	20
File Read	20

Linux Analysis Report x-3.2-.Fourloko

Overview

General Information

Sample Name:	x-3.2-.Fourloko
Analysis ID:	551890
MD5:	b4ff1c112d63586..
SHA1:	4e224f266b818fb..
SHA256:	66a1dbae93b2e..
Infos:	


Detection

Score:	60
Range:	0 - 100
Whitelisted:	false

Signatures

Multi AV Scanner detection for subm...
Contains symbols with names comm...
Opens /proc/net/* files useful for find...
Machine Learning detection for samp...
Sample contains strings that are use...
Tries to connect to HTTP servers, b...
Detected TCP or UDP traffic on non...
Executes the "rm" command used to ...

Classification



Analysis Advice

All HTTP servers contacted by the sample do not answer. Likely the sample is an old dropper which does no longer work

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	551890
Start date:	12.01.2022
Start time:	17:02:07
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 33s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	x-3.2-.Fourloko
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal60.spre.linFOURLOKO@0/0@0/0


Process Tree

- system is Inxubuntu20
 - x-3.2-.Fourloko (PID: 5208, Parent: 5112, MD5: b4ff1c112d63586c4599caa73eccc17d) Arguments: /tmp/x-3.2-.Fourloko
 - x-3.2-.Fourloko New Fork (PID: 5212, Parent: 5208)
 - x-3.2-.Fourloko New Fork (PID: 5213, Parent: 5212)
 - dash New Fork (PID: 5249, Parent: 4331)
 - rm (PID: 5249, Parent: 4331, MD5: aa2b5496fdbfd88e38791ab81f90b95b) Arguments: rm -f /tmp/tmp.0uSeSSakHx /tmp/tmp.6nBnwSFTMb /tmp/tmp.QdVuyoAuUg
 - cleanup

Yara Overview

No yara matches

Jbx Signature Overview



AV Detection:

Multi AV Scanner detection for submitted file

Machine Learning detection for sample

Spreading:

Opens /proc/net/* files useful for finding connected devices and routers

System Summary:

Contains symbols with names commonly found in malware


Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	File Deletion 1	OS Credential Dumping	Remote System Discovery 1	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	Data Obfuscation 1	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	Encrypted Channel 1	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	Non-Standard Port 1	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data
Local Accounts	At (Windows)	Logon Script (Mac)	Logon Script (Mac)	Binary Padding	NTDS	System Network Configuration Discovery	Distributed Component Object Model	Input Capture	Scheduled Transfer	Application Layer Protocol 1	SIM Card Swap		Carrier Billing Fraud

Malware Configuration

No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
x-3.2-.Fourloko	54%	Virustotal		Browse
x-3.2-.Fourloko	58%	ReversingLabs	Linux.Trojan.Gafgyt	
x-3.2-.Fourloko	100%	Joe Sandbox ML		

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs

No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info

Contacted IPs

Public

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
167.99.35.197	unknown	United States		14061	DIGITALOCEAN-ASNUS	false
34.249.145.219	unknown	United States		16509	AMAZON-02US	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Runtime Messages

Command:	/tmp/x-3.2-.Fourloko
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASN

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General	
File type:	ELF 32-bit LSB executable, Intel 80386, version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	6.391059686687026
TrID:	- ELF Executable and Linkable format (Linux) (4029/14) 50.16% - ELF Executable and Linkable format (generic) (4004/1) 49.84%
File name:	x-3.2-.Fourloko
File size:	74017
MD5:	b4ff1c112d63586c4599caa73eecc17d
SHA1:	4e224f266b818fbfa1d6aee5563b0e7b4cdc1fd9
SHA256:	66a1dbaae93b2e8b7f04c10ac1f4007115a114f73e76758c97aed09fdb02a051
SHA512:	c431282429355ec32a52ec79409be40896e7ed509da3de89cb9fbce233e0e144cbd3c7f22ab5b0edc9227f0d3f1933b3beabe87b9681791f53dc2c5271260583
SSDEEP:	1536:0+xNVpGQWuKv8xKBnq5PeOj5zMLcS5qmLI2VOCjXufJrk:nNT830xKBnq9eGHS5qmU2VOCbUfJrk
File Content Preview:	.ELF.....h...4.....4. ...{(.....U...U.....i.....Q.td.....U..S..... .h.....[]..\$......U.....=X...t.1.....U.....U.....t... \$.E.....X

Static ELF Info

ELF header	
Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	Intel 80386
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x8048168
Flags:	0x0
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	3
Section Header Offset:	54280
Section Header Size:	40
Number of Section Headers:	16
Header String Table Index:	13

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x8048094	0x94	0x1c	0x0	0x6	AX	0	0	1
.text	PROGBITS	0x80480b0	0xb0	0xa3d4	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x8052484	0xa484	0x17	0x0	0x6	AX	0	0	1
.rodata	PROGBITS	0x80524a0	0xa4a0	0x2100	0x0	0x2	A	0	0	32
.eh_frame	PROGBITS	0x80545a0	0xc5a0	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x80555a4	0xc5a4	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x80555ac	0xc5ac	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x80555b4	0xc5b4	0x4	0x0	0x3	WA	0	0	4
.got.plt	PROGBITS	0x80555b8	0xc5b8	0xc	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x80555e0	0xc5e0	0x2c0	0x0	0x3	WA	0	0	32
.bss	NOBITS	0x80558a0	0xc8a0	0x66e4	0x0	0x3	WA	0	0	32
.comment	PROGBITS	0x0	0xc8a0	0xaf8	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0xd398	0x6f	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0xd688	0x2a60	0x10	0x0		15	248	4
.strtab	STRTAB	0x0	0x100e8	0x2039	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x8048000	0x8048000	0xc5a4	0xc5a4	3.8532	0x5	R E	0x1000		.init .text .fini .rodata .eh_frame
LOAD	0xc5a4	0x80555a4	0x80555a4	0x2fc	0x69e0	2.2415	0x6	RW	0x1000		.ctors .dtors .jcr .got.plt .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x8048094	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80480b0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x8052484	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x80524a0	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x80545a0	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x80555a4	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x80555ac	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x80555b4	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x80555b8	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x80555e0	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x80558a0	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
Q			.symtab	0x80558e0	16384	OBJECT	<unknown>	DEFAULT	11
SendHTTPHex			.symtab	0x804a3d1	433	FUNC	<unknown>	DEFAULT	2
SendSTDHEX			.symtab	0x8049c33	306	FUNC	<unknown>	DEFAULT	2
SendUDP			.symtab	0x8049362	850	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x80555b8	0	OBJECT	<unknown>	HIDDEN	9
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x80555a8	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x80555a4	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x8055618	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x8052c60	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x8055898	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x80542a0	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x8055620	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x8052f60	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x80555b0	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x80555ac	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x80545a0	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x80545a0	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x8055618	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_b_data			.symtab	0x8052c60	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_tolower			.symtab	0x8055898	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_tolower_data			.symtab	0x80542a0	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x8055620	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_toupper_data			.symtab	0x8052f60	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x805561c	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_tolower			.symtab	0x805589c	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_toupper			.symtab	0x8055624	4	OBJECT	<unknown>	HIDDEN	10
__GI__errno_location			.symtab	0x804c070	6	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x8052098	220	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x804d0b8	29	FUNC	<unknown>	HIDDEN	2
__GI__h_errno_location			.symtab	0x804f4b8	6	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x804bc9c	87	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl64			.symtab	0x804bcf4	63	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI___libc_open			.symtab	0x804beb4	75	FUNC	<unknown>	HIDDEN	2
__GI___uClibc_fini			.symtab	0x804ee3c	63	FUNC	<unknown>	HIDDEN	2
__GI___uClibc_init			.symtab	0x804eeb3	64	FUNC	<unknown>	HIDDEN	2
__GI___xpg_strerror_r			.symtab	0x804d0d8	182	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x804bd34	40	FUNC	<unknown>	HIDDEN	2
__GI_abort			.symtab	0x804e4e4	273	FUNC	<unknown>	HIDDEN	2
__GI_atoi			.symtab	0x804e97c	20	FUNC	<unknown>	HIDDEN	2
__GI_atol			.symtab	0x804e97c	20	FUNC	<unknown>	HIDDEN	2
__GI_brk			.symtab	0x8050b28	54	FUNC	<unknown>	HIDDEN	2
__GI_chdir			.symtab	0x804bd90	46	FUNC	<unknown>	HIDDEN	2
__GI_clock_getres			.symtab	0x804f228	50	FUNC	<unknown>	HIDDEN	2
__GI_close			.symtab	0x804bdc0	46	FUNC	<unknown>	HIDDEN	2
__GI_connect			.symtab	0x804d66c	43	FUNC	<unknown>	HIDDEN	2
__GI_errno			.symtab	0x805bb20	4	OBJECT	<unknown>	HIDDEN	11
__GI_exit			.symtab	0x804ead0	103	FUNC	<unknown>	HIDDEN	2
__GI_fclose			.symtab	0x8050bb0	271	FUNC	<unknown>	HIDDEN	2
__GI_fcntl			.symtab	0x804bc9c	87	FUNC	<unknown>	HIDDEN	2
__GI_fcntl64			.symtab	0x804bcf4	63	FUNC	<unknown>	HIDDEN	2
__GI_fflush_unlocked			.symtab	0x8051240	333	FUNC	<unknown>	HIDDEN	2
__GI_fgetc_unlocked			.symtab	0x8052098	220	FUNC	<unknown>	HIDDEN	2
__GI_fgets			.symtab	0x80510f8	98	FUNC	<unknown>	HIDDEN	2
__GI_fgets_unlocked			.symtab	0x8051390	105	FUNC	<unknown>	HIDDEN	2
__GI_fopen			.symtab	0x8050cc0	24	FUNC	<unknown>	HIDDEN	2
__GI_fork			.symtab	0x804bdf0	38	FUNC	<unknown>	HIDDEN	2
__GI_fputs_unlocked			.symtab	0x804ce90	49	FUNC	<unknown>	HIDDEN	2
__GI_fseek			.symtab	0x8050cd8	27	FUNC	<unknown>	HIDDEN	2
__GI_fseeko64			.symtab	0x8050cf4	231	FUNC	<unknown>	HIDDEN	2
__GI_fwrite_unlocked			.symtab	0x804cec4	120	FUNC	<unknown>	HIDDEN	2
__GI_getc_unlocked			.symtab	0x8052098	220	FUNC	<unknown>	HIDDEN	2
__GI_getdtablesize			.symtab	0x804f25c	37	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0x804f284	38	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0x804f2ac	38	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0x804f2d4	38	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname			.symtab	0x804d308	48	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname_r			.symtab	0x804d338	818	FUNC	<unknown>	HIDDEN	2
__GI_getpagesize			.symtab	0x804f2fc	17	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0x804be18	38	FUNC	<unknown>	HIDDEN	2
__GI_getrlimit			.symtab	0x804f310	50	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0x804d698	43	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x804f344	38	FUNC	<unknown>	HIDDEN	2
__GI_h_errno			.symtab	0x805bb24	4	OBJECT	<unknown>	HIDDEN	11
__GI_inet_addr			.symtab	0x804d2e0	37	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x80500a4	148	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa			.symtab	0x804d2cb	21	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa_r			.symtab	0x804d27c	79	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntop			.symtab	0x805187d	465	FUNC	<unknown>	HIDDEN	2
__GI_inet_pton			.symtab	0x80515a2	458	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0x804e8d1	171	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0x804be40	63	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x804d1c4	29	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0x804be80	50	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x8052020	86	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x804fed8	35	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x804cf3c	39	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0x804fec	39	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x804ff4c	33	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x804ff70	176	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0x804cf64	21	FUNC	<unknown>	HIDDEN	2
__GI_mmap			.symtab	0x804f19c	27	FUNC	<unknown>	HIDDEN	2
__GI_munmap			.symtab	0x804f36c	50	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x804f3a0	50	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x804beb4	75	FUNC	<unknown>	HIDDEN	2
__GI_poll			.symtab	0x8050b78	54	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_raise			.symtab	0x8050afc	24	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0x804e600	72	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x804e7d9	94	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x805144c	99	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x804bf18	54	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0x804d700	51	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x804f3d4	78	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0x804bf50	63	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0x804d734	51	FUNC	<unknown>	HIDDEN	2
__GI_sendto			.symtab	0x804d768	67	FUNC	<unknown>	HIDDEN	2
__GI_setsid			.symtab	0x804bf90	38	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0x804d7ac	59	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0x804e740	153	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0x804f0bf	218	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0x804d814	175	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0x804f424	85	FUNC	<unknown>	HIDDEN	2
__GI_sleep			.symtab	0x804eb38	393	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0x804d7e8	43	FUNC	<unknown>	HIDDEN	2
__GI_sprintf			.symtab	0x804c078	31	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0x804e837	154	FUNC	<unknown>	HIDDEN	2
__GI_strerrorcmp			.symtab	0x8052174	54	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0x804cf7c	30	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0x80513fc	29	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0x80513fc	29	FUNC	<unknown>	HIDDEN	2
__GI_strcpy			.symtab	0x804cf9c	27	FUNC	<unknown>	HIDDEN	2
__GI_strdup			.symtab	0x80514e4	54	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0x804cfb8	19	FUNC	<unknown>	HIDDEN	2
__GI_strncat			.symtab	0x805141c	46	FUNC	<unknown>	HIDDEN	2
__GI_strncpy			.symtab	0x804ff24	38	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0x804cfcc	25	FUNC	<unknown>	HIDDEN	2
__GI_strpbrk			.symtab	0x805007c	39	FUNC	<unknown>	HIDDEN	2
__GI_strspn			.symtab	0x80514b0	50	FUNC	<unknown>	HIDDEN	2
__GI_strstr			.symtab	0x804cfe8	206	FUNC	<unknown>	HIDDEN	2
__GI_strtok			.symtab	0x804d1a8	25	FUNC	<unknown>	HIDDEN	2
__GI_strtok_r			.symtab	0x8050020	89	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0x804e990	26	FUNC	<unknown>	HIDDEN	2
__GI_sysconf			.symtab	0x804ecc4	325	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0x804d1e4	112	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0x804bfb8	46	FUNC	<unknown>	HIDDEN	2
__GI_tolower			.symtab	0x8052078	29	FUNC	<unknown>	HIDDEN	2
__GI_toupper			.symtab	0x804c050	29	FUNC	<unknown>	HIDDEN	2
__GI_vsnprintf			.symtab	0x804c098	176	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0x804f47c	59	FUNC	<unknown>	HIDDEN	2
__GI_waitpid			.symtab	0x804bfe8	26	FUNC	<unknown>	HIDDEN	2
__GI_wctomb			.symtab	0x804f4c0	69	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x804f528	133	FUNC	<unknown>	HIDDEN	2
__GI_wcstombs			.symtab	0x804f508	30	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x804c004	54	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x80555b4	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x80555b4	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x8055bb14	4	OBJECT	<unknown>	HIDDEN	11
__atexit_lock			.symtab	0x8055860	24	OBJECT	<unknown>	DEFAULT	10
__bsd_signal			.symtab	0x804d814	175	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x80558a0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x804ee7f	52	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x805561c	4	OBJECT	<unknown>	DEFAULT	10
__ctype_tolower			.symtab	0x805589c	4	OBJECT	<unknown>	DEFAULT	10
__ctype_toupper			.symtab	0x8055624	4	OBJECT	<unknown>	DEFAULT	10
__curbrk			.symtab	0x8055bb44	4	OBJECT	<unknown>	HIDDEN	11
__data_start			.symtab	0x80555e8	0	NOTYPE	<unknown>	DEFAULT	10
__decode_answer			.symtab	0x8051c1c	249	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x805223c	217	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x8051b00	171	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__deregister_frame_info_bases			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__dns_lookup			.symtab	0x8050138	1876	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x8052450	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x80480c0	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x80555e0	0	OBJECT	<unknown>	HIDDEN	10
__encode_dotted			.symtab	0x80521ac	144	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x8051a50	175	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x8051bac	83	FUNC	<unknown>	HIDDEN	2
__environ			.symtab	0x805bb0c	4	OBJECT	<unknown>	DEFAULT	11
__errno_location			.symtab	0x804c070	6	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x805bb04	4	OBJECT	<unknown>	HIDDEN	11
__fgetc_unlocked			.symtab	0x8052098	220	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x8050ad0	44	FUNC	<unknown>	HIDDEN	2
__get_pc_thunk_bx			.symtab	0x80480b0	0	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x804f2fc	17	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x804d0b8	29	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x804f4b8	6	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__init_array_end			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x8052318	65	FUNC	<unknown>	HIDDEN	2
__length_question			.symtab	0x8051c00	28	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x804bdc0	46	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x804d66c	43	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x804beff	25	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x804bc9c	87	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x804bcf4	63	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x804bdf0	38	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x804be18	38	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x8052020	86	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x804f3a0	50	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x804beb4	75	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x8050b78	54	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x804bf18	54	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x804d700	51	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x804bf50	63	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x804d734	51	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x804d768	67	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x804f0bf	218	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x805bb08	4	OBJECT	<unknown>	DEFAULT	11
__libc_waitpid			.symtab	0x804bfe8	26	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x804c004	54	FUNC	<unknown>	DEFAULT	2
__malloc Consolidate			.symtab	0x804e17d	424	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x804d928	38	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x8055770	24	OBJECT	<unknown>	DEFAULT	10
__malloc_state			.symtab	0x805bbe0	888	OBJECT	<unknown>	DEFAULT	11
__malloc_trim			.symtab	0x804e0f0	141	FUNC	<unknown>	DEFAULT	2
__nameserver			.symtab	0x805bf68	12	OBJECT	<unknown>	HIDDEN	11
__nameservers			.symtab	0x805bf74	4	OBJECT	<unknown>	HIDDEN	11
__open_etc_hosts			.symtab	0x8051d18	49	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x805088c	579	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x805bb10	4	OBJECT	<unknown>	DEFAULT	11
__preinit_array_end			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x804ee7b	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x804ee7b	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x804ee7b	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x804ee7b	3	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__pthread_return_0			.symtab	0x804ee7b	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x804ee7e	1	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x8050afc	24	FUNC	<unknown>	HIDDEN	2
__read_etc_hosts_r			.symtab	0x8051d49	724	FUNC	<unknown>	HIDDEN	2
__register_frame_info_bases			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x8055880	24	OBJECT	<unknown>	DEFAULT	10
__restore			.symtab	0x804f0b7	0	NOTYPE	<unknown>	DEFAULT	2
__restore_rt			.symtab	0x804f0b0	0	NOTYPE	<unknown>	DEFAULT	2
__rtld_fini			.symtab	0x805bb18	4	OBJECT	<unknown>	HIDDEN	11
__searchdomain			.symtab	0x805bf58	16	OBJECT	<unknown>	HIDDEN	11
__searchdomains			.symtab	0x805bf78	4	OBJECT	<unknown>	HIDDEN	11
__sigaddset			.symtab	0x804d8e8	32	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x804d908	32	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x804d8c4	36	FUNC	<unknown>	DEFAULT	2
__socketcall			.symtab	0x804f1b8	50	FUNC	<unknown>	HIDDEN	2
__socketcall.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__stdin			.symtab	0x8055634	4	OBJECT	<unknown>	DEFAULT	10
__stdio_READ			.symtab	0x805235c	79	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x804f5b0	128	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x8050ddc	164	FUNC	<unknown>	HIDDEN	2
__stdio_fwrit			.symtab	0x804f630	234	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x804c1ab	23	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.4160			.symtab	0x8053260	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x80523ac	40	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x80510c4	51	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x80523d4	110	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x804f71c	167	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x804c24c	43	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x8055638	4	OBJECT	<unknown>	DEFAULT	10
__syscall_error			.symtab	0x8050b60	21	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x804f1ec	59	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x804ee3c	63	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x804eeb3	64	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x804eef3	443	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x8055878	4	OBJECT	<unknown>	HIDDEN	10
__xpg_strerror_r			.symtab	0x804d0d8	182	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__charpad			.symtab	0x804c278	54	FUNC	<unknown>	DEFAULT	2
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__dl_aux_init			.symtab	0x8050b14	18	FUNC	<unknown>	DEFAULT	2
__dl_phdr			.symtab	0x805bf7c	4	OBJECT	<unknown>	DEFAULT	11
__dl_phnum			.symtab	0x805bf80	4	OBJECT	<unknown>	DEFAULT	11
__edata			.symtab	0x80558a0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__end			.symtab	0x805bf84	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__errno			.symtab	0x805bb20	4	OBJECT	<unknown>	DEFAULT	11
__exit			.symtab	0x804bd34	40	FUNC	<unknown>	DEFAULT	2
__exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fini			.symtab	0x8052484	3	FUNC	<unknown>	DEFAULT	3
__fixed_buffers			.symtab	0x8059900	8192	OBJECT	<unknown>	DEFAULT	11
__fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fp_out_narrow			.symtab	0x804c2ae	106	FUNC	<unknown>	DEFAULT	2
__fpmaxtostr			.symtab	0x804f92c	1449	FUNC	<unknown>	HIDDEN	2
__fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno			.symtab	0x805bb24	4	OBJECT	<unknown>	DEFAULT	11
__init			.symtab	0x8048094	3	FUNC	<unknown>	DEFAULT	1
__load_inttype			.symtab	0x804f7c4	86	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x804c8d0	111	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x804cac1	975	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x804c940	66	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x804c984	273	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x804ca98	41	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x804ee7e	1	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x804ee7e	1	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signintr			.symtab	0x805bb60	128	OBJECT	<unknown>	HIDDEN	11
_start			.symtab	0x8048168	34	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x8050e80	579	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x804c148	99	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x805563c	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_add_lock			.symtab	0x8055640	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_dec_use			.symtab	0x805115c	228	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x80598e4	4	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_del_lock			.symtab	0x8055658	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_use_count			.symtab	0x80598e0	4	OBJECT	<unknown>	DEFAULT	11
_stdio_streams			.symtab	0x8055680	240	OBJECT	<unknown>	DEFAULT	10
_stdio_term			.symtab	0x804c1c2	136	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x8055670	4	OBJECT	<unknown>	DEFAULT	10
_stdlib_strto_l			.symtab	0x804e9ac	289	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x804f81c	61	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x8053340	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x804f85c	207	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x804c318	1464	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x804e4e4	273	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
access			.symtab	0x804bd5c	50	FUNC	<unknown>	DEFAULT	2
access.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x804e97c	20	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x804e97c	20	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bcopy			.symtab	0x804d190	21	FUNC	<unknown>	DEFAULT	2
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x805bb00	1	OBJECT	<unknown>	DEFAULT	11
been_there_done_that.3001			.symtab	0x805bb1c	1	OBJECT	<unknown>	DEFAULT	11
bot.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x8050b28	54	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x804d814	175	FUNC	<unknown>	DEFAULT	2
buf.2827			.symtab	0x805b904	16	OBJECT	<unknown>	DEFAULT	11
buf.5162			.symtab	0x805b920	460	OBJECT	<unknown>	DEFAULT	11
c			.symtab	0x8055610	4	OBJECT	<unknown>	DEFAULT	10
chdir			.symtab	0x804bd90	46	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
clock_getres			.symtab	0x804f228	50	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x804bdc0	46	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x80555ec	4	OBJECT	<unknown>	DEFAULT	10
completed.2429			.symtab	0x80558a0	1	OBJECT	<unknown>	DEFAULT	11
connect			.symtab	0x804d66c	43	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x8048e77	523	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x804beff	25	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x8049187	159	FUNC	<unknown>	DEFAULT	2
currentServer			.symtab	0x805560c	4	OBJECT	<unknown>	DEFAULT	10
data_start			.symtab	0x80555e8	0	NOTYPE	<unknown>	DEFAULT	10
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x805bb0c	4	OBJECT	<unknown>	DEFAULT	11
errno			.symtab	0x805bb20	4	OBJECT	<unknown>	DEFAULT	11
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x804ead0	103	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x8054160	156	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x8050bb0	271	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x804bc9c	87	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x804bcf4	63	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x80482e7	111	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x8051240	333	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x8052098	220	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x80510f8	98	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x8051390	105	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x805413c	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x8050cc0	24	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x804bdf0	38	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x804ce90	49	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8048110	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x804e325	412	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x8050cd8	27	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x8050cd8	27	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x8050cf4	231	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ftcp			.symtab	0x80496b4	1407	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked			.symtab	0x804cec4	120	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getArch			.symtab	0x804a731	10	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x8048c15	55	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x8048356	547	FUNC	<unknown>	DEFAULT	2
getPortz			.symtab	0x804a73b	154	FUNC	<unknown>	DEFAULT	2
getRandomIP			.symtab	0x80482bb	44	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getc_unlocked			.symtab	0x8052098	220	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x804f25c	37	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x804f284	38	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x804f2ac	38	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x804f2d4	38	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x804d308	48	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x804d338	818	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x804f2fc	17	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x804be18	38	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x804f310	50	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x804d698	43	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x804d6c4	59	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x804f344	38	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gotIP			.symtab	0x80558c4	4	OBJECT	<unknown>	DEFAULT	11
h.5161			.symtab	0x805baec	20	OBJECT	<unknown>	DEFAULT	11
h_errno			.symtab	0x805bb24	4	OBJECT	<unknown>	DEFAULT	11
htonl			.symtab	0x804d261	7	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x804d254	13	FUNC	<unknown>	DEFAULT	2
i.4243			.symtab	0x8055614	4	OBJECT	<unknown>	DEFAULT	10
index			.symtab	0x804cf7c	30	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x804d2e0	37	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x80500a4	148	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x804d2cb	21	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x804d27c	79	FUNC	<unknown>	DEFAULT	2
inet_ntop			.symtab	0x805187d	465	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x805176c	273	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x80515a2	458	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x805151c	134	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0x804b568	334	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x804818c	111	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0x804e6a5	87	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x804e8d1	171	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x804be40	63	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x804d1c4	29	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x804c03c	17	FUNC	<unknown>	DEFAULT	2
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x804be80	50	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/mmap.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x8049082	261	FUNC	<unknown>	DEFAULT	2


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x8052020	86	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x80558d0	6	OBJECT	<unknown>	DEFAULT	11
main			.symtab	0x804b6b6	1507	FUNC	<unknown>	DEFAULT	2
mainCommSock			.symtab	0x80558c0	4	OBJECT	<unknown>	DEFAULT	11
makeIPPacket			.symtab	0x80492de	132	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x8048c4c	106	FUNC	<unknown>	DEFAULT	2
makevsepacket			.symtab	0x8049e63	151	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x804d94e	1954	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0x804e4c1	34	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x804fed8	35	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x804cf3c	39	FUNC	<unknown>	DEFAULT	2
memcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memmove			.symtab	0x804fec	39	FUNC	<unknown>	DEFAULT	2
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x804ff4c	33	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x804ff70	176	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x804cf64	21	FUNC	<unknown>	DEFAULT	2
memset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mmap			.symtab	0x804f19c	27	FUNC	<unknown>	DEFAULT	2
munmap			.symtab	0x804f36c	50	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x8055788	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x80557a0	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x805bb28	24	OBJECT	<unknown>	DEFAULT	11
nanosleep			.symtab	0x804f3a0	50	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1278			.symtab	0x805b900	4	OBJECT	<unknown>	DEFAULT	11
ntohl			.symtab	0x804d275	7	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x804d268	13	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x80558c8	8	OBJECT	<unknown>	DEFAULT	11
object.2482			.symtab	0x80558a4	24	OBJECT	<unknown>	DEFAULT	11
open			.symtab	0x804beb4	75	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x805bb48	4	OBJECT	<unknown>	DEFAULT	11
p.2427			.symtab	0x80555e4	0	OBJECT	<unknown>	DEFAULT	10
pids			.symtab	0x805bb4c	4	OBJECT	<unknown>	DEFAULT	11
poll			.symtab	0x8050b78	54	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4371			.symtab	0x8053285	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x804887f	722	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x8048624	66	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x8048740	319	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x8048666	218	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x804a7d5	3475	FUNC	<unknown>	DEFAULT	2
qual_chars.4377			.symtab	0x8053298	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x8050afc	24	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x804e5f8	5	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmwc			.symtab	0x80481fb	192	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x804e600	72	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x8053ea0	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x804e7d9	94	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
randtbl			.symtab	0x80557e0	128	OBJECT	<unknown>	DEFAULT	10
rawmemchr			.symtab	0x805144c	99	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x804bf18	54	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x804d700	51	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x8048cb6	449	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x804f3d4	78	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
select			.symtab	0x804bf50	63	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x804d734	51	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendHTTPtwo			.symtab	0x804a582	431	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x804d768	67	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsid			.symtab	0x804bf90	38	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x804d7ac	59	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x804e648	93	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x804e740	153	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x804f0bf	218	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0x804d814	175	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x804f424	85	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x804eb38	393	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x804d7e8	43	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x8049d65	254	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x8048b51	196	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4376			.symtab	0x80532ac	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4370			.symtab	0x8053291	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4373			.symtab	0x80532d5	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4372			.symtab	0x80532ea	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4375			.symtab	0x80532bc	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4374			.symtab	0x80532cc	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x804c078	31	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x804e6fc	67	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x804e6fc	67	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x804e837	154	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x805587c	2	OBJECT	<unknown>	DEFAULT	10
static_ns			.symtab	0x805bb40	4	OBJECT	<unknown>	DEFAULT	11
stderr			.symtab	0x8055630	4	OBJECT	<unknown>	DEFAULT	10
stdin			.symtab	0x8055628	4	OBJECT	<unknown>	DEFAULT	10
stdout			.symtab	0x805562c	4	OBJECT	<unknown>	DEFAULT	10
strcasecmp			.symtab	0x8052174	54	FUNC	<unknown>	DEFAULT	2
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x804cf7c	30	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x80513fc	29	FUNC	<unknown>	DEFAULT	2
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x80513fc	29	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x804cf9c	27	FUNC	<unknown>	DEFAULT	2
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strdup			.symtab	0x80514e4	54	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x804d0d8	182	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x804cfb8	19	FUNC	<unknown>	DEFAULT	2
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncat			.symtab	0x805141c	46	FUNC	<unknown>	DEFAULT	2
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x804ff24	38	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x804cfcc	25	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x805007c	39	FUNC	<unknown>	DEFAULT	2
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x80514b0	50	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x804cfe8	206	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x804d1a8	25	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x8050020	89	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x804e990	26	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sysconf			.symtab	0x804ecc4	325	FUNC	<unknown>	DEFAULT	2
sysconf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcgetattr			.symtab	0x804d1e4	112	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpcsum			.symtab	0x8049226	184	FUNC	<unknown>	DEFAULT	2
time			.symtab	0x804bfb8	46	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tolower			.symtab	0x8052078	29	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x804c050	29	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x8048579	171	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x80532f2	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x805330a	12	OBJECT	<unknown>	DEFAULT	4
unknown.1330			.symtab	0x8053316	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x80557b8	28	OBJECT	<unknown>	DEFAULT	10
useragents			.symtab	0x80555f0	28	OBJECT	<unknown>	DEFAULT	10
usleep			.symtab	0x804ee0c	48	FUNC	<unknown>	DEFAULT	2
usleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
vseattack			.symtab	0x8049efa	1239	FUNC	<unknown>	DEFAULT	2
vsprintf			.symtab	0x804c098	176	FUNC	<unknown>	DEFAULT	2
vsprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x804f47c	59	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x804bfe8	26	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x804f4c0	69	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x804f528	133	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x804f508	30	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
write			.symtab	0x804c004	54	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
xdigits.3285			.symtab	0x8054254	17	OBJECT	<unknown>	DEFAULT	4

Network Behavior

Network Port Distribution



TCP Packets

System Behavior

Analysis Process: x-3.2-.Fourloko PID: 5208 Parent PID: 5112

General

Start time:	17:02:56
Start date:	12/01/2022
Path:	/tmp/x-3.2-.Fourloko
Arguments:	/tmp/x-3.2-.Fourloko
File size:	74017 bytes
MD5 hash:	b4ff1c112d63586c4599caa73eecc17d

File Activities

File Read

Analysis Process: x-3.2-.Fourloko PID: 5212 Parent PID: 5208

General

Start time:	17:02:57
Start date:	12/01/2022
Path:	/tmp/x-3.2-.Fourloko
Arguments:	n/a
File size:	74017 bytes
MD5 hash:	b4ff1c112d63586c4599caa73eecc17d

Analysis Process: x-3.2-.Fourloko PID: 5213 Parent PID: 5212

General

Start time:	17:02:57
Start date:	12/01/2022
Path:	/tmp/x-3.2-.Fourloko
Arguments:	n/a
File size:	74017 bytes
MD5 hash:	b4ff1c112d63586c4599caa73eecc17d

Analysis Process: dash PID: 5249 Parent PID: 4331

General	
Start time:	17:04:15
Start date:	12/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: rm PID: 5249 Parent PID: 4331

General	
Start time:	17:04:15
Start date:	12/01/2022
Path:	/usr/bin/rm
Arguments:	rm -f /tmp/tmp.0uSeSSakHx /tmp/tmp.6nBnwSFTMb /tmp/tmp.QdVuyoAuUg
File size:	72056 bytes
MD5 hash:	aa2b5496fdbfd88e38791ab81f90b95b

File Activities

File Deleted

File Read