

JOeSandbox Cloud BASIC



ID: 552966

Sample Name: X09rGb7LRv

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 00:06:42

Date: 14/01/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report X09rGb7LRv	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Process Tree	3
Yara Overview	4
Initial Sample	4
Memory Dumps	4
Jbx Signature Overview	4
AV Detection:	4
Stealing of Sensitive Information:	4
Remote Access Functionality:	4
Mitre Att&ck Matrix	4
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	5
Initial Sample	5
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	6
Contacted Domains	6
URLs from Memory and Binaries	6
Contacted IPs	6
Public	6
Runtime Messages	6
Joe Sandbox View / Context	6
IPs	6
Domains	6
ASN	7
JA3 Fingerprints	7
Dropped Files	7
Created / dropped Files	7
Static File Info	7
General	7
Static ELF Info	7
ELF header	7
Sections	8
Program Segments	8
Symbols	8
Network Behavior	19
Network Port Distribution	20
TCP Packets	20
System Behavior	20
Analysis Process: X09rGb7LRv PID: 5284 Parent PID: 5107	20
General	20
File Activities	20
File Read	20
Analysis Process: X09rGb7LRv PID: 5286 Parent PID: 5284	20
General	20
Analysis Process: X09rGb7LRv PID: 5288 Parent PID: 5286	20
General	20
Analysis Process: X09rGb7LRv PID: 5290 Parent PID: 5288	21
General	21
File Activities	21
File Written	21
Analysis Process: dash PID: 5307 Parent PID: 4331	21
General	21
Analysis Process: rm PID: 5307 Parent PID: 4331	21
General	21
File Activities	21
File Deleted	21
File Read	21

Linux Analysis Report X09rGb7LRv

Overview

General Information

Sample Name:	X09rGb7LRv
Analysis ID:	552966
MD5:	e7b5d18dc785ad..
SHA1:	94609e1ff801353..
SHA256:	86c3af8076c785a..
Tags:	32 elf gafgyt mips
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN


Mirai

Score:	56
Range:	0 - 100
Whitelisted:	false

Signatures

- Yara detected Mirai
- Multi AV Scanner detection for subm...
- Sample contains strings that are use...
- Uses the "uname" system call to qu...
- Detected TCP or UDP traffic on non...
- Executes the "rm" command used to ...
- Sample contains strings indicative o...

Classification



Analysis Advice

Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures

Static ELF header machine description suggests that the sample might not execute correctly on this machine

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	552966
Start date:	14.01.2022
Start time:	00:06:42
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 24s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	X09rGb7LRv
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal56.troj.lin@0/1@0/0

Process Tree

- system is Inxubuntu20
 - X09rGb7LRv (PID: 5284, Parent: 5107, MD5: 0083f1f0e77be34ad27f849842bbb00c) Arguments: /tmp/X09rGb7LRv
 - X09rGb7LRv New Fork (PID: 5286, Parent: 5284)
 - X09rGb7LRv New Fork (PID: 5288, Parent: 5286)
 - X09rGb7LRv New Fork (PID: 5290, Parent: 5288)
 - dash New Fork (PID: 5307, Parent: 4331)
 - rm (PID: 5307, Parent: 4331, MD5: aa2b5496fdbf88e38791ab81f90b95b) Arguments: rm -f /tmp/tmp.vbst9zaJm7 /tmp/tmp.9Lxc4N6K9O /tmp/tmp.gWHunRvXw5
- cleanup

Yara Overview


Initial Sample

Source	Rule	Description	Author	Strings
X09rGb7LRv	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

Memory Dumps

Source	Rule	Description	Author	Strings
5288.1.00000000b332ea9c.0000000068229bfb.r-x.sdmpp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5284.1.00000000b332ea9c.0000000068229bfb.r-x.sdmpp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5286.1.00000000b332ea9c.0000000068229bfb.r-x.sdmpp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

Jbx Signature Overview



AV Detection:

Multi AV Scanner detection for submitted file

Stealing of Sensitive Information:

Yara detected Mirai

Remote Access Functionality:

Yara detected Mirai

Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	File Deletion 1	OS Credential Dumping	Security Software Discovery 1 1	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	Data Obfuscation 1	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Parts

Source	Detection	Scanner	Label	Link
X09rGb7LRv	50%	Virustotal		Browse
X09rGb7LRv	41%	ReversingLabs	Linux.Trojan.Gafgyt	

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs

Source	Detection	Scanner	Label	Link
http://www.billybobbot.com/crawler/	0%	URL Reputation	safe	
http://fast.no/support/crawler.asp	0%	URL Reputation	safe	
http://feedback.redkolibri.com/	0%	URL Reputation	safe	

Domains and IPs

Contacted Domains

No contacted domains info

URLs from Memory and Binaries

Contacted IPs

Public

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
54.171.230.55	unknown	United States		16509	AMAZON-02US	false
191.96.165.103	unknown	Chile		61317	ASDETUKhttpwwwheficedco mGB	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Runtime Messages

Command:	/tmp/X09rGb7LRv
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASN

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

/run/systemd/resolve/stub-resolv.conf

Process:	/tmp/X09rGb7LRv
File Type:	ASCII text
Category:	dropped
Size (bytes):	38
Entropy (8bit):	3.3918926446809334
Encrypted:	false
SSDEEP:	3:KkZRAkd:KaAu
MD5:	C7EA09D26E26605227076E0514A33038
SHA1:	C3F9736E9AF7BD0885578859A50B205C8FA5FC8E
SHA-256:	7E8AD76E0D200E93918CA2E93C99FF8ECD02071953BF1479819DB3AC0DBB6D07
SHA-512:	17D0088725EB9991E9EB82E8A3DE0878E45E6F394BBC2AD260AA59C786FF0AD565E145E21256425D1C0ABE15F3ECB402EBB0A6A5E1C2D5BA7A4D95EC93A2861F
Malicious:	false
Reputation:	moderate, very likely benign file
Preview:	nameserver 8.8.8.8.nameserver 8.8.4.4.

Static File Info

General

File type:	ELF 32-bit MSB executable, MIPS, MIPS-I version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	5.324905604616624
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	X09rGb7LRv
File size:	123181
MD5:	e7b5d18dc785ad3ad2a28b6cef242b8a
SHA1:	94609e1ff80135362e4a32a7e4fe4d86bdf66faf
SHA256:	86c3af8076c785a4f7d48df1e3beb3366830c373f6571287865293c19f06d4d4
SHA512:	f919a369786ff190bd9e06d3a507ea5d4405860601a190b06c801eac2b08b53264b3bb3181616a41abc12b42ef9809580ae111baee42c9950a71a9fd7a96ed6e
SSDEEP:	3072:A3ilxqPJKN/Xb5hhOxCKWPRx9Fq51uUOypn:DiROvb5hs0KWPRx9Fq51uUOypn
File Content Preview:	.ELF.....@....4.....4. ..(..p.....@...@.....@...@...X..X.....`..E'..E'.....m.....d t.Q.....E.<..'.....!'<..'.....!

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, big endian

ELF header

Version:	1 (current)
Machine:	MIPS R3000
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x4002a0
Flags:	0x1007
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	4
Section Header Offset:	102872
Section Header Size:	40
Number of Section Headers:	21
Header String Table Index:	18

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.reginfo	MIPS_REGINFO	0x4000b4	0xb4	0x18	0x18	0x2	A	0	0	4
.init	PROGBITS	0x4000cc	0xcc	0x8c	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x400160	0x160	0x12230	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x412390	0x12390	0x5c	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x4123f0	0x123f0	0x34e4	0x0	0x2	A	0	0	16
.eh_frame	PROGBITS	0x4158d4	0x158d4	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x456000	0x16000	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x456008	0x16008	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x456010	0x16010	0x4	0x0	0x3	WA	0	0	4
.data.rel.ro	PROGBITS	0x456014	0x16014	0x68	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x456080	0x16080	0x510	0x0	0x3	WA	0	0	16
.got	PROGBITS	0x456590	0x16590	0x480	0x4	0x10000003	WA	0	0	16
.sbss	NOBITS	0x456a10	0x16a10	0x1c	0x0	0x10000003	WA	0	0	4
.bss	NOBITS	0x456a30	0x16a10	0x63a4	0x0	0x3	WA	0	0	16
.comment	PROGBITS	0x0	0x16a10	0xb0a	0x0	0x0		0	0	1
.mdebug.abi32	PROGBITS	0xb0a	0x1751a	0x0	0x0	0x0		0	0	1
.pdr	PROGBITS	0x0	0x1751c	0x1c20	0x0	0x0		0	0	4
.shstrtab	STRTAB	0x0	0x1913c	0x9a	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x19520	0x2b80	0x10	0x0		20	292	4
.strtab	STRTAB	0x0	0x1c0a0	0x208d	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
<unknown>	0xb4	0x4000b4	0x4000b4	0x18	0x18	0.4102	0x4	R	0x4		.reginfo
LOAD	0x0	0x400000	0x400000	0x158d8	0x158d8	3.6301	0x5	R E	0x10000		.reginfo .init .text .fini .rodata .eh_frame
LOAD	0x16000	0x456000	0x456000	0xa10	0x6dd4	2.7753	0x6	RW	0x10000		.ctors .dtors .jcr .data.rel.ro .data .got .sbss .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x4000b4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x4000cc	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x400160	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x412390	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x4123f0	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x4158d4	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x456000	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x456008	0	SECTION	<unknown>	DEFAULT	8

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x456010	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x456014	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x456080	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x456590	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x456a10	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x456a30	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0xb0a	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
C.104.5150			.symtab	0x456014	104	OBJECT	<unknown>	DEFAULT	10
Okami.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
Q			.symtab	0x456a68	16384	OBJECT	<unknown>	DEFAULT	14
RemoveTempDirs			.symtab	0x4065b8	520	FUNC	<unknown>	DEFAULT	3
SendHTTP			.symtab	0x40482c	644	FUNC	<unknown>	DEFAULT	3
SendSTD			.symtab	0x4033fc	680	FUNC	<unknown>	DEFAULT	3
SendSTDHEX			.symtab	0x4031ec	528	FUNC	<unknown>	DEFAULT	3
SendTCP			.symtab	0x403d54	2332	FUNC	<unknown>	DEFAULT	3
SendUDP			.symtab	0x4036a4	1712	FUNC	<unknown>	DEFAULT	3
UpdateNameSrvs			.symtab	0x4064b0	264	FUNC	<unknown>	DEFAULT	3
_GLOBAL_OFFSET_TABLE_			.symtab	0x456590	0	OBJECT	<unknown>	DEFAULT	12
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x456004	0	OBJECT	<unknown>	DEFAULT	7
__CTOR_LIST__			.symtab	0x456000	0	OBJECT	<unknown>	DEFAULT	7
__C_ctype_b			.symtab	0x4561b0	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x414130	768	OBJECT	<unknown>	DEFAULT	5
__C_ctype_tolower			.symtab	0x456530	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x415470	768	OBJECT	<unknown>	DEFAULT	5
__C_ctype_toupper			.symtab	0x4561c0	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x414430	768	OBJECT	<unknown>	DEFAULT	5
__DTOR_END__			.symtab	0x45600c	0	OBJECT	<unknown>	DEFAULT	8
__DTOR_LIST__			.symtab	0x456008	0	OBJECT	<unknown>	DEFAULT	8
__EH_FRAME_BEGIN__			.symtab	0x4158d4	0	OBJECT	<unknown>	DEFAULT	6
__FRAME_END__			.symtab	0x4158d4	0	OBJECT	<unknown>	DEFAULT	6
__GI__C_ctype_b			.symtab	0x4561b0	4	OBJECT	<unknown>	HIDDEN	11
__GI__C_ctype_b_data			.symtab	0x414130	768	OBJECT	<unknown>	HIDDEN	5
__GI__C_ctype_tolower			.symtab	0x456530	4	OBJECT	<unknown>	HIDDEN	11
__GI__C_ctype_tolower_data			.symtab	0x415470	768	OBJECT	<unknown>	HIDDEN	5
__GI__C_ctype_toupper			.symtab	0x4561c0	4	OBJECT	<unknown>	HIDDEN	11
__GI__C_ctype_toupper_data			.symtab	0x414430	768	OBJECT	<unknown>	HIDDEN	5
__GI__ctype_b			.symtab	0x4561b4	4	OBJECT	<unknown>	HIDDEN	11
__GI__ctype_tolower			.symtab	0x456534	4	OBJECT	<unknown>	HIDDEN	11
__GI__ctype_toupper			.symtab	0x4561c4	4	OBJECT	<unknown>	HIDDEN	11
__GI__errno_location			.symtab	0x407f60	24	FUNC	<unknown>	HIDDEN	3
__GI__fgetc_unlocked			.symtab	0x411c70	388	FUNC	<unknown>	HIDDEN	3
__GI__glibc_strerror_r			.symtab	0x409e80	68	FUNC	<unknown>	HIDDEN	3
__GI__h_errno_location			.symtab	0x40ce40	24	FUNC	<unknown>	HIDDEN	3
__GI__libc_fcntl			.symtab	0x407650	136	FUNC	<unknown>	HIDDEN	3
__GI__libc_fcntl64			.symtab	0x4076e0	104	FUNC	<unknown>	HIDDEN	3
__GI__libc_open			.symtab	0x4079e0	124	FUNC	<unknown>	HIDDEN	3
__GI__uClibc_fini			.symtab	0x40c360	196	FUNC	<unknown>	HIDDEN	3
__GI__uClibc_init			.symtab	0x40c4bc	140	FUNC	<unknown>	HIDDEN	3
__GI__xpg_strerror_r			.symtab	0x409ed0	392	FUNC	<unknown>	HIDDEN	3
__GI__exit			.symtab	0x407750	80	FUNC	<unknown>	HIDDEN	3
__GI__abort			.symtab	0x40f4e0	428	FUNC	<unknown>	HIDDEN	3
__GI__atoi			.symtab	0x40bcd0	28	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_atol			.symtab	0x40bcd0	28	FUNC	<unknown>	HIDDEN	3
__GI_brk			.symtab	0x40f6c0	112	FUNC	<unknown>	HIDDEN	3
__GI_chdir			.symtab	0x407800	88	FUNC	<unknown>	HIDDEN	3
__GI_close			.symtab	0x407860	84	FUNC	<unknown>	HIDDEN	3
__GI_connect			.symtab	0x40a860	84	FUNC	<unknown>	HIDDEN	3
__GI_errno			.symtab	0x45ccd0	4	OBJECT	<unknown>	HIDDEN	14
__GI_execl			.symtab	0x40c050	204	FUNC	<unknown>	HIDDEN	3
__GI_execve			.symtab	0x40ca00	84	FUNC	<unknown>	HIDDEN	3
__GI_exit			.symtab	0x40bf60	236	FUNC	<unknown>	HIDDEN	3
__GI_fclose			.symtab	0x40f790	512	FUNC	<unknown>	HIDDEN	3
__GI_fcntl			.symtab	0x407650	136	FUNC	<unknown>	HIDDEN	3
__GI_fcntl64			.symtab	0x4076e0	104	FUNC	<unknown>	HIDDEN	3
__GI_fflush_unlocked			.symtab	0x410330	628	FUNC	<unknown>	HIDDEN	3
__GI_fgetc_unlocked			.symtab	0x411c70	388	FUNC	<unknown>	HIDDEN	3
__GI_fgets			.symtab	0x4100c0	216	FUNC	<unknown>	HIDDEN	3
__GI_fgets_unlocked			.symtab	0x4105b0	268	FUNC	<unknown>	HIDDEN	3
__GI_fopen			.symtab	0x40f990	28	FUNC	<unknown>	HIDDEN	3
__GI_fork			.symtab	0x4078c0	84	FUNC	<unknown>	HIDDEN	3
__GI_fputs_unlocked			.symtab	0x409630	128	FUNC	<unknown>	HIDDEN	3
__GI_fseek			.symtab	0x40f9b0	68	FUNC	<unknown>	HIDDEN	3
__GI_fseeko64			.symtab	0x40fa00	388	FUNC	<unknown>	HIDDEN	3
__GI_fwrite_unlocked			.symtab	0x4096b0	280	FUNC	<unknown>	HIDDEN	3
__GI_getc_unlocked			.symtab	0x411c70	388	FUNC	<unknown>	HIDDEN	3
__GI_getegid			.symtab	0x40ca60	88	FUNC	<unknown>	HIDDEN	3
__GI_geteuid			.symtab	0x40cac0	88	FUNC	<unknown>	HIDDEN	3
__GI_getgid			.symtab	0x40cb20	84	FUNC	<unknown>	HIDDEN	3
__GI_gethostbyname			.symtab	0x40a380	116	FUNC	<unknown>	HIDDEN	3
__GI_gethostbyname_r			.symtab	0x40a400	1108	FUNC	<unknown>	HIDDEN	3
__GI_getpid			.symtab	0x407920	84	FUNC	<unknown>	HIDDEN	3
__GI_getuid			.symtab	0x40cb80	84	FUNC	<unknown>	HIDDEN	3
__GI_h_errno			.symtab	0x45ccd4	4	OBJECT	<unknown>	HIDDEN	14
__GI_inet_addr			.symtab	0x40a330	72	FUNC	<unknown>	HIDDEN	3
__GI_inet_aton			.symtab	0x40e580	244	FUNC	<unknown>	HIDDEN	3
__GI_inet_ntoa			.symtab	0x40a30c	32	FUNC	<unknown>	HIDDEN	3
__GI_inet_ntoa_r			.symtab	0x40a270	156	FUNC	<unknown>	HIDDEN	3
__GI_inet_ntop			.symtab	0x410ed0	852	FUNC	<unknown>	HIDDEN	3
__GI_inet_pton			.symtab	0x410a20	700	FUNC	<unknown>	HIDDEN	3
__GI_initstate_r			.symtab	0x40b940	328	FUNC	<unknown>	HIDDEN	3
__GI_ioctl			.symtab	0x40cbe0	104	FUNC	<unknown>	HIDDEN	3
__GI_isatty			.symtab	0x40a160	60	FUNC	<unknown>	HIDDEN	3
__GI_kill			.symtab	0x407980	88	FUNC	<unknown>	HIDDEN	3
__GI_lseek64			.symtab	0x411b80	168	FUNC	<unknown>	HIDDEN	3
__GI_memchr			.symtab	0x40ded0	264	FUNC	<unknown>	HIDDEN	3
__GI_memcpy			.symtab	0x4097d0	308	FUNC	<unknown>	HIDDEN	3
__GI_memmove			.symtab	0x40dfe0	816	FUNC	<unknown>	HIDDEN	3
__GI_memcpy			.symtab	0x40e310	76	FUNC	<unknown>	HIDDEN	3
__GI_memrchr			.symtab	0x40e360	272	FUNC	<unknown>	HIDDEN	3
__GI_memset			.symtab	0x409910	144	FUNC	<unknown>	HIDDEN	3
__GI_nanosleep			.symtab	0x40cc50	84	FUNC	<unknown>	HIDDEN	3
__GI_open			.symtab	0x4079e0	124	FUNC	<unknown>	HIDDEN	3
__GI_poll			.symtab	0x40f730	84	FUNC	<unknown>	HIDDEN	3
__GI_raise			.symtab	0x411b30	76	FUNC	<unknown>	HIDDEN	3
__GI_random			.symtab	0x40b310	164	FUNC	<unknown>	HIDDEN	3
__GI_random_r			.symtab	0x40b71c	176	FUNC	<unknown>	HIDDEN	3
__GI_rawmemchr			.symtab	0x4106c0	200	FUNC	<unknown>	HIDDEN	3
__GI_read			.symtab	0x407b00	84	FUNC	<unknown>	HIDDEN	3
__GI_recv			.symtab	0x40a940	84	FUNC	<unknown>	HIDDEN	3
__GI_sbrk			.symtab	0x40ccb0	144	FUNC	<unknown>	HIDDEN	3
__GI_select			.symtab	0x407b60	120	FUNC	<unknown>	HIDDEN	3
__GI_send			.symtab	0x40a9a0	84	FUNC	<unknown>	HIDDEN	3
__GI_sendto			.symtab	0x40aa00	128	FUNC	<unknown>	HIDDEN	3
__GI_seteuid			.symtab	0x407be0	220	FUNC	<unknown>	HIDDEN	3
__GI_setresuid			.symtab	0x407cc0	88	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_setreuid			.symtab	0x407d20	88	FUNC	<unknown>	HIDDEN	3
__GI_setsockopt			.symtab	0x40aa80	120	FUNC	<unknown>	HIDDEN	3
__GI_setstate_r			.symtab	0x40b5e0	316	FUNC	<unknown>	HIDDEN	3
__GI_sigaction			.symtab	0x40c8b0	232	FUNC	<unknown>	HIDDEN	3
__GI_signal			.symtab	0x40ab60	252	FUNC	<unknown>	HIDDEN	3
__GI_sigprocmask			.symtab	0x40cd40	148	FUNC	<unknown>	HIDDEN	3
__GI_sleep			.symtab	0x40c120	564	FUNC	<unknown>	HIDDEN	3
__GI_socket			.symtab	0x40ab00	84	FUNC	<unknown>	HIDDEN	3
__GI_sprintf			.symtab	0x407f80	80	FUNC	<unknown>	HIDDEN	3
__GI_srandom_r			.symtab	0x40b7cc	372	FUNC	<unknown>	HIDDEN	3
__GI_strerrorcmp			.symtab	0x411e00	108	FUNC	<unknown>	HIDDEN	3
__GI_strerror			.symtab	0x40a0a0	152	FUNC	<unknown>	HIDDEN	3
__GI_strchr			.symtab	0x4099a0	256	FUNC	<unknown>	HIDDEN	3
__GI_strcmp			.symtab	0x409aa0	44	FUNC	<unknown>	HIDDEN	3
__GI_strcoll			.symtab	0x409aa0	44	FUNC	<unknown>	HIDDEN	3
__GI_strcpy			.symtab	0x409ad0	36	FUNC	<unknown>	HIDDEN	3
__GI_strdup			.symtab	0x4108a0	144	FUNC	<unknown>	HIDDEN	3
__GI_strlen			.symtab	0x409b00	184	FUNC	<unknown>	HIDDEN	3
__GI_strncat			.symtab	0x410790	180	FUNC	<unknown>	HIDDEN	3
__GI_strncpy			.symtab	0x409bc0	188	FUNC	<unknown>	HIDDEN	3
__GI_strnlen			.symtab	0x409c80	256	FUNC	<unknown>	HIDDEN	3
__GI_strpbrk			.symtab	0x40e540	64	FUNC	<unknown>	HIDDEN	3
__GI_strspn			.symtab	0x410850	76	FUNC	<unknown>	HIDDEN	3
__GI_strstr			.symtab	0x409d80	256	FUNC	<unknown>	HIDDEN	3
__GI_strtok			.symtab	0x40a140	32	FUNC	<unknown>	HIDDEN	3
__GI_strtok_r			.symtab	0x40e470	204	FUNC	<unknown>	HIDDEN	3
__GI_strtol			.symtab	0x40bcf0	28	FUNC	<unknown>	HIDDEN	3
__GI_tcgetattr			.symtab	0x40a1a0	176	FUNC	<unknown>	HIDDEN	3
__GI_time			.symtab	0x407e10	84	FUNC	<unknown>	HIDDEN	3
__GI_tolower			.symtab	0x411c30	60	FUNC	<unknown>	HIDDEN	3
__GI_toupper			.symtab	0x407f20	60	FUNC	<unknown>	HIDDEN	3
__GI_vsnprintf			.symtab	0x407fd0	260	FUNC	<unknown>	HIDDEN	3
__GI_wait4			.symtab	0x40cde0	88	FUNC	<unknown>	HIDDEN	3
__GI_waitpid			.symtab	0x407e70	28	FUNC	<unknown>	HIDDEN	3
__GI_wctomb			.symtab	0x40ce60	112	FUNC	<unknown>	HIDDEN	3
__GI_wcsnrtombs			.symtab	0x40cf10	228	FUNC	<unknown>	HIDDEN	3
__GI_wcsrtombs			.symtab	0x40ced0	64	FUNC	<unknown>	HIDDEN	3
__GI_write			.symtab	0x407e90	84	FUNC	<unknown>	HIDDEN	3
__JCR_END__			.symtab	0x456010	0	OBJECT	<unknown>	DEFAULT	9
__JCR_LIST__			.symtab	0x456010	0	OBJECT	<unknown>	DEFAULT	9
__app_fini			.symtab	0x45ccbc	4	OBJECT	<unknown>	HIDDEN	14
__atexit_lock			.symtab	0x456500	24	OBJECT	<unknown>	DEFAULT	11
__bsd_signal			.symtab	0x40ab60	252	FUNC	<unknown>	HIDDEN	3
__bss_start			.symtab	0x456a10	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x40c434	136	FUNC	<unknown>	DEFAULT	3
__ctype_b			.symtab	0x4561b4	4	OBJECT	<unknown>	DEFAULT	11
__ctype_tolower			.symtab	0x456534	4	OBJECT	<unknown>	DEFAULT	11
__ctype_toupper			.symtab	0x4561c4	4	OBJECT	<unknown>	DEFAULT	11
__curbrk			.symtab	0x45cd10	4	OBJECT	<unknown>	HIDDEN	14
__data_start			.symtab	0x4560a0	0	OBJECT	<unknown>	DEFAULT	11
__decode_answer			.symtab	0x411530	340	FUNC	<unknown>	HIDDEN	3
__decode_dotted			.symtab	0x411f90	340	FUNC	<unknown>	HIDDEN	3
__decode_header			.symtab	0x411340	228	FUNC	<unknown>	HIDDEN	3
__deregister_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__dns_lookup			.symtab	0x40e680	2568	FUNC	<unknown>	HIDDEN	3
__do_global_ctors_aux			.symtab	0x412320	0	FUNC	<unknown>	DEFAULT	3
__do_global_dtors_aux			.symtab	0x400160	0	FUNC	<unknown>	DEFAULT	3
__dso_handle			.symtab	0x456080	0	OBJECT	<unknown>	HIDDEN	11
__encode_dotted			.symtab	0x411e70	280	FUNC	<unknown>	HIDDEN	3
__encode_header			.symtab	0x411230	272	FUNC	<unknown>	HIDDEN	3
__encode_question			.symtab	0x411430	172	FUNC	<unknown>	HIDDEN	3
__environ			.symtab	0x45ccb4	4	OBJECT	<unknown>	DEFAULT	14
__errno_location			.symtab	0x407f60	24	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x45cca0	4	OBJECT	<unknown>	HIDDEN	14
__fgetc_unlocked			.symtab	0x411c70	388	FUNC	<unknown>	DEFAULT	3
__fini_array_end			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x40f470	104	FUNC	<unknown>	HIDDEN	3
__glibc_strerror_r			.symtab	0x409e80	68	FUNC	<unknown>	DEFAULT	3
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x40ce40	24	FUNC	<unknown>	DEFAULT	3
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__heap_alloc			.symtab	0x40b070	188	FUNC	<unknown>	DEFAULT	3
__heap_free			.symtab	0x40b178	364	FUNC	<unknown>	DEFAULT	3
__heap_link_free_area			.symtab	0x40b130	44	FUNC	<unknown>	DEFAULT	3
__heap_link_free_area_after			.symtab	0x40b15c	28	FUNC	<unknown>	DEFAULT	3
__init_array_end			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x4120f0	72	FUNC	<unknown>	HIDDEN	3
__length_question			.symtab	0x4114e0	72	FUNC	<unknown>	HIDDEN	3
__libc_close			.symtab	0x407860	84	FUNC	<unknown>	DEFAULT	3
__libc_connect			.symtab	0x40a860	84	FUNC	<unknown>	DEFAULT	3
__libc_creat			.symtab	0x407a5c	28	FUNC	<unknown>	DEFAULT	3
__libc_fcntl			.symtab	0x407650	136	FUNC	<unknown>	DEFAULT	3
__libc_fcntl64			.symtab	0x4076e0	104	FUNC	<unknown>	DEFAULT	3
__libc_fork			.symtab	0x4078c0	84	FUNC	<unknown>	DEFAULT	3
__libc_getpid			.symtab	0x407920	84	FUNC	<unknown>	DEFAULT	3
__libc_lseek64			.symtab	0x411b80	168	FUNC	<unknown>	DEFAULT	3
__libc_nanosleep			.symtab	0x40cc50	84	FUNC	<unknown>	DEFAULT	3
__libc_open			.symtab	0x4079e0	124	FUNC	<unknown>	DEFAULT	3
__libc_poll			.symtab	0x40f730	84	FUNC	<unknown>	DEFAULT	3
__libc_read			.symtab	0x407b00	84	FUNC	<unknown>	DEFAULT	3
__libc_recv			.symtab	0x40a940	84	FUNC	<unknown>	DEFAULT	3
__libc_select			.symtab	0x407b60	120	FUNC	<unknown>	DEFAULT	3
__libc_send			.symtab	0x40a9a0	84	FUNC	<unknown>	DEFAULT	3
__libc_sendto			.symtab	0x40aa00	128	FUNC	<unknown>	DEFAULT	3
__libc_sigaction			.symtab	0x40c8b0	232	FUNC	<unknown>	DEFAULT	3
__libc_stack_end			.symtab	0x45ccb0	4	OBJECT	<unknown>	DEFAULT	14
__libc_system			.symtab	0x40ba90	568	FUNC	<unknown>	DEFAULT	3
__libc_waitpid			.symtab	0x407e70	28	FUNC	<unknown>	DEFAULT	3
__libc_write			.symtab	0x407e90	84	FUNC	<unknown>	DEFAULT	3
__malloc_heap			.symtab	0x456430	4	OBJECT	<unknown>	DEFAULT	11
__malloc_heap_lock			.symtab	0x45cc80	24	OBJECT	<unknown>	DEFAULT	14
__malloc_sbrk_lock			.symtab	0x45cda0	24	OBJECT	<unknown>	DEFAULT	14
__nameserver			.symtab	0x45cdc8	12	OBJECT	<unknown>	HIDDEN	14
__nameservers			.symtab	0x456a1c	4	OBJECT	<unknown>	HIDDEN	13
__open_etc_hosts			.symtab	0x411690	108	FUNC	<unknown>	HIDDEN	3
__open_nameservers			.symtab	0x40f090	984	FUNC	<unknown>	HIDDEN	3
__pagesize			.symtab	0x45ccb8	4	OBJECT	<unknown>	DEFAULT	14
__preinit_array_end			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x40c424	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_lock			.symtab	0x40c424	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_trylock			.symtab	0x40c424	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_unlock			.symtab	0x40c424	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_0			.symtab	0x40c424	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_void			.symtab	0x40c42c	8	FUNC	<unknown>	DEFAULT	3
__raise			.symtab	0x411b30	76	FUNC	<unknown>	HIDDEN	3
__read_etc_hosts_r			.symtab	0x4116fc	1076	FUNC	<unknown>	HIDDEN	3
__register_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x456550	24	OBJECT	<unknown>	DEFAULT	11
__rtd_fini			.symtab	0x45ccc0	4	OBJECT	<unknown>	HIDDEN	14
__searchdomain			.symtab	0x45cdb8	16	OBJECT	<unknown>	HIDDEN	14
__searchdomains			.symtab	0x456a20	4	OBJECT	<unknown>	HIDDEN	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__sigaddset			.symtab	0x40ac88	44	FUNC	<unknown>	DEFAULT	3
__sigdelset			.symtab	0x40acb4	48	FUNC	<unknown>	DEFAULT	3
__sigismember			.symtab	0x40ac60	40	FUNC	<unknown>	DEFAULT	3
__start			.symtab	0x4002a0	100	FUNC	<unknown>	DEFAULT	3
__stdin			.symtab	0x45621c	4	OBJECT	<unknown>	DEFAULT	11
__stdio_READ			.symtab	0x412140	140	FUNC	<unknown>	HIDDEN	3
__stdio_WRITE			.symtab	0x40d000	280	FUNC	<unknown>	HIDDEN	3
__stdio_adjust_position			.symtab	0x40fb90	324	FUNC	<unknown>	HIDDEN	3
__stdio_fwrit			.symtab	0x40d120	472	FUNC	<unknown>	HIDDEN	3
__stdio_init_mutex			.symtab	0x408198	32	FUNC	<unknown>	HIDDEN	3
__stdio_mutex_initializer.3833			.symtab	0x414730	24	OBJECT	<unknown>	DEFAULT	5
__stdio_rfill			.symtab	0x4121d0	88	FUNC	<unknown>	HIDDEN	3
__stdio_seek			.symtab	0x410050	112	FUNC	<unknown>	HIDDEN	3
__stdio_trans2r_o			.symtab	0x412230	228	FUNC	<unknown>	HIDDEN	3
__stdio_trans2w_o			.symtab	0x40d300	308	FUNC	<unknown>	HIDDEN	3
__stdio_wcommit			.symtab	0x4082e0	100	FUNC	<unknown>	HIDDEN	3
__stdout			.symtab	0x456220	4	OBJECT	<unknown>	DEFAULT	11
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x40c9a0	84	FUNC	<unknown>	HIDDEN	3
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x40c360	196	FUNC	<unknown>	DEFAULT	3
__uClibc_init			.symtab	0x40c4bc	140	FUNC	<unknown>	DEFAULT	3
__uClibc_main			.symtab	0x40c548	864	FUNC	<unknown>	DEFAULT	3
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uclibc_progname			.symtab	0x456520	4	OBJECT	<unknown>	HIDDEN	11
__xpg_strerror_r			.symtab	0x409ed0	392	FUNC	<unknown>	DEFAULT	3
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__charpad			.symtab	0x408350	128	FUNC	<unknown>	DEFAULT	3
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__dl_aux_init			.symtab	0x40f690	44	FUNC	<unknown>	DEFAULT	3
__dl_phdr			.symtab	0x456a24	4	OBJECT	<unknown>	DEFAULT	13
__dl_phnum			.symtab	0x456a28	4	OBJECT	<unknown>	DEFAULT	13
__edata			.symtab	0x456a10	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__end			.symtab	0x45cdd4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__errno			.symtab	0x45ccd0	4	OBJECT	<unknown>	DEFAULT	14
__exit			.symtab	0x407750	80	FUNC	<unknown>	DEFAULT	3
__exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fbss			.symtab	0x456a10	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__fdata			.symtab	0x456080	0	NOTYPE	<unknown>	DEFAULT	11
__fini			.symtab	0x412390	28	FUNC	<unknown>	DEFAULT	4
__fixed_buffers			.symtab	0x45aa78	8192	OBJECT	<unknown>	DEFAULT	14
__fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fp_out_narrow			.symtab	0x4083d0	228	FUNC	<unknown>	DEFAULT	3
__fpmaxtostr			.symtab	0x40d680	2120	FUNC	<unknown>	HIDDEN	3
__fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ftext			.symtab	0x400160	0	NOTYPE	<unknown>	DEFAULT	3
__fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gp			.symtab	0x45e580	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__gp_disp			.symtab	0x0	0	OBJECT	<unknown>	DEFAULT	SHN_UNDEF
__h_errno			.symtab	0x45ccd4	4	OBJECT	<unknown>	DEFAULT	14
__init			.symtab	0x4000cc	28	FUNC	<unknown>	DEFAULT	2
__load_inttype			.symtab	0x40d440	136	FUNC	<unknown>	HIDDEN	3
__load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_init			.symtab	0x408c60	220	FUNC	<unknown>	HIDDEN	3
__ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_parsespec			.symtab	0x40903c	1512	FUNC	<unknown>	HIDDEN	3
__ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_prepargs			.symtab	0x408d40	100	FUNC	<unknown>	HIDDEN	3
__ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_setargs			.symtab	0x408db0	540	FUNC	<unknown>	HIDDEN	3
__ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_promoted_size			.symtab	0x408fd0	108	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_pop_restore			.symtab	0x40c42c	8	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_push_defer			.symtab	0x40c42c	8	FUNC	<unknown>	DEFAULT	3
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signintr			.symtab	0x45cd20	128	OBJECT	<unknown>	HIDDEN	14
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x40fce0	880	FUNC	<unknown>	HIDDEN	3
_stdio_init			.symtab	0x4080e0	184	FUNC	<unknown>	HIDDEN	3
_stdio_openlist			.symtab	0x456224	4	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_add_lock			.symtab	0x4561d0	24	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_dec_use			.symtab	0x4101a0	400	FUNC	<unknown>	DEFAULT	3
_stdio_openlist_del_count			.symtab	0x45aa74	4	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_del_lock			.symtab	0x4561e8	24	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_use_count			.symtab	0x45aa70	4	OBJECT	<unknown>	DEFAULT	14
_stdio_streams			.symtab	0x456228	240	OBJECT	<unknown>	DEFAULT	11
_stdio_term			.symtab	0x4081b8	284	FUNC	<unknown>	HIDDEN	3
_stdio_user_locking			.symtab	0x456200	4	OBJECT	<unknown>	DEFAULT	11
_stdlib_strto_l			.symtab	0x40bd10	592	FUNC	<unknown>	HIDDEN	3
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x40d4d0	68	FUNC	<unknown>	HIDDEN	3
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x4148a0	2934	OBJECT	<unknown>	HIDDEN	5
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x40d520	340	FUNC	<unknown>	HIDDEN	3
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x4084b4	1960	FUNC	<unknown>	HIDDEN	3
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x40f4e0	428	FUNC	<unknown>	DEFAULT	3
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
access			.symtab	0x4077a0	84	FUNC	<unknown>	DEFAULT	3
access.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
advance_telstate			.symtab	0x400a00	204	FUNC	<unknown>	DEFAULT	3
atoi			.symtab	0x40bcd0	28	FUNC	<unknown>	DEFAULT	3
atol			.symtab	0x40bcd0	28	FUNC	<unknown>	DEFAULT	3
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bcopy			.symtab	0x40a060	32	FUNC	<unknown>	DEFAULT	3
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x45cd00	4	OBJECT	<unknown>	DEFAULT	14
been_there_done_that.2792			.symtab	0x45ccc4	4	OBJECT	<unknown>	DEFAULT	14
brk			.symtab	0x40f6c0	112	FUNC	<unknown>	DEFAULT	3
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x40ab60	252	FUNC	<unknown>	DEFAULT	3
buf.2601			.symtab	0x45ca90	16	OBJECT	<unknown>	DEFAULT	14
buf.4833			.symtab	0x45caa0	460	OBJECT	<unknown>	DEFAULT	14
bzero			.symtab	0x40a080	28	FUNC	<unknown>	DEFAULT	3
bzero.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
c			.symtab	0x4560b4	4	OBJECT	<unknown>	DEFAULT	11
chdir			.symtab	0x407800	88	FUNC	<unknown>	DEFAULT	3
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x407860	84	FUNC	<unknown>	DEFAULT	3
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x4560c0	4	OBJECT	<unknown>	DEFAULT	11
completed.2296			.symtab	0x456a30	1	OBJECT	<unknown>	DEFAULT	14
connect			.symtab	0x40a860	84	FUNC	<unknown>	DEFAULT	3
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x402250	828	FUNC	<unknown>	DEFAULT	3
contains_string			.symtab	0x400648	280	FUNC	<unknown>	DEFAULT	3
creat			.symtab	0x407a5c	28	FUNC	<unknown>	DEFAULT	3
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
csum			.symtab	0x402d04	460	FUNC	<unknown>	DEFAULT	3
currentServer			.symtab	0x4560b0	4	OBJECT	<unknown>	DEFAULT	11
data_start			.symtab	0x4560a0	0	OBJECT	<unknown>	DEFAULT	11
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x45ccb4	4	OBJECT	<unknown>	DEFAULT	14
errno			.symtab	0x45ccd0	4	OBJECT	<unknown>	DEFAULT	14
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
estridx			.symtab	0x414810	126	OBJECT	<unknown>	DEFAULT	5
execl			.symtab	0x40c050	204	FUNC	<unknown>	DEFAULT	3
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x40ca00	84	FUNC	<unknown>	DEFAULT	3
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x40bf60	236	FUNC	<unknown>	DEFAULT	3
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x4157c8	72	OBJECT	<unknown>	DEFAULT	5
fclose			.symtab	0x40f790	512	FUNC	<unknown>	DEFAULT	3
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x407650	136	FUNC	<unknown>	DEFAULT	3
fcntl64			.symtab	0x4076e0	104	FUNC	<unknown>	DEFAULT	3
fflush_unlocked			.symtab	0x410330	628	FUNC	<unknown>	DEFAULT	3
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x411c70	388	FUNC	<unknown>	DEFAULT	3
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x4100c0	216	FUNC	<unknown>	DEFAULT	3
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x4105b0	268	FUNC	<unknown>	DEFAULT	3
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x4157b0	20	OBJECT	<unknown>	DEFAULT	5
fopen			.symtab	0x40f990	28	FUNC	<unknown>	DEFAULT	3
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x4078c0	84	FUNC	<unknown>	DEFAULT	3
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x409630	128	FUNC	<unknown>	DEFAULT	3
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x40021c	0	FUNC	<unknown>	DEFAULT	3
free			.symtab	0x40aee0	396	FUNC	<unknown>	DEFAULT	3
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x40f9b0	68	FUNC	<unknown>	DEFAULT	3
fseeko			.symtab	0x40f9b0	68	FUNC	<unknown>	DEFAULT	3
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x40fa00	388	FUNC	<unknown>	DEFAULT	3
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x4096b0	280	FUNC	<unknown>	DEFAULT	3
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBuild			.symtab	0x400310	56	FUNC	<unknown>	DEFAULT	3
getEndianness			.symtab	0x4067c0	340	FUNC	<unknown>	DEFAULT	3
getHost			.symtab	0x401d38	160	FUNC	<unknown>	DEFAULT	3
getRandomIP			.symtab	0x402c58	172	FUNC	<unknown>	DEFAULT	3
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
get_telstate_host			.symtab	0x400998	104	FUNC	<unknown>	DEFAULT	3
getc_unlocked			.symtab	0x411c70	388	FUNC	<unknown>	DEFAULT	3
getegid			.symtab	0x40ca60	88	FUNC	<unknown>	DEFAULT	3
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x40cac0	88	FUNC	<unknown>	DEFAULT	3
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x40cb20	84	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x40a380	116	FUNC	<unknown>	DEFAULT	3
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x40a400	1108	FUNC	<unknown>	DEFAULT	3
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x407920	84	FUNC	<unknown>	DEFAULT	3
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x40a8c0	120	FUNC	<unknown>	DEFAULT	3
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x40cb80	84	FUNC	<unknown>	DEFAULT	3
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.4832			.symtab	0x45cc6c	20	OBJECT	<unknown>	DEFAULT	14
h_ermo			.symtab	0x45ccd4	4	OBJECT	<unknown>	DEFAULT	14
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
hlt			.symtab	0x4002fc	0	NOTYPE	<unknown>	DEFAULT	3
htonl			.symtab	0x40a260	8	FUNC	<unknown>	DEFAULT	3
htons			.symtab	0x40a268	8	FUNC	<unknown>	DEFAULT	3
i.4268			.symtab	0x4560b8	4	OBJECT	<unknown>	DEFAULT	11
index			.symtab	0x4099a0	256	FUNC	<unknown>	DEFAULT	3
inet_addr			.symtab	0x40a330	72	FUNC	<unknown>	DEFAULT	3
inet_aton			.symtab	0x40e580	244	FUNC	<unknown>	DEFAULT	3
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x40a30c	32	FUNC	<unknown>	DEFAULT	3
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x40a270	156	FUNC	<unknown>	DEFAULT	3
inet_ntop			.symtab	0x410ed0	852	FUNC	<unknown>	DEFAULT	3
inet_ntop4			.symtab	0x410cdc	500	FUNC	<unknown>	DEFAULT	3
inet_pton			.symtab	0x410a20	700	FUNC	<unknown>	DEFAULT	3
inet_pton4			.symtab	0x410930	240	FUNC	<unknown>	DEFAULT	3
initConnection			.symtab	0x406260	592	FUNC	<unknown>	DEFAULT	3
init_rand			.symtab	0x400348	300	FUNC	<unknown>	DEFAULT	3
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x456320	264	OBJECT	<unknown>	DEFAULT	11
initstate			.symtab	0x40b464	208	FUNC	<unknown>	DEFAULT	3
initstate_r			.symtab	0x40b940	328	FUNC	<unknown>	DEFAULT	3
ioctl			.symtab	0x40cbe0	104	FUNC	<unknown>	DEFAULT	3
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x40a160	60	FUNC	<unknown>	DEFAULT	3
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x407ef0	44	FUNC	<unknown>	DEFAULT	3
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x407980	88	FUNC	<unknown>	DEFAULT	3
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x40258c	636	FUNC	<unknown>	DEFAULT	3
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x411b80	168	FUNC	<unknown>	DEFAULT	3
macAddress			.symtab	0x456a60	6	OBJECT	<unknown>	DEFAULT	14
main			.symtab	0x406914	3388	FUNC	<unknown>	DEFAULT	3
mainCommSock			.symtab	0x456a50	4	OBJECT	<unknown>	DEFAULT	14
makeIPPacket			.symtab	0x403034	312	FUNC	<unknown>	DEFAULT	3
makeRandomStr			.symtab	0x401dd8	268	FUNC	<unknown>	DEFAULT	3
malloc			.symtab	0x40acf0	492	FUNC	<unknown>	DEFAULT	3
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
matchPrompt			.symtab	0x402a40	536	FUNC	<unknown>	DEFAULT	3
memchr			.symtab	0x40ded0	264	FUNC	<unknown>	DEFAULT	3
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x4097d0	308	FUNC	<unknown>	DEFAULT	3
memmove			.symtab	0x40dfe0	816	FUNC	<unknown>	DEFAULT	3
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x40e310	76	FUNC	<unknown>	DEFAULT	3
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x40e360	272	FUNC	<unknown>	DEFAULT	3
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x409910	144	FUNC	<unknown>	DEFAULT	3
mylock			.symtab	0x456440	24	OBJECT	<unknown>	DEFAULT	11
mylock			.symtab	0x45cce0	24	OBJECT	<unknown>	DEFAULT	14
mylock			.symtab	0x456570	24	OBJECT	<unknown>	DEFAULT	11
nanosleep			.symtab	0x40cc50	84	FUNC	<unknown>	DEFAULT	3
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
negotiate			.symtab	0x402808	568	FUNC	<unknown>	DEFAULT	3
next_start.1065			.symtab	0x45ca80	4	OBJECT	<unknown>	DEFAULT	14
ntohl			.symtab	0x40a250	8	FUNC	<unknown>	DEFAULT	3
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x40a258	8	FUNC	<unknown>	DEFAULT	3
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x456a58	8	OBJECT	<unknown>	DEFAULT	14
object.2349			.symtab	0x456a34	24	OBJECT	<unknown>	DEFAULT	14
open			.symtab	0x4079e0	124	FUNC	<unknown>	DEFAULT	3
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x456a10	4	OBJECT	<unknown>	DEFAULT	13
p.2294			.symtab	0x456090	0	OBJECT	<unknown>	DEFAULT	11
pids			.symtab	0x456a18	4	OBJECT	<unknown>	DEFAULT	13
poll			.symtab	0x40f730	84	FUNC	<unknown>	DEFAULT	3
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0x407a80	120	FUNC	<unknown>	DEFAULT	3
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4045			.symtab	0x414760	12	OBJECT	<unknown>	DEFAULT	5
print			.symtab	0x401288	1456	FUNC	<unknown>	DEFAULT	3
printchar			.symtab	0x400cfc	184	FUNC	<unknown>	DEFAULT	3
printi			.symtab	0x400ff0	664	FUNC	<unknown>	DEFAULT	3
prints			.symtab	0x400db4	572	FUNC	<unknown>	DEFAULT	3
processCmd			.symtab	0x404ab0	6064	FUNC	<unknown>	DEFAULT	3
qual_chars.4050			.symtab	0x414780	20	OBJECT	<unknown>	DEFAULT	5
raise			.symtab	0x411b30	76	FUNC	<unknown>	DEFAULT	3
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x40b2f0	28	FUNC	<unknown>	DEFAULT	3
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmwc			.symtab	0x400474	468	FUNC	<unknown>	DEFAULT	3
random			.symtab	0x40b310	164	FUNC	<unknown>	DEFAULT	3
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x415420	40	OBJECT	<unknown>	DEFAULT	5
random_r			.symtab	0x40b71c	176	FUNC	<unknown>	DEFAULT	3
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x456458	128	OBJECT	<unknown>	DEFAULT	11
rawmemchr			.symtab	0x4106c0	200	FUNC	<unknown>	DEFAULT	3
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x407b00	84	FUNC	<unknown>	DEFAULT	3
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_until_response			.symtab	0x4008c8	208	FUNC	<unknown>	DEFAULT	3
read_with_timeout			.symtab	0x400760	360	FUNC	<unknown>	DEFAULT	3
recv			.symtab	0x40a940	84	FUNC	<unknown>	DEFAULT	3
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x401ee4	876	FUNC	<unknown>	DEFAULT	3
reset_telstate			.symtab	0x400acc	100	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
sbrk			.symtab	0x40ccb0	144	FUNC	<unknown>	DEFAULT	3
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x456a14	4	OBJECT	<unknown>	DEFAULT	13
sclose			.symtab	0x40316c	128	FUNC	<unknown>	DEFAULT	3
select			.symtab	0x407b60	120	FUNC	<unknown>	DEFAULT	3
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x40a9a0	84	FUNC	<unknown>	DEFAULT	3
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendto			.symtab	0x40aa00	128	FUNC	<unknown>	DEFAULT	3
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
seteuid			.symtab	0x407be0	220	FUNC	<unknown>	DEFAULT	3
seteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setresuid			.symtab	0x407cc0	88	FUNC	<unknown>	DEFAULT	3
setresuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setreuid			.symtab	0x407d20	88	FUNC	<unknown>	DEFAULT	3
setreuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x40aa80	120	FUNC	<unknown>	DEFAULT	3
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x40b3b4	176	FUNC	<unknown>	DEFAULT	3
setstate_r			.symtab	0x40b5e0	316	FUNC	<unknown>	DEFAULT	3
setuid			.symtab	0x407d80	136	FUNC	<unknown>	DEFAULT	3
setuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaction			.symtab	0x40c8b0	232	FUNC	<unknown>	DEFAULT	3
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0x40ab60	252	FUNC	<unknown>	DEFAULT	3
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x40cd40	148	FUNC	<unknown>	DEFAULT	3
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x40c120	564	FUNC	<unknown>	DEFAULT	3
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x40ab00	84	FUNC	<unknown>	DEFAULT	3
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x404670	444	FUNC	<unknown>	DEFAULT	3
sockprintf			.symtab	0x401928	384	FUNC	<unknown>	DEFAULT	3
spec_and_mask.4049			.symtab	0x414794	16	OBJECT	<unknown>	DEFAULT	5
spec_base.4044			.symtab	0x41476c	7	OBJECT	<unknown>	DEFAULT	5
spec_chars.4046			.symtab	0x4147c0	21	OBJECT	<unknown>	DEFAULT	5
spec_flags.4045			.symtab	0x4147d8	8	OBJECT	<unknown>	DEFAULT	5
spec_or_mask.4048			.symtab	0x4147a4	16	OBJECT	<unknown>	DEFAULT	5
spec_ranges.4047			.symtab	0x4147b4	9	OBJECT	<unknown>	DEFAULT	5
sprintf			.symtab	0x407f80	80	FUNC	<unknown>	DEFAULT	3
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x40b534	172	FUNC	<unknown>	DEFAULT	3
srandom			.symtab	0x40b534	172	FUNC	<unknown>	DEFAULT	3
srandom_r			.symtab	0x40b7cc	372	FUNC	<unknown>	DEFAULT	3
static_id			.symtab	0x456540	2	OBJECT	<unknown>	DEFAULT	11
static_ns			.symtab	0x45ccf8	4	OBJECT	<unknown>	DEFAULT	14
stderr			.symtab	0x456218	4	OBJECT	<unknown>	DEFAULT	11
stdin			.symtab	0x456210	4	OBJECT	<unknown>	DEFAULT	11
stdout			.symtab	0x456214	4	OBJECT	<unknown>	DEFAULT	11
strcasecmp			.symtab	0x411e00	108	FUNC	<unknown>	DEFAULT	3
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcasestr			.symtab	0x40a0a0	152	FUNC	<unknown>	DEFAULT	3
strcasestr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x4099a0	256	FUNC	<unknown>	DEFAULT	3
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x409aa0	44	FUNC	<unknown>	DEFAULT	3
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x409aa0	44	FUNC	<unknown>	DEFAULT	3
strcpy			.symtab	0x409ad0	36	FUNC	<unknown>	DEFAULT	3
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strdup			.symtab	0x4108a0	144	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x409ed0	392	FUNC	<unknown>	DEFAULT	3
strlen			.symtab	0x409b00	184	FUNC	<unknown>	DEFAULT	3
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncat			.symtab	0x410790	180	FUNC	<unknown>	DEFAULT	3
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x409bc0	188	FUNC	<unknown>	DEFAULT	3
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x409c80	256	FUNC	<unknown>	DEFAULT	3
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x40e540	64	FUNC	<unknown>	DEFAULT	3
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x410850	76	FUNC	<unknown>	DEFAULT	3
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x409d80	256	FUNC	<unknown>	DEFAULT	3
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x40a140	32	FUNC	<unknown>	DEFAULT	3
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x40e470	204	FUNC	<unknown>	DEFAULT	3
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x40bcf0	28	FUNC	<unknown>	DEFAULT	3
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
system			.symtab	0x40ba90	568	FUNC	<unknown>	DEFAULT	3
system.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x4018b0	120	FUNC	<unknown>	DEFAULT	3
tcgetattr			.symtab	0x40a1a0	176	FUNC	<unknown>	DEFAULT	3
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpcsum			.symtab	0x402ed0	356	FUNC	<unknown>	DEFAULT	3
time			.symtab	0x407e10	84	FUNC	<unknown>	DEFAULT	3
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tolower			.symtab	0x411c30	60	FUNC	<unknown>	DEFAULT	3
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x407f20	60	FUNC	<unknown>	DEFAULT	3
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x400b30	460	FUNC	<unknown>	DEFAULT	3
type_codes			.symtab	0x4147e0	24	OBJECT	<unknown>	DEFAULT	5
type_sizes			.symtab	0x4147f8	12	OBJECT	<unknown>	DEFAULT	5
unknown.1088			.symtab	0x414890	14	OBJECT	<unknown>	DEFAULT	5
unsafe_state			.symtab	0x4564e0	28	OBJECT	<unknown>	DEFAULT	11
useragents			.symtab	0x4560c4	236	OBJECT	<unknown>	DEFAULT	11
vsprintf			.symtab	0x407fd0	260	FUNC	<unknown>	DEFAULT	3
vsprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x40cde0	88	FUNC	<unknown>	DEFAULT	3
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x407e70	28	FUNC	<unknown>	DEFAULT	3
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x40ce60	112	FUNC	<unknown>	DEFAULT	3
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x40cf10	228	FUNC	<unknown>	DEFAULT	3
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x40ced0	64	FUNC	<unknown>	DEFAULT	3
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x401aa8	656	FUNC	<unknown>	DEFAULT	3
write			.symtab	0x407e90	84	FUNC	<unknown>	DEFAULT	3
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
xdigits.3043			.symtab	0x415894	17	OBJECT	<unknown>	DEFAULT	5
zprintf			.symtab	0x401838	120	FUNC	<unknown>	DEFAULT	3

Network Behavior

Network Port Distribution



TCP Packets

System Behavior

Analysis Process: X09rGb7LRv PID: 5284 Parent PID: 5107

General

Start time:	00:07:23
Start date:	14/01/2022
Path:	/tmp/X09rGb7LRv
Arguments:	/tmp/X09rGb7LRv
File size:	5777432 bytes
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c

File Activities

File Read

Analysis Process: X09rGb7LRv PID: 5286 Parent PID: 5284

General

Start time:	00:07:23
Start date:	14/01/2022
Path:	/tmp/X09rGb7LRv
Arguments:	n/a
File size:	5777432 bytes
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c

Analysis Process: X09rGb7LRv PID: 5288 Parent PID: 5286

General

Start time:	00:07:23
-------------	----------

Start date:	14/01/2022
Path:	/tmp/X09rGb7LRv
Arguments:	n/a
File size:	5777432 bytes
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c

Analysis Process: X09rGb7LRv PID: 5290 Parent PID: 5288

General

Start time:	00:07:23
Start date:	14/01/2022
Path:	/tmp/X09rGb7LRv
Arguments:	n/a
File size:	5777432 bytes
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c

File Activities

File Written

Analysis Process: dash PID: 5307 Parent PID: 4331

General

Start time:	00:07:48
Start date:	14/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: rm PID: 5307 Parent PID: 4331

General

Start time:	00:07:48
Start date:	14/01/2022
Path:	/usr/bin/rm
Arguments:	rm -f /tmp/tmp.vbst9zaJm7 /tmp/tmp.9Lxc4N6K9O /tmp/tmp.gWHunRvXw5
File size:	72056 bytes
MD5 hash:	aa2b5496fdbfd88e38791ab81f90b95b

File Activities

File Deleted

File Read