

JoeSandbox Cloud BASIC



ID: 557482

Sample Name:
fuckjewishpeople.x86

Cookbook:
defaultlinuxfilecookbook.jbs

Time: 07:51:15

Date: 21/01/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report fuckjewishpeople.x86	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Overview	4
Initial Sample	4
Memory Dumps	4
Jbx Signature Overview	4
AV Detection	4
Spreading	4
Stealing of Sensitive Information	4
Remote Access Functionality	4
Mitre Att&ck Matrix	4
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	6
Initial Sample	6
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	6
Contacted Domains	6
URLs from Memory and Binaries	6
World Map of Contacted IPs	6
Public IPs	6
Joe Sandbox View / Context	7
IPs	7
Domains	7
ASNs	7
JA3 Fingerprints	7
Dropped Files	7
Created / dropped Files	7
Static File Info	7
General	7
Static ELF Info	7
ELF header	7
Sections	8
Program Segments	8
Symbols	8
Network Behavior	20
Network Port Distribution	20
TCP Packets	20
System Behavior	20
Analysis Process: fuckjewishpeople.x86 PID: 5237, Parent PID: 5137	20
General	20
File Activities	21
File Read	21
Analysis Process: fuckjewishpeople.x86 PID: 5238, Parent PID: 5237	21
General	21
Analysis Process: fuckjewishpeople.x86 PID: 5239, Parent PID: 5238	21
General	21

Linux Analysis Report

fuckjewishpeople.x86

Overview

General Information

Sample Name:	fuckjewishpeople.x86
Analysis ID:	557482
MD5:	f907ecef31f5941..
SHA1:	5d201f87bd1681..
SHA256:	2070315e93c53b..
Tags:	elfgafgyt
Infos:	↓↑ Yara

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Gafgyt

Mirai

Score:	72
Range:	0 - 100
Whitelisted:	false

Signatures

Yara detected Mirai

Multi AV Scanner detection for subm...

Yara detected Gafgyt

Opens /proc/net/* files useful for fin...

Machine Learning detection for sam...

Sample contains strings that are us...

Tries to connect to HTTP servers, b...

Detected TCP or UDP traffic on non...

Classification

Analysis Advice

All HTTP servers contacted by the sample do not answer. Likely the sample is an old dropper which does no longer work

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	557482
Start date:	21.01.2022
Start time:	07:51:15
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 20s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	fuckjewishpeople.x86
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal72.spre.troj.linX86@0/0@0/0

Runtime Messages

Command:	/tmp/fuckjewishpeople.x86
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Process Tree

- system is Inxubuntu20
 - fuckjewishpeople.x86 (PID: 5237, Parent: 5137, MD5: f907ecef31f594187e9084cfd347874) Arguments: /tmp/fuckjewishpeople.x86
 - fuckjewishpeople.x86 New Fork (PID: 5238, Parent: 5237)
 - fuckjewishpeople.x86 New Fork (PID: 5239, Parent: 5238)
- cleanup

Yara Overview

Initial Sample

Source	Rule	Description	Author	Strings
fuckjewishpeople.x86	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
fuckjewishpeople.x86	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Memory Dumps

Source	Rule	Description	Author	Strings
5237.1.00000000a0bbd638.00000000df928df7.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5237.1.00000000a0bbd638.00000000df928df7.r-x.sdmp	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	
5238.1.00000000a0bbd638.00000000df928df7.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5238.1.00000000a0bbd638.00000000df928df7.r-x.sdmp	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Jbx Signature Overview

AV Detection



Multi AV Scanner detection for submitted file



Machine Learning detection for sample



Spreading



Opens /proc/net/* files useful for finding connected devices and routers



Stealing of Sensitive Information



Yara detected Mirai



Yara detected Gafgyt



Remote Access Functionality



Yara detected Mirai



Yara detected Gafgyt




Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	1 Remote System Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Non-Standard Port	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data
Local Accounts	At (Windows)	Logon Script (Mac)	Logon Script (Mac)	Binary Padding	NTDS	System Network Configuration Discovery	Distributed Component Object Model	Input Capture	Scheduled Transfer	1 Application Layer Protocol	SIM Card Swap		Carrier Billing Fraud

Malware Configuration

No configs have been found



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
fuckjewishpeople.x86	57%	Virustotal		Browse
fuckjewishpeople.x86	100%	Joe Sandbox ML		

Dropped Files

🚫 No Antivirus matches

Domains

🚫 No Antivirus matches

URLs

Source	Detection	Scanner	Label	Link
http://www.billybobbot.com/crawler/	0%	URL Reputation	safe	
http://fast.no/support/crawler.asp	0%	URL Reputation	safe	
http://feedback.redkolibri.com/	0%	URL Reputation	safe	


Domains and IPs

Contacted Domains

🚫 No contacted domains info

URLs from Memory and Binaries

World Map of Contacted IPs



Public IPs

ELF header	
Version:	1 (current)
Machine:	Advanced Micro Devices X86-64
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x400194
Flags:	0x0
ELF Header Size:	64
Program Header Offset:	64
Program Header Size:	56
Number of Program Headers:	3
Section Header Offset:	68720
Section Header Size:	64
Number of Section Headers:	15
Header String Table Index:	12

Sections										
Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x4000e8	0xe8	0x13	0x0	0x6	AX	0	0	1
.text	PROGBITS	0x400100	0x100	0xb038	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x40b138	0xb138	0xe	0x0	0x6	AX	0	0	1
.rodata	PROGBITS	0x40b160	0xb160	0x49b1	0x0	0x2	A	0	0	32
.eh_frame	PROGBITS	0x40fb14	0xfb14	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x50fb18	0xfb18	0x10	0x0	0x3	WA	0	0	8
.dtors	PROGBITS	0x50fb28	0xfb28	0x10	0x0	0x3	WA	0	0	8
.jcr	PROGBITS	0x50fb38	0xfb38	0x8	0x0	0x3	WA	0	0	8
.data	PROGBITS	0x50fb40	0xfb40	0x6a8	0x0	0x3	WA	0	0	32
.bss	NOBITS	0x510200	0x101e8	0x6b50	0x0	0x3	WA	0	0	32
.comment	PROGBITS	0x0	0x101e8	0xa20	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x10c08	0x66	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x11030	0x3ed0	0x18	0x0		14	243	8
.strtab	STRTAB	0x0	0x14f00	0x203c	0x0	0x0		0	0	1

Program Segments											
Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x400000	0x400000	0xfb18	0xfb18	3.9245	0x5	R E	0x100000		.init .text .fini .rodata .eh_frame
LOAD	0xfb18	0x50fb18	0x50fb18	0x6d0	0x7238	1.2925	0x6	RW	0x100000		.ctors .dtors .jcr .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x8		

Symbols										
Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx	
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF	
			.symtab	0x4000e8	0	SECTION	<unknown>	DEFAULT	1	
			.symtab	0x400100	0	SECTION	<unknown>	DEFAULT	2	
			.symtab	0x40b138	0	SECTION	<unknown>	DEFAULT	3	
			.symtab	0x40b160	0	SECTION	<unknown>	DEFAULT	4	
			.symtab	0x40fb14	0	SECTION	<unknown>	DEFAULT	5	
			.symtab	0x50fb18	0	SECTION	<unknown>	DEFAULT	6	
			.symtab	0x50fb28	0	SECTION	<unknown>	DEFAULT	7	
			.symtab	0x50fb38	0	SECTION	<unknown>	DEFAULT	8	
			.symtab	0x50fb40	0	SECTION	<unknown>	DEFAULT	9	

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x510200	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
C.55.5195			.symtab	0x40c880	208	OBJECT	<unknown>	DEFAULT	4
C.65.5303			.symtab	0x40d3a0	2256	OBJECT	<unknown>	DEFAULT	4
Q			.symtab	0x510280	16384	OBJECT	<unknown>	DEFAULT	10
Randhex			.symtab	0x401883	389	FUNC	<unknown>	DEFAULT	2
SendHTTPHex			.symtab	0x402725	446	FUNC	<unknown>	DEFAULT	2
SendSTD			.symtab	0x401501	386	FUNC	<unknown>	DEFAULT	2
UDPRAW			.symtab	0x401783	256	FUNC	<unknown>	DEFAULT	2
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x50fb20	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x50fb18	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x50fd68	8	OBJECT	<unknown>	DEFAULT	9
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x40dec0	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x510190	8	OBJECT	<unknown>	DEFAULT	9
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x40f620	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x50fd78	8	OBJECT	<unknown>	DEFAULT	9
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x40e1c0	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x50fb30	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x50fb28	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x40fb14	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x40fb14	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x50fd68	8	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_b_data			.symtab	0x40dec0	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_tolower			.symtab	0x510190	8	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_tolower_data			.symtab	0x40f620	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x50fd78	8	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_toupper_data			.symtab	0x40e1c0	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x50fd70	8	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_tolower			.symtab	0x510198	8	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_toupper			.symtab	0x50fd80	8	OBJECT	<unknown>	HIDDEN	9
__GI__errno_location			.symtab	0x403f04	6	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x40ad84	222	FUNC	<unknown>	HIDDEN	2
__GI__glIBC_strerror_r			.symtab	0x405650	14	FUNC	<unknown>	HIDDEN	2
__GI__h_errno_location			.symtab	0x407b8c	6	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x403bb8	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_lseek			.symtab	0x40ad34	45	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x403d80	106	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x407560	70	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x4075df	67	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x405660	194	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x403c1c	42	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x406b94	276	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0x407078	18	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x4096b8	43	FUNC	<unknown>	HIDDEN	2
__GI__chdir			.symtab	0x403c48	38	FUNC	<unknown>	HIDDEN	2
__GI__clock_getres			.symtab	0x40793c	41	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0x403c70	41	FUNC	<unknown>	HIDDEN	2
__GI__connect			.symtab	0x405c48	43	FUNC	<unknown>	HIDDEN	2
__GI__errno			.symtab	0x51651c	4	OBJECT	<unknown>	HIDDEN	10

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_exit			.symtab	0x407204	92	FUNC	<unknown>	HIDDEN	2
__GI_fclose			.symtab	0x409710	259	FUNC	<unknown>	HIDDEN	2
__GI_fcntl			.symtab	0x403bb8	100	FUNC	<unknown>	HIDDEN	2
__GI_fcntl64			.symtab	0x403bb8	100	FUNC	<unknown>	HIDDEN	2
__GI_fflush_unlocked			.symtab	0x409d1c	329	FUNC	<unknown>	HIDDEN	2
__GI_fgetc_unlocked			.symtab	0x40ad84	222	FUNC	<unknown>	HIDDEN	2
__GI_fgets			.symtab	0x409bd4	109	FUNC	<unknown>	HIDDEN	2
__GI_fgets_unlocked			.symtab	0x409e68	116	FUNC	<unknown>	HIDDEN	2
__GI_fopen			.symtab	0x409814	10	FUNC	<unknown>	HIDDEN	2
__GI_fork			.symtab	0x403c9c	38	FUNC	<unknown>	HIDDEN	2
__GI_fputs_unlocked			.symtab	0x404f40	56	FUNC	<unknown>	HIDDEN	2
__GI_fseek			.symtab	0x409820	5	FUNC	<unknown>	HIDDEN	2
__GI_fseeko64			.symtab	0x409828	218	FUNC	<unknown>	HIDDEN	2
__GI_fwrite_unlocked			.symtab	0x404f78	134	FUNC	<unknown>	HIDDEN	2
__GI_getc_unlocked			.symtab	0x40ad84	222	FUNC	<unknown>	HIDDEN	2
__GI_getdtablesize			.symtab	0x407968	35	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0x40798c	38	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0x4079b4	38	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0x4079dc	38	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname			.symtab	0x40588c	53	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname_r			.symtab	0x4058c4	897	FUNC	<unknown>	HIDDEN	2
__GI_getpagesize			.symtab	0x407a04	19	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0x403cc4	38	FUNC	<unknown>	HIDDEN	2
__GI_getrlimit			.symtab	0x407a18	40	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0x405c74	41	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x407a40	38	FUNC	<unknown>	HIDDEN	2
__GI_h_errno			.symtab	0x516520	4	OBJECT	<unknown>	HIDDEN	10
__GI_inet_addr			.symtab	0x405870	28	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x408c30	137	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa			.symtab	0x405865	10	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa_r			.symtab	0x405818	77	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntop			.symtab	0x40a514	527	FUNC	<unknown>	HIDDEN	2
__GI_inet_pton			.symtab	0x40a20f	493	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0x406fbf	185	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0x403cec	104	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x405770	25	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0x403d54	44	FUNC	<unknown>	HIDDEN	2
__GI_lseek			.symtab	0x40ad34	45	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x40ad2c	5	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x40868c	240	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x405000	102	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0x40877c	734	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x408630	90	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x408a5c	237	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0x405070	210	FUNC	<unknown>	HIDDEN	2
__GI_mmap			.symtab	0x40790c	48	FUNC	<unknown>	HIDDEN	2
__GI_munmap			.symtab	0x407a68	38	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x407a90	38	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x403d80	106	FUNC	<unknown>	HIDDEN	2
__GI_poll			.symtab	0x4096e4	41	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x40968c	18	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0x406cb4	72	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x406ebc	90	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x40a018	190	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x403df8	39	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0x405cd4	11	FUNC	<unknown>	HIDDEN	2
__GI_recvfrom			.symtab	0x405ce0	45	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x407ab8	74	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_select			.symtab	0x403e20	44	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0x405d10	11	FUNC	<unknown>	HIDDEN	2
__Gl_sendto			.symtab	0x405d1c	48	FUNC	<unknown>	HIDDEN	2
__Gl_setsid			.symtab	0x403e4c	38	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x405d4c	53	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x406e14	168	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x407815	247	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x405db4	168	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x407b04	85	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0x407260	415	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0x405d84	47	FUNC	<unknown>	HIDDEN	2
__Gl_sprintf			.symtab	0x403f0c	149	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0x406f16	169	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x405734	48	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x405150	417	FUNC	<unknown>	HIDDEN	2
__Gl_strcmp			.symtab	0x409edc	33	FUNC	<unknown>	HIDDEN	2
__Gl_strcoll			.symtab	0x409edc	33	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x405300	213	FUNC	<unknown>	HIDDEN	2
__Gl_strdup			.symtab	0x40a150	54	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x4053e0	225	FUNC	<unknown>	HIDDEN	2
__Gl_strncat			.symtab	0x40a0d8	119	FUNC	<unknown>	HIDDEN	2
__Gl_strncpy			.symtab	0x408b4c	131	FUNC	<unknown>	HIDDEN	2
__Gl_strnlen			.symtab	0x4054c4	206	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x409f00	140	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x409f90	135	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x405594	187	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x405764	10	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x408bd0	94	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x40708c	10	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x40708c	10	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x407400	351	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x40578c	110	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x403e74	39	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x40ad64	30	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x403ee4	30	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x403fa4	199	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x407b5c	47	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x403e9c	7	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x407b94	68	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x407be8	140	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x407bd8	15	FUNC	<unknown>	HIDDEN	2
__Gl_strerror_r			.symtab	0x403ea4	42	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x50fb38	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x50fb38	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x516508	8	OBJECT	<unknown>	HIDDEN	10
__atexit_lock			.symtab	0x510160	40	OBJECT	<unknown>	DEFAULT	9
__bsd_signal			.symtab	0x405db4	168	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x5101e8	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x4075aa	53	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x50fd70	8	OBJECT	<unknown>	DEFAULT	9
__ctype_tolower			.symtab	0x510198	8	OBJECT	<unknown>	DEFAULT	9
__ctype_toupper			.symtab	0x50fd80	8	OBJECT	<unknown>	DEFAULT	9
__curbrk			.symtab	0x516570	8	OBJECT	<unknown>	HIDDEN	10
__data_start			.symtab	0x50fb50	0	NOTYPE	<unknown>	DEFAULT	9
__decode_answer			.symtab	0x40a8d0	242	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x40af04	246	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x40a7c8	161	FUNC	<unknown>	HIDDEN	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__dns_lookup			.symtab	0x408cbc	1862	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x40b100	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x400100	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x50fb40	0	OBJECT	<unknown>	HIDDEN	9
__encode_dotted			.symtab	0x40ae64	160	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x40a724	163	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x40a86c	80	FUNC	<unknown>	HIDDEN	2
__environ			.symtab	0x5164f8	8	OBJECT	<unknown>	DEFAULT	10
__errno_location			.symtab	0x403f04	6	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x5164e8	8	OBJECT	<unknown>	HIDDEN	10
__fgetc_unlocked			.symtab	0x40ad84	222	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x50fb18	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x50fb18	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x40965c	48	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x407a04	19	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x405650	14	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x407b8c	6	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__init_array_end			.symtab	0x50fb18	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x50fb18	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x40affc	59	FUNC	<unknown>	HIDDEN	2
__length_question			.symtab	0x40a8bc	19	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x403c70	41	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x405c48	43	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x403dea	14	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x403bb8	100	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x403bb8	100	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x403c9c	38	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x403cc4	38	FUNC	<unknown>	DEFAULT	2
__libc_lseek			.symtab	0x40ad34	45	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x40ad2c	5	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x407a90	38	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x403d80	106	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x4096e4	41	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x403df8	39	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x405cd4	11	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0x405ce0	45	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x403e20	44	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x405d10	11	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x405d1c	48	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x407815	247	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x5164f0	8	OBJECT	<unknown>	DEFAULT	10
__libc_waitpid			.symtab	0x403e9c	7	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x403ea4	42	FUNC	<unknown>	DEFAULT	2
__malloc Consolidate			.symtab	0x406819	410	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x405eb8	96	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x50ffe0	40	OBJECT	<unknown>	DEFAULT	9
__malloc_state			.symtab	0x516620	1752	OBJECT	<unknown>	DEFAULT	10
__malloc_trim			.symtab	0x406780	153	FUNC	<unknown>	DEFAULT	2
__nameserver			.symtab	0x516d20	24	OBJECT	<unknown>	HIDDEN	10
__nameservers			.symtab	0x516d38	4	OBJECT	<unknown>	HIDDEN	10
__open_etc_hosts			.symtab	0x40a9c4	42	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x409404	597	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x516500	8	OBJECT	<unknown>	DEFAULT	10
__preinit_array_end			.symtab	0x50fb18	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x50fb18	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x4075a6	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x4075a6	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x4075a6	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x4075a6	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x4075a6	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x4075a9	1	FUNC	<unknown>	DEFAULT	2
_raise			.symtab	0x40968c	18	FUNC	<unknown>	HIDDEN	2
_read_etc_hosts_r			.symtab	0x40a9ee	830	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x5101c0	40	OBJECT	<unknown>	DEFAULT	9
__restore_rt			.symtab	0x40780c	0	NOTYPE	<unknown>	DEFAULT	2
__rtld_fini			.symtab	0x516510	8	OBJECT	<unknown>	HIDDEN	10
__searchdomain			.symtab	0x516d00	32	OBJECT	<unknown>	HIDDEN	10
__searchdomains			.symtab	0x516d3c	4	OBJECT	<unknown>	HIDDEN	10
__sigaddset			.symtab	0x405e7c	28	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x405e98	30	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x405e5c	32	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x50fdb8	8	OBJECT	<unknown>	DEFAULT	9
__stdio_READ			.symtab	0x40b038	58	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x407c74	147	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x409904	133	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x407d08	259	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x4040d7	15	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.4280			.symtab	0x40e4c0	40	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x40b074	37	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x409bb4	31	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x40b09c	90	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x407e0c	148	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x404170	39	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x50fdc0	8	OBJECT	<unknown>	DEFAULT	9
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x407560	70	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x4075df	67	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x407622	489	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uclibc_progname			.symtab	0x510188	8	OBJECT	<unknown>	HIDDEN	9
__xpg_strerror_r			.symtab	0x405660	194	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0x404198	68	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x4096a0	23	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x516d40	8	OBJECT	<unknown>	DEFAULT	10
_dl_phnum			.symtab	0x516d48	8	OBJECT	<unknown>	DEFAULT	10
_edata			.symtab	0x5101e8	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x516d50	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x51651c	4	OBJECT	<unknown>	DEFAULT	10
_exit			.symtab	0x403c1c	42	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x40b138	5	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x5142a0	8192	OBJECT	<unknown>	DEFAULT	10
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x4041dc	120	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x407fe4	1608	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_h_errno			.symtab	0x516520	4	OBJECT	<unknown>	DEFAULT	10
_init			.symtab	0x4000e8	5	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x407ea0	85	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x404890	114	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x404b42	1022	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x404904	67	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x404948	457	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x404b14	46	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x4075a9	1	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x4075a9	1	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_sigintr			.symtab	0x5165a0	128	OBJECT	<unknown>	HIDDEN	10
_start			.symtab	0x400194	42	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x40998c	551	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x40406c	107	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x50fdc8	8	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_add_lock			.symtab	0x50fde0	40	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_dec_use			.symtab	0x409c44	216	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x514284	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_del_lock			.symtab	0x50fe20	40	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_use_count			.symtab	0x514280	4	OBJECT	<unknown>	DEFAULT	10
_stdio_streams			.symtab	0x50fe60	384	OBJECT	<unknown>	DEFAULT	9
_stdio_term			.symtab	0x4040e6	135	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x50fe48	4	OBJECT	<unknown>	DEFAULT	9
_stdlib_strto_l			.symtab	0x407098	362	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x407ef8	46	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x40e5c0	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x407f28	187	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x404254	1595	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x406b94	276	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x407078	18	FUNC	<unknown>	DEFAULT	2
atoi.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bcopy			.symtab	0x405724	14	FUNC	<unknown>	DEFAULT	2
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x5164e0	4	OBJECT	<unknown>	DEFAULT	10
been_there_done_that.3160			.symtab	0x516518	4	OBJECT	<unknown>	DEFAULT	10
bot.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x4096b8	43	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x405db4	168	FUNC	<unknown>	DEFAULT	2
buf.2989			.symtab	0x5162b0	16	OBJECT	<unknown>	DEFAULT	10
buf.5285			.symtab	0x5162c0	500	OBJECT	<unknown>	DEFAULT	10
c			.symtab	0x50fd5c	4	OBJECT	<unknown>	DEFAULT	9

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
chdir			.symtab	0x403c48	38	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
clock_getres			.symtab	0x40793c	41	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x403c70	41	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x50fb60	8	OBJECT	<unknown>	DEFAULT	9
completed.2761			.symtab	0x510200	1	OBJECT	<unknown>	DEFAULT	10
connect			.symtab	0x405c48	43	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x401124	572	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x403dea	14	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
currentServer			.symtab	0x50fd58	4	OBJECT	<unknown>	DEFAULT	9
data_start			.symtab	0x50fb50	0	NOTYPE	<unknown>	DEFAULT	9
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dns			.symtab	0x50fb68	8	OBJECT	<unknown>	DEFAULT	9
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x5164f8	8	OBJECT	<unknown>	DEFAULT	10
errno			.symtab	0x51651c	4	OBJECT	<unknown>	DEFAULT	10
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x407204	92	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x40f960	208	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x409710	259	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x403bb8	100	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x403bb8	100	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x40031f	128	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x409d1c	329	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x40ad84	222	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x409bd4	109	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x409e68	116	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x40f940	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x409814	10	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x403c9c	38	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x404f40	56	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x400150	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x4069b3	452	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x409820	5	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x409820	5	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x409828	218	FUNC	<unknown>	DEFAULT	2


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x404f78	134	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getArch			.symtab	0x402a9f	11	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x400ea9	65	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x40039f	486	FUNC	<unknown>	DEFAULT	2
getRandomIP			.symtab	0x4002f0	47	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x40ad84	222	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x407968	35	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x40798c	38	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x4079b4	38	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x4079dc	38	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x40588c	53	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x4058c4	897	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x407a04	19	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x403cc4	38	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x407a18	40	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit64			.symtab	0x407a18	40	FUNC	<unknown>	DEFAULT	2
getsockname			.symtab	0x405c74	41	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x405ca0	50	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x407a40	38	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.5284			.symtab	0x5164c0	32	OBJECT	<unknown>	DEFAULT	10
h_errno			.symtab	0x516520	4	OBJECT	<unknown>	DEFAULT	10
htonl			.symtab	0x405804	5	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x4057fc	8	FUNC	<unknown>	DEFAULT	2
i.4525			.symtab	0x50fd60	4	OBJECT	<unknown>	DEFAULT	9
index			.symtab	0x405150	417	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x405870	28	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x408c30	137	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x405865	10	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x405818	77	FUNC	<unknown>	DEFAULT	2
inet_ntop			.symtab	0x40a514	527	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x40a3fc	280	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x40a20f	493	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x40a188	135	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0x4034d4	298	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x4001c0	125	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0x406d5e	110	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x406bf9	185	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x403cec	104	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
isatty			.symtab	0x405770	25	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x403ed0	18	FUNC	<unknown>	DEFAULT	2
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x403d54	44	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/mempcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strchr.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strcmp.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strlen.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strprk.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strspn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x401360	201	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek			.symtab	0x40ad34	45	FUNC	<unknown>	DEFAULT	2
lseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x40ad2c	5	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x510270	6	OBJECT	<unknown>	DEFAULT	10
main			.symtab	0x4035fe	1463	FUNC	<unknown>	DEFAULT	2
mainCommSock			.symtab	0x510260	4	OBJECT	<unknown>	DEFAULT	10
malloc			.symtab	0x405f18	2149	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0x406b77	28	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x40868c	240	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x405000	102	FUNC	<unknown>	DEFAULT	2
memmove			.symtab	0x40877c	734	FUNC	<unknown>	DEFAULT	2
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x408630	90	FUNC	<unknown>	DEFAULT	2
memrchr			.symtab	0x408a5c	237	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x405070	210	FUNC	<unknown>	DEFAULT	2
mmap			.symtab	0x40790c	48	FUNC	<unknown>	DEFAULT	2
mmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
munmap			.symtab	0x407a68	38	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x510020	40	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x510060	40	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x516540	40	OBJECT	<unknown>	DEFAULT	10
nanosleep			.symtab	0x407a90	38	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1440			.symtab	0x5162a0	8	OBJECT	<unknown>	DEFAULT	10
ntohl			.symtab	0x405811	5	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x405809	8	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x510268	8	OBJECT	<unknown>	DEFAULT	10
object.2814			.symtab	0x510220	48	OBJECT	<unknown>	DEFAULT	10
open			.symtab	0x403d80	106	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x516578	4	OBJECT	<unknown>	DEFAULT	10
ovhl7			.symtab	0x401a08	3357	FUNC	<unknown>	DEFAULT	2
p.2759			.symtab	0x50fb48	0	OBJECT	<unknown>	DEFAULT	9
pids			.symtab	0x516580	8	OBJECT	<unknown>	DEFAULT	10
poll			.symtab	0x4096e4	41	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4494			.symtab	0x40e4f5	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x4008bc	1085	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x400652	75	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x40077c	320	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x40069d	223	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x402aaa	2602	FUNC	<unknown>	DEFAULT	2
qual_chars.4498			.symtab	0x40e510	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x40968c	18	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x406ca8	11	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmwc			.symtab	0x40023d	179	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x406cb4	72	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x40f120	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x406ebc	90	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x5100e0	128	OBJECT	<unknown>	DEFAULT	9
rawmemchr			.symtab	0x40a018	190	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x403df8	39	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x405cd4	11	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x400eea	570	FUNC	<unknown>	DEFAULT	2
recvfrom			.symtab	0x405ce0	45	FUNC	<unknown>	DEFAULT	2
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sbrk			.symtab	0x407ab8	74	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
select			.symtab	0x403e20	44	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x405d10	11	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendHTTPtwo			.symtab	0x4028e3	444	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x405d1c	48	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsid			.symtab	0x403e4c	38	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x405d4c	53	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x406cfc	98	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x406e14	168	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x407815	247	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0x405db4	168	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x407b04	85	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x407260	415	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x405d84	47	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x401429	216	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x400cf9	432	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4497			.symtab	0x40e530	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4493			.symtab	0x40e501	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4494			.symtab	0x40e560	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4493			.symtab	0x40e575	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4496			.symtab	0x40e540	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4495			.symtab	0x40e550	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x403f0c	149	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x406dcc	72	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x406dcc	72	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x406f16	169	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x5101a0	2	OBJECT	<unknown>	DEFAULT	9
static_ns			.symtab	0x516568	4	OBJECT	<unknown>	DEFAULT	10
stderr			.symtab	0x50fdb0	8	OBJECT	<unknown>	DEFAULT	9
stdin			.symtab	0x50fda0	8	OBJECT	<unknown>	DEFAULT	9
stdout			.symtab	0x50fda8	8	OBJECT	<unknown>	DEFAULT	9
strcasecmp			.symtab	0x405734	48	FUNC	<unknown>	DEFAULT	2
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x405150	417	FUNC	<unknown>	DEFAULT	2
strcmp			.symtab	0x409edc	33	FUNC	<unknown>	DEFAULT	2
strcoll			.symtab	0x409edc	33	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x405300	213	FUNC	<unknown>	DEFAULT	2
strdup			.symtab	0x40a150	54	FUNC	<unknown>	DEFAULT	2
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x405660	194	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x4053e0	225	FUNC	<unknown>	DEFAULT	2
strncat			.symtab	0x40a0d8	119	FUNC	<unknown>	DEFAULT	2
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x408b4c	131	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x4054c4	206	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x409f00	140	FUNC	<unknown>	DEFAULT	2
strspn			.symtab	0x409f90	135	FUNC	<unknown>	DEFAULT	2
strstr			.symtab	0x405594	187	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtoimax			.symtab	0x40708c	10	FUNC	<unknown>	DEFAULT	2
strtok			.symtab	0x405764	10	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x408bd0	94	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x40708c	10	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtoll			.symtab	0x40708c	10	FUNC	<unknown>	DEFAULT	2
sysconf			.symtab	0x407400	351	FUNC	<unknown>	DEFAULT	2
sysconf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcgetattr			.symtab	0x40578c	110	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
time			.symtab	0x403e74	39	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tolower			.symtab	0x40ad64	30	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x403ee4	30	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x400585	205	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x40e580	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x40e598	12	OBJECT	<unknown>	DEFAULT	4
unknown.2050			.symtab	0x40e5a4	14	OBJECT	<unknown>	DEFAULT	4
unsafe__state			.symtab	0x5100a0	48	OBJECT	<unknown>	DEFAULT	9
useragents			.symtab	0x50fb80	472	OBJECT	<unknown>	DEFAULT	9
vsnprintf			.symtab	0x403fa4	199	FUNC	<unknown>	DEFAULT	2
vsnprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x407b5c	47	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x403e9c	7	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x407b94	68	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x407be8	140	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x407bd8	15	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
write			.symtab	0x403ea4	42	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
xdigits.3747			.symtab	0x40fae0	17	OBJECT	<unknown>	DEFAULT	4
xtdcustom			.symtab	0x401683	256	FUNC	<unknown>	DEFAULT	2



Arguments:	/tmp/fuckjewishpeople.x86
File size:	94012 bytes
MD5 hash:	f907ecef31f594187e9084cdf347874

File Activities

File Read

Analysis Process: fuckjewishpeople.x86 PID: 5238, Parent PID: 5237

General

Start time:	07:51:57
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.x86
Arguments:	n/a
File size:	94012 bytes
MD5 hash:	f907ecef31f594187e9084cdf347874

Analysis Process: fuckjewishpeople.x86 PID: 5239, Parent PID: 5238

General

Start time:	07:51:57
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.x86
Arguments:	n/a
File size:	94012 bytes
MD5 hash:	f907ecef31f594187e9084cdf347874