

JoeSandbox Cloud BASIC



ID: 557484

Sample Name:
fuckjewishpeople.ppc

Cookbook:
defaultlinuxfilecookbook.jbs

Time: 07:59:59

Date: 21/01/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report fuckjewishpeople.ppc	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Overview	4
Initial Sample	4
Memory Dumps	4
Jbx Signature Overview	4
AV Detection	4
Spreading	4
Stealing of Sensitive Information	4
Remote Access Functionality	4
Mitre Att&ck Matrix	4
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	6
Initial Sample	6
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	6
Contacted Domains	6
URLs from Memory and Binaries	6
World Map of Contacted IPs	6
Public IPs	7
Joe Sandbox View / Context	7
IPs	7
Domains	7
ASNs	7
JA3 Fingerprints	7
Dropped Files	7
Created / dropped Files	7
/tmp/qemu-open.5vNjAE (deleted)	7
Static File Info	7
General	7
Static ELF Info	7
ELF header	7
Sections	8
Program Segments	8
Symbols	8
Network Behavior	20
Network Port Distribution	20
TCP Packets	20
System Behavior	20
Analysis Process: fuckjewishpeople.ppc PID: 5217, Parent PID: 5115	20
General	20
File Activities	20
File Deleted	20
File Read	20
File Written	20
Analysis Process: fuckjewishpeople.ppc PID: 5219, Parent PID: 5217	20
General	20
Analysis Process: fuckjewishpeople.ppc PID: 5221, Parent PID: 5219	21
General	21

Linux Analysis Report

fuckjewishpeople.ppc

Overview

General Information

Sample Name:	fuckjewishpeople.ppc
Analysis ID:	557484
MD5:	4c80eb47213b62..
SHA1:	7ae07d5f71c05e..
SHA256:	a1d3eeb54c8498..
Tags:	elfgafgyt
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Gafgyt

Mirai

Score:	68
Range:	0 - 100
Whitelisted:	false

Signatures

Yara detected Mirai

Multi AV Scanner detection for subm...

Yara detected Gafgyt

Opens /proc/net/* files useful for fin...


Sample contains strings that are us...

Uses the "uname" system call to qu...

Tries to connect to HTTP servers, b...

Detected TCP or UDP traffic on non...

Classification



Analysis Advice

All HTTP servers contacted by the sample do not answer. Likely the sample is an old dropper which does no longer work
Static ELF header machine description suggests that the sample might not execute correctly on this machine

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	557484
Start date:	21.01.2022
Start time:	07:59:59
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 27s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	fuckjewishpeople.ppc
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal68.spre.troj.linPPC@0/1@0/0

Runtime Messages

Command:	/tmp/fuckjewishpeople.ppc
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Process Tree

- system is Inxubuntu20
- fuckjewishpeople.ppc (PID: 5217, Parent: 5115, MD5: ae65271c943d3451b7f026d1fadccae6) Arguments: /tmp/fuckjewishpeople.ppc
 - fuckjewishpeople.ppc New Fork (PID: 5219, Parent: 5217)
 - fuckjewishpeople.ppc New Fork (PID: 5221, Parent: 5219)
- cleanup

Yara Overview

Initial Sample

Source	Rule	Description	Author	Strings
fuckjewishpeople.ppc	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
fuckjewishpeople.ppc	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Memory Dumps

Source	Rule	Description	Author	Strings
5219.1.000000007572a0b6.00000000dc0dca8a.r-x.sdump	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5219.1.000000007572a0b6.00000000dc0dca8a.r-x.sdump	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	
5217.1.000000007572a0b6.00000000dc0dca8a.r-x.sdump	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5217.1.000000007572a0b6.00000000dc0dca8a.r-x.sdump	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Jbx Signature Overview

AV Detection



Multi AV Scanner detection for submitted file

Spreading



Opens /proc/net/* files useful for finding connected devices and routers

Stealing of Sensitive Information



Yara detected Mirai

Yara detected Gafgyt

Remote Access Functionality



Yara detected Mirai

Yara detected Gafgyt


Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	1 Remote System Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Non-Standard Port	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data
Local Accounts	At (Windows)	Logon Script (Mac)	Logon Script (Mac)	Binary Padding	NTDS	System Network Configuration Discovery	Distributed Component Object Model	Input Capture	Scheduled Transfer	1 Application Layer Protocol	SIM Card Swap		Carrier Billing Fraud

Malware Configuration

 No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
fuckjewishpeople.ppc	54%	Virustotal		Browse
fuckjewishpeople.ppc	56%	ReversingLabs	Linux.Trojan.Gafgyt	

Dropped Files

🚫 No Antivirus matches

Domains

🚫 No Antivirus matches

URLs

Source	Detection	Scanner	Label	Link
http://www.billybobbot.com/crawler/	0%	URL Reputation	safe	
http://fast.no/support/crawler.asp	0%	URL Reputation	safe	
http://feedback.redkolibri.com/	0%	URL Reputation	safe	

Domains and IPs

Contacted Domains

🚫 No contacted domains info

URLs from Memory and Binaries

World Map of Contacted IPs



Public IPs						
IP	Domain	Country	Flag	ASN	ASN Name	Malicious
78.47.230.250	unknown	Germany		24940	HETZNER-ASDE	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

/tmp/qemu-open.5vNjAE (deleted)

Static File Info

General

File type:	ELF 32-bit MSB executable, PowerPC or cisco 4500, version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	6.064680027074272
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	fuckjewishpeople.ppc
File size:	92720
MD5:	4c80eb47213b62d743ff7287705adc48
SHA1:	7ae07d5f71c05e2324996224657eadb7190b5668
SHA256:	a1d3eeb54c8498807d86b5b50b92be5fa80703d2c855b0f0fcb2399c26d680f
SHA512:	3a6e6df8186be8111de95a4e81613c5157e1de6d2f58eae0f54294ca8438e36f92e8ca7edfbde651234e8857b54ba622a4f16452c46e940e97b2609af89ef755
SSDEEP:	1536:T3oCu/OcwUBvPsTbwHH3P6zMSIHsiO6aRv/Iz5M5hLg6wOFO6V6qDjofSee:T43/qUBvPs6X03IHsi2/45hL7wOFO6Vt
File Content Preview:	.ELF.....4...x....4. ...(.....g.....dt.Q.....!\$H...H.....\$8!. ..N.. !..?...../...@..!?...+.../...A..\$8...)).....N..

Static ELF Info

ELF header

Class:	ELF32
--------	-------

ELF header	
Data:	2's complement, big endian
Version:	1 (current)
Machine:	PowerPC
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x100001f0
Flags:	0x0
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	3
Section Header Offset:	73592
Section Header Size:	40
Number of Section Headers:	17
Header String Table Index:	14

Sections										
Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x10000094	0x94	0x24	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x100000b8	0xb8	0xc724	0x0	0x6	AX	0	0	4
.fini	PROGBITS	0x1000c7dc	0xc7dc	0x20	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x1000c800	0xc800	0x4098	0x0	0x2	A	0	0	8
.eh_frame	PROGBITS	0x10010898	0x10898	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x10021000	0x11000	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x10021008	0x11008	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x10021010	0x11010	0x4	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x10021018	0x11018	0x428	0x0	0x3	WA	0	0	8
.sdata	PROGBITS	0x10021440	0x11440	0x48	0x0	0x3	WA	0	0	4
.sbss	NOBITS	0x10021488	0x11488	0x6c	0x0	0x3	WA	0	0	8
.bss	NOBITS	0x100214f4	0x11488	0x62f0	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0x11488	0xa7a	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x11f02	0x73	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x12220	0x28e0	0x10	0x0		16	246	4
.strtab	STRTAB	0x0	0x14b00	0x1f30	0x0	0x0		0	0	1

Program Segments											
Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x10000000	0x10000000	0x1089c	0x1089c	4.5512	0x5	R E	0x10000		.init .text .fini .rodata .eh_frame
LOAD	0x11000	0x10021000	0x10021000	0x488	0x67e4	2.0325	0x6	RW	0x10000		.ctors .dtors .jcr .data .sdata .sbss .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x4		

Symbols										
Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx	
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF	
			.symtab	0x10000094	0	SECTION	<unknown>	DEFAULT	1	
			.symtab	0x100000b8	0	SECTION	<unknown>	DEFAULT	2	
			.symtab	0x1000c7dc	0	SECTION	<unknown>	DEFAULT	3	
			.symtab	0x1000c800	0	SECTION	<unknown>	DEFAULT	4	
			.symtab	0x10010898	0	SECTION	<unknown>	DEFAULT	5	
			.symtab	0x10021000	0	SECTION	<unknown>	DEFAULT	6	

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x10021008	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x10021010	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x10021018	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x10021440	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x10021488	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x100214f4	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
C.71.4893			.symtab	0x1000dec8	104	OBJECT	<unknown>	DEFAULT	4
C.81.4998			.symtab	0x1000eb5c	1128	OBJECT	<unknown>	DEFAULT	4
Q			.symtab	0x10021510	16384	OBJECT	<unknown>	DEFAULT	12
Randhex			.symtab	0x100022c0	440	FUNC	<unknown>	DEFAULT	2
SendHTTPHex			.symtab	0x100031e4	464	FUNC	<unknown>	DEFAULT	2
SendSTD			.symtab	0x10001e50	440	FUNC	<unknown>	DEFAULT	2
UDPRAW			.symtab	0x10002164	348	FUNC	<unknown>	DEFAULT	2
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_SDA_BASE_			.symtab	0x10029440	0	NOTYPE	<unknown>	DEFAULT	10
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x10021004	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x10021000	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x1002144c	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x1000f20c	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x10021480	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x1001046a	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x10021454	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x1000f50c	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x1002100c	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x10021008	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x10010898	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x10010898	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x1002144c	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_b_data			.symtab	0x1000f20c	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_tolower			.symtab	0x10021480	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_tolower_data			.symtab	0x1001046a	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x10021454	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_toupper_data			.symtab	0x1000f50c	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x10021450	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_tolower			.symtab	0x10021484	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_toupper			.symtab	0x10021458	4	OBJECT	<unknown>	HIDDEN	10
__GI__errno_location			.symtab	0x10004efc	12	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x1000c2d0	312	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x10006860	48	FUNC	<unknown>	HIDDEN	2
__GI__h_errno_location			.symtab	0x1000882c	12	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x10004a40	132	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl64			.symtab	0x10004ac4	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x10004ccc	120	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x10008160	148	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x10008260	128	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x10006890	268	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x10004b28	60	FUNC	<unknown>	HIDDEN	2
__GI_abort			.symtab	0x1000a4e4	336	FUNC	<unknown>	HIDDEN	2
__GI_atoi			.symtab	0x10007d40	12	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_atol			.symtab	0x10007d40	12	FUNC	<unknown>	HIDDEN	2
__GI_brk			.symtab	0x1000a650	52	FUNC	<unknown>	HIDDEN	2
__GI_chdir			.symtab	0x10004b64	72	FUNC	<unknown>	HIDDEN	2
__GI_close			.symtab	0x10004bac	72	FUNC	<unknown>	HIDDEN	2
__GI_connect			.symtab	0x100070c0	52	FUNC	<unknown>	HIDDEN	2
__GI_erno			.symtab	0x100214d0	4	OBJECT	<unknown>	HIDDEN	11
__GI_exit			.symtab	0x10007f08	132	FUNC	<unknown>	HIDDEN	2
__GI_fclose			.symtab	0x1000a714	332	FUNC	<unknown>	HIDDEN	2
__GI_fcntl			.symtab	0x10004a40	132	FUNC	<unknown>	HIDDEN	2
__GI_fcntl64			.symtab	0x10004ac4	100	FUNC	<unknown>	HIDDEN	2
__GI_fflush_unlocked			.symtab	0x1000af5c	432	FUNC	<unknown>	HIDDEN	2
__GI_fgetc_unlocked			.symtab	0x1000c2d0	312	FUNC	<unknown>	HIDDEN	2
__GI_fgets			.symtab	0x1000ada8	148	FUNC	<unknown>	HIDDEN	2
__GI_fgets_unlocked			.symtab	0x1000b10c	196	FUNC	<unknown>	HIDDEN	2
__GI_fopen			.symtab	0x1000a860	12	FUNC	<unknown>	HIDDEN	2
__GI_fork			.symtab	0x10004bf4	72	FUNC	<unknown>	HIDDEN	2
__GI_fputs_unlocked			.symtab	0x10006244	92	FUNC	<unknown>	HIDDEN	2
__GI_fseek			.symtab	0x1000a86c	16	FUNC	<unknown>	HIDDEN	2
__GI_fseeko64			.symtab	0x1000a87c	284	FUNC	<unknown>	HIDDEN	2
__GI_fwrite_unlocked			.symtab	0x100062a0	184	FUNC	<unknown>	HIDDEN	2
__GI_getc_unlocked			.symtab	0x1000c2d0	312	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0x10008594	72	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0x100085dc	72	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0x10008624	72	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname			.symtab	0x10006d28	84	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname_r			.symtab	0x10006d7c	836	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0x10004c3c	72	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0x100070f4	52	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x1000866c	72	FUNC	<unknown>	HIDDEN	2
__GI_h_errno			.symtab	0x100214d4	4	OBJECT	<unknown>	HIDDEN	11
__GI_inet_addr			.symtab	0x10006cf4	52	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x10009998	192	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa			.symtab	0x10006cc0	52	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa_r			.symtab	0x10006c44	124	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntop			.symtab	0x1000b840	676	FUNC	<unknown>	HIDDEN	2
__GI_inet_pton			.symtab	0x1000b4d4	524	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0x10007c58	232	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0x10004958	232	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x10006a08	44	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0x10004c84	72	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x1000c230	128	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x100095d0	264	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x10006358	156	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0x1000952c	164	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x100096d8	52	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x1000970c	244	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0x100063f4	144	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x100086b4	72	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x10004ccc	120	FUNC	<unknown>	HIDDEN	2
__GI_poll			.symtab	0x1000a6cc	72	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x1000c1cc	48	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0x1000780c	108	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x10007ae4	144	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x1000b1d0	184	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x10004d54	72	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0x10007164	56	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x100086fc	112	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0x10004d9c	72	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_send			.symtab	0x1000719c	56	FUNC	<unknown>	HIDDEN	2
__Gl_setsid			.symtab	0x10004de4	72	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x100071d4	60	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x100079f0	244	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x1000a420	196	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x10007244	224	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x1000876c	120	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0x10007f8c	468	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0x10007210	52	FUNC	<unknown>	HIDDEN	2
__Gl_sprintf			.symtab	0x10004f08	140	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0x10007b74	228	FUNC	<unknown>	HIDDEN	2
__Gl_strcasecmp			.symtab	0x100069ac	80	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x10006484	256	FUNC	<unknown>	HIDDEN	2
__Gl_strcmp			.symtab	0x10006584	52	FUNC	<unknown>	HIDDEN	2
__Gl_strcoll			.symtab	0x10006584	52	FUNC	<unknown>	HIDDEN	2
__Gl_strcpy			.symtab	0x100065b8	32	FUNC	<unknown>	HIDDEN	2
__Gl_strdup			.symtab	0x1000b3a4	80	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x100065d8	164	FUNC	<unknown>	HIDDEN	2
__Gl_strncat			.symtab	0x1000b288	208	FUNC	<unknown>	HIDDEN	2
__Gl_strncpy			.symtab	0x10009800	188	FUNC	<unknown>	HIDDEN	2
__Gl_strnlen			.symtab	0x1000667c	240	FUNC	<unknown>	HIDDEN	2
__Gl_strpbrk			.symtab	0x1000995c	60	FUNC	<unknown>	HIDDEN	2
__Gl_strspn			.symtab	0x1000b358	76	FUNC	<unknown>	HIDDEN	2
__Gl_strstr			.symtab	0x1000676c	244	FUNC	<unknown>	HIDDEN	2
__Gl_strtok			.symtab	0x100069fc	12	FUNC	<unknown>	HIDDEN	2
__Gl_strtok_r			.symtab	0x100098bc	160	FUNC	<unknown>	HIDDEN	2
__Gl_strtol			.symtab	0x10007d4c	8	FUNC	<unknown>	HIDDEN	2
__Gl_tcgetattr			.symtab	0x10006a34	156	FUNC	<unknown>	HIDDEN	2
__Gl_tcsetattr			.symtab	0x10006ad0	356	FUNC	<unknown>	HIDDEN	2
__Gl_time			.symtab	0x10004e2c	72	FUNC	<unknown>	HIDDEN	2
__Gl_tolower			.symtab	0x1000c2b0	32	FUNC	<unknown>	HIDDEN	2
__Gl_toupper			.symtab	0x10004edc	32	FUNC	<unknown>	HIDDEN	2
__Gl_vsnprintf			.symtab	0x10004f94	204	FUNC	<unknown>	HIDDEN	2
__Gl_wait4			.symtab	0x100087e4	72	FUNC	<unknown>	HIDDEN	2
__Gl_waitpid			.symtab	0x10004e74	8	FUNC	<unknown>	HIDDEN	2
__Gl_wcrtomb			.symtab	0x10008838	92	FUNC	<unknown>	HIDDEN	2
__Gl_wcsnrtombs			.symtab	0x100088a4	204	FUNC	<unknown>	HIDDEN	2
__Gl_wcsrtombs			.symtab	0x10008894	16	FUNC	<unknown>	HIDDEN	2
__Gl_write			.symtab	0x10004e7c	72	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x10021010	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x10021010	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x100214c4	4	OBJECT	<unknown>	HIDDEN	11
__atexit_lock			.symtab	0x100213f4	24	OBJECT	<unknown>	DEFAULT	9
__bsd_signal			.symtab	0x10007244	224	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x10021488	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x10008200	96	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x10021450	4	OBJECT	<unknown>	DEFAULT	10
__ctype_tolower			.symtab	0x10021484	4	OBJECT	<unknown>	DEFAULT	10
__ctype_toupper			.symtab	0x10021458	4	OBJECT	<unknown>	DEFAULT	10
__curbrk			.symtab	0x100214f0	4	OBJECT	<unknown>	DEFAULT	11
__data_start			.symtab	0x10021020	0	NOTYPE	<unknown>	DEFAULT	9
__decode_answer			.symtab	0x1000bd3c	272	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x1000c4d4	244	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x1000bbd0	196	FUNC	<unknown>	HIDDEN	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__dns_lookup			.symtab	0x10009a58	1692	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x1000c770	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x100000b8	0	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__dso_handle			.symtab	0x10021018	0	OBJECT	<unknown>	HIDDEN	9
__encode_dotted			.symtab	0x1000c408	204	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x1000bae4	236	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x1000bc94	124	FUNC	<unknown>	HIDDEN	2
__environ			.symtab	0x100214bc	4	OBJECT	<unknown>	DEFAULT	11
__errno_location			.symtab	0x10004efc	12	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x100214b4	4	OBJECT	<unknown>	HIDDEN	11
__fgetc_unlocked			.symtab	0x1000c2d0	312	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x10021000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x10021000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x1000a3c8	88	FUNC	<unknown>	HIDDEN	2
__glibc_strerror_r			.symtab	0x10006860	48	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x1000882c	12	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__heap_alloc			.symtab	0x100075f4	160	FUNC	<unknown>	DEFAULT	2
__heap_free			.symtab	0x100076dc	300	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area			.symtab	0x10007694	44	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area_after			.symtab	0x100076c0	28	FUNC	<unknown>	DEFAULT	2
__init_array_end			.symtab	0x10021000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x10021000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x1000c5c8	72	FUNC	<unknown>	HIDDEN	2
__length_question			.symtab	0x1000bd10	44	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x10004bac	72	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x100070c0	52	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x10004d44	16	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x10004a40	132	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x10004ac4	100	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x10004bf4	72	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x10004c3c	72	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x1000c230	128	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x100086b4	72	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x10004ccc	120	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x1000a6cc	72	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x10004d54	72	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x10007164	56	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x10004d9c	72	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x1000719c	56	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x1000a420	196	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x100214b8	4	OBJECT	<unknown>	DEFAULT	11
__libc_waitpid			.symtab	0x10004e74	8	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x10004e7c	72	FUNC	<unknown>	DEFAULT	2
__malloc_heap			.symtab	0x10021478	4	OBJECT	<unknown>	DEFAULT	10
__malloc_heap_lock			.symtab	0x10027700	24	OBJECT	<unknown>	DEFAULT	12
__malloc_sbrk_lock			.symtab	0x100277b0	24	OBJECT	<unknown>	DEFAULT	12
__nameserver			.symtab	0x100277d8	12	OBJECT	<unknown>	HIDDEN	12
__nameservers			.symtab	0x100214dc	4	OBJECT	<unknown>	HIDDEN	11
__open_etc_hosts			.symtab	0x1000be4c	100	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x1000a0f4	724	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x100214c0	4	OBJECT	<unknown>	DEFAULT	11
__preinit_array_end			.symtab	0x10021000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x10021000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__pthread_mutex_init			.symtab	0x100081f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x100081f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x100081f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x100081f4	8	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__pthread_return_0			.symtab	0x100081f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x100081fc	4	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x1000c1cc	48	FUNC	<unknown>	HIDDEN	2
__read_etc_hosts_r			.symtab	0x1000beb0	796	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__resolv_lock			.symtab	0x10021410	24	OBJECT	<unknown>	DEFAULT	9
__rtd_fini			.symtab	0x100214c8	4	OBJECT	<unknown>	HIDDEN	11
__searchdomain			.symtab	0x100277c8	16	OBJECT	<unknown>	HIDDEN	12
__searchdomains			.symtab	0x100214e0	4	OBJECT	<unknown>	HIDDEN	11
__sigaddset			.symtab	0x1000734c	40	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x10007374	40	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x10007324	40	FUNC	<unknown>	DEFAULT	2
__socketcall			.symtab	0x1000854c	72	FUNC	<unknown>	HIDDEN	2
__socketcall.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__stdin			.symtab	0x10021468	4	OBJECT	<unknown>	DEFAULT	10
__stdio_READ			.symtab	0x1000c610	116	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x10008970	224	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x1000a998	252	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x10008a50	364	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x100050d4	16	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.3862			.symtab	0x1000f80c	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x1000c684	72	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x1000ad50	88	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x1000c6cc	164	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x10008bbc	248	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x100051a4	80	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x1002146c	4	OBJECT	<unknown>	DEFAULT	10
__syscall_error			.symtab	0x1000c1fc	52	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x1000a684	72	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x10008160	148	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x10008260	128	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x100082e0	620	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uclibc_progname			.symtab	0x1002147c	4	OBJECT	<unknown>	HIDDEN	10
__xpg_strerror_r			.symtab	0x10006890	268	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__charpad			.symtab	0x100051f4	96	FUNC	<unknown>	DEFAULT	2
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__dl_aux_init			.symtab	0x1000a634	28	FUNC	<unknown>	DEFAULT	2
__dl_phdr			.symtab	0x100214e8	4	OBJECT	<unknown>	DEFAULT	11
__dl_phnum			.symtab	0x100214ec	4	OBJECT	<unknown>	DEFAULT	11
__edata			.symtab	0x10021488	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__end			.symtab	0x100277e4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__errno			.symtab	0x100214d0	4	OBJECT	<unknown>	DEFAULT	11
__exit			.symtab	0x10004b28	60	FUNC	<unknown>	DEFAULT	2
__exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fini			.symtab	0x1000c7dc	16	FUNC	<unknown>	DEFAULT	3
__fixed_buffers			.symtab	0x10025510	8192	OBJECT	<unknown>	DEFAULT	12
__fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fp_out_narrow			.symtab	0x10005254	160	FUNC	<unknown>	DEFAULT	2
__fpmaxtostr			.symtab	0x10008e68	1732	FUNC	<unknown>	HIDDEN	2
__fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_h_errno			.symtab	0x100214d4	4	OBJECT	<unknown>	DEFAULT	11
_init			.symtab	0x10000094	16	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x10008cb4	128	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x10005964	188	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x10005d2c	1304	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x10005a20	92	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x10005a7c	624	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x10005cec	64	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x100081fc	4	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x100081fc	4	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signintr			.symtab	0x10027730	128	OBJECT	<unknown>	HIDDEN	12
_start			.symtab	0x100001f0	72	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x1000aa94	700	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x10005060	116	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x10021470	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_add_lock			.symtab	0x10021118	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_dec_use			.symtab	0x1000ae3c	288	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x100214ac	4	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_del_lock			.symtab	0x10021130	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_use_count			.symtab	0x100214a8	4	OBJECT	<unknown>	DEFAULT	11
_stdio_streams			.symtab	0x10021148	240	OBJECT	<unknown>	DEFAULT	9
_stdio_term			.symtab	0x100050e4	192	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x10021474	4	OBJECT	<unknown>	DEFAULT	10
_stdlib_strto_l			.symtab	0x10007d54	436	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x10008d34	60	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x1000f8dc	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x10008d70	248	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x100052f4	1648	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x1000a4e4	336	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x10007d40	12	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x10007d40	12	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bcopy			.symtab	0x1000699c	16	FUNC	<unknown>	DEFAULT	2
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x100214e4	4	OBJECT	<unknown>	DEFAULT	11
been_there_done_that.2829			.symtab	0x100214cc	4	OBJECT	<unknown>	DEFAULT	11
bot.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x1000a650	52	FUNC	<unknown>	DEFAULT	2
bsd_signal			.symtab	0x10007244	224	FUNC	<unknown>	DEFAULT	2
buf.2641			.symtab	0x10027510	16	OBJECT	<unknown>	DEFAULT	12
buf.4865			.symtab	0x10027520	460	OBJECT	<unknown>	DEFAULT	12
c			.symtab	0x10021110	4	OBJECT	<unknown>	DEFAULT	9

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
call__do_global_ctors_aux			.symtab	0x1000c7c0	0	FUNC	<unknown>	DEFAULT	2
call__do_global_dtors_aux			.symtab	0x1000014c	0	FUNC	<unknown>	DEFAULT	2
call_frame_dummy			.symtab	0x100001d4	0	FUNC	<unknown>	DEFAULT	2
chdir			.symtab	0x10004b64	72	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x10004bac	72	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x10021440	4	OBJECT	<unknown>	DEFAULT	10
completed.3069			.symtab	0x100214f4	1	OBJECT	<unknown>	DEFAULT	12
connect			.symtab	0x100070c0	52	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x100018b0	656	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x10004d44	16	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
currentServer			.symtab	0x10021448	4	OBJECT	<unknown>	DEFAULT	10
data_start			.symtab	0x10021020	0	NOTYPE	<unknown>	DEFAULT	9
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dns			.symtab	0x10021444	4	OBJECT	<unknown>	DEFAULT	10
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x100214bc	4	OBJECT	<unknown>	DEFAULT	11
errno			.symtab	0x100214d0	4	OBJECT	<unknown>	DEFAULT	11
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x10007f08	132	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x100107b0	72	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x1000a714	332	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x10004a40	132	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x10004ac4	100	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x100004e8	232	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x1000af5c	432	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x1000c2d0	312	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x1000ada8	148	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x1000b10c	196	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x10010798	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x1000a860	12	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x10004bf4	72	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x10006244	92	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x10000168	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x100074f4	256	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x1000a86c	16	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x1000a86c	16	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
fseeko64			.symtab	0x1000a87c	284	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x100062a0	184	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getArch			.symtab	0x10003580	40	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x1000153c	124	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x100005d0	668	FUNC	<unknown>	DEFAULT	2
getRandomIP			.symtab	0x10000478	112	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x1000c2d0	312	FUNC	<unknown>	DEFAULT	2
getegid			.symtab	0x10008594	72	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x100085dc	72	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x10008624	72	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x10006d28	84	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x10006d7c	836	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x10004c3c	72	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x100070f4	52	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x10007128	60	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x1000866c	72	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.4864			.symtab	0x100276ec	20	OBJECT	<unknown>	DEFAULT	12
h_errno			.symtab	0x100214d4	4	OBJECT	<unknown>	DEFAULT	11
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
htonl			.symtab	0x10006c3c	4	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x10006c40	4	FUNC	<unknown>	DEFAULT	2
i.4226			.symtab	0x10021114	4	OBJECT	<unknown>	DEFAULT	9
index			.symtab	0x10006484	256	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x10006cf4	52	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x10009998	192	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x10006cc0	52	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x10006c44	124	FUNC	<unknown>	DEFAULT	2
inet_ntop			.symtab	0x1000b840	676	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x1000b6e0	352	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x1000b4d4	524	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x1000b3f4	224	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0x10003f98	416	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x10000238	232	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x10021238	264	OBJECT	<unknown>	DEFAULT	9
initstate			.symtab	0x100078fc	136	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x10007c58	232	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x10004958	232	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x10006a08	44	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
isspace			.symtab	0x10004ec4	24	FUNC	<unknown>	DEFAULT	2
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x10004c84	72	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/powerpc/brk.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/powerpc/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/powerpc/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/powerpc/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x10001b40	456	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x1000c230	128	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x10021498	6	OBJECT	<unknown>	DEFAULT	11
main			.symtab	0x10004138	2080	FUNC	<unknown>	DEFAULT	2
mainCommSock			.symtab	0x10021488	4	OBJECT	<unknown>	DEFAULT	11
malloc			.symtab	0x1000739c	344	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memchr			.symtab	0x100095d0	264	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x10006358	156	FUNC	<unknown>	DEFAULT	2
memcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memmove			.symtab	0x1000952c	164	FUNC	<unknown>	DEFAULT	2
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x100096d8	52	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x1000970c	244	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x100063f4	144	FUNC	<unknown>	DEFAULT	2
memset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x10021340	24	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x10027718	24	OBJECT	<unknown>	DEFAULT	12
mylock			.symtab	0x10021428	24	OBJECT	<unknown>	DEFAULT	9
nanosleep			.symtab	0x100086b4	72	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1106			.symtab	0x100214b0	4	OBJECT	<unknown>	DEFAULT	11
ntohl			.symtab	0x10006c34	4	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x10006c38	4	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x10021490	8	OBJECT	<unknown>	DEFAULT	11
object.3150			.symtab	0x100214f8	24	OBJECT	<unknown>	DEFAULT	12
open			.symtab	0x10004ccc	120	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x100214a0	4	OBJECT	<unknown>	DEFAULT	11
ovhI7			.symtab	0x10002478	3436	FUNC	<unknown>	DEFAULT	2
p.3067			.symtab	0x1002101c	0	OBJECT	<unknown>	DEFAULT	9
pids			.symtab	0x100214a4	4	OBJECT	<unknown>	DEFAULT	11
poll			.symtab	0x1000a6cc	72	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4074			.symtab	0x1000f834	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x10000dec	1564	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x100009c8	128	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x10000bec	512	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x10000a48	420	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x100035a8	2544	FUNC	<unknown>	DEFAULT	2
qual_chars.4079			.symtab	0x1000f848	20	OBJECT	<unknown>	DEFAULT	4


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
raise			.symtab	0x1000c1cc	48	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x10007808	4	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmw			.symtab	0x10000320	344	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x1000780c	108	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x10010438	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x10007ae4	144	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x10021374	128	OBJECT	<unknown>	DEFAULT	9
rawmemchr			.symtab	0x1000b1d0	184	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x10004d54	72	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x10007164	56	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x100015b8	760	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x100086fc	112	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
select			.symtab	0x10004d9c	72	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x1000719c	56	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendHTTPtwo			.symtab	0x100033b4	460	FUNC	<unknown>	DEFAULT	2
setsid			.symtab	0x10004de4	72	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x100071d4	60	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x10007878	132	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x100079f0	244	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x1000a420	196	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0x10007244	224	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x1000876c	120	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x10007f8c	468	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x10007210	52	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x10001d08	328	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x10001408	308	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4078			.symtab	0x1000f85c	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4073			.symtab	0x1000f840	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4075			.symtab	0x1000f888	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4074			.symtab	0x1000f8a0	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4077			.symtab	0x1000f86c	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4076			.symtab	0x1000f87c	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x10004f08	140	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x10007984	108	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x10007984	108	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x10007b74	228	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x1002140c	2	OBJECT	<unknown>	DEFAULT	9
static_ns			.symtab	0x100214d8	4	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
stderr			.symtab	0x10021464	4	OBJECT	<unknown>	DEFAULT	10
stdin			.symtab	0x1002145c	4	OBJECT	<unknown>	DEFAULT	10
stdout			.symtab	0x10021460	4	OBJECT	<unknown>	DEFAULT	10
strcasecmp			.symtab	0x100069ac	80	FUNC	<unknown>	DEFAULT	2
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x10006484	256	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x10006584	52	FUNC	<unknown>	DEFAULT	2
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x10006584	52	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x100065b8	32	FUNC	<unknown>	DEFAULT	2
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strdup			.symtab	0x1000b3a4	80	FUNC	<unknown>	DEFAULT	2
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x10006890	268	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x100065d8	164	FUNC	<unknown>	DEFAULT	2
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncat			.symtab	0x1000b288	208	FUNC	<unknown>	DEFAULT	2
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x10009800	188	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x1000667c	240	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x1000995c	60	FUNC	<unknown>	DEFAULT	2
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x1000b358	76	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x1000676c	244	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x100069fc	12	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x100098bc	160	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x10007d4c	8	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcgetattr			.symtab	0x10006a34	156	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcsetattr			.symtab	0x10006ad0	356	FUNC	<unknown>	DEFAULT	2
tcsetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
time			.symtab	0x10004e2c	72	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tolower			.symtab	0x1000c2b0	32	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x10004edc	32	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x1000086c	348	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x1000f8a8	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x1000f8c0	12	OBJECT	<unknown>	DEFAULT	4
unknown.1128			.symtab	0x1000f8cc	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x10021358	28	OBJECT	<unknown>	DEFAULT	9
useragents			.symtab	0x10021024	236	OBJECT	<unknown>	DEFAULT	9
vsnprintf			.symtab	0x10004f94	204	FUNC	<unknown>	DEFAULT	2
vsnprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x100087e4	72	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x10004e74	8	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x10008838	92	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x100088a4	204	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x10008894	16	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
write			.symtab	0x10004e7c	72	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
xdigits.3080			.symtab	0x10010860	17	OBJECT	<unknown>	DEFAULT	4
xtddcustom			.symtab	0x10002008	348	FUNC	<unknown>	DEFAULT	2

Network Behavior

Network Port Distribution



TCP Packets

System Behavior

Analysis Process: fuckjewishpeople.ppc PID: 5217, Parent PID: 5115

General

Start time:	08:00:39
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.ppc
Arguments:	/tmp/fuckjewishpeople.ppc
File size:	5388968 bytes
MD5 hash:	ae65271c943d3451b7f026d1fadccca6

File Activities

File Deleted

File Read

File Written

Analysis Process: fuckjewishpeople.ppc PID: 5219, Parent PID: 5217

General

Start time:	08:00:40
Start date:	21/01/2022

Path:	/tmp/fuckjewishpeople.ppc
Arguments:	n/a
File size:	5388968 bytes
MD5 hash:	ae65271c943d3451b7f026d1fadcea6

Analysis Process: fuckjewishpeople.ppc

PID: 5221, Parent PID: 5219

General

Start time:	08:00:40
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.ppc
Arguments:	n/a
File size:	5388968 bytes
MD5 hash:	ae65271c943d3451b7f026d1fadcea6