

JoeSandbox Cloud BASIC



ID: 557486

Sample Name:
fuckjewishpeople.arm7

Cookbook:
defaultlinuxfilecookbook.jbs

Time: 08:04:21

Date: 21/01/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report fuckjewishpeople.arm7	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Overview	4
Initial Sample	4
Memory Dumps	4
Jbx Signature Overview	4
AV Detection	4
Spreading	4
Stealing of Sensitive Information	4
Remote Access Functionality	4
Mitre Att&ck Matrix	4
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	6
Initial Sample	6
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	6
Contacted Domains	6
URLs from Memory and Binaries	6
World Map of Contacted IPs	6
Public IPs	7
Joe Sandbox View / Context	7
IPs	7
Domains	7
ASNs	7
JA3 Fingerprints	7
Dropped Files	7
Created / dropped Files	7
Static File Info	7
General	7
Static ELF Info	7
ELF header	8
Sections	8
Program Segments	8
Symbols	9
Network Behavior	27
Network Port Distribution	27
TCP Packets	27
System Behavior	27
Analysis Process: fuckjewishpeople.arm7 PID: 5211, Parent PID: 5105	27
General	27
File Activities	27
File Read	27
Analysis Process: fuckjewishpeople.arm7 PID: 5213, Parent PID: 5211	27
General	27
Analysis Process: fuckjewishpeople.arm7 PID: 5215, Parent PID: 5213	27
General	27
Analysis Process: dash PID: 5230, Parent PID: 4333	28
General	28
Analysis Process: rm PID: 5230, Parent PID: 4333	28
General	28
File Activities	28
File Deleted	28
File Read	28

Linux Analysis Report

fuckjewishpeople.arm7

Overview

General Information

Sample Name:	fuckjewishpeople.arm7
Analysis ID:	557486
MD5:	458c6632196335..
SHA1:	1114f760496376..
SHA256:	e665ca1ef6d6fc3..
Tags:	elfgafgyt
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Gafgyt

Mirai

Score:	76
Range:	0 - 100
Whitelisted:	false

Signatures

Antivirus / Scanner detection for sub...

Yara detected Mirai

Multi AV Scanner detection for subm...

Yara detected Gafgyt

Opens /proc/net/* files useful for fin...

Sample contains strings that are us...

Uses the "uname" system call to qu...

Detected TCP or UDP traffic on non...

Executes the "rm" command used t...

Classification

Analysis Advice

Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures
Static ELF header machine description suggests that the sample might not execute correctly on this machine

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	557486
Start date:	21.01.2022
Start time:	08:04:21
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 24s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	fuckjewishpeople.arm7
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal76.spre.troj.linARM7@0/0@0/0

Runtime Messages

Command:	/tmp/fuckjewishpeople.arm7
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Process Tree

- system is Inxubuntu20
- fuckjewishpeople.arm7 (PID: 5211, Parent: 5105, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/fuckjewishpeople.arm7
 - fuckjewishpeople.arm7 New Fork (PID: 5213, Parent: 5211)
 - fuckjewishpeople.arm7 New Fork (PID: 5215, Parent: 5213)
 - dash New Fork (PID: 5230, Parent: 4333)
 - rm (PID: 5230, Parent: 4333, MD5: aa2b5496fdbfd88e38791ab81f90b95b) Arguments: rm -f /tmp/tmp.197VmVs16m /tmp/tmp.S7Prblp6Yp /tmp/tmp.mrK0PbjJzs
- cleanup

Yara Overview

Initial Sample

Source	Rule	Description	Author	Strings
fuckjewishpeople.arm7	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
fuckjewishpeople.arm7	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Memory Dumps

Source	Rule	Description	Author	Strings
5213.1.00000000fc31aa02.00000000115bf488.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5213.1.00000000fc31aa02.00000000115bf488.r-x.sdmp	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	
5211.1.00000000fc31aa02.00000000115bf488.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5211.1.00000000fc31aa02.00000000115bf488.r-x.sdmp	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Jbx Signature Overview

AV Detection



- Antivirus / Scanner detection for submitted sample
- Multi AV Scanner detection for submitted file

Spreading



- Opens /proc/net/* files useful for finding connected devices and routers

Stealing of Sensitive Information



- Yara detected Mirai
- Yara detected Gafgyt

Remote Access Functionality



- Yara detected Mirai
- Yara detected Gafgyt

Mitre Att&ck Matrix

Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
fuckjewishpeople.arm7	59%	Virustotal		Browse
fuckjewishpeople.arm7	60%	ReversingLabs	Linux.Trojan.Gafgyt	
fuckjewishpeople.arm7	100%	Avira	LINUX/Gafgyt.opnd	

Dropped Files

 No Antivirus matches

Domains

 No Antivirus matches

URLs

Source	Detection	Scanner	Label	Link
http://www.billybobbot.com/crawler/	0%	URL Reputation	safe	
http://fast.no/support/crawler.asp	0%	URL Reputation	safe	
http://feedback.redkolibri.com/	0%	URL Reputation	safe	


Domains and IPs

Contacted Domains

 No contacted domains info

URLs from Memory and Binaries

World Map of Contacted IPs



Public IPs						
IP	Domain	Country	Flag	ASN	ASN Name	Malicious
54.171.230.55	unknown	United States		16509	AMAZON-02US	false
78.47.230.250	unknown	Germany		24940	HETZNER-ASDE	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
46.146.232.52	unknown	Russian Federation		12768	ER-TELECOM-ASRU	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
77.233.190.222	unknown	Russian Federation		29648	COMLINE-ASRU	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

 No context

Domains

 No context

ASNs

 No context

JA3 Fingerprints

 No context

Dropped Files

 No context

Created / dropped Files

 No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, ARM, EABI4 version 1 (SYSV), statically linked, with debug_info, not stripped
Entropy (8bit):	6.02763501774379
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	fuckjewishpeople.arm7
File size:	156296
MD5:	458c663219633512f6ad07205d4c8564
SHA1:	1114f760496376470d48a857a00d064fcd411d09
SHA256:	e665ca1ef6d6fc3ca8f1215abd04e139e05d58286643a60e021efda0d501305e
SHA512:	b649aedd98d47913df2882aea2513e019262a76740a7c1de14761c48f449fae110f4117e7876c367ee7d6bd31f438f028189db77d3a4385a8eae54c51e06728c
SSDEEP:	3072:tdntU2haO5H1XacBoGmh9H5Z5hDiGRvEM/9f9T637m5wTsL/Qpyn:ntVhaO5H1qEc9H75hDiGRcM/9l+7m5wS
File Content Preview:	.ELF.....(.....4...H.....4. ...(.....p.m.....n...n.....p...p...p.....u.....p...p.....Q.td.....~..L.....G.F. G.F.G.F.G.

Static ELF Info

ELF header	
Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	ARM
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x81d0
Flags:	0x4000002
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	5
Section Header Offset:	121928
Section Header Size:	40
Number of Section Headers:	29
Header String Table Index:	26

Sections										
Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x80d4	0xd4	0x10	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x80f0	0xf0	0x12ba4	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x1ac94	0x12c94	0x10	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x1aca8	0x12ca8	0x4104	0x0	0x2	A	0	0	8
.ARM.extab	PROGBITS	0x1edac	0x16dac	0x18	0x0	0x2	A	0	0	4
.ARM.exidx	ARM_EXIDX	0x1edc4	0x16dc4	0x120	0x0	0x82	AL	2	0	4
.eh_frame	PROGBITS	0x27000	0x17000	0x4	0x0	0x3	WA	0	0	4
.tbss	NOBITS	0x27004	0x17004	0x8	0x0	0x403	WAT	0	0	4
.init_array	INIT_ARRAY	0x27004	0x17004	0x4	0x0	0x3	WA	0	0	4
.fini_array	FINI_ARRAY	0x27008	0x17008	0x4	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x2700c	0x1700c	0x4	0x0	0x3	WA	0	0	4
.got	PROGBITS	0x27010	0x17010	0xb0	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x270c0	0x170c0	0x314	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x273d8	0x173d4	0x7128	0x0	0x3	WA	0	0	8
.comment	PROGBITS	0x0	0x173d4	0xbe6	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x17fc0	0x140	0x0	0x0		0	0	8
.debug_pubnames	PROGBITS	0x0	0x18100	0x213	0x0	0x0		0	0	1
.debug_info	PROGBITS	0x0	0x18313	0x2043	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x1a356	0x6e2	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x1aa38	0xe76	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x1b8b0	0x2b8	0x0	0x0		0	0	4
.debug_str	PROGBITS	0x0	0x1bb68	0x8ca	0x1	0x30	MS	0	0	1
.debug_loc	PROGBITS	0x0	0x1c432	0x118f	0x0	0x0		0	0	1
.debug_ranges	PROGBITS	0x0	0x1d5c1	0x558	0x0	0x0		0	0	1
.ARM.attributes	ARM_ATTRIBUTES	0x0	0x1db19	0x16	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x1db2f	0x117	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x1e0d0	0x5500	0x10	0x0		28	757	4
.strtab	STRTAB	0x0	0x235d0	0x2cb8	0x0	0x0		0	0	1

Program Segments											
Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
EXIDX	0x16dc4	0x1edc4	0x1edc4	0x120	0x120	1.8457	0x4	R	0x4		.ARM.exidx

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x8000	0x8000	0x16ee4	0x16ee4	3.7096	0x5	R E	0x8000		.init .text .fini .rodata .ARM.extab .ARM.exidx
LOAD	0x17000	0x27000	0x27000	0x3d4	0x7500	2.3852	0x6	RW	0x8000		.eh_frame .init_array .fini_array .jcr .got .data .bss
TLS	0x17004	0x27004	0x27004	0x0	0x8	0.0000	0x4	R	0x4		
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x80d4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80f0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x1ac94	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x1aca8	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x1edac	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x1edc4	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x27000	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x27004	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x27004	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x27008	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x2700c	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x27010	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x270c0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x273d8	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	21
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	22
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	23
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	24
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	25
\$a			.symtab	0x80d4	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1ac94	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80e0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1aca0	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x812c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8170	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x820c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x82e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8428	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x848c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8824	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9130	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x953c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9958	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9c44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9d94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9ee4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa0bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xae40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb01c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb1f4	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xb218	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbbb4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbd44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc574	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc688	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc69c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc734	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc828	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc890	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc8c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc9a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc9e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xca24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcaa8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcae8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcb18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcb94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcbbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcbec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcc0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcc40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcd10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd4dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd57c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd5c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd770	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd7c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdd34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdd6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xde30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xde40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xde50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xde60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdf00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdf20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdf80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe070	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe094	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe160	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe25c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe274	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe380	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe3ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe41c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe47c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe524	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe54c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe568	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe5d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe61c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe690	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe6d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe71c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe760	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe7d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe814	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe884	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe8cc	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xe910	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe9d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xea40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf3f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf890	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf8d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf9f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfa10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfab4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfb6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfc2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfe38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xff30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1001c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1003c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10058	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10230	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x102f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10440	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10a64	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10ec8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10f2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x110b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x110fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x111ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11324	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1137c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11384	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x113b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1140c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11414	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11444	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1149c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x114a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x114d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1152c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11534	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11560	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x115e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x116c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11784	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x117d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11830	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11c1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11c98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11cc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11d4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11d54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11d60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11d70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11d80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11dc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11dec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e14	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x11e28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11ec8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11edc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11f1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11f5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11fbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12028	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x120b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x120ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x121fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x122cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12390	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12440	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1252c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x128d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12924	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12948	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12a04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12d34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12d54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x131b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x132f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13374	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x134d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x135b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x135e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13658	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13684	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x137e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13fd4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14118	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14234	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x144e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14890	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x149bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14a60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14ef0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14fe0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x150c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x151ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x151f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15240	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1528c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15304	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15344	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15368	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x153e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x154dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x157b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x158f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15cb0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15d28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15d90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15fe4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ff0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16028	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x16080	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x160d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x160e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16148	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1618c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16304	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1644c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16470	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16630	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16688	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16764	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1682c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1685c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16900	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1693c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16960	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16a10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16acc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16dc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16f14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x171b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x172a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17ab8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17b0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17b64	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17fc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18058	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x180a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x183e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18428	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x184ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x184ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18560	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x185c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18604	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18680	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18690	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x186c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x187b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18864	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x188c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x188f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18b0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18bb8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18cfc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19118	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x195b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x196f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19748	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19794	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x197e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x197e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x197ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19818	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19824	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19830	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19a50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19ba0	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x19bbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19c1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19c88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19d40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19d60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19ea4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a3ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a3f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a3fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a404	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a4c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a504	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ac18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ac60	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8164	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x27008	0	NOTYPE	<unknown>	DEFAULT	10
\$d			.symtab	0x81bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x27004	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x270c4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x8200	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x270c8	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x82dc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x841c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8488	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8810	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x912c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9538	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9950	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c370	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x9c3c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9d90	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9ee0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa0b4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xaa38	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb008	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb1e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb214	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbb88	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbd38	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc554	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x20	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x26	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0xc72c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc818	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc888	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc8c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc998	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc9dc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xca20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcaa0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcae4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcb8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcbb4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcbe4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x271c8	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1d6b8	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x271d0	0	NOTYPE	<unknown>	DEFAULT	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x1d9b8	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xcc08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcd08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd4b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1dce0	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xd76c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd7b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdd04	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x271d8	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1dce8	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xde24	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe068	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe158	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe370	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1dd6c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xe3e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe414	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe51c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe5c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe614	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe688	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe6cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe714	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe758	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe7c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe80c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe87c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe8c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe908	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe9c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf3cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x271dc	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xf874	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf8c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf9e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x271f4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xfa98	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfb50	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfc10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfcb4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2720c	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x272a4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xfd5c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfe2c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xff20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10010	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1e8d8	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x10220	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x102d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x272b8	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1041c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10a38	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10e08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10f24	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x110a4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x111e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1130c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11320	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x113b0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11440	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x114d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x116bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11770	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x117d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11824	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11bd0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x272d0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x11c90	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11cc0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11d40	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11dbc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e48	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11ec4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11f18	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11f58	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11fb4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12020	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x120b0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x120e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x272dc	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1e96a	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x121e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x122c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12384	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12438	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1ec6c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x12518	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x128c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12a00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12d24	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13180	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13364	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x134bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x272e8	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x272e4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x135b0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13fb4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1ecd0	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x144c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14878	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x149b4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14fd8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x150b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x151a4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x153e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x154d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1579c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x158d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15c90	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15d10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15d80	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15fbc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1601c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x273cc	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x160cc	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x16144	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16188	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16444	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1662c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16760	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16828	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x168fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16a08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16db4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16f10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1719c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17a70	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x273d0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x17b04	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17b5c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17f78	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x273d2	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1ed8c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x18040	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x183d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x184a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x184e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18558	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x185c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18600	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18670	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x188ec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18afc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x4c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x53	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x19a34	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a3dc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x58	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	23
\$d			.symtab	0x23c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0xe39	0	NOTYPE	<unknown>	DEFAULT	23
\$t			.symtab	0x80f0	0	NOTYPE	<unknown>	DEFAULT	2
C.11.5548			.symtab	0x1e948	12	OBJECT	<unknown>	DEFAULT	4
C.5.5083			.symtab	0x1ec6c	24	OBJECT	<unknown>	DEFAULT	4
C.7.5370			.symtab	0x1e954	12	OBJECT	<unknown>	DEFAULT	4
C.7.6078			.symtab	0x1dcb8	12	OBJECT	<unknown>	DEFAULT	4
C.7.6109			.symtab	0x1eca8	12	OBJECT	<unknown>	DEFAULT	4
C.7.6182			.symtab	0x1ec84	12	OBJECT	<unknown>	DEFAULT	4
C.70.5338			.symtab	0x1c370	104	OBJECT	<unknown>	DEFAULT	4
C.77.5437			.symtab	0x1d004	1128	OBJECT	<unknown>	DEFAULT	4
C.8.6110			.symtab	0x1ec9c	12	OBJECT	<unknown>	DEFAULT	4
C.9.6119			.symtab	0x1ec90	12	OBJECT	<unknown>	DEFAULT	4
Laligned			.symtab	0xdf48	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0xdf64	0	NOTYPE	<unknown>	DEFAULT	2
Q			.symtab	0x27410	16384	OBJECT	<unknown>	DEFAULT	14
Randhex			.symtab	0x9ee4	472	FUNC	<unknown>	DEFAULT	2
SendHTTPHex			.symtab	0xae40	476	FUNC	<unknown>	DEFAULT	2
SendSTD			.symtab	0x9a84	448	FUNC	<unknown>	DEFAULT	2
UDPRAW			.symtab	0x9d94	336	FUNC	<unknown>	DEFAULT	2
_Exit			.symtab	0xc828	104	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x27010	0	OBJECT	<unknown>	HIDDEN	12
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_Unwind_Complete			.symtab	0x197e8	4	FUNC	<unknown>	HIDDEN	2
_Unwind_DeleteException			.symtab	0x197ec	44	FUNC	<unknown>	HIDDEN	2
_Unwind_ForcedUnwind			.symtab	0x1a49c	36	FUNC	<unknown>	HIDDEN	2
_Unwind_GetCFA			.symtab	0x197e0	8	FUNC	<unknown>	HIDDEN	2
_Unwind_GetDataRelBase			.symtab	0x19824	12	FUNC	<unknown>	HIDDEN	2
_Unwind_GetLanguageSpecificData			.symtab	0x1a4c0	68	FUNC	<unknown>	HIDDEN	2
_Unwind_GetRegionStart			.symtab	0x1ac60	52	FUNC	<unknown>	HIDDEN	2
_Unwind_GetTextRelBase			.symtab	0x19818	12	FUNC	<unknown>	HIDDEN	2
_Unwind_RaiseException			.symtab	0x1a430	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume			.symtab	0x1a454	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume_or_Rethrow			.symtab	0x1a478	36	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Get			.symtab	0x19748	76	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Pop			.symtab	0x19d60	324	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Set			.symtab	0x19794	76	FUNC	<unknown>	HIDDEN	2
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b			.symtab	0x271c8	4	OBJECT	<unknown>	DEFAULT	13
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x1d6b8	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x272dc	4	OBJECT	<unknown>	DEFAULT	13
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x1e96a	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x271d0	4	OBJECT	<unknown>	DEFAULT	13
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x1d9b8	768	OBJECT	<unknown>	DEFAULT	4
__EH_FRAME_BEGIN__			.symtab	0x27000	0	OBJECT	<unknown>	DEFAULT	7
__FRAME_END__			.symtab	0x27000	0	OBJECT	<unknown>	DEFAULT	7
__GI__C_ctype_b			.symtab	0x271c8	4	OBJECT	<unknown>	HIDDEN	13
__GI__C_ctype_tolower			.symtab	0x272dc	4	OBJECT	<unknown>	HIDDEN	13
__GI__C_ctype_toupper			.symtab	0x271d0	4	OBJECT	<unknown>	HIDDEN	13
__GI__close			.symtab	0x11340	100	FUNC	<unknown>	HIDDEN	2
__GI__close_nocancel			.symtab	0x11324	24	FUNC	<unknown>	HIDDEN	2
__GI__ctype_b			.symtab	0x271cc	4	OBJECT	<unknown>	HIDDEN	13
__GI__ctype_tolower			.symtab	0x272e0	4	OBJECT	<unknown>	HIDDEN	13
__GI__ctype_toupper			.symtab	0x271d4	4	OBJECT	<unknown>	HIDDEN	13
__GI__errno_location			.symtab	0xcbec	32	FUNC	<unknown>	HIDDEN	2
__GI__fcntl_nocancel			.symtab	0xc69c	152	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x14890	300	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0xe25c	24	FUNC	<unknown>	HIDDEN	2
__GI__libc_close			.symtab	0x11340	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0xc734	244	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x113d0	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_read			.symtab	0x114f0	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_write			.symtab	0x11460	100	FUNC	<unknown>	HIDDEN	2
__GI__open			.symtab	0x113d0	100	FUNC	<unknown>	HIDDEN	2
__GI__open_nocancel			.symtab	0x113b4	24	FUNC	<unknown>	HIDDEN	2
__GI__read			.symtab	0x114f0	100	FUNC	<unknown>	HIDDEN	2
__GI__read_nocancel			.symtab	0x114d4	24	FUNC	<unknown>	HIDDEN	2
__GI__register_atfork			.symtab	0x10f2c	392	FUNC	<unknown>	HIDDEN	2
__GI__sigaddset			.symtab	0xe9f8	36	FUNC	<unknown>	HIDDEN	2
__GI__sigdelset			.symtab	0xea1c	36	FUNC	<unknown>	HIDDEN	2
__GI__sigismember			.symtab	0xe9d4	36	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x11708	124	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x117d8	88	FUNC	<unknown>	HIDDEN	2
__GI__write			.symtab	0x11460	100	FUNC	<unknown>	HIDDEN	2
__GI__write_nocancel			.symtab	0x11444	24	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0xe274	268	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0xc828	104	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_abort			.symtab	0xf8d0	296	FUNC	<unknown>	HIDDEN	2
__GI_atoi			.symtab	0x1001c	32	FUNC	<unknown>	HIDDEN	2
__GI_brk			.symtab	0x16080	88	FUNC	<unknown>	HIDDEN	2
__GI_chdir			.symtab	0xc890	56	FUNC	<unknown>	HIDDEN	2
__GI_close			.symtab	0x11340	100	FUNC	<unknown>	HIDDEN	2
__GI_closedir			.symtab	0x120ec	272	FUNC	<unknown>	HIDDEN	2
__GI_config_close			.symtab	0x12854	52	FUNC	<unknown>	HIDDEN	2
__GI_config_open			.symtab	0x12888	72	FUNC	<unknown>	HIDDEN	2
__GI_config_read			.symtab	0x1252c	808	FUNC	<unknown>	HIDDEN	2
__GI_connect			.symtab	0xe61c	116	FUNC	<unknown>	HIDDEN	2
__GI_exit			.symtab	0x10230	196	FUNC	<unknown>	HIDDEN	2
__GI_fclose			.symtab	0x12a04	816	FUNC	<unknown>	HIDDEN	2
__GI_fcntl			.symtab	0xc734	244	FUNC	<unknown>	HIDDEN	2
__GI_fflush_unlocked			.symtab	0x144e4	940	FUNC	<unknown>	HIDDEN	2
__GI_fgetc			.symtab	0x13fd4	324	FUNC	<unknown>	HIDDEN	2
__GI_fgetc_unlocked			.symtab	0x14890	300	FUNC	<unknown>	HIDDEN	2
__GI_fgets			.symtab	0x14118	284	FUNC	<unknown>	HIDDEN	2
__GI_fgets_unlocked			.symtab	0x149bc	160	FUNC	<unknown>	HIDDEN	2
__GI_fopen			.symtab	0x12d34	32	FUNC	<unknown>	HIDDEN	2
__GI_fork			.symtab	0x10a64	972	FUNC	<unknown>	HIDDEN	2
__GI_fputs_unlocked			.symtab	0xdd34	56	FUNC	<unknown>	HIDDEN	2
__GI_fseek			.symtab	0x1644c	36	FUNC	<unknown>	HIDDEN	2
__GI_fseeko64			.symtab	0x16470	448	FUNC	<unknown>	HIDDEN	2
__GI_fstat			.symtab	0x160e4	100	FUNC	<unknown>	HIDDEN	2
__GI_fwrite_unlocked			.symtab	0xdd6c	188	FUNC	<unknown>	HIDDEN	2
__GI_getc_unlocked			.symtab	0x14890	300	FUNC	<unknown>	HIDDEN	2
__GI_getdtablesize			.symtab	0x11dc0	44	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0x11dec	20	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0x11e00	20	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0x11e14	20	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname			.symtab	0xe54c	28	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname2			.symtab	0xe568	112	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname2_r			.symtab	0x154dc	724	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname_r			.symtab	0x180a4	836	FUNC	<unknown>	HIDDEN	2
__GI_gethostname			.symtab	0x18428	132	FUNC	<unknown>	HIDDEN	2
__GI_getpagesize			.symtab	0x11e28	40	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0x110b4	72	FUNC	<unknown>	HIDDEN	2
__GI_getrlimit			.symtab	0x11e50	56	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0xe690	68	FUNC	<unknown>	HIDDEN	2
__GI_gettimeofday			.symtab	0x11e88	64	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x11ec8	20	FUNC	<unknown>	HIDDEN	2
__GI_htonl			.symtab	0xe42c	32	FUNC	<unknown>	HIDDEN	2
__GI_htons			.symtab	0xe41c	16	FUNC	<unknown>	HIDDEN	2
__GI_inet_addr			.symtab	0xe524	40	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x153e4	248	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa			.symtab	0xe508	28	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa_r			.symtab	0xe47c	140	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntop			.symtab	0x16f14	668	FUNC	<unknown>	HIDDEN	2
__GI_inet_pton			.symtab	0x16b9c	552	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0xfe38	248	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0xc8c8	224	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x15344	36	FUNC	<unknown>	HIDDEN	2
__GI_isspace			.symtab	0xcb94	40	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0xc9a8	56	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x18604	112	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x14ef0	240	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0xde50	4	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0x18680	4	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_mempcpy			.symtab	0x1693c	36	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x14fe0	224	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0xde60	156	FUNC	<unknown>	HIDDEN	2
__GI_mmap			.symtab	0x11c1c	124	FUNC	<unknown>	HIDDEN	2
__GI_mremap			.symtab	0x16148	68	FUNC	<unknown>	HIDDEN	2
__GI_munmap			.symtab	0x11edc	64	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x11f5c	96	FUNC	<unknown>	HIDDEN	2
__GI_ntohl			.symtab	0xe45c	32	FUNC	<unknown>	HIDDEN	2
__GI_ntohs			.symtab	0xe44c	16	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x113d0	100	FUNC	<unknown>	HIDDEN	2
__GI_opendir			.symtab	0x122cc	196	FUNC	<unknown>	HIDDEN	2
__GI_poll			.symtab	0x184ec	116	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x110fc	240	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0xfa10	164	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0xfcd0	144	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x16960	176	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x114f0	100	FUNC	<unknown>	HIDDEN	2
__GI_readdir64			.symtab	0x12440	236	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0xe760	112	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x11fbc	108	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0xca24	132	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0xe814	112	FUNC	<unknown>	HIDDEN	2
__GI_setuid			.symtab	0xcaa8	64	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0xe884	72	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0xff30	236	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0x11cc4	136	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0xe910	196	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0x12028	140	FUNC	<unknown>	HIDDEN	2
__GI_sleep			.symtab	0x111ec	300	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0xe8cc	68	FUNC	<unknown>	HIDDEN	2
__GI_sprintf			.symtab	0xcc0c	52	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0xfd60	216	FUNC	<unknown>	HIDDEN	2
__GI_stat			.symtab	0x18560	100	FUNC	<unknown>	HIDDEN	2
__GI_strerror_r			.symtab	0xe380	108	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0xdf80	240	FUNC	<unknown>	HIDDEN	2
__GI_strchrnul			.symtab	0x150c0	236	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0xdf00	28	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0xdf00	28	FUNC	<unknown>	HIDDEN	2
__GI_strcpy			.symtab	0xe070	36	FUNC	<unknown>	HIDDEN	2
__GI_strerror_r			.symtab	0x151ac	68	FUNC	<unknown>	HIDDEN	2
__GI_strdup			.symtab	0x18690	52	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0xdf20	96	FUNC	<unknown>	HIDDEN	2
__GI_strncpy			.symtab	0x16a10	188	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0xe094	204	FUNC	<unknown>	HIDDEN	2
__GI_strpbrk			.symtab	0x15304	64	FUNC	<unknown>	HIDDEN	2
__GI_strrchr			.symtab	0x151f0	80	FUNC	<unknown>	HIDDEN	2
__GI_strerror_r			.symtab	0x15240	76	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0xe160	252	FUNC	<unknown>	HIDDEN	2
__GI_strtok			.symtab	0xe3ec	48	FUNC	<unknown>	HIDDEN	2
__GI_strtok_r			.symtab	0x1528c	120	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0x1003c	28	FUNC	<unknown>	HIDDEN	2
__GI_sysconf			.symtab	0x10440	1572	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0x15368	124	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0xcae8	48	FUNC	<unknown>	HIDDEN	2
__GI_toupper			.symtab	0xcbbc	48	FUNC	<unknown>	HIDDEN	2
__GI_uname			.symtab	0x185c4	64	FUNC	<unknown>	HIDDEN	2
__GI_vsnprintf			.symtab	0xcc40	208	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0x120b4	56	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_waitpid			.symtab	0xcb18	124	FUNC	<unknown>	HIDDEN	2
__GI_wcrtomb			.symtab	0x128d0	84	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x12948	188	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0x12924	36	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x11460	100	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x2700c	0	OBJECT	<unknown>	DEFAULT	11
__JCR_LIST__			.symtab	0x2700c	0	OBJECT	<unknown>	DEFAULT	11
__Unwind_ForcedUnwind			.symtab	0x1a49c	36	FUNC	<unknown>	HIDDEN	2
__Unwind_RaiseException			.symtab	0x1a430	36	FUNC	<unknown>	HIDDEN	2
__Unwind_Resume			.symtab	0x1a454	36	FUNC	<unknown>	HIDDEN	2
__Unwind_Resume_or_Rethrow			.symtab	0x1a478	36	FUNC	<unknown>	HIDDEN	2
__adddf3			.symtab	0x18d08	784	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmpeq			.symtab	0x19664	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmple			.symtab	0x19664	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdrcmple			.symtab	0x19648	52	FUNC	<unknown>	HIDDEN	2
__aeabi_d2uiz			.symtab	0x196f4	84	FUNC	<unknown>	HIDDEN	2
__aeabi_dadd			.symtab	0x18d08	784	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpeq			.symtab	0x1967c	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpge			.symtab	0x196c4	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpgt			.symtab	0x196dc	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmple			.symtab	0x196ac	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmplt			.symtab	0x19694	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ddiv			.symtab	0x193a8	524	FUNC	<unknown>	HIDDEN	2
__aeabi_dmul			.symtab	0x19118	656	FUNC	<unknown>	HIDDEN	2
__aeabi_drsub			.symtab	0x18cfc	0	FUNC	<unknown>	HIDDEN	2
__aeabi_dsub			.symtab	0x18d04	788	FUNC	<unknown>	HIDDEN	2
__aeabi_f2d			.symtab	0x19064	64	FUNC	<unknown>	HIDDEN	2
__aeabi_i2d			.symtab	0x1903c	40	FUNC	<unknown>	HIDDEN	2
__aeabi_idiv			.symtab	0x18bb8	0	FUNC	<unknown>	HIDDEN	2
__aeabi_idivmod			.symtab	0x18ce4	24	FUNC	<unknown>	HIDDEN	2
__aeabi_l2d			.symtab	0x190b8	96	FUNC	<unknown>	HIDDEN	2
__aeabi_read_tp			.symtab	0x11d70	8	FUNC	<unknown>	DEFAULT	2
__aeabi_ui2d			.symtab	0x19018	36	FUNC	<unknown>	HIDDEN	2
__aeabi_uidiv			.symtab	0xc574	0	FUNC	<unknown>	HIDDEN	2
__aeabi_uidivmod			.symtab	0xc670	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ul2d			.symtab	0x190a4	116	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr0			.symtab	0x1a3fc	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr1			.symtab	0x1a3f4	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr2			.symtab	0x1a3ec	8	FUNC	<unknown>	HIDDEN	2
__app_fini			.symtab	0x2bb58	4	OBJECT	<unknown>	HIDDEN	14
__atexit_lock			.symtab	0x272b8	24	OBJECT	<unknown>	DEFAULT	13
__bss_end__			.symtab	0x2e500	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x273d4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x273d4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x11784	84	FUNC	<unknown>	DEFAULT	2
__close			.symtab	0x11340	100	FUNC	<unknown>	DEFAULT	2
__close_nameservers			.symtab	0x17fc0	152	FUNC	<unknown>	HIDDEN	2
__close_nocancel			.symtab	0x11324	24	FUNC	<unknown>	DEFAULT	2
__cmpdf2			.symtab	0x195c4	132	FUNC	<unknown>	HIDDEN	2
__ctype_b			.symtab	0x271cc	4	OBJECT	<unknown>	DEFAULT	13
__ctype_tolower			.symtab	0x272e0	4	OBJECT	<unknown>	DEFAULT	13
__ctype_toupper			.symtab	0x271d4	4	OBJECT	<unknown>	DEFAULT	13
__curbrk			.symtab	0x2e0bc	4	OBJECT	<unknown>	HIDDEN	14
__cxa_begin_cleanup			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_call_unexpected			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_type_match			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__data_start			.symtab	0x270c0	0	NOTYPE	<unknown>	DEFAULT	13
__decode_dotted			.symtab	0x171b0	248	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x187b0	180	FUNC	<unknown>	HIDDEN	2
__default_rt_sa_restorer			.symtab	0x11d64	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0x11d58	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__div0			.symtab	0xc688	20	FUNC	<unknown>	HIDDEN	2
__divdf3			.symtab	0x193a8	524	FUNC	<unknown>	HIDDEN	2
__divsi3			.symtab	0x18bb8	300	FUNC	<unknown>	HIDDEN	2
__dns_lookup			.symtab	0x172a8	2064	FUNC	<unknown>	HIDDEN	2
__do_global_dtors_aux			.symtab	0x812c	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux_fini_array_e ntry			.symtab	0x27008	0	OBJECT	<unknown>	DEFAULT	10
__dso_handle			.symtab	0x270c0	0	OBJECT	<unknown>	HIDDEN	13
__encode_dotted			.symtab	0x18b0c	172	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x186c4	236	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x18864	96	FUNC	<unknown>	HIDDEN	2
__end__			.symtab	0x2e500	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x2bb50	4	OBJECT	<unknown>	DEFAULT	14
__eqdf2			.symtab	0x195c4	132	FUNC	<unknown>	HIDDEN	2
__errno_location			.symtab	0xcbec	32	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exidx_end			.symtab	0x1eee4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exidx_start			.symtab	0x1edc4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x2b600	4	OBJECT	<unknown>	HIDDEN	14
__extendsfdf2			.symtab	0x19064	64	FUNC	<unknown>	HIDDEN	2
__fcntl_nocancel			.symtab	0xc69c	152	FUNC	<unknown>	DEFAULT	2
__fgetc_unlocked			.symtab	0x14890	300	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x2700c	0	NOTYPE	<unknown>	HIDDEN	10
__fini_array_start			.symtab	0x27008	0	NOTYPE	<unknown>	HIDDEN	10
__fixunsdfsi			.symtab	0x196f4	84	FUNC	<unknown>	HIDDEN	2
__floatdidf			.symtab	0x190b8	96	FUNC	<unknown>	HIDDEN	2
__floatsidf			.symtab	0x1903c	40	FUNC	<unknown>	HIDDEN	2
__floatundidf			.symtab	0x190a4	116	FUNC	<unknown>	HIDDEN	2
__floatunsidf			.symtab	0x19018	36	FUNC	<unknown>	HIDDEN	2
__fork			.symtab	0x10a64	972	FUNC	<unknown>	DEFAULT	2
__fork_generation_pointer			.symtab	0x2e4b8	4	OBJECT	<unknown>	HIDDEN	14
__fork_handlers			.symtab	0x2e4bc	4	OBJECT	<unknown>	HIDDEN	14
__fork_lock			.symtab	0x2b604	4	OBJECT	<unknown>	HIDDEN	14
__frame_dummy_init_array_entry			.symtab	0x27004	0	OBJECT	<unknown>	DEFAULT	9
__gedf2			.symtab	0x195b4	148	FUNC	<unknown>	HIDDEN	2
__get_hosts_byname_r			.symtab	0x18058	76	FUNC	<unknown>	HIDDEN	2
__getdents64			.symtab	0x16304	328	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x11e28	40	FUNC	<unknown>	DEFAULT	2
__getpid			.symtab	0x110b4	72	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0xe25c	24	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gnu_Unwind_Find_exidx			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__gnu_Unwind_ForcedUnwind			.symtab	0x19ba0	28	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_RaiseException			.symtab	0x19c88	184	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Restore_VFP			.symtab	0x1a420	0	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume			.symtab	0x19c1c	108	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume_or_Rethro w			.symtab	0x19d40	32	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Save_VFP			.symtab	0x1a428	0	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_execute			.symtab	0x1a504	1812	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_frame			.symtab	0x1ac18	72	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_pr_common			.symtab	0x19ea4	1352	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__gtdf2			.symtab	0x195b4	148	FUNC	<unknown>	HIDDEN	2
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__init_array_end			.symtab	0x27008	0	NOTYPE	<unknown>	HIDDEN	9
__init_array_start			.symtab	0x27004	0	NOTYPE	<unknown>	HIDDEN	9
__ledf2			.symtab	0x195bc	140	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x11340	100	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0xe61c	116	FUNC	<unknown>	DEFAULT	2
__libc_disable_asynccancel			.symtab	0x11560	136	FUNC	<unknown>	HIDDEN	2
__libc_enable_asynccancel			.symtab	0x115e8	220	FUNC	<unknown>	HIDDEN	2
__libc_errno			.symtab	0x0	4	TLS	<unknown>	HIDDEN	8
__libc_fcntl			.symtab	0xc734	244	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x10a64	972	FUNC	<unknown>	DEFAULT	2
__libc_h_errno			.symtab	0x4	4	TLS	<unknown>	HIDDEN	8
__libc_multiple_threads			.symtab	0x2e4c0	4	OBJECT	<unknown>	HIDDEN	14
__libc_nanosleep			.symtab	0x11f5c	96	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x113d0	100	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x114f0	100	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0xe760	112	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0xca24	132	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0xe814	112	FUNC	<unknown>	DEFAULT	2
__libc_setup_tls			.symtab	0x15db4	560	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x11cc4	136	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x2bb4c	4	OBJECT	<unknown>	DEFAULT	14
__libc_waitpid			.symtab	0xcb18	124	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x11460	100	FUNC	<unknown>	DEFAULT	2
__linkin_atfork			.symtab	0x10ec8	100	FUNC	<unknown>	HIDDEN	2
__lll_lock_wait_private			.symtab	0x10e30	152	FUNC	<unknown>	HIDDEN	2
__local_nameserver			.symtab	0x1ed8c	16	OBJECT	<unknown>	HIDDEN	4
__ltdf2			.symtab	0x195bc	140	FUNC	<unknown>	HIDDEN	2
__malloc Consolidate			.symtab	0xf4a0	436	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0xea40	120	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x271dc	24	OBJECT	<unknown>	DEFAULT	13
__malloc_state			.symtab	0x2e140	888	OBJECT	<unknown>	DEFAULT	14
__malloc_trim			.symtab	0xf3f0	176	FUNC	<unknown>	DEFAULT	2
__muldf3			.symtab	0x19118	656	FUNC	<unknown>	HIDDEN	2
__nameserver			.symtab	0x2e4f4	4	OBJECT	<unknown>	HIDDEN	14
__nameservers			.symtab	0x2e4f8	4	OBJECT	<unknown>	HIDDEN	14
__nedf2			.symtab	0x195c4	132	FUNC	<unknown>	HIDDEN	2
__nptl_deallocate_tsd			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__nptl_nthreads			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__open			.symtab	0x113d0	100	FUNC	<unknown>	DEFAULT	2
__open_etc_hosts			.symtab	0x188c4	48	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x17b64	1116	FUNC	<unknown>	HIDDEN	2
__open_nocancel			.symtab	0x113b4	24	FUNC	<unknown>	DEFAULT	2
__pagesize			.symtab	0x2bb54	4	OBJECT	<unknown>	DEFAULT	14
__preinit_array_end			.symtab	0x27004	0	NOTYPE	<unknown>	HIDDEN	8
__preinit_array_start			.symtab	0x27004	0	NOTYPE	<unknown>	HIDDEN	8
__progname			.symtab	0x272d4	4	OBJECT	<unknown>	DEFAULT	13
__progname_full			.symtab	0x272d8	4	OBJECT	<unknown>	DEFAULT	13
__pthread_initialize_minimal			.symtab	0x15fe4	12	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_init			.symtab	0x116cc	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x116c4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x116c4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x116c4	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x116c4	8	FUNC	<unknown>	DEFAULT	2
__pthread_unwind			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__read			.symtab	0x114f0	100	FUNC	<unknown>	DEFAULT	2
__read_etc_hosts_r			.symtab	0x188f4	536	FUNC	<unknown>	HIDDEN	2
__read_nocancel			.symtab	0x114d4	24	FUNC	<unknown>	DEFAULT	2
__register_atfork			.symtab	0x10f2c	392	FUNC	<unknown>	DEFAULT	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__res_sync			.symtab	0x2e4ec	4	OBJECT	<unknown>	HIDDEN	14
__resolv_attempts			.symtab	0x273d3	1	OBJECT	<unknown>	HIDDEN	13
__resolv_lock			.symtab	0x2e0c4	24	OBJECT	<unknown>	DEFAULT	14
__resolv_timeout			.symtab	0x273d2	1	OBJECT	<unknown>	HIDDEN	13
__restore_core_regs			.symtab	0x1a404	28	FUNC	<unknown>	HIDDEN	2
__rtd_fini			.symtab	0x2bb5c	4	OBJECT	<unknown>	HIDDEN	14
__searchdomain			.symtab	0x2e4f0	4	OBJECT	<unknown>	HIDDEN	14
__searchdomains			.symtab	0x2e4fc	4	OBJECT	<unknown>	HIDDEN	14
__sigaddset			.symtab	0xe9f8	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0xea1c	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0xe9d4	36	FUNC	<unknown>	DEFAULT	2
__sigjmp_save			.symtab	0x183e8	64	FUNC	<unknown>	HIDDEN	2
__sigsetjmp			.symtab	0x160d8	12	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x272f4	4	OBJECT	<unknown>	DEFAULT	13
__stdio_READ			.symtab	0x16630	88	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x16688	220	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x16764	200	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x131b4	320	FUNC	<unknown>	HIDDEN	2
__stdio_rfill			.symtab	0x1682c	48	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x16900	60	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x1685c	164	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x134d8	220	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x135b4	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x272f8	4	OBJECT	<unknown>	DEFAULT	13
__subdf3			.symtab	0x18d04	788	FUNC	<unknown>	HIDDEN	2
__sys_connect			.symtab	0xe5d8	68	FUNC	<unknown>	DEFAULT	2
__sys_recv			.symtab	0xe71c	68	FUNC	<unknown>	DEFAULT	2
__sys_send			.symtab	0xe7d0	68	FUNC	<unknown>	DEFAULT	2
__syscall_error			.symtab	0x11c98	44	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_nanosleep			.symtab	0x11f1c	64	FUNC	<unknown>	DEFAULT	2
__syscall_poll			.symtab	0x184ac	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction			.symtab	0x11d80	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_select			.symtab	0xc9e0	68	FUNC	<unknown>	DEFAULT	2
__tls_get_addr			.symtab	0x15d90	36	FUNC	<unknown>	DEFAULT	2
__uClibc_fini			.symtab	0x11708	124	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x117d8	88	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x11830	1004	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x272d0	4	OBJECT	<unknown>	HIDDEN	13
__udivsi3			.symtab	0xc574	252	FUNC	<unknown>	HIDDEN	2
__write			.symtab	0x11460	100	FUNC	<unknown>	DEFAULT	2
__write_nocancel			.symtab	0x11444	24	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r			.symtab	0xe274	268	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__xstat32_conv			.symtab	0x16258	172	FUNC	<unknown>	HIDDEN	2
__xstat64_conv			.symtab	0x1618c	204	FUNC	<unknown>	HIDDEN	2
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__bss_custom_printf_spec			.symtab	0x2b410	10	OBJECT	<unknown>	DEFAULT	14
__bss_end__			.symtab	0x2e500	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__call_via_fp			.symtab	0x811d	4	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_call_via_ip			.symtab	0x8121	4	FUNC	<unknown>	HIDDEN	2
_call_via_lr			.symtab	0x8129	4	FUNC	<unknown>	HIDDEN	2
_call_via_r0			.symtab	0x80f1	4	FUNC	<unknown>	HIDDEN	2
_call_via_r1			.symtab	0x80f5	4	FUNC	<unknown>	HIDDEN	2
_call_via_r2			.symtab	0x80f9	4	FUNC	<unknown>	HIDDEN	2
_call_via_r3			.symtab	0x80fd	4	FUNC	<unknown>	HIDDEN	2
_call_via_r4			.symtab	0x8101	4	FUNC	<unknown>	HIDDEN	2
_call_via_r5			.symtab	0x8105	4	FUNC	<unknown>	HIDDEN	2
_call_via_r6			.symtab	0x8109	4	FUNC	<unknown>	HIDDEN	2
_call_via_r7			.symtab	0x810d	4	FUNC	<unknown>	HIDDEN	2
_call_via_r8			.symtab	0x8111	4	FUNC	<unknown>	HIDDEN	2
_call_via_r9			.symtab	0x8115	4	FUNC	<unknown>	HIDDEN	2
_call_via_sl			.symtab	0x8119	4	FUNC	<unknown>	HIDDEN	2
_call_via_sp			.symtab	0x8125	4	FUNC	<unknown>	HIDDEN	2
_charpad			.symtab	0xcd10	84	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_custom_printf_arginfo			.symtab	0x2e0e8	40	OBJECT	<unknown>	HIDDEN	14
_custom_printf_handler			.symtab	0x2e110	40	OBJECT	<unknown>	HIDDEN	14
_custom_printf_spec			.symtab	0x271d8	4	OBJECT	<unknown>	HIDDEN	13
_dl_aux_init			.symtab	0x15ff0	56	FUNC	<unknown>	DEFAULT	2
_dl_init_static_tls			.symtab	0x273cc	4	OBJECT	<unknown>	DEFAULT	13
_dl_nothread_init_static_tls			.symtab	0x16028	88	FUNC	<unknown>	HIDDEN	2
_dl_phdr			.symtab	0x2e4e4	4	OBJECT	<unknown>	DEFAULT	14
_dl_phnum			.symtab	0x2e4e8	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_dtv_gaps			.symtab	0x2e4d8	1	OBJECT	<unknown>	DEFAULT	14
_dl_tls_dtv_slotinfo_list			.symtab	0x2e4d4	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_generation			.symtab	0x2e4dc	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_max_dtv_idx			.symtab	0x2e4cc	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_setup			.symtab	0x15d28	104	FUNC	<unknown>	DEFAULT	2
_dl_tls_static_align			.symtab	0x2e4c8	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_nelem			.symtab	0x2e4e0	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_size			.symtab	0x2e4d0	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_used			.symtab	0x2e4c4	4	OBJECT	<unknown>	DEFAULT	14
_edata			.symtab	0x273d4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x2e500	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_exit			.symtab	0xc828	104	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x1ac94	0	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x2bb80	8192	OBJECT	<unknown>	DEFAULT	14
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0xcd64	132	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x137e0	2036	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_init			.symtab	0x80d4	0	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x135e4	116	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_memcpy			.symtab	0x14a60	0	FUNC	<unknown>	HIDDEN	2
_ppfs_init			.symtab	0xd4dc	160	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0xd7c4	1392	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0xd57c	68	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0xd5c0	432	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0xd770	84	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x116dc	44	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_pthread_cleanup_push_defer			.symtab	0x116d4	8	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_setjmp			.symtab	0x11d4c	8	FUNC	<unknown>	DEFAULT	2
_signtr			.symtab	0x2e138	8	OBJECT	<unknown>	HIDDEN	14
_start			.symtab	0x81d0	0	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x12d54	1120	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x132f4	128	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x272fc	4	OBJECT	<unknown>	DEFAULT	13
_stdio_openlist_add_lock			.symtab	0x2bb60	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_dec_use			.symtab	0x14234	688	FUNC	<unknown>	HIDDEN	2
_stdio_openlist_del_count			.symtab	0x2bb7c	4	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_del_lock			.symtab	0x2bb6c	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_use_count			.symtab	0x2bb78	4	OBJECT	<unknown>	DEFAULT	14
_stdio_streams			.symtab	0x27300	204	OBJECT	<unknown>	DEFAULT	13
_stdio_term			.symtab	0x13374	356	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x272e4	4	OBJECT	<unknown>	DEFAULT	13
_stdlib_strto_l			.symtab	0x10058	472	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x13658	44	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x1dd7c	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x13684	348	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0xcde8	1780	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0xf8d0	296	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x1001c	32	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x1001c	32	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bcopy			.symtab	0xde30	16	FUNC	<unknown>	DEFAULT	2
been_there_done_that			.symtab	0x2b5fc	4	OBJECT	<unknown>	DEFAULT	14
bot.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x16080	88	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0xe910	196	FUNC	<unknown>	DEFAULT	2
buf.4507			.symtab	0x2b420	16	OBJECT	<unknown>	DEFAULT	14
buf.6549			.symtab	0x2b430	440	OBJECT	<unknown>	DEFAULT	14
bzero			.symtab	0xde40	12	FUNC	<unknown>	DEFAULT	2
c			.symtab	0x271c0	4	OBJECT	<unknown>	DEFAULT	13
calloc			.symtab	0x157b0	320	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
chdir			.symtab	0xc890	56	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x11340	100	FUNC	<unknown>	DEFAULT	2
closedir			.symtab	0x120ec	272	FUNC	<unknown>	DEFAULT	2
closedir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
closenameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x270c8	4	OBJECT	<unknown>	DEFAULT	13



System Behavior

Analysis Process: fuckjewishpeople.arm7 PID: 5211, Parent PID: 5105	
General	
Start time:	08:05:03
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.arm7
Arguments:	/tmp/fuckjewishpeople.arm7
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities	
File Read	
Analysis Process: fuckjewishpeople.arm7 PID: 5213, Parent PID: 5211	
General	
Start time:	08:05:03
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.arm7
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: fuckjewishpeople.arm7 PID: 5215, Parent PID: 5213	
General	
Start time:	08:05:03
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.arm7
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: dash PID: 5230, Parent PID: 4333		—
General		—
Start time:	08:05:30	
Start date:	21/01/2022	
Path:	/usr/bin/dash	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	

Analysis Process: rm PID: 5230, Parent PID: 4333		—
General		—
Start time:	08:05:30	
Start date:	21/01/2022	
Path:	/usr/bin/rm	
Arguments:	rm -f /tmp/tmp.197VmVs16m /tmp/tmp.S7Prblp6Yp /tmp/tmp.mrK0PbjJzs	
File size:	72056 bytes	
MD5 hash:	aa2b5496fdbfd88e38791ab81f90b95b	

File Activities		—
File Deleted		▼
File Read		▼