

JOeSandbox Cloud BASIC



ID: 557487

Sample Name:
fuckjewishpeople.mpsl

Cookbook:
defaultlinuxfilecookbook.jbs

Time: 08:04:21

Date: 21/01/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report fuckjewishpeople.mpsl	4
Overview	4
General Information	4
Detection	4
Signatures	4
Classification	4
Analysis Advice	4
General Information	4
Runtime Messages	4
Process Tree	5
Yara Overview	5
Initial Sample	5
Memory Dumps	5
Jbx Signature Overview	5
AV Detection	5
Spreading	5
Stealing of Sensitive Information	5
Remote Access Functionality	6
Mitre Att&ck Matrix	6
Malware Configuration	6
Behavior Graph	6
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	7
Domains	7
URLs	7
Domains and IPs	7
Contacted Domains	8
URLs from Memory and Binaries	8
World Map of Contacted IPs	8
Public IPs	8
Joe Sandbox View / Context	8
IPs	8
Domains	8
ASNs	8
JA3 Fingerprints	8
Dropped Files	9
Created / dropped Files	9
/var/cache/motd-news	9
Static File Info	9
General	9
Static ELF Info	9
ELF header	9
Sections	9
Program Segments	10
Symbols	10
Network Behavior	21
Network Port Distribution	21
TCP Packets	22
HTTPS Packets	22
System Behavior	22
Analysis Process: fuckjewishpeople.mpsl PID: 5279, Parent PID: 5174	22
General	22
File Activities	22
File Read	22
Analysis Process: fuckjewishpeople.mpsl PID: 5281, Parent PID: 5279	23
General	23
Analysis Process: fuckjewishpeople.mpsl PID: 5283, Parent PID: 5281	23
General	23
Analysis Process: dash PID: 5287, Parent PID: 4332	23
General	23
Analysis Process: cat PID: 5287, Parent PID: 4332	23
General	23
File Activities	23
File Read	23
Analysis Process: dash PID: 5288, Parent PID: 4332	23
General	23
Analysis Process: head PID: 5288, Parent PID: 4332	23
General	23
File Activities	24
File Read	24
Analysis Process: dash PID: 5289, Parent PID: 4332	24
General	24
Analysis Process: tr PID: 5289, Parent PID: 4332	24
General	24
File Activities	24

File Read	24
Analysis Process: dash PID: 5290, Parent PID: 4332	24
General	24
Analysis Process: cut PID: 5290, Parent PID: 4332	24
General	24
File Activities	24
File Read	24
Analysis Process: dash PID: 5291, Parent PID: 4332	24
General	24
Analysis Process: cat PID: 5291, Parent PID: 4332	25
General	25
File Activities	25
File Read	25
Analysis Process: dash PID: 5292, Parent PID: 4332	25
General	25
Analysis Process: head PID: 5292, Parent PID: 4332	25
General	25
File Activities	25
File Read	25
Analysis Process: dash PID: 5293, Parent PID: 4332	25
General	25
Analysis Process: tr PID: 5293, Parent PID: 4332	25
General	25
File Activities	25
File Read	25
Analysis Process: dash PID: 5294, Parent PID: 4332	26
General	26
Analysis Process: cut PID: 5294, Parent PID: 4332	26
General	26
File Activities	26
File Read	26
File Written	26
Analysis Process: dash PID: 5295, Parent PID: 4332	26
General	26
Analysis Process: rm PID: 5295, Parent PID: 4332	26
General	26
File Activities	26
File Deleted	26
File Read	26

Linux Analysis Report

fuckjewishpeople.mpsl.com

Overview

General Information

Sample Name:	fuckjewishpeople.mpsl
Analysis ID:	557487
MD5:	4a116051dca24c..
SHA1:	c56295bdd3477c..
SHA256:	9d82ead689856c..
Tags:	 
Infos:	  HTTP  

Detection

The figure displays the security status of Gafgyt Mirai. A vertical bar chart shows four categories: Malicious (red), Suspicious (brown), Clean (green), and Unknown (grey). Below the chart, a table provides the score, range, and whitelisting status.

Score:	68
Range:	0 - 100
Whitelisted:	false

Signatures

```
graph TD; A[Yara detected Mirai] --> B[Multi AV Scanner detection for subm...]; B --> C[Yara detected Gafgyt]; C --> D[Opens /proc/net/* files useful for fin...]; C --> E[Sample contains strings that are us...]; D --> F[Uses the "uname" system call to qu...]; E --> F; F --> G[Detected TCP or UDP traffic on non...]; G --> H[Executes the "rm" command used t...];
```

Yara detected Mirai

Multi AV Scanner detection for subm...

Yara detected Gafgyt

Opens /proc/net/* files useful for fin...


Sample contains strings that are us...

Uses the "uname" system call to qu...

Detected TCP or UDP traffic on non...

Executes the "rm" command used t...

Classification



Analysis Advice

Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures
Static ELF header machine description suggests that the sample might not execute correctly on this machine

General Information	
Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	557487
Start date:	21.01.2022
Start time:	08:04:21
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 28s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	fuckjewishpeople.mpsl
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal68.spre.troj.linMPSL@0/1@0/0

Runtime Messages	
Command:	/tmp/fuckjewishpeople.mpsl
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Process Tree

- system is Inxubuntu20
- [fuckjewishpeople.mpsl](#) (PID: 5279, Parent: 5174, MD5: 0d6f61f82cf2f781c6eb0661071d42d9) Arguments: /tmp/fuckjewishpeople.mpsl
 - [fuckjewishpeople.mpsl](#) New Fork (PID: 5281, Parent: 5279)
 - [fuckjewishpeople.mpsl](#) New Fork (PID: 5283, Parent: 5281)
 - [dash](#) New Fork (PID: 5287, Parent: 4332)
 - [cat](#) (PID: 5287, Parent: 4332, MD5: 7e9d213e404ad3bb82e4ebb2e1f2c1b3) Arguments: cat /tmp/tmp.40ubCHwJAq
 - [dash](#) New Fork (PID: 5288, Parent: 4332)
 - [head](#) (PID: 5288, Parent: 4332, MD5: fd96a67145172477dd57131396fc9608) Arguments: head -n 10
 - [dash](#) New Fork (PID: 5289, Parent: 4332)
 - [tr](#) (PID: 5289, Parent: 4332, MD5: fbd1402dd9f72d8ebff00ce7c3a7bb5) Arguments: tr -d \\000-\\011\\013\\014\\016-\\037
 - [dash](#) New Fork (PID: 5290, Parent: 4332)
 - [cut](#) (PID: 5290, Parent: 4332, MD5: d8ed0ea8f22c0de0f8692d4d9f1759d3) Arguments: cut -c -80
 - [dash](#) New Fork (PID: 5291, Parent: 4332)
 - [cat](#) (PID: 5291, Parent: 4332, MD5: 7e9d213e404ad3bb82e4ebb2e1f2c1b3) Arguments: cat /tmp/tmp.40ubCHwJAq
 - [dash](#) New Fork (PID: 5292, Parent: 4332)
 - [head](#) (PID: 5292, Parent: 4332, MD5: fd96a67145172477dd57131396fc9608) Arguments: head -n 10
 - [dash](#) New Fork (PID: 5293, Parent: 4332)
 - [tr](#) (PID: 5293, Parent: 4332, MD5: fbd1402dd9f72d8ebff00ce7c3a7bb5) Arguments: tr -d \\000-\\011\\013\\014\\016-\\037
 - [dash](#) New Fork (PID: 5294, Parent: 4332)
 - [cut](#) (PID: 5294, Parent: 4332, MD5: d8ed0ea8f22c0de0f8692d4d9f1759d3) Arguments: cut -c -80
 - [dash](#) New Fork (PID: 5295, Parent: 4332)
 - [rm](#) (PID: 5295, Parent: 4332, MD5: aa2b5496fdbfd88e38791ab81f90b95b) Arguments: rm -f /tmp/tmp.40ubCHwJAq /tmp/tmp.bCRgpfFGiz /tmp/tmp.Q77njlbz4T
 - cleanup

Yara Overview

Initial Sample

Source	Rule	Description	Author	Strings
fuckjewishpeople.mpsl	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
fuckjewishpeople.mpsl	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Memory Dumps

Source	Rule	Description	Author	Strings
5281.1.0000000081b190b7.0000000065f8655d.r-x.sdm	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5281.1.0000000081b190b7.0000000065f8655d.r-x.sdm	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	
5279.1.0000000081b190b7.0000000065f8655d.r-x.sdm	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5279.1.0000000081b190b7.0000000065f8655d.r-x.sdm	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Jbx Signature Overview

AV Detection



Multi AV Scanner detection for submitted file

Spreading



Opens /proc/net/* files useful for finding connected devices and routers

Stealing of Sensitive Information



Yara detected Mirai

Yara detected Gafgyt




Yara detected Mirai	▼
Yara detected Gafgyt	▼

Mitre Att&ck Matrix													
Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	1 File Deletion	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	1 Remote System Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Non-Standard Port	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data
Local Accounts	At (Windows)	Logon Script (Mac)	Logon Script (Mac)	Binary Padding	NTDS	System Network Configuration Discovery	Distributed Component Object Model	Input Capture	Scheduled Transfer	1 Application Layer Protocol	SIM Card Swap		Carrier Billing Fraud

Malware Configuration													
No configs have been found													

Behavior Graph													
----------------	--	--	--	--	--	--	--	--	--	--	--	--	--




Contacted Domains

No contacted domains info

URLs from Memory and Binaries

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
54.171.230.55	unknown	United States		16509	AMAZON-02US	false
78.47.230.250	unknown	Germany		24940	HETZNER-ASDE	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

/var/cache/motd-news

Static File Info

General

File type:	ELF 32-bit LSB executable, MIPS, MIPS-I version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	5.468332508269017
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	fuckjewishpeople.mpsl
File size:	116647
MD5:	4a116051dca24c00b70538976f3369ec
SHA1:	c56295bdd3477c87858093bfdaba25877292cf2c
SHA256:	9d82ead689856c499c096c17c7c6bc0096328a183724d4afdb1b15f51fbc681
SHA512:	26af9cb3bdc6be2ab4026afd9c674582b8d7b8c0e6431b6930294a5b4b10d8e31831f3b1b40e71344918ce2c0149c37db749edd282fe80b46f522093efb027b5
SSDEEP:	1536:Tgz/qzNLW/fMiZIX98U0I/QwErQNOp5hVwbFKdwwjF9GhCPR1Ae:Tgz/5f5g8utgl5hVwjKdwwjF9GhsR1Ae
File Content Preview:	.ELF.....@.4....4. ...(......p.....@...@.....@...@.(J..(J.....(J..(JE.(JE.8...q.....Q.td.....E....<T..!.....<0..!... ..

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	MIPS R3000
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x4002a0
Flags:	0x1007
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	4
Section Header Offset:	97412
Section Header Size:	40
Number of Section Headers:	21
Header String Table Index:	18

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.reginfo	MIPS_REGINFO	0x4000b4	0xb4	0x18	0x18	0x2	A	0	0	4
.init	PROGBITS	0x4000cc	0xcc	0x8c	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x400160	0x160	0x10b90	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x410cf0	0x10cf0	0x5c	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x410d50	0x10d50	0x3cd4	0x0	0x2	A	0	0	16

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.eh_frame	PROGBITS	0x414a24	0x14a24	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x454a28	0x14a28	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x454a30	0x14a30	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x454a38	0x14a38	0x4	0x0	0x3	WA	0	0	4
.data.rel.ro	PROGBITS	0x454a3c	0x14a3c	0x4d0	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x454f10	0x14f10	0x520	0x0	0x3	WA	0	0	16
.got	PROGBITS	0x455430	0x15430	0x430	0x4	0x10000003	WA	0	0	16
.sbss	NOBITS	0x455860	0x15860	0x18	0x0	0x10000003	WA	0	0	4
.bss	NOBITS	0x455880	0x15860	0x63a4	0x0	0x3	WA	0	0	16
.comment	PROGBITS	0x0	0x15860	0xa68	0x0	0x0		0	0	1
.mdebug.abi32	PROGBITS	0xa68	0x162c8	0x0	0x0	0x0		0	0	1
.pdr	PROGBITS	0x0	0x162c8	0x1920	0x0	0x0		0	0	4
.shstrtab	STRTAB	0x0	0x17be8	0x9a	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x17fcc	0x2910	0x10	0x0		20	283	4
.strtab	STRTAB	0x0	0x1a8dc	0x1ecb	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
<unknown>	0xb4	0x4000b4	0x4000b4	0x18	0x18	0.6013	0x4	R	0x4		.reginfo
LOAD	0x0	0x400000	0x400000	0x14a28	0x14a28	3.6942	0x5	R E	0x10000		.reginfo .init .text .fini .rodata .eh_frame
LOAD	0x14a28	0x454a28	0x454a28	0xe38	0x71fc	3.0659	0x6	RW	0x10000		.ctors .dtors .jcr .data.rel.ro .data .got .sbss .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x4000b4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x4000cc	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x400160	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x410cf0	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x410d50	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x414a24	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x454a28	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x454a30	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x454a38	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x454a3c	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x454f10	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x455430	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x455860	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x455880	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0xa68	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
C.72.4725			.symtab	0x454a3c	104	OBJECT	<unknown>	DEFAULT	10
C.82.4830			.symtab	0x454aa4	1128	OBJECT	<unknown>	DEFAULT	10
Q			.symtab	0x4558b8	16384	OBJECT	<unknown>	DEFAULT	14
Randhex			.symtab	0x402c10	688	FUNC	<unknown>	DEFAULT	3
SendHTTPHex			.symtab	0x404154	704	FUNC	<unknown>	DEFAULT	3
SendSTD			.symtab	0x402548	680	FUNC	<unknown>	DEFAULT	3
UDPRAW			.symtab	0x402a00	528	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_GLOBAL_OFFSET_TABLE_			.symtab	0x455430	0	OBJECT	<unknown>	DEFAULT	12
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x454a2c	0	OBJECT	<unknown>	DEFAULT	7
__CTOR_LIST__			.symtab	0x454a28	0	OBJECT	<unknown>	DEFAULT	7
__C_ctype_b			.symtab	0x455050	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x413290	768	OBJECT	<unknown>	DEFAULT	5
__C_ctype_tolower			.symtab	0x4553d0	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x4145c0	768	OBJECT	<unknown>	DEFAULT	5
__C_ctype_toupper			.symtab	0x455060	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x413590	768	OBJECT	<unknown>	DEFAULT	5
__DTOR_END__			.symtab	0x454a34	0	OBJECT	<unknown>	DEFAULT	8
__DTOR_LIST__			.symtab	0x454a30	0	OBJECT	<unknown>	DEFAULT	8
__EH_FRAME_BEGIN__			.symtab	0x414a24	0	OBJECT	<unknown>	DEFAULT	6
__FRAME_END__			.symtab	0x414a24	0	OBJECT	<unknown>	DEFAULT	6
__GI__C_ctype_b			.symtab	0x455050	4	OBJECT	<unknown>	HIDDEN	11
__GI__C_ctype_b_data			.symtab	0x413290	768	OBJECT	<unknown>	HIDDEN	5
__GI__C_ctype_tolower			.symtab	0x4553d0	4	OBJECT	<unknown>	HIDDEN	11
__GI__C_ctype_tolower_data			.symtab	0x4145c0	768	OBJECT	<unknown>	HIDDEN	5
__GI__C_ctype_toupper			.symtab	0x455060	4	OBJECT	<unknown>	HIDDEN	11
__GI__C_ctype_toupper_data			.symtab	0x413590	768	OBJECT	<unknown>	HIDDEN	5
__GI__ctype_b			.symtab	0x455054	4	OBJECT	<unknown>	HIDDEN	11
__GI__ctype_tolower			.symtab	0x4553d4	4	OBJECT	<unknown>	HIDDEN	11
__GI__ctype_toupper			.symtab	0x455064	4	OBJECT	<unknown>	HIDDEN	11
__GI__errno_location			.symtab	0x406cd0	24	FUNC	<unknown>	HIDDEN	3
__GI__fgetc_unlocked			.symtab	0x410640	388	FUNC	<unknown>	HIDDEN	3
__GI__glibc_strerror_r			.symtab	0x408b30	68	FUNC	<unknown>	HIDDEN	3
__GI__h_errno_location			.symtab	0x40b740	24	FUNC	<unknown>	HIDDEN	3
__GI__libc_fcntl			.symtab	0x406600	136	FUNC	<unknown>	HIDDEN	3
__GI__libc_fcntl64			.symtab	0x406690	104	FUNC	<unknown>	HIDDEN	3
__GI__libc_open			.symtab	0x4069a0	124	FUNC	<unknown>	HIDDEN	3
__GI__uClibc_fini			.symtab	0x40ad30	196	FUNC	<unknown>	HIDDEN	3
__GI__uClibc_init			.symtab	0x40ae8c	140	FUNC	<unknown>	HIDDEN	3
__GI__xpg_strerror_r			.symtab	0x408b80	392	FUNC	<unknown>	HIDDEN	3
__GI__exit			.symtab	0x406700	80	FUNC	<unknown>	HIDDEN	3
__GI__abort			.symtab	0x40dec0	428	FUNC	<unknown>	HIDDEN	3
__GI__atoi			.symtab	0x40a770	28	FUNC	<unknown>	HIDDEN	3
__GI__atol			.symtab	0x40a770	28	FUNC	<unknown>	HIDDEN	3
__GI__brk			.symtab	0x40e0a0	112	FUNC	<unknown>	HIDDEN	3
__GI__chdir			.symtab	0x406750	88	FUNC	<unknown>	HIDDEN	3
__GI__close			.symtab	0x4067b0	84	FUNC	<unknown>	HIDDEN	3
__GI__connect			.symtab	0x409560	84	FUNC	<unknown>	HIDDEN	3
__GI__errno			.symtab	0x45bb20	4	OBJECT	<unknown>	HIDDEN	14
__GI__exit			.symtab	0x40aa00	236	FUNC	<unknown>	HIDDEN	3
__GI__fclose			.symtab	0x40e170	512	FUNC	<unknown>	HIDDEN	3
__GI__fcntl			.symtab	0x406600	136	FUNC	<unknown>	HIDDEN	3
__GI__fcntl64			.symtab	0x406690	104	FUNC	<unknown>	HIDDEN	3
__GI__fflush_unlocked			.symtab	0x40ed00	628	FUNC	<unknown>	HIDDEN	3
__GI__fgetc_unlocked			.symtab	0x410640	388	FUNC	<unknown>	HIDDEN	3
__GI__fgets			.symtab	0x40ea90	216	FUNC	<unknown>	HIDDEN	3
__GI__fgets_unlocked			.symtab	0x40ef80	268	FUNC	<unknown>	HIDDEN	3
__GI__fopen			.symtab	0x40e370	28	FUNC	<unknown>	HIDDEN	3
__GI__fork			.symtab	0x406810	84	FUNC	<unknown>	HIDDEN	3
__GI__fputs_unlocked			.symtab	0x4083a0	128	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_fseek			.symtab	0x40e390	68	FUNC	<unknown>	HIDDEN	3
__GI_fseeko64			.symtab	0x40e3e0	388	FUNC	<unknown>	HIDDEN	3
__GI_fwrite_unlocked			.symtab	0x408420	280	FUNC	<unknown>	HIDDEN	3
__GI_getc_unlocked			.symtab	0x410640	388	FUNC	<unknown>	HIDDEN	3
__GI_getegid			.symtab	0x40b3d0	88	FUNC	<unknown>	HIDDEN	3
__GI_geteuid			.symtab	0x40b430	88	FUNC	<unknown>	HIDDEN	3
__GI_getgid			.symtab	0x40b490	84	FUNC	<unknown>	HIDDEN	3
__GI_gethostbyname			.symtab	0x409080	116	FUNC	<unknown>	HIDDEN	3
__GI_gethostbyname_r			.symtab	0x409100	1108	FUNC	<unknown>	HIDDEN	3
__GI_getpid			.symtab	0x406870	84	FUNC	<unknown>	HIDDEN	3
__GI_getsockname			.symtab	0x4095c0	84	FUNC	<unknown>	HIDDEN	3
__GI_getuid			.symtab	0x40b4f0	84	FUNC	<unknown>	HIDDEN	3
__GI_h_errno			.symtab	0x45bb24	4	OBJECT	<unknown>	HIDDEN	14
__GI_inet_addr			.symtab	0x409030	72	FUNC	<unknown>	HIDDEN	3
__GI_inet_aton			.symtab	0x40cf40	280	FUNC	<unknown>	HIDDEN	3
__GI_inet_ntoa			.symtab	0x40900c	32	FUNC	<unknown>	HIDDEN	3
__GI_inet_ntoa_r			.symtab	0x408f50	188	FUNC	<unknown>	HIDDEN	3
__GI_inet_ntop			.symtab	0x40f8a0	852	FUNC	<unknown>	HIDDEN	3
__GI_inet_pton			.symtab	0x40f3f0	700	FUNC	<unknown>	HIDDEN	3
__GI_initstate_r			.symtab	0x40a620	328	FUNC	<unknown>	HIDDEN	3
__GI_ioctl			.symtab	0x4068d0	104	FUNC	<unknown>	HIDDEN	3
__GI_isatty			.symtab	0x408de0	60	FUNC	<unknown>	HIDDEN	3
__GI_kill			.symtab	0x406940	88	FUNC	<unknown>	HIDDEN	3
__GI_lseek64			.symtab	0x410550	164	FUNC	<unknown>	HIDDEN	3
__GI_memchr			.symtab	0x40c7d0	264	FUNC	<unknown>	HIDDEN	3
__GI_memcpy			.symtab	0x408540	308	FUNC	<unknown>	HIDDEN	3
__GI_memmove			.symtab	0x40c8e0	816	FUNC	<unknown>	HIDDEN	3
__GI_mempcpy			.symtab	0x40cc10	76	FUNC	<unknown>	HIDDEN	3
__GI_memrchr			.symtab	0x40cc60	272	FUNC	<unknown>	HIDDEN	3
__GI_memset			.symtab	0x408680	144	FUNC	<unknown>	HIDDEN	3
__GI_nanosleep			.symtab	0x40b550	84	FUNC	<unknown>	HIDDEN	3
__GI_open			.symtab	0x4069a0	124	FUNC	<unknown>	HIDDEN	3
__GI_poll			.symtab	0x40e110	84	FUNC	<unknown>	HIDDEN	3
__GI_raise			.symtab	0x410500	76	FUNC	<unknown>	HIDDEN	3
__GI_random			.symtab	0x409ff0	164	FUNC	<unknown>	HIDDEN	3
__GI_random_r			.symtab	0x40a3fc	176	FUNC	<unknown>	HIDDEN	3
__GI_rawmemchr			.symtab	0x40f090	200	FUNC	<unknown>	HIDDEN	3
__GI_read			.symtab	0x406a40	84	FUNC	<unknown>	HIDDEN	3
__GI_recv			.symtab	0x4096a0	84	FUNC	<unknown>	HIDDEN	3
__GI_sbrk			.symtab	0x40b5b0	144	FUNC	<unknown>	HIDDEN	3
__GI_select			.symtab	0x406aa0	120	FUNC	<unknown>	HIDDEN	3
__GI_send			.symtab	0x409700	84	FUNC	<unknown>	HIDDEN	3
__GI_setsid			.symtab	0x406b20	84	FUNC	<unknown>	HIDDEN	3
__GI_setsockopt			.symtab	0x409760	120	FUNC	<unknown>	HIDDEN	3
__GI_setstate_r			.symtab	0x40a2c0	316	FUNC	<unknown>	HIDDEN	3
__GI_sigaction			.symtab	0x40b280	232	FUNC	<unknown>	HIDDEN	3
__GI_signal			.symtab	0x409840	252	FUNC	<unknown>	HIDDEN	3
__GI_sigprocmask			.symtab	0x40b640	148	FUNC	<unknown>	HIDDEN	3
__GI_sleep			.symtab	0x40aaf0	564	FUNC	<unknown>	HIDDEN	3
__GI_socket			.symtab	0x4097e0	84	FUNC	<unknown>	HIDDEN	3
__GI_sprintf			.symtab	0x406cf0	80	FUNC	<unknown>	HIDDEN	3
__GI_srandom_r			.symtab	0x40a4ac	372	FUNC	<unknown>	HIDDEN	3
__GI_strcasecmp			.symtab	0x408d50	108	FUNC	<unknown>	HIDDEN	3
__GI_strchr			.symtab	0x408710	256	FUNC	<unknown>	HIDDEN	3
__GI_strcmp			.symtab	0x408810	44	FUNC	<unknown>	HIDDEN	3
__GI_strcoll			.symtab	0x408810	44	FUNC	<unknown>	HIDDEN	3
__GI_strcpy			.symtab	0x408840	36	FUNC	<unknown>	HIDDEN	3
__GI_strdup			.symtab	0x40f270	144	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_strlen			.symtab	0x408870	184	FUNC	<unknown>	HIDDEN	3
__GI_strncat			.symtab	0x40f160	180	FUNC	<unknown>	HIDDEN	3
__GI_strncpy			.symtab	0x40cd70	188	FUNC	<unknown>	HIDDEN	3
__GI_strnlen			.symtab	0x408930	256	FUNC	<unknown>	HIDDEN	3
__GI_strpbrk			.symtab	0x40cf00	64	FUNC	<unknown>	HIDDEN	3
__GI_strspn			.symtab	0x40f220	76	FUNC	<unknown>	HIDDEN	3
__GI_strstr			.symtab	0x408a30	256	FUNC	<unknown>	HIDDEN	3
__GI_strtok			.symtab	0x408dc0	32	FUNC	<unknown>	HIDDEN	3
__GI_strtok_r			.symtab	0x40ce30	204	FUNC	<unknown>	HIDDEN	3
__GI_strtol			.symtab	0x40a790	28	FUNC	<unknown>	HIDDEN	3
__GI_tcgetattr			.symtab	0x408e20	176	FUNC	<unknown>	HIDDEN	3
__GI_time			.symtab	0x406b80	84	FUNC	<unknown>	HIDDEN	3
__GI_tolower			.symtab	0x410600	60	FUNC	<unknown>	HIDDEN	3
__GI_toupper			.symtab	0x406c90	60	FUNC	<unknown>	HIDDEN	3
__GI_vsnprintf			.symtab	0x406d40	260	FUNC	<unknown>	HIDDEN	3
__GI_wait4			.symtab	0x40b6e0	88	FUNC	<unknown>	HIDDEN	3
__GI_waitpid			.symtab	0x406be0	28	FUNC	<unknown>	HIDDEN	3
__GI_wctomb			.symtab	0x40b760	112	FUNC	<unknown>	HIDDEN	3
__GI_wcsnrtombs			.symtab	0x40b810	228	FUNC	<unknown>	HIDDEN	3
__GI_wcsrtombs			.symtab	0x40b7d0	64	FUNC	<unknown>	HIDDEN	3
__GI_write			.symtab	0x406c00	84	FUNC	<unknown>	HIDDEN	3
__JCR_END__			.symtab	0x454a38	0	OBJECT	<unknown>	DEFAULT	9
__JCR_LIST__			.symtab	0x454a38	0	OBJECT	<unknown>	DEFAULT	9
__app_fini			.symtab	0x45bb0c	4	OBJECT	<unknown>	HIDDEN	14
__atexit_lock			.symtab	0x4553a0	24	OBJECT	<unknown>	DEFAULT	11
__bsd_signal			.symtab	0x409840	252	FUNC	<unknown>	HIDDEN	3
__bss_start			.symtab	0x455860	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x40ae04	136	FUNC	<unknown>	DEFAULT	3
__ctype_b			.symtab	0x455054	4	OBJECT	<unknown>	DEFAULT	11
__ctype_tolower			.symtab	0x4553d4	4	OBJECT	<unknown>	DEFAULT	11
__ctype_toupper			.symtab	0x455064	4	OBJECT	<unknown>	DEFAULT	11
__curbrk			.symtab	0x45bb60	4	OBJECT	<unknown>	HIDDEN	14
__data_start			.symtab	0x454f30	0	OBJECT	<unknown>	DEFAULT	11
__decode_answer			.symtab	0x40ff00	340	FUNC	<unknown>	HIDDEN	3
__decode_dotted			.symtab	0x4108f0	340	FUNC	<unknown>	HIDDEN	3
__decode_header			.symtab	0x40fd10	228	FUNC	<unknown>	HIDDEN	3
__deregister_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__dns_lookup			.symtab	0x40d060	2568	FUNC	<unknown>	HIDDEN	3
__do_global_ctors_aux			.symtab	0x410c80	0	FUNC	<unknown>	DEFAULT	3
__do_global_dtors_aux			.symtab	0x400160	0	FUNC	<unknown>	DEFAULT	3
__dso_handle			.symtab	0x454f10	0	OBJECT	<unknown>	HIDDEN	11
__encode_dotted			.symtab	0x4107d0	280	FUNC	<unknown>	HIDDEN	3
__encode_header			.symtab	0x40fc00	272	FUNC	<unknown>	HIDDEN	3
__encode_question			.symtab	0x40fe00	172	FUNC	<unknown>	HIDDEN	3
__environ			.symtab	0x45bb04	4	OBJECT	<unknown>	DEFAULT	14
__errno_location			.symtab	0x406cd0	24	FUNC	<unknown>	DEFAULT	3
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x45baf0	4	OBJECT	<unknown>	HIDDEN	14
__fgetc_unlocked			.symtab	0x410640	388	FUNC	<unknown>	DEFAULT	3
__fini_array_end			.symtab	0x454a28	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x454a28	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x40de50	104	FUNC	<unknown>	HIDDEN	3
__glibc_strerror_r			.symtab	0x408b30	68	FUNC	<unknown>	DEFAULT	3
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x40b740	24	FUNC	<unknown>	DEFAULT	3
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__heap_alloc			.symtab	0x409d50	188	FUNC	<unknown>	DEFAULT	3
__heap_free			.symtab	0x409e58	364	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__heap_link_free_area			.symtab	0x409e10	44	FUNC	<unknown>	DEFAULT	3
__heap_link_free_area_after			.symtab	0x409e3c	28	FUNC	<unknown>	DEFAULT	3
__init_array_end			.symtab	0x454a28	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x454a28	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x410a50	72	FUNC	<unknown>	HIDDEN	3
__length_question			.symtab	0x40feb0	72	FUNC	<unknown>	HIDDEN	3
__libc_close			.symtab	0x4067b0	84	FUNC	<unknown>	DEFAULT	3
__libc_connect			.symtab	0x409560	84	FUNC	<unknown>	DEFAULT	3
__libc_creat			.symtab	0x406a1c	28	FUNC	<unknown>	DEFAULT	3
__libc_fcntl			.symtab	0x406600	136	FUNC	<unknown>	DEFAULT	3
__libc_fcntl64			.symtab	0x406690	104	FUNC	<unknown>	DEFAULT	3
__libc_fork			.symtab	0x406810	84	FUNC	<unknown>	DEFAULT	3
__libc_getpid			.symtab	0x406870	84	FUNC	<unknown>	DEFAULT	3
__libc_lseek64			.symtab	0x410550	164	FUNC	<unknown>	DEFAULT	3
__libc_nanosleep			.symtab	0x40b550	84	FUNC	<unknown>	DEFAULT	3
__libc_open			.symtab	0x4069a0	124	FUNC	<unknown>	DEFAULT	3
__libc_poll			.symtab	0x40e110	84	FUNC	<unknown>	DEFAULT	3
__libc_read			.symtab	0x406a40	84	FUNC	<unknown>	DEFAULT	3
__libc_recv			.symtab	0x4096a0	84	FUNC	<unknown>	DEFAULT	3
__libc_select			.symtab	0x406aa0	120	FUNC	<unknown>	DEFAULT	3
__libc_send			.symtab	0x409700	84	FUNC	<unknown>	DEFAULT	3
__libc_sigaction			.symtab	0x40b280	232	FUNC	<unknown>	DEFAULT	3
__libc_stack_end			.symtab	0x45bb00	4	OBJECT	<unknown>	DEFAULT	14
__libc_waitpid			.symtab	0x406be0	28	FUNC	<unknown>	DEFAULT	3
__libc_write			.symtab	0x406c00	84	FUNC	<unknown>	DEFAULT	3
__malloc_heap			.symtab	0x4552d0	4	OBJECT	<unknown>	DEFAULT	11
__malloc_heap_lock			.symtab	0x45bad0	24	OBJECT	<unknown>	DEFAULT	14
__malloc_sbrk_lock			.symtab	0x45bbf0	24	OBJECT	<unknown>	DEFAULT	14
__nameserver			.symtab	0x45bc18	12	OBJECT	<unknown>	HIDDEN	14
__nameservers			.symtab	0x455868	4	OBJECT	<unknown>	HIDDEN	13
__open_etc_hosts			.symtab	0x410060	108	FUNC	<unknown>	HIDDEN	3
__open_nameservers			.symtab	0x40da70	984	FUNC	<unknown>	HIDDEN	3
__pagesize			.symtab	0x45bb08	4	OBJECT	<unknown>	DEFAULT	14
__preinit_array_end			.symtab	0x454a28	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x454a28	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x40adf4	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_lock			.symtab	0x40adf4	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_trylock			.symtab	0x40adf4	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_unlock			.symtab	0x40adf4	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_0			.symtab	0x40adf4	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_void			.symtab	0x40adfc	8	FUNC	<unknown>	DEFAULT	3
__raise			.symtab	0x410500	76	FUNC	<unknown>	HIDDEN	3
__read_etc_hosts_r			.symtab	0x4100cc	1076	FUNC	<unknown>	HIDDEN	3
__register_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x4553f0	24	OBJECT	<unknown>	DEFAULT	11
__rtdl_fini			.symtab	0x45bb10	4	OBJECT	<unknown>	HIDDEN	14
__searchdomain			.symtab	0x45bc08	16	OBJECT	<unknown>	HIDDEN	14
__searchdomains			.symtab	0x45586c	4	OBJECT	<unknown>	HIDDEN	13
__sigaddset			.symtab	0x409968	44	FUNC	<unknown>	DEFAULT	3
__sigdelset			.symtab	0x409994	48	FUNC	<unknown>	DEFAULT	3
__sigismember			.symtab	0x409940	40	FUNC	<unknown>	DEFAULT	3
__start			.symtab	0x4002a0	100	FUNC	<unknown>	DEFAULT	3
__stdin			.symtab	0x4550bc	4	OBJECT	<unknown>	DEFAULT	11
__stdio_READ			.symtab	0x410aa0	140	FUNC	<unknown>	HIDDEN	3
__stdio_WRITE			.symtab	0x40b900	280	FUNC	<unknown>	HIDDEN	3
__stdio_adjust_position			.symtab	0x40e570	320	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__stdio_fwrit			.symtab	0x40ba20	472	FUNC	<unknown>	HIDDEN	3
__stdio_init_mutex			.symtab	0x406f08	32	FUNC	<unknown>	HIDDEN	3
__stdio_mutex_initializer.3833			.symtab	0x413890	24	OBJECT	<unknown>	DEFAULT	5
__stdio_rfill			.symtab	0x410b30	88	FUNC	<unknown>	HIDDEN	3
__stdio_seek			.symtab	0x40ea20	112	FUNC	<unknown>	HIDDEN	3
__stdio_trans2r_o			.symtab	0x410b90	228	FUNC	<unknown>	HIDDEN	3
__stdio_trans2w_o			.symtab	0x40bc00	308	FUNC	<unknown>	HIDDEN	3
__stdio_wcommit			.symtab	0x407050	100	FUNC	<unknown>	HIDDEN	3
__stdout			.symtab	0x4550c0	4	OBJECT	<unknown>	DEFAULT	11
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x40b370	84	FUNC	<unknown>	HIDDEN	3
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x40ad30	196	FUNC	<unknown>	DEFAULT	3
__uClibc_init			.symtab	0x40ae8c	140	FUNC	<unknown>	DEFAULT	3
__uClibc_main			.symtab	0x40af18	864	FUNC	<unknown>	DEFAULT	3
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uclibc_progname			.symtab	0x4553c0	4	OBJECT	<unknown>	HIDDEN	11
__xpg_strerror_r			.symtab	0x408b80	392	FUNC	<unknown>	DEFAULT	3
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0x4070c0	128	FUNC	<unknown>	DEFAULT	3
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x40e070	44	FUNC	<unknown>	DEFAULT	3
_dl_phdr			.symtab	0x455870	4	OBJECT	<unknown>	DEFAULT	13
_dl_phnum			.symtab	0x455874	4	OBJECT	<unknown>	DEFAULT	13
_edata			.symtab	0x455860	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x45bc24	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x45bb20	4	OBJECT	<unknown>	DEFAULT	14
_exit			.symtab	0x406700	80	FUNC	<unknown>	DEFAULT	3
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fbss			.symtab	0x455860	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_fdata			.symtab	0x454f10	0	NOTYPE	<unknown>	DEFAULT	11
_fini			.symtab	0x410cf0	28	FUNC	<unknown>	DEFAULT	4
_fixed_buffers			.symtab	0x4598c8	8192	OBJECT	<unknown>	DEFAULT	14
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x407140	228	FUNC	<unknown>	DEFAULT	3
_fpmaxtostr			.symtab	0x40bf80	2120	FUNC	<unknown>	HIDDEN	3
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ftext			.symtab	0x400160	0	NOTYPE	<unknown>	DEFAULT	3
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_gp			.symtab	0x45d420	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_gp_disp			.symtab	0x0	0	OBJECT	<unknown>	DEFAULT	SHN_UNDE F
_h_errno			.symtab	0x45bb24	4	OBJECT	<unknown>	DEFAULT	14
_init			.symtab	0x4000cc	28	FUNC	<unknown>	DEFAULT	2
_load_inttype			.symtab	0x40bd40	136	FUNC	<unknown>	HIDDEN	3
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x4079d0	220	FUNC	<unknown>	HIDDEN	3
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x407dac	1512	FUNC	<unknown>	HIDDEN	3
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x407ab0	100	FUNC	<unknown>	HIDDEN	3
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x407b20	544	FUNC	<unknown>	HIDDEN	3
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x407d40	108	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_pop_restore			.symtab	0x40adfc	8	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_push_defer			.symtab	0x40adfc	8	FUNC	<unknown>	DEFAULT	3


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signintr			.symtab	0x45bb70	128	OBJECT	<unknown>	HIDDEN	14
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x40e6b0	880	FUNC	<unknown>	HIDDEN	3
_stdio_init			.symtab	0x406e50	184	FUNC	<unknown>	HIDDEN	3
_stdio_openlist			.symtab	0x4550c4	4	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_add_lock			.symtab	0x455070	24	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_dec_use			.symtab	0x40eb70	400	FUNC	<unknown>	DEFAULT	3
_stdio_openlist_del_count			.symtab	0x4598c4	4	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_del_lock			.symtab	0x455088	24	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_use_count			.symtab	0x4598c0	4	OBJECT	<unknown>	DEFAULT	14
_stdio_streams			.symtab	0x4550c8	240	OBJECT	<unknown>	DEFAULT	11
_stdio_term			.symtab	0x406f28	284	FUNC	<unknown>	HIDDEN	3
_stdio_user_locking			.symtab	0x4550a0	4	OBJECT	<unknown>	DEFAULT	11
_stdlib_strto_l			.symtab	0x40a7b0	592	FUNC	<unknown>	HIDDEN	3
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x40bdd0	68	FUNC	<unknown>	HIDDEN	3
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x413a00	2934	OBJECT	<unknown>	HIDDEN	5
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x40be20	340	FUNC	<unknown>	HIDDEN	3
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x407224	1960	FUNC	<unknown>	HIDDEN	3
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x40dec0	428	FUNC	<unknown>	DEFAULT	3
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x40a770	28	FUNC	<unknown>	DEFAULT	3
atol			.symtab	0x40a770	28	FUNC	<unknown>	DEFAULT	3
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bcopy			.symtab	0x408d10	32	FUNC	<unknown>	DEFAULT	3
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x45bb50	4	OBJECT	<unknown>	DEFAULT	14
been_there_done_that.2792			.symtab	0x45bb14	4	OBJECT	<unknown>	DEFAULT	14
bot.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x40e0a0	112	FUNC	<unknown>	DEFAULT	3
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x409840	252	FUNC	<unknown>	DEFAULT	3
buf.2613			.symtab	0x45b8e0	16	OBJECT	<unknown>	DEFAULT	14
buf.4833			.symtab	0x45b8f0	460	OBJECT	<unknown>	DEFAULT	14
bzero			.symtab	0x408d30	28	FUNC	<unknown>	DEFAULT	3
bzero.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
c			.symtab	0x454f44	4	OBJECT	<unknown>	DEFAULT	11
chdir			.symtab	0x406750	88	FUNC	<unknown>	DEFAULT	3
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x4067b0	84	FUNC	<unknown>	DEFAULT	3
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x454f50	4	OBJECT	<unknown>	DEFAULT	11
completed.2296			.symtab	0x455880	1	OBJECT	<unknown>	DEFAULT	14
connect			.symtab	0x409560	84	FUNC	<unknown>	DEFAULT	3
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x401dd8	828	FUNC	<unknown>	DEFAULT	3
creat			.symtab	0x406a1c	28	FUNC	<unknown>	DEFAULT	3
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
currentServer			.symtab	0x454f40	4	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
data_start			.symtab	0x454f30	0	OBJECT	<unknown>	DEFAULT	11
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dns			.symtab	0x454f54	4	OBJECT	<unknown>	DEFAULT	11
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x45bb04	4	OBJECT	<unknown>	DEFAULT	14
errno			.symtab	0x45bb20	4	OBJECT	<unknown>	DEFAULT	14
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
estridx			.symtab	0x413970	126	OBJECT	<unknown>	DEFAULT	5
exit			.symtab	0x40aa00	236	FUNC	<unknown>	DEFAULT	3
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x414918	72	OBJECT	<unknown>	DEFAULT	5
fclose			.symtab	0x40e170	512	FUNC	<unknown>	DEFAULT	3
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x406600	136	FUNC	<unknown>	DEFAULT	3
fcntl64			.symtab	0x406690	104	FUNC	<unknown>	DEFAULT	3
fdgets			.symtab	0x4006c0	292	FUNC	<unknown>	DEFAULT	3
fflush_unlocked			.symtab	0x40ed00	628	FUNC	<unknown>	DEFAULT	3
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x410640	388	FUNC	<unknown>	DEFAULT	3
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x40ea90	216	FUNC	<unknown>	DEFAULT	3
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x40ef80	268	FUNC	<unknown>	DEFAULT	3
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x414900	20	OBJECT	<unknown>	DEFAULT	5
fopen			.symtab	0x40e370	28	FUNC	<unknown>	DEFAULT	3
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x406810	84	FUNC	<unknown>	DEFAULT	3
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x4083a0	128	FUNC	<unknown>	DEFAULT	3
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x40021c	0	FUNC	<unknown>	DEFAULT	3
free			.symtab	0x409bc0	396	FUNC	<unknown>	DEFAULT	3
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x40e390	68	FUNC	<unknown>	DEFAULT	3
fseeko			.symtab	0x40e390	68	FUNC	<unknown>	DEFAULT	3
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x40e3e0	388	FUNC	<unknown>	DEFAULT	3
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x408420	280	FUNC	<unknown>	DEFAULT	3
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getArch			.symtab	0x4046cc	56	FUNC	<unknown>	DEFAULT	3
getHost			.symtab	0x4019cc	160	FUNC	<unknown>	DEFAULT	3
getOurIP			.symtab	0x4007e4	904	FUNC	<unknown>	DEFAULT	3
getRandomIP			.symtab	0x400614	172	FUNC	<unknown>	DEFAULT	3
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x410640	388	FUNC	<unknown>	DEFAULT	3
getegid			.symtab	0x40b3d0	88	FUNC	<unknown>	DEFAULT	3
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x40b430	88	FUNC	<unknown>	DEFAULT	3
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x40b490	84	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x409080	116	FUNC	<unknown>	DEFAULT	3
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x409100	1108	FUNC	<unknown>	DEFAULT	3
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x406870	84	FUNC	<unknown>	DEFAULT	3
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x4095c0	84	FUNC	<unknown>	DEFAULT	3
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x409620	120	FUNC	<unknown>	DEFAULT	3
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x40b4f0	84	FUNC	<unknown>	DEFAULT	3
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.4832			.symtab	0x45babc	20	OBJECT	<unknown>	DEFAULT	14
h_errno			.symtab	0x45bb24	4	OBJECT	<unknown>	DEFAULT	14
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
hlt			.symtab	0x4002fc	0	NOTYPE	<unknown>	DEFAULT	3
htonl			.symtab	0x408f10	40	FUNC	<unknown>	DEFAULT	3
htons			.symtab	0x408f38	24	FUNC	<unknown>	DEFAULT	3
i.4123			.symtab	0x454f48	4	OBJECT	<unknown>	DEFAULT	11
index			.symtab	0x408710	256	FUNC	<unknown>	DEFAULT	3
inet_addr			.symtab	0x409030	72	FUNC	<unknown>	DEFAULT	3
inet_aton			.symtab	0x40cf40	280	FUNC	<unknown>	DEFAULT	3
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x40900c	32	FUNC	<unknown>	DEFAULT	3
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x408f50	188	FUNC	<unknown>	DEFAULT	3
inet_ntop			.symtab	0x40f8a0	852	FUNC	<unknown>	DEFAULT	3
inet_ntop4			.symtab	0x40f6ac	500	FUNC	<unknown>	DEFAULT	3
inet_pton			.symtab	0x40f3f0	700	FUNC	<unknown>	DEFAULT	3
inet_pton4			.symtab	0x40f300	240	FUNC	<unknown>	DEFAULT	3
initConnection			.symtab	0x4057ac	592	FUNC	<unknown>	DEFAULT	3
init_rand			.symtab	0x400310	300	FUNC	<unknown>	DEFAULT	3
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x4551c0	264	OBJECT	<unknown>	DEFAULT	11
initstate			.symtab	0x40a144	208	FUNC	<unknown>	DEFAULT	3
initstate_r			.symtab	0x40a620	328	FUNC	<unknown>	DEFAULT	3
ioctl			.symtab	0x4068d0	104	FUNC	<unknown>	DEFAULT	3
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x408de0	60	FUNC	<unknown>	DEFAULT	3
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x406c60	44	FUNC	<unknown>	DEFAULT	3
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x406940	88	FUNC	<unknown>	DEFAULT	3
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x402114	632	FUNC	<unknown>	DEFAULT	3
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x410550	164	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
macAddress			.symtab	0x4558b0	6	OBJECT	<unknown>	DEFAULT	14
main			.symtab	0x4059fc	3072	FUNC	<unknown>	DEFAULT	3
mainCommSock			.symtab	0x4558a0	4	OBJECT	<unknown>	DEFAULT	14
malloc			.symtab	0x4099d0	492	FUNC	<unknown>	DEFAULT	3
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memchr			.symtab	0x40c7d0	264	FUNC	<unknown>	DEFAULT	3
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x408540	308	FUNC	<unknown>	DEFAULT	3
memmove			.symtab	0x40c8e0	816	FUNC	<unknown>	DEFAULT	3
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x40cc10	76	FUNC	<unknown>	DEFAULT	3
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x40cc60	272	FUNC	<unknown>	DEFAULT	3
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x408680	144	FUNC	<unknown>	DEFAULT	3
mylock			.symtab	0x4552e0	24	OBJECT	<unknown>	DEFAULT	11
mylock			.symtab	0x45bb30	24	OBJECT	<unknown>	DEFAULT	14
mylock			.symtab	0x455410	24	OBJECT	<unknown>	DEFAULT	11
nanosleep			.symtab	0x40b550	84	FUNC	<unknown>	DEFAULT	3
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1065			.symtab	0x45b8d0	4	OBJECT	<unknown>	DEFAULT	14
ntohl			.symtab	0x408ed0	40	FUNC	<unknown>	DEFAULT	3
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x408ef8	24	FUNC	<unknown>	DEFAULT	3
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numuids			.symtab	0x4558a8	8	OBJECT	<unknown>	DEFAULT	14
object.2349			.symtab	0x455884	24	OBJECT	<unknown>	DEFAULT	14
open			.symtab	0x4069a0	124	FUNC	<unknown>	DEFAULT	3
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x455860	4	OBJECT	<unknown>	DEFAULT	13
ovhl7			.symtab	0x402ec0	4756	FUNC	<unknown>	DEFAULT	3
p.2294			.symtab	0x454f20	0	OBJECT	<unknown>	DEFAULT	11
pids			.symtab	0x455864	4	OBJECT	<unknown>	DEFAULT	13
poll			.symtab	0x40e110	84	FUNC	<unknown>	DEFAULT	3
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4045			.symtab	0x4138c0	12	OBJECT	<unknown>	DEFAULT	5
print			.symtab	0x4012c4	1456	FUNC	<unknown>	DEFAULT	3
printchar			.symtab	0x400d38	184	FUNC	<unknown>	DEFAULT	3
printi			.symtab	0x40102c	664	FUNC	<unknown>	DEFAULT	3
prints			.symtab	0x400df0	572	FUNC	<unknown>	DEFAULT	3
processCmd			.symtab	0x404704	4264	FUNC	<unknown>	DEFAULT	3
qual_chars.4050			.symtab	0x4138e0	20	OBJECT	<unknown>	DEFAULT	5
raise			.symtab	0x410500	76	FUNC	<unknown>	DEFAULT	3
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x409fd0	28	FUNC	<unknown>	DEFAULT	3
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmw			.symtab	0x40043c	472	FUNC	<unknown>	DEFAULT	3
random			.symtab	0x409ff0	164	FUNC	<unknown>	DEFAULT	3
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x414580	40	OBJECT	<unknown>	DEFAULT	5
random_r			.symtab	0x40a3fc	176	FUNC	<unknown>	DEFAULT	3
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x4552f8	128	OBJECT	<unknown>	DEFAULT	11
rawmemchr			.symtab	0x40f090	200	FUNC	<unknown>	DEFAULT	3
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x406a40	84	FUNC	<unknown>	DEFAULT	3
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x4096a0	84	FUNC	<unknown>	DEFAULT	3
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x401a6c	876	FUNC	<unknown>	DEFAULT	3
sbrk			.symtab	0x40b5b0	144	FUNC	<unknown>	DEFAULT	3
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
select			.symtab	0x406aa0	120	FUNC	<unknown>	DEFAULT	3
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x409700	84	FUNC	<unknown>	DEFAULT	3
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendHTTPtwo			.symtab	0x404414	696	FUNC	<unknown>	DEFAULT	3
setsid			.symtab	0x406b20	84	FUNC	<unknown>	DEFAULT	3
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x409760	120	FUNC	<unknown>	DEFAULT	3
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x40a094	176	FUNC	<unknown>	DEFAULT	3
setstate_r			.symtab	0x40a2c0	316	FUNC	<unknown>	DEFAULT	3
sigaction			.symtab	0x40b280	232	FUNC	<unknown>	DEFAULT	3
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0x409840	252	FUNC	<unknown>	DEFAULT	3
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x40b640	148	FUNC	<unknown>	DEFAULT	3
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x40aaf0	564	FUNC	<unknown>	DEFAULT	3
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x4097e0	84	FUNC	<unknown>	DEFAULT	3
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x40238c	444	FUNC	<unknown>	DEFAULT	3
sockprintf			.symtab	0x401874	344	FUNC	<unknown>	DEFAULT	3
spec_and_mask.4049			.symtab	0x4138f4	16	OBJECT	<unknown>	DEFAULT	5
spec_base.4044			.symtab	0x4138cc	7	OBJECT	<unknown>	DEFAULT	5
spec_chars.4046			.symtab	0x413920	21	OBJECT	<unknown>	DEFAULT	5
spec_flags.4045			.symtab	0x413938	8	OBJECT	<unknown>	DEFAULT	5
spec_or_mask.4048			.symtab	0x413904	16	OBJECT	<unknown>	DEFAULT	5
spec_ranges.4047			.symtab	0x413914	9	OBJECT	<unknown>	DEFAULT	5
sprintf			.symtab	0x406cf0	80	FUNC	<unknown>	DEFAULT	3
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x40a214	172	FUNC	<unknown>	DEFAULT	3
srandom			.symtab	0x40a214	172	FUNC	<unknown>	DEFAULT	3
srandom_r			.symtab	0x40a4ac	372	FUNC	<unknown>	DEFAULT	3
static_id			.symtab	0x4553e0	2	OBJECT	<unknown>	DEFAULT	11
static_ns			.symtab	0x455bb48	4	OBJECT	<unknown>	DEFAULT	14
stderr			.symtab	0x4550b8	4	OBJECT	<unknown>	DEFAULT	11
stdin			.symtab	0x4550b0	4	OBJECT	<unknown>	DEFAULT	11
stdout			.symtab	0x4550b4	4	OBJECT	<unknown>	DEFAULT	11
strcasecmp			.symtab	0x408d50	108	FUNC	<unknown>	DEFAULT	3
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x408710	256	FUNC	<unknown>	DEFAULT	3
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x408810	44	FUNC	<unknown>	DEFAULT	3
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x408810	44	FUNC	<unknown>	DEFAULT	3
strcpy			.symtab	0x408840	36	FUNC	<unknown>	DEFAULT	3
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strdup			.symtab	0x40f270	144	FUNC	<unknown>	DEFAULT	3
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x408b80	392	FUNC	<unknown>	DEFAULT	3



TCP Packets

HTTPS Packets

Timestamp	Source IP	Source Port	Dest IP	Dest Port	Subject	Issuer	Not Before	Not After	JA3 SSL Client Fingerprint	JA3 SSL Client Digest
Jan 21, 2022 08:09:30.295916 080 CET	54.171.230.55	443	192.168.2.23	33608	CN=motd.ubuntu.com CN=R3, O=Let's Encrypt, C=US CN=ISRG Root X1, O=Internet Security Research Group, C=US	CN=R3, O=Let's Encrypt, C=US CN=ISRG Root X1, O=Internet Security Research Group, C=US CN=DST Root CA X3, O=Digital Signature Trust Co.	Mon Nov 22 12:20:38 CET 2021	Sun Feb 20 12:20:37 CET 2022		
					CN=R3, O=Let's Encrypt, C=US	CN=ISRG Root X1, O=Internet Security Research Group, C=US	Fri Sep 04 02:00:00 CEST 2020	Mon Sep 15 18:00:00 CEST 2025		
					CN=ISRG Root X1, O=Internet Security Research Group, C=US	CN=DST Root CA X3, O=Digital Signature Trust Co.	Wed Jan 20 20:14:03 CET 2021	Mon Sep 30 20:14:03 CEST 2024		

System Behavior

Analysis Process: fuckjewishpeople.mpsl PID: 5279, Parent PID: 5174

General

Start time:

08:09:26

Start date:

21/01/2022

Path:

/tmp/fuckjewishpeople.mpsl

Arguments:

/tmp/fuckjewishpeople.mpsl

File size:

5773336 bytes

MD5 hash:

0d6f61f82cf2f781c6eb0661071d42d9

File Activities

File Read

Analysis Process: fuckjewishpeople.mpsl PID: 5281, Parent PID: 5279	
General	
Start time:	08:09:27
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.mpsl
Arguments:	n/a
File size:	5773336 bytes
MD5 hash:	0d6f61f82cf2f781c6eb0661071d42d9

Analysis Process: fuckjewishpeople.mpsl PID: 5283, Parent PID: 5281	
General	
Start time:	08:09:27
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.mpsl
Arguments:	n/a
File size:	5773336 bytes
MD5 hash:	0d6f61f82cf2f781c6eb0661071d42d9

Analysis Process: dash PID: 5287, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cat PID: 5287, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/cat
Arguments:	cat /tmp/tmp.40ubCHwJAq
File size:	43416 bytes
MD5 hash:	7e9d213e404ad3bb82e4ebb2e1f2c1b3

File Activities	
File Read	

Analysis Process: dash PID: 5288, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: head PID: 5288, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/head
Arguments:	head -n 10

File size:	47480 bytes
MD5 hash:	fd96a67145172477dd57131396fc9608

File Activities

File Read

Analysis Process: dash PID: 5289, Parent PID: 4332

General

Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: tr PID: 5289, Parent PID: 4332

General

Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/tr
Arguments:	tr -d \000-\011\013\014\016-\037
File size:	51544 bytes
MD5 hash:	fbd1402dd9f72d8ebfff00ce7c3a7bb5

File Activities

File Read

Analysis Process: dash PID: 5290, Parent PID: 4332

General

Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cut PID: 5290, Parent PID: 4332

General

Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/cut
Arguments:	cut -c -80
File size:	47480 bytes
MD5 hash:	d8ed0ea8f22c0de0f8692d4d9f1759d3

File Activities

File Read

Analysis Process: dash PID: 5291, Parent PID: 4332

General

Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes

MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c
-----------	----------------------------------

Analysis Process: cat PID: 5291, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/cat
Arguments:	cat /tmp/tmp.40ubCHwJAq
File size:	43416 bytes
MD5 hash:	7e9d213e404ad3bb82e4ebb2e1f2c1b3

File Activities	
File Read	

Analysis Process: dash PID: 5292, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: head PID: 5292, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/head
Arguments:	head -n 10
File size:	47480 bytes
MD5 hash:	fd96a67145172477dd57131396fc9608

File Activities	
File Read	

Analysis Process: dash PID: 5293, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: tr PID: 5293, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/tr
Arguments:	tr -d \000-\011\013\014\016-\037
File size:	51544 bytes
MD5 hash:	fbd1402dd9f72d8ebfff00ce7c3a7bb5

File Activities	
File Read	

Analysis Process: dash PID: 5294, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cut PID: 5294, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/cut
Arguments:	cut -c -80
File size:	47480 bytes
MD5 hash:	d8ed0ea8f22c0de0f8692d4d9f1759d3

File Activities	
File Read	
File Written	

Analysis Process: dash PID: 5295, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: rm PID: 5295, Parent PID: 4332	
General	
Start time:	08:09:30
Start date:	21/01/2022
Path:	/usr/bin/rm
Arguments:	rm -f /tmp/tmp.40ubCHwJAq /tmp/tmp.bCRgpfFGIz /tmp/tmp.Q77njlbz4T
File size:	72056 bytes
MD5 hash:	aa2b5496fdbfd88e38791ab81f90b95b

File Activities	
File Deleted	
File Read	