

JOeSandbox Cloud BASIC



ID: 557494

Sample Name:
fuckjewishpeople.arm6

Cookbook:
defaultlinuxfilecookbook.jbs

Time: 08:17:30

Date: 21/01/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report fuckjewishpeople.arm6	4
Overview	4
General Information	4
Detection	4
Signatures	4
Classification	4
Analysis Advice	4
General Information	4
Runtime Messages	4
Process Tree	5
Yara Overview	5
Initial Sample	5
Memory Dumps	5
Jbx Signature Overview	5
AV Detection	5
Spreading	5
Stealing of Sensitive Information	5
Remote Access Functionality	6
Mitre Att&ck Matrix	6
Malware Configuration	6
Behavior Graph	6
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	7
Domains	7
URLs	7
Domains and IPs	8
Contacted Domains	8
URLs from Memory and Binaries	8
World Map of Contacted IPs	8
Public IPs	8
Joe Sandbox View / Context	8
IPs	8
Domains	8
ASNs	8
JA3 Fingerprints	8
Dropped Files	9
Created / dropped Files	9
/var/cache/motd-news	9
Static File Info	9
General	9
Static ELF Info	9
ELF header	9
Sections	9
Program Segments	10
Symbols	10
Network Behavior	28
Network Port Distribution	28
TCP Packets	28
System Behavior	28
Analysis Process: dash PID: 5214, Parent PID: 4331	28
General	28
Analysis Process: cat PID: 5214, Parent PID: 4331	29
General	29
File Activities	29
File Read	29
Analysis Process: dash PID: 5215, Parent PID: 4331	29
General	29
Analysis Process: head PID: 5215, Parent PID: 4331	29
General	29
File Activities	29
File Read	29
Analysis Process: dash PID: 5216, Parent PID: 4331	29
General	29
Analysis Process: tr PID: 5216, Parent PID: 4331	29
General	29
File Activities	30
File Read	30
Analysis Process: dash PID: 5217, Parent PID: 4331	30
General	30
Analysis Process: cut PID: 5217, Parent PID: 4331	30
General	30
File Activities	30
File Read	30
Analysis Process: dash PID: 5218, Parent PID: 4331	30
General	30

Analysis Process: cat PID: 5218, Parent PID: 4331	30
General	30
File Activities	30
File Read	30
Analysis Process: dash PID: 5219, Parent PID: 4331	30
General	30
Analysis Process: head PID: 5219, Parent PID: 4331	31
General	31
File Activities	31
File Read	31
Analysis Process: dash PID: 5220, Parent PID: 4331	31
General	31
Analysis Process: tr PID: 5220, Parent PID: 4331	31
General	31
File Activities	31
File Read	31
Analysis Process: dash PID: 5221, Parent PID: 4331	31
General	31
Analysis Process: cut PID: 5221, Parent PID: 4331	31
General	31
File Activities	31
File Read	31
File Written	31
Analysis Process: dash PID: 5222, Parent PID: 4331	32
General	32
Analysis Process: rm PID: 5222, Parent PID: 4331	32
General	32
File Activities	32
File Deleted	32
File Read	32
Analysis Process: fuckjewishpeople.arm6 PID: 5226, Parent PID: 5107	32
General	32
File Activities	32
File Read	32
Analysis Process: fuckjewishpeople.arm6 PID: 5228, Parent PID: 5226	32
General	32
Analysis Process: fuckjewishpeople.arm6 PID: 5230, Parent PID: 5228	32
General	32

Linux Analysis Report

fuckjewishpeople.arm6

Overview

General Information

Sample Name:	fuckjewishpeople.arm6
Analysis ID:	557494
MD5:	3cb08428c38388..
SHA1:	63e051d4e15ab2..
SHA256:	ff2f8d288108f34...
Tags:	elfgafgyt
Infos:	↑↓ Yara

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Gafgyt

Mirai

Score:	76
Range:	0 - 100
Whitelisted:	false

Signatures

Antivirus / Scanner detection for sub...

Yara detected Mirai

Multi AV Scanner detection for subm...

Yara detected Gafgyt

Opens /proc/net/* files useful for fin...

Sample contains strings that are us...

Uses the "uname" system call to qu...

Tries to connect to HTTP servers, b...

Detected TCP or UDP traffic on non...

Executes the "rm" command used t...

Classification

Analysis Advice

Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures
All HTTP servers contacted by the sample do not answer. Likely the sample is an old dropper which does no longer work
Static ELF header machine description suggests that the sample might not execute correctly on this machine

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	557494
Start date:	21.01.2022
Start time:	08:17:30
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 29s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	fuckjewishpeople.arm6
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal76.spre.troj.linARM6@0/1@0/0

Runtime Messages

Command:	/tmp/fuckjewishpeople.arm6
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Process Tree

- **system is Inxubuntu20**
 - **dash** New Fork (PID: 5214, Parent: 4331)
 - **cat** (PID: 5214, Parent: 4331, MD5: 7e9d213e404ad3bb82e4ebb2e1f2c1b3) Arguments: cat /tmp/tmp.zZSir0SvNh
 - **dash** New Fork (PID: 5215, Parent: 4331)
 - **head** (PID: 5215, Parent: 4331, MD5: fd96a67145172477dd57131396fc9608) Arguments: head -n 10
 - **dash** New Fork (PID: 5216, Parent: 4331)
 - **tr** (PID: 5216, Parent: 4331, MD5: fbd1402dd9f72d8ebff00ce7c3a7bb5) Arguments: tr -d \000-\011\013\014\016-\037
 - **dash** New Fork (PID: 5217, Parent: 4331)
 - **cut** (PID: 5217, Parent: 4331, MD5: d8ed0ea8f22c0de0f8692d4d9f1759d3) Arguments: cut -c -80
 - **dash** New Fork (PID: 5218, Parent: 4331)
 - **cat** (PID: 5218, Parent: 4331, MD5: 7e9d213e404ad3bb82e4ebb2e1f2c1b3) Arguments: cat /tmp/tmp.zZSir0SvNh
 - **dash** New Fork (PID: 5219, Parent: 4331)
 - **head** (PID: 5219, Parent: 4331, MD5: fd96a67145172477dd57131396fc9608) Arguments: head -n 10
 - **dash** New Fork (PID: 5220, Parent: 4331)
 - **tr** (PID: 5220, Parent: 4331, MD5: fbd1402dd9f72d8ebff00ce7c3a7bb5) Arguments: tr -d \000-\011\013\014\016-\037
 - **dash** New Fork (PID: 5221, Parent: 4331)
 - **cut** (PID: 5221, Parent: 4331, MD5: d8ed0ea8f22c0de0f8692d4d9f1759d3) Arguments: cut -c -80
 - **dash** New Fork (PID: 5222, Parent: 4331)
 - **rm** (PID: 5222, Parent: 4331, MD5: aa2b5496fdbfd88e38791ab81f90b95b) Arguments: rm -f /tmp/tmp.zZSir0SvNh /tmp/tmp.zhdUhr0yq7 /tmp/tmp.WcqJIHV0EF
 - **fuckjewishpeople.arm6** (PID: 5226, Parent: 5107, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/fuckjewishpeople.arm6
 - **fuckjewishpeople.arm6** New Fork (PID: 5228, Parent: 5226)
 - **fuckjewishpeople.arm6** New Fork (PID: 5230, Parent: 5228)
- **cleanup**

Yara Overview

Initial Sample

Source	Rule	Description	Author	Strings
fuckjewishpeople.arm6	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
fuckjewishpeople.arm6	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Memory Dumps

Source	Rule	Description	Author	Strings
5228.1.00000000a58e5839.0000000036504835.r-x.sdmf	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5228.1.00000000a58e5839.0000000036504835.r-x.sdmf	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	
5226.1.00000000a58e5839.0000000036504835.r-x.sdmf	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5226.1.00000000a58e5839.0000000036504835.r-x.sdmf	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Jbx Signature Overview

AV Detection



Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file

Spreading



Opens /proc/net/* files useful for finding connected devices and routers

Stealing of Sensitive Information



Remote Access Functionality




Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	1 File Deletion	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	1 Remote System Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Non-Standard Port	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data
Local Accounts	At (Windows)	Logon Script (Mac)	Logon Script (Mac)	Binary Padding	NTDS	System Network Configuration Discovery	Distributed Component Object Model	Input Capture	Scheduled Transfer	1 Application Layer Protocol	SIM Card Swap		Carrier Billing Fraud

Malware Configuration

No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
fuckjewishpeople.arm6	54%	Virustotal		Browse
fuckjewishpeople.arm6	60%	ReversingLabs	Linux.Trojan.Gafgyt	
fuckjewishpeople.arm6	100%	Avira	LINUX/Gafgyt.opnd	

Dropped Files

No Antivirus matches

Domains

No Antivirus matches


URLs

Source	Detection	Scanner	Label	Link
http://www.billybobbob.com/crawler/	0%	URL Reputation	safe	
http://fast.no/support/crawler.asp	0%	URL Reputation	safe	
http://feedback.redkolibri.com/	0%	URL Reputation	safe	

Domains and IPs

Contacted Domains

No contacted domains info



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
78.47.230.250	unknown	Germany		24940	HETZNER-ASDE	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

/var/cache/motd-news

Static File Info

General

File type:	ELF 32-bit LSB executable, ARM, EABI4 version 1 (SYSV), statically linked, with debug_info, not stripped
Entropy (8bit):	6.029462170570735
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	fuckjewishpeople.arm6
File size:	118932
MD5:	3cb08428c383887381a8adbf2cc35af
SHA1:	63e051d4e15ab274a3522240f0e00943c76b0e62
SHA256:	ff2f8d288108f34e9d1c29fee8d1709ef132421ab3bab98f965e02abf8b33648
SHA512:	f05406d3c1721218bf3a617f69075595bcf3e3f854fd55d2186ccb500a11c2115b7e41b66522d764a9fc90ba90ddfa62652f0e9a70296dda91ebb019de523959
SSDEEP:	3072:idwracAAviNmLpMQ1xl5hKHKsrbqlAdmyDQUJ1UX4Tn:SwraFgikxl5hKHKnlAdmyDQUJ1a4Tn
File Content Preview:	.ELF.....(.....4...l].....4. ...(.p.9.....9...9.....@...@...@.....Xj.....Q.td.....-...L.....G.F.G.F.G.F.G.F.G.F(G.F0G.F8G.F@G.FHG.FPG.FXG.

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	ARM
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x81b0
Flags:	0x4000002
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	4
Section Header Offset:	89452
Section Header Size:	40
Number of Section Headers:	24
Header String Table Index:	21

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x80b4	0xb4	0x10	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x80d0	0xd0	0xf818	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x178e8	0xf8e8	0x10	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x178f8	0xf8f8	0x40b4	0x0	0x2	A	0	0	8
.ARM.extab	PROGBITS	0x1b9ac	0x139ac	0x18	0x0	0x2	A	0	0	4

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.ARM.exidx	ARM_EXIDX	0x1b9c4	0x139c4	0x10	0x0	0x82	AL	2	0	4
.eh_frame	PROGBITS	0x24000	0x14000	0x4	0x0	0x3	WA	0	0	4
.init_array	INIT_ARRAY	0x24004	0x14004	0x4	0x0	0x3	WA	0	0	4
.fini_array	FINI_ARRAY	0x24008	0x14008	0x4	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x2400c	0x1400c	0x4	0x0	0x3	WA	0	0	4
.got	PROGBITS	0x24010	0x14010	0x78	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x24088	0x14088	0x364	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x243f0	0x143ec	0x6668	0x0	0x3	WA	0	0	8
.comment	PROGBITS	0x0	0x143ec	0xbc2	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x14fb0	0xe0	0x0	0x0		0	0	8
.debug_info	PROGBITS	0x0	0x15090	0x4b0	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x15540	0x8c	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x155cc	0x655	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x15c24	0x58	0x0	0x0		0	0	4
.ARM.attributes	ARM_ATTRIBUTES	0x0	0x15c7c	0x10	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x15c8c	0xdd	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x1612c	0x4830	0x10	0x0		23	627	4
.strtab	STRTAB	0x0	0x1a95c	0x2738	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
EXIDX	0x139c4	0x1b9c4	0x1b9c4	0x10	0x10	1.3750	0x4	R	0x4		.ARM.exidx
LOAD	0x0	0x8000	0x8000	0x139d4	0x139d4	3.7834	0x5	R E	0x8000		.init .text .fini .rodata .ARM.extab .ARM.exidx
LOAD	0x14000	0x24000	0x24000	0x3ec	0x6a58	2.5586	0x6	RW	0x8000		.eh_frame .init_array .fini_array .jcr .got .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x80b4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80d0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x178e8	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x178f8	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x1b9ac	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x1b9c4	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x24000	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x24004	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x24008	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x2400c	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x24010	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x24088	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x243f0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	21
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	22
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	23
\$a			.symtab	0x80b4	0	NOTYPE	<unknown>	DEFAULT	1

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x178e8	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80c0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x178f4	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x810c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8150	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x82c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8408	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x846c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8804	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9110	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x951c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9938	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9c24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9d74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9ec4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa09c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xae20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xaffc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb1d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb1f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbb94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbd24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc554	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc668	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc67c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc6dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc6f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc720	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc754	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc770	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc7b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc7e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc818	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc84c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc880	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc958	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc98c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc9c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xca14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xca40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xca74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xca9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcacc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcae8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcb1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcbd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcc38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcc6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcd40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcd70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd530	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd5d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd614	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd7c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd818	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdd88	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xddc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xde70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdf10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdf70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdf80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdfa0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdfb0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdfc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe0bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe188	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe1ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe29c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe2b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe2e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe350	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe450	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe474	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe4f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe550	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe5f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe620	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe63c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe6a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe6dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe714	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe758	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe790	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe7c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe80c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe844	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe860	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe918	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe984	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf31c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf7bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf7fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf924	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf93c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf9e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfa98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfb58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfbfc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfce0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfe48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xff2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xff4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xff68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10128	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x101e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1028c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x103d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x109b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10a70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10ac4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10b30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e6c	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x10ef4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10f00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10f0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10f40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10f68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10f7c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10fb0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10fc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10fd8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11044	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11058	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11084	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x110b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x110ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11120	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11158	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11250	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11320	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x113cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11464	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11550	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1156c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11910	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11964	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11988	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11a38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11bec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11c0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11cc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11fc8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12108	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x121d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12248	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12274	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x123d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12bc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ca0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12d5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ee4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x130f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1321c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x132c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13750	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13840	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x138b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x138fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x139ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13a8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13ad8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13b28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13b4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13c38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13c78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13d70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14010	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14144	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x144f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14530	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x1457c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14588	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x145bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14614	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14844	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14884	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x149c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x149ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14b3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14b94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14c58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14c88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14d20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14d5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14e18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15104	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x154cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x155c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15dac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15e00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15e58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x162b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1634c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16398	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16690	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x166c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1673c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16794	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16800	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16810	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16844	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16930	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x169e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16a44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16a74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16c78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16cac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16d58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16e9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x172b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17754	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17894	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8144	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24008	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x819c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24004	0	NOTYPE	<unknown>	DEFAULT	8
\$d			.symtab	0x2408c	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x81e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24090	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x82bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x83fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8468	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x87f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x910c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9518	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9930	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18fc0	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x9c1c	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x9d70	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9ec0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa094	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xaa18	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xafe8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb1c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb1f4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbb68	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbd18	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc534	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xca94	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcac4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24190	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x24198	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0xcae0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcc30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcc64	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcd2c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x241d4	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x241a0	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x1a908	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xd510	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd7c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd80c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdd58	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x242dc	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0xe180	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe294	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe2dc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe348	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe444	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe4ec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe5f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe698	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe6d8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe710	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe754	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe78c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe7c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe808	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe840	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe910	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf300	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x242e0	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0xf7a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf7f4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf910	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x242f8	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0xf9c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfa7c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfb3c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfbe0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24310	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x243a8	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0xfcd8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfd6c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfe3c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xff24	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$.d			.symtab	0x1b534	0	NOTYPE	<unknown>	DEFAULT	4
\$.d			.symtab	0x10120	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x101c0	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x243bc	0	NOTYPE	<unknown>	DEFAULT	12
\$.d			.symtab	0x10288	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x103b4	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x1098c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x10a5c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x10abc	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x10b20	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x10dc4	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x243d4	0	NOTYPE	<unknown>	DEFAULT	12
\$.d			.symtab	0x10ee8	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x10f60	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x1103c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x243e0	0	NOTYPE	<unknown>	DEFAULT	12
\$.d			.symtab	0x1123c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x11318	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x113c8	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x1b8b0	0	NOTYPE	<unknown>	DEFAULT	4
\$.d			.symtab	0x1153c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x2a638	0	NOTYPE	<unknown>	DEFAULT	13
\$.d			.symtab	0x11564	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x11908	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x11bcc	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x11f94	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x12ba4	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x1b8e0	0	NOTYPE	<unknown>	DEFAULT	4
\$.d			.symtab	0x12c8c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x12d48	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x12eb8	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x130cc	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x13214	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x13838	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x139a4	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x13a84	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x13c30	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x13d68	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x1412c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x144dc	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x14524	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x14574	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x14b28	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x150f8	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x154c0	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x15d70	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x15df8	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x15e50	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x1626c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x16334	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x16a6c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x16c6c	0	NOTYPE	<unknown>	DEFAULT	2
\$.t			.symtab	0x80d0	0	NOTYPE	<unknown>	DEFAULT	2
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
C.1.3506			.symtab	0x1b8b0	24	OBJECT	<unknown>	DEFAULT	4
C.70.5182			.symtab	0x18fc0	104	OBJECT	<unknown>	DEFAULT	4
C.77.5281			.symtab	0x19c54	1128	OBJECT	<unknown>	DEFAULT	4
Laligned			.symtab	0xdf38	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0xdf54	0	NOTYPE	<unknown>	DEFAULT	2
Q			.symtab	0x24428	16384	OBJECT	<unknown>	DEFAULT	13
Randhex			.symtab	0x9ec4	472	FUNC	<unknown>	DEFAULT	2
SendHTTPHex			.symtab	0xae20	476	FUNC	<unknown>	DEFAULT	2
SendSTD			.symtab	0x9a64	448	FUNC	<unknown>	DEFAULT	2
UDPRAW			.symtab	0x9d74	336	FUNC	<unknown>	DEFAULT	2
_Exit			.symtab	0xca14	44	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x24010	0	OBJECT	<unknown>	HIDDEN	11
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b			.symtab	0x24190	4	OBJECT	<unknown>	DEFAULT	12
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x1a308	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x243e0	4	OBJECT	<unknown>	DEFAULT	12
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x1b5ae	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x24198	4	OBJECT	<unknown>	DEFAULT	12
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x1a608	768	OBJECT	<unknown>	DEFAULT	4
__EH_FRAME_BEGIN__			.symtab	0x24000	0	OBJECT	<unknown>	DEFAULT	7
__FRAME_END__			.symtab	0x24000	0	OBJECT	<unknown>	DEFAULT	7
__Gl__C_ctype_b			.symtab	0x24190	4	OBJECT	<unknown>	HIDDEN	12
__Gl__C_ctype_tolower			.symtab	0x243e0	4	OBJECT	<unknown>	HIDDEN	12
__Gl__C_ctype_toupper			.symtab	0x24198	4	OBJECT	<unknown>	HIDDEN	12
__Gl__ctype_b			.symtab	0x24194	4	OBJECT	<unknown>	HIDDEN	12
__Gl__ctype_tolower			.symtab	0x243e4	4	OBJECT	<unknown>	HIDDEN	12
__Gl__ctype_toupper			.symtab	0x2419c	4	OBJECT	<unknown>	HIDDEN	12
__Gl_errno_location			.symtab	0xcacc	28	FUNC	<unknown>	HIDDEN	2
__Gl_fcntl_nocancel			.symtab	0xc8ec	108	FUNC	<unknown>	HIDDEN	2
__Gl_fgetc_unlocked			.symtab	0x130f0	300	FUNC	<unknown>	HIDDEN	2
__Gl_glibc_strerror_r			.symtab	0xe29c	24	FUNC	<unknown>	HIDDEN	2
__Gl_h_errno_location			.symtab	0x11550	28	FUNC	<unknown>	HIDDEN	2
__Gl_libc_fcntl			.symtab	0xc880	108	FUNC	<unknown>	HIDDEN	2
__Gl_sigaddset			.symtab	0xe93c	36	FUNC	<unknown>	HIDDEN	2
__Gl_sigdelset			.symtab	0xe960	36	FUNC	<unknown>	HIDDEN	2
__Gl_sigismember			.symtab	0xe918	36	FUNC	<unknown>	HIDDEN	2
__Gl_uClibc_fini			.symtab	0x109f4	124	FUNC	<unknown>	HIDDEN	2
__Gl_uClibc_init			.symtab	0x10ac4	108	FUNC	<unknown>	HIDDEN	2
__Gl_xpg_strerror_r			.symtab	0xe350	256	FUNC	<unknown>	HIDDEN	2
__Gl_exit			.symtab	0xca14	44	FUNC	<unknown>	HIDDEN	2
__Gl_abort			.symtab	0xf7fc	296	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_atoi			.symtab	0xff2c	32	FUNC	<unknown>	HIDDEN	2
__GI_brk			.symtab	0x14530	76	FUNC	<unknown>	HIDDEN	2
__GI_chdir			.symtab	0xc7b0	52	FUNC	<unknown>	HIDDEN	2
__GI_clock_getres			.symtab	0x10f7c	52	FUNC	<unknown>	HIDDEN	2
__GI_close			.symtab	0xca40	52	FUNC	<unknown>	HIDDEN	2
__GI_closedir			.symtab	0x11158	248	FUNC	<unknown>	HIDDEN	2
__GI_config_close			.symtab	0x11894	52	FUNC	<unknown>	HIDDEN	2
__GI_config_open			.symtab	0x118c8	72	FUNC	<unknown>	HIDDEN	2
__GI_config_read			.symtab	0x1156c	808	FUNC	<unknown>	HIDDEN	2
__GI_connect			.symtab	0xe6a4	56	FUNC	<unknown>	HIDDEN	2
__GI_errno			.symtab	0x2a638	4	OBJECT	<unknown>	HIDDEN	13
__GI_exit			.symtab	0x10128	184	FUNC	<unknown>	HIDDEN	2
__GI_fclose			.symtab	0x11a38	436	FUNC	<unknown>	HIDDEN	2
__GI_fcntl			.symtab	0xc880	108	FUNC	<unknown>	HIDDEN	2
__GI_fflush_unlocked			.symtab	0x12ee4	524	FUNC	<unknown>	HIDDEN	2
__GI_fgetc			.symtab	0x12bc4	220	FUNC	<unknown>	HIDDEN	2
__GI_fgetc_unlocked			.symtab	0x130f0	300	FUNC	<unknown>	HIDDEN	2
__GI_fgets			.symtab	0x12ca0	188	FUNC	<unknown>	HIDDEN	2
__GI_fgets_unlocked			.symtab	0x1321c	160	FUNC	<unknown>	HIDDEN	2
__GI_fopen			.symtab	0x11bec	32	FUNC	<unknown>	HIDDEN	2
__GI_fork			.symtab	0xc720	52	FUNC	<unknown>	HIDDEN	2
__GI_fputs_unlocked			.symtab	0xdd88	56	FUNC	<unknown>	HIDDEN	2
__GI_fseek			.symtab	0x149c8	36	FUNC	<unknown>	HIDDEN	2
__GI_fseeko64			.symtab	0x149ec	336	FUNC	<unknown>	HIDDEN	2
__GI_fstat			.symtab	0x145bc	88	FUNC	<unknown>	HIDDEN	2
__GI_fwrite_unlocked			.symtab	0xddc0	176	FUNC	<unknown>	HIDDEN	2
__GI_getc_unlocked			.symtab	0x130f0	300	FUNC	<unknown>	HIDDEN	2
__GI_getdtablesize			.symtab	0x11058	44	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0x10fb0	20	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0x10fc4	20	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0x11044	20	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname			.symtab	0xe620	28	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname2			.symtab	0xe63c	104	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname2_r			.symtab	0x13d70	672	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname_r			.symtab	0x16398	760	FUNC	<unknown>	HIDDEN	2
__GI_gethostname			.symtab	0x166c4	120	FUNC	<unknown>	HIDDEN	2
__GI_getpagesize			.symtab	0x10f40	40	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0xc6dc	20	FUNC	<unknown>	HIDDEN	2
__GI_getrlimit			.symtab	0x14588	52	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0xe6dc	56	FUNC	<unknown>	HIDDEN	2
__GI_gettimeofday			.symtab	0xc84c	52	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x10f68	20	FUNC	<unknown>	HIDDEN	2
__GI_h_errno			.symtab	0x2a63c	4	OBJECT	<unknown>	HIDDEN	13
__GI_htonl			.symtab	0xe500	32	FUNC	<unknown>	HIDDEN	2
__GI_htons			.symtab	0xe4f0	16	FUNC	<unknown>	HIDDEN	2
__GI_inet_addr			.symtab	0xe5f8	40	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x13c78	248	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa			.symtab	0xe5dc	28	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa_r			.symtab	0xe550	140	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntop			.symtab	0x15248	644	FUNC	<unknown>	HIDDEN	2
__GI_inet_pton			.symtab	0x14ee8	540	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0xfe48	228	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0xc9c0	84	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0xe450	36	FUNC	<unknown>	HIDDEN	2
__GI_isspace			.symtab	0xca74	40	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0xc818	52	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x16794	100	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x13750	240	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_memcpy			.symtab	0xdfa0	4	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0x16800	4	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x13b28	36	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x139ac	224	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0xde70	156	FUNC	<unknown>	HIDDEN	2
__GI_mmap			.symtab	0x10e04	104	FUNC	<unknown>	HIDDEN	2
__GI_mremap			.symtab	0x14844	64	FUNC	<unknown>	HIDDEN	2
__GI_munmap			.symtab	0x11084	52	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x110b8	52	FUNC	<unknown>	HIDDEN	2
__GI_nthl			.symtab	0xe530	32	FUNC	<unknown>	HIDDEN	2
__GI_nthls			.symtab	0xe520	16	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0xc67c	96	FUNC	<unknown>	HIDDEN	2
__GI_opendir			.symtab	0x11320	172	FUNC	<unknown>	HIDDEN	2
__GI_poll			.symtab	0x16690	52	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0xe844	28	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0xf93c	164	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0xfce0	144	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x138fc	176	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0xc7e4	52	FUNC	<unknown>	HIDDEN	2
__GI_readdir64			.symtab	0x11464	236	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0xe758	56	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x10fd8	108	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0xc770	64	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0xe790	56	FUNC	<unknown>	HIDDEN	2
__GI_setsid			.symtab	0xc98c	52	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0xe7c8	68	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0xfbfc	228	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0x10e6c	136	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0xe860	184	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0x11120	56	FUNC	<unknown>	HIDDEN	2
__GI_sleep			.symtab	0x101e0	172	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0xe80c	56	FUNC	<unknown>	HIDDEN	2
__GI_sprintf			.symtab	0xcae8	52	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0xfd70	216	FUNC	<unknown>	HIDDEN	2
__GI_stat			.symtab	0x1673c	88	FUNC	<unknown>	HIDDEN	2
__GI_strerror_r			.symtab	0xe2e4	108	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0xe1ac	240	FUNC	<unknown>	HIDDEN	2
__GI_strchrnul			.symtab	0x13b4c	236	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0xdf80	28	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0xdf80	28	FUNC	<unknown>	HIDDEN	2
__GI_strcpy			.symtab	0xe188	36	FUNC	<unknown>	HIDDEN	2
__GI_strcspn			.symtab	0x138b8	68	FUNC	<unknown>	HIDDEN	2
__GI_strdup			.symtab	0x16810	52	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0xdf10	96	FUNC	<unknown>	HIDDEN	2
__GI_strncpy			.symtab	0x14d5c	188	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0xe0bc	204	FUNC	<unknown>	HIDDEN	2
__GI_strpbrk			.symtab	0x13c38	64	FUNC	<unknown>	HIDDEN	2
__GI_strrchr			.symtab	0x13ad8	80	FUNC	<unknown>	HIDDEN	2
__GI_strspn			.symtab	0x13a8c	76	FUNC	<unknown>	HIDDEN	2
__GI_strstr			.symtab	0xdfc0	252	FUNC	<unknown>	HIDDEN	2
__GI_strtok			.symtab	0xe2b4	48	FUNC	<unknown>	HIDDEN	2
__GI_strtok_r			.symtab	0x13840	120	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0xff4c	28	FUNC	<unknown>	HIDDEN	2
__GI_sysconf			.symtab	0x103d8	1496	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0xe474	124	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0xc6f0	48	FUNC	<unknown>	HIDDEN	2
__GI_toupper			.symtab	0xca9c	48	FUNC	<unknown>	HIDDEN	2
__GI_uname			.symtab	0x16c78	52	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_vsnprintf			.symtab	0xcb1c	180	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0x10f0c	52	FUNC	<unknown>	HIDDEN	2
__GI_waitpid			.symtab	0xc754	28	FUNC	<unknown>	HIDDEN	2
__GI_wcrtomb			.symtab	0x11910	84	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x11988	176	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0x11964	36	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0xc958	52	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x2400c	0	OBJECT	<unknown>	DEFAULT	10
__JCR_LIST__			.symtab	0x2400c	0	OBJECT	<unknown>	DEFAULT	10
__adddf3			.symtab	0x16ea8	784	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmpeq			.symtab	0x17804	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmpne			.symtab	0x17804	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdrcmpne			.symtab	0x177e8	52	FUNC	<unknown>	HIDDEN	2
__aeabi_d2uiz			.symtab	0x17894	84	FUNC	<unknown>	HIDDEN	2
__aeabi_dadd			.symtab	0x16ea8	784	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpeq			.symtab	0x1781c	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpge			.symtab	0x17864	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpgt			.symtab	0x1787c	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpne			.symtab	0x1784c	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmplt			.symtab	0x17834	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ddiv			.symtab	0x17548	524	FUNC	<unknown>	HIDDEN	2
__aeabi_dmul			.symtab	0x172b8	656	FUNC	<unknown>	HIDDEN	2
__aeabi_drsb			.symtab	0x16e9c	0	FUNC	<unknown>	HIDDEN	2
__aeabi_dsub			.symtab	0x16ea4	788	FUNC	<unknown>	HIDDEN	2
__aeabi_f2d			.symtab	0x17204	64	FUNC	<unknown>	HIDDEN	2
__aeabi_i2d			.symtab	0x171dc	40	FUNC	<unknown>	HIDDEN	2
__aeabi_idiv			.symtab	0x16d58	0	FUNC	<unknown>	HIDDEN	2
__aeabi_idivmod			.symtab	0x16e84	24	FUNC	<unknown>	HIDDEN	2
__aeabi_l2d			.symtab	0x17258	96	FUNC	<unknown>	HIDDEN	2
__aeabi_ui2d			.symtab	0x171b8	36	FUNC	<unknown>	HIDDEN	2
__aeabi_uidiv			.symtab	0xc554	0	FUNC	<unknown>	HIDDEN	2
__aeabi_uidivmod			.symtab	0xc650	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ul2d			.symtab	0x17244	116	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr0			.symtab	0x1457c	4	FUNC	<unknown>	DEFAULT	2
__aeabi_unwind_cpp_pr1			.symtab	0x14580	4	FUNC	<unknown>	DEFAULT	2
__aeabi_unwind_cpp_pr2			.symtab	0x14584	4	FUNC	<unknown>	DEFAULT	2
__app_fini			.symtab	0x2a630	4	OBJECT	<unknown>	HIDDEN	13
__atexit_lock			.symtab	0x243bc	24	OBJECT	<unknown>	DEFAULT	12
__bss_end__			.symtab	0x2aa58	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x243ec	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x243ec	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x10a70	84	FUNC	<unknown>	DEFAULT	2
__close_nameservers			.symtab	0x162b4	152	FUNC	<unknown>	HIDDEN	2
__cmpdf2			.symtab	0x17764	132	FUNC	<unknown>	HIDDEN	2
__ctype_b			.symtab	0x24194	4	OBJECT	<unknown>	DEFAULT	12
__ctype_tolower			.symtab	0x243e4	4	OBJECT	<unknown>	DEFAULT	12
__ctype_toupper			.symtab	0x2419c	4	OBJECT	<unknown>	DEFAULT	12
__curbrk			.symtab	0x2a640	4	OBJECT	<unknown>	HIDDEN	13
__data_start			.symtab	0x24088	0	NOTYPE	<unknown>	DEFAULT	12
__decode_dotted			.symtab	0x154cc	248	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x16930	180	FUNC	<unknown>	HIDDEN	2
__default_rt_sa_restorer			.symtab	0x10f04	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0x10ef8	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__div0			.symtab	0xc668	20	FUNC	<unknown>	HIDDEN	2
__divdf3			.symtab	0x17548	524	FUNC	<unknown>	HIDDEN	2
__divsi3			.symtab	0x16d58	300	FUNC	<unknown>	HIDDEN	2
__dns_lookup			.symtab	0x155c4	2024	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__do_global_dtors_aux			.symtab	0x810c	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux_fini_array_entry			.symtab	0x24008	0	OBJECT	<unknown>	DEFAULT	9
__dso_handle			.symtab	0x24088	0	OBJECT	<unknown>	HIDDEN	12
__encode_dotted			.symtab	0x16cac	172	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x16844	236	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x169e4	96	FUNC	<unknown>	HIDDEN	2
__end__			.symtab	0x2aa58	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x2a628	4	OBJECT	<unknown>	DEFAULT	13
__eqdf2			.symtab	0x17764	132	FUNC	<unknown>	HIDDEN	2
__errno_location			.symtab	0xcacc	28	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exidx_end			.symtab	0x1b9d4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exidx_start			.symtab	0x1b9c4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x2a620	4	OBJECT	<unknown>	HIDDEN	13
__extendsfdf2			.symtab	0x17204	64	FUNC	<unknown>	HIDDEN	2
__fcntl_nocancel			.symtab	0xc8ec	108	FUNC	<unknown>	DEFAULT	2
__fgetc_unlocked			.symtab	0x130f0	300	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x2400c	0	NOTYPE	<unknown>	HIDDEN	9
__fini_array_start			.symtab	0x24008	0	NOTYPE	<unknown>	HIDDEN	9
__fixunsdfsi			.symtab	0x17894	84	FUNC	<unknown>	HIDDEN	2
__floatdidf			.symtab	0x17258	96	FUNC	<unknown>	HIDDEN	2
__floatsidf			.symtab	0x171dc	40	FUNC	<unknown>	HIDDEN	2
__floatundidf			.symtab	0x17244	116	FUNC	<unknown>	HIDDEN	2
__floatunsidf			.symtab	0x171b8	36	FUNC	<unknown>	HIDDEN	2
__frame_dummy_init_array_entry			.symtab	0x24004	0	OBJECT	<unknown>	DEFAULT	8
__gedf2			.symtab	0x17754	148	FUNC	<unknown>	HIDDEN	2
__get_hosts_byname_r			.symtab	0x1634c	76	FUNC	<unknown>	HIDDEN	2
__getdents64			.symtab	0x14884	324	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x10f40	40	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0xe29c	24	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gtdf2			.symtab	0x17754	148	FUNC	<unknown>	HIDDEN	2
__h_errno_location			.symtab	0x11550	28	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__init_array_end			.symtab	0x24008	0	NOTYPE	<unknown>	HIDDEN	8
__init_array_start			.symtab	0x24004	0	NOTYPE	<unknown>	HIDDEN	8
__ledf2			.symtab	0x1775c	140	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0xca40	52	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0xe6a4	56	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0xc880	108	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0xc720	52	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x16794	100	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x110b8	52	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0xc67c	96	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0xc7e4	52	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0xe758	56	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0xc770	64	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0xe790	56	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x10e6c	136	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x2a624	4	OBJECT	<unknown>	DEFAULT	13
__libc_waitpid			.symtab	0xc754	28	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0xc958	52	FUNC	<unknown>	DEFAULT	2
__local_nameserver			.symtab	0x1b98c	16	OBJECT	<unknown>	HIDDEN	4
__ltdf2			.symtab	0x1775c	140	FUNC	<unknown>	HIDDEN	2
__malloc Consolidate			.symtab	0xf3cc	436	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0xe984	120	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x242e0	24	OBJECT	<unknown>	DEFAULT	12
__malloc_state			.symtab	0x2a6c4	888	OBJECT	<unknown>	DEFAULT	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__malloc_trim			.symtab	0xf31c	176	FUNC	<unknown>	DEFAULT	2
__muldf3			.symtab	0x172b8	656	FUNC	<unknown>	HIDDEN	2
__nameserver			.symtab	0x2aa4c	4	OBJECT	<unknown>	HIDDEN	13
__nameservers			.symtab	0x2aa50	4	OBJECT	<unknown>	HIDDEN	13
__nedf2			.symtab	0x17764	132	FUNC	<unknown>	HIDDEN	2
__open_etc_hosts			.symtab	0x16a44	48	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x15e58	1116	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x2a62c	4	OBJECT	<unknown>	DEFAULT	13
__preinit_array_end			.symtab	0x24004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x24004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__progname			.symtab	0x243d8	4	OBJECT	<unknown>	DEFAULT	12
__progname_full			.symtab	0x243dc	4	OBJECT	<unknown>	DEFAULT	12
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x109b8	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x109b0	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x109b0	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x109b0	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x109b0	8	FUNC	<unknown>	DEFAULT	2
__read_etc_hosts_r			.symtab	0x16a74	516	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__res_sync			.symtab	0x2aa44	4	OBJECT	<unknown>	HIDDEN	13
__resolv_attempts			.symtab	0x243eb	1	OBJECT	<unknown>	HIDDEN	12
__resolv_lock			.symtab	0x2a648	24	OBJECT	<unknown>	DEFAULT	13
__resolv_timeout			.symtab	0x243ea	1	OBJECT	<unknown>	HIDDEN	12
__rtd_fini			.symtab	0x2a634	4	OBJECT	<unknown>	HIDDEN	13
__searchdomain			.symtab	0x2aa48	4	OBJECT	<unknown>	HIDDEN	13
__searchdomains			.symtab	0x2aa54	4	OBJECT	<unknown>	HIDDEN	13
__sigaddset			.symtab	0xe93c	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0xe960	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0xe918	36	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x241e0	4	OBJECT	<unknown>	DEFAULT	12
__stdio_READ			.symtab	0x14b3c	88	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x11c0c	180	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x14b94	196	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x11fc8	320	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0xcc38	52	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.4636			.symtab	0x1a908	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x14c58	48	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x14d20	60	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x14c88	152	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x12108	208	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0xcd40	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x241e4	4	OBJECT	<unknown>	DEFAULT	12
__subdf3			.symtab	0x16ea4	788	FUNC	<unknown>	HIDDEN	2
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x110ec	52	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x109f4	124	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x10ac4	108	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x10b30	724	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x243d4	4	OBJECT	<unknown>	HIDDEN	12
__udivsi3			.symtab	0xc554	252	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0xe350	256	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__xstat32_conv			.symtab	0x146e0	172	FUNC	<unknown>	HIDDEN	2
__xstat64_conv			.symtab	0x14614	204	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__xstat_conv			.symtab	0x1478c	184	FUNC	<unknown>	HIDDEN	2
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_bss_custom_printf_spec			.symtab	0x2a430	10	OBJECT	<unknown>	DEFAULT	13
_bss_end__			.symtab	0x2aa58	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_call_via_fp			.symtab	0x80fd	4	FUNC	<unknown>	HIDDEN	2
_call_via_ip			.symtab	0x8101	4	FUNC	<unknown>	HIDDEN	2
_call_via_lr			.symtab	0x8109	4	FUNC	<unknown>	HIDDEN	2
_call_via_r0			.symtab	0x80d1	4	FUNC	<unknown>	HIDDEN	2
_call_via_r1			.symtab	0x80d5	4	FUNC	<unknown>	HIDDEN	2
_call_via_r2			.symtab	0x80d9	4	FUNC	<unknown>	HIDDEN	2
_call_via_r3			.symtab	0x80dd	4	FUNC	<unknown>	HIDDEN	2
_call_via_r4			.symtab	0x80e1	4	FUNC	<unknown>	HIDDEN	2
_call_via_r5			.symtab	0x80e5	4	FUNC	<unknown>	HIDDEN	2
_call_via_r6			.symtab	0x80e9	4	FUNC	<unknown>	HIDDEN	2
_call_via_r7			.symtab	0x80ed	4	FUNC	<unknown>	HIDDEN	2
_call_via_r8			.symtab	0x80f1	4	FUNC	<unknown>	HIDDEN	2
_call_via_r9			.symtab	0x80f5	4	FUNC	<unknown>	HIDDEN	2
_call_via_sl			.symtab	0x80f9	4	FUNC	<unknown>	HIDDEN	2
_call_via_sp			.symtab	0x8105	4	FUNC	<unknown>	HIDDEN	2
_charpad			.symtab	0xcd70	84	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_custom_printf_arginfo			.symtab	0x2a66c	40	OBJECT	<unknown>	HIDDEN	13
_custom_printf_handler			.symtab	0x2a694	40	OBJECT	<unknown>	HIDDEN	13
_custom_printf_spec			.symtab	0x242dc	4	OBJECT	<unknown>	HIDDEN	12
_dl_aux_init			.symtab	0x144f8	56	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x2aa3c	4	OBJECT	<unknown>	DEFAULT	13
_dl_phnum			.symtab	0x2aa40	4	OBJECT	<unknown>	DEFAULT	13
_edata			.symtab	0x243ec	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x2aa58	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x2a638	4	OBJECT	<unknown>	DEFAULT	13
_exit			.symtab	0xca14	44	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x178e8	0	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x28430	8192	OBJECT	<unknown>	DEFAULT	13
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0xcdc4	132	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x123d0	2036	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x2a63c	4	OBJECT	<unknown>	DEFAULT	13
_init			.symtab	0x80b4	0	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x121d8	112	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_memcpy			.symtab	0x132c0	0	FUNC	<unknown>	HIDDEN	2
_ppfs_init			.symtab	0xd530	160	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0xd818	1392	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0xd5d0	68	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0xd614	432	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0xd7c4	84	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x109c8	44	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x109c0	8	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_sigintr			.symtab	0x2a6bc	8	OBJECT	<unknown>	HIDDEN	13
_start			.symtab	0x81b0	0	FUNC	<unknown>	DEFAULT	2


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x11cc0	776	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0xcbd0	104	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x241e8	4	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_add_lock			.symtab	0x241a0	24	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_dec_use			.symtab	0x12d5c	392	FUNC	<unknown>	HIDDEN	2
_stdio_openlist_del_count			.symtab	0x2842c	4	OBJECT	<unknown>	DEFAULT	13
_stdio_openlist_del_lock			.symtab	0x241b8	24	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_use_count			.symtab	0x28428	4	OBJECT	<unknown>	DEFAULT	13
_stdio_streams			.symtab	0x241ec	240	OBJECT	<unknown>	DEFAULT	12
_stdio_term			.symtab	0xcc6c	212	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x241d0	4	OBJECT	<unknown>	DEFAULT	12
_stdlib_strto_l			.symtab	0xff68	448	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x12248	44	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x1a9d8	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x12274	348	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0xce48	1768	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0xf7fc	296	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
aeabi_unwind_cpp_pr1.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0xff2c	32	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0xff2c	32	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bcopy			.symtab	0xdf70	16	FUNC	<unknown>	DEFAULT	2
been_there_done_that			.symtab	0x2a61c	4	OBJECT	<unknown>	DEFAULT	13
bot.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x14530	76	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0xe860	184	FUNC	<unknown>	DEFAULT	2
buf.2975			.symtab	0x2a440	16	OBJECT	<unknown>	DEFAULT	13
buf.5444			.symtab	0x2a450	440	OBJECT	<unknown>	DEFAULT	13
bzero			.symtab	0xdfb0	12	FUNC	<unknown>	DEFAULT	2
c			.symtab	0x24188	4	OBJECT	<unknown>	DEFAULT	12
calloc			.symtab	0x14010	308	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
chdir			.symtab	0xc7b0	52	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
clock_getres			.symtab	0x10f7c	52	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0xca40	52	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
closedir			.symtab	0x11158	248	FUNC	<unknown>	DEFAULT	2
closedir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
closenameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x24090	4	OBJECT	<unknown>	DEFAULT	12
completed.4959			.symtab	0x243f0	1	OBJECT	<unknown>	DEFAULT	13
connect			.symtab	0xe6a4	56	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x951c	628	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
currentServer			.symtab	0x24184	4	OBJECT	<unknown>	DEFAULT	12
data_start			.symtab	0x2408c	0	NOTYPE	<unknown>	DEFAULT	12
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dns			.symtab	0x24094	4	OBJECT	<unknown>	DEFAULT	12
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x2a628	4	OBJECT	<unknown>	DEFAULT	13
errno			.symtab	0x2a638	4	OBJECT	<unknown>	DEFAULT	13
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x10128	184	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x1b8e0	72	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x11a38	436	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0xc880	108	FUNC	<unknown>	DEFAULT	2
fd_to_DIR			.symtab	0x11250	208	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x846c	212	FUNC	<unknown>	DEFAULT	2
fdopendir			.symtab	0x113cc	152	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x12ee4	524	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc			.symtab	0x12bc4	220	FUNC	<unknown>	DEFAULT	2
fgetc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x130f0	300	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x12ca0	188	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x1321c	160	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x1b8c8	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x11bec	32	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0xc720	52	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0xdd88	56	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8150	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0xf580	572	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x149c8	36	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x149c8	36	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x149ec	336	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fstat			.symtab	0x145bc	88	FUNC	<unknown>	DEFAULT	2
fstat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0xddc0	176	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getArch			.symtab	0xb1d4	36	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x91dc	104	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x8540	708	FUNC	<unknown>	DEFAULT	2
getRandomIP			.symtab	0x8408	100	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc			.symtab	0x12bc4	220	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getc_unlocked			.symtab	0x130f0	300	FUNC	<unknown>	DEFAULT	2
getdents64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdtablesize			.symtab	0x11058	44	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x10fb0	20	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x10fc4	20	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x11044	20	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0xe620	28	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname2			.symtab	0xe63c	104	FUNC	<unknown>	DEFAULT	2
gethostbyname2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname2_r			.symtab	0x13d70	672	FUNC	<unknown>	DEFAULT	2
gethostbyname2_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x16398	760	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostname			.symtab	0x166c4	120	FUNC	<unknown>	DEFAULT	2
gethostname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x10f40	40	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0xc6dc	20	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x14588	52	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0xe6dc	56	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0xe714	68	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gettimeofday			.symtab	0xc84c	52	FUNC	<unknown>	DEFAULT	2
gettimeofday.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x10f68	20	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h_errno			.symtab	0x2a63c	4	OBJECT	<unknown>	DEFAULT	13
hoste.5443			.symtab	0x2a608	20	OBJECT	<unknown>	DEFAULT	13
htonl			.symtab	0xe500	32	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0xe4f0	16	FUNC	<unknown>	DEFAULT	2
i.4585			.symtab	0x2418c	4	OBJECT	<unknown>	DEFAULT	12
index			.symtab	0xe1ac	240	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0xe5f8	40	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x13c78	248	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0xe5dc	28	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0xe550	140	FUNC	<unknown>	DEFAULT	2
inet_ntop			.symtab	0x15248	644	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x15104	324	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x14ee8	540	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x14e18	208	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0xbb94	400	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x81ec	216	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0xfa98	192	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0xfe48	228	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0xc9c0	84	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0xe450	36	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0xca74	40	FUNC	<unknown>	DEFAULT	2
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0xc818	52	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
last_id.5501			.symtab	0x243e8	2	OBJECT	<unknown>	DEFAULT	12
last_ns_num.5500			.symtab	0x2a644	4	OBJECT	<unknown>	DEFAULT	13
libc/string/arm/_memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/bcopy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/bzero.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memmove.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/strcmp.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/strlen.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/sigrestorer.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x9790	424	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x16794	100	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x24420	6	OBJECT	<unknown>	DEFAULT	13
main			.symtab	0xbd24	2096	FUNC	<unknown>	DEFAULT	2
mainCommSock			.symtab	0x24410	4	OBJECT	<unknown>	DEFAULT	13
malloc			.symtab	0xe9fc	2336	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0xf7bc	64	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x13750	240	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0xdfa0	4	FUNC	<unknown>	DEFAULT	2
memmove			.symtab	0x16800	4	FUNC	<unknown>	DEFAULT	2
mempcpy			.symtab	0x13b28	36	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x139ac	224	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0xde70	156	FUNC	<unknown>	DEFAULT	2
mmap			.symtab	0x10e04	104	FUNC	<unknown>	DEFAULT	2
mmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mremap			.symtab	0x14844	64	FUNC	<unknown>	DEFAULT	2
mremap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
munmap			.symtab	0x11084	52	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x242f8	24	OBJECT	<unknown>	DEFAULT	12
mylock			.symtab	0x24310	24	OBJECT	<unknown>	DEFAULT	12
nanosleep			.symtab	0x110b8	52	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1358			.symtab	0x2a43c	4	OBJECT	<unknown>	DEFAULT	13
nprocessors_onln			.symtab	0x1028c	332	FUNC	<unknown>	DEFAULT	2
ntohl			.symtab	0xe530	32	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0xe520	16	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x24418	8	OBJECT	<unknown>	DEFAULT	13
object.4967			.symtab	0x243f4	24	OBJECT	<unknown>	DEFAULT	13
open			.symtab	0xc67c	96	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opendir			.symtab	0x11320	172	FUNC	<unknown>	DEFAULT	2
opendir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourlP			.symtab	0x2a664	4	OBJECT	<unknown>	DEFAULT	13
ovhl7			.symtab	0xa09c	3460	FUNC	<unknown>	DEFAULT	2
parse_config.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
pids			.symtab	0x2a668	4	OBJECT	<unknown>	DEFAULT	13
poll			.symtab	0x16690	52	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4856			.symtab	0x1a930	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x8d1c	1012	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x8938	112	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x8b30	492	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x89a8	392	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0xb1f8	2460	FUNC	<unknown>	DEFAULT	2
program_invocation_name			.symtab	0x243dc	4	OBJECT	<unknown>	DEFAULT	12
program_invocation_short_name			.symtab	0x243d8	4	OBJECT	<unknown>	DEFAULT	12
qual_chars.4865			.symtab	0x1a944	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0xe844	28	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0xf924	24	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmwc			.symtab	0x82c4	324	FUNC	<unknown>	DEFAULT	2



TCP Packets

System Behavior

Analysis Process: dash PID: 5214, Parent PID: 4331	
General	
Start time:	08:18:11
Start date:	21/01/2022

Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cat PID: 5214, Parent PID: 4331

General

Start time:	08:18:11
Start date:	21/01/2022
Path:	/usr/bin/cat
Arguments:	cat /tmp/tmp.zZSir0SvNh
File size:	43416 bytes
MD5 hash:	7e9d213e404ad3bb82e4ebb2e1f2c1b3

File Activities

File Read

Analysis Process: dash PID: 5215, Parent PID: 4331

General

Start time:	08:18:11
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: head PID: 5215, Parent PID: 4331

General

Start time:	08:18:11
Start date:	21/01/2022
Path:	/usr/bin/head
Arguments:	head -n 10
File size:	47480 bytes
MD5 hash:	fd96a67145172477dd57131396fc9608

File Activities

File Read

Analysis Process: dash PID: 5216, Parent PID: 4331

General

Start time:	08:18:11
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: tr PID: 5216, Parent PID: 4331

General

Start time:	08:18:11
Start date:	21/01/2022
Path:	/usr/bin/tr
Arguments:	tr -d \\000-\\011\\013\\014\\016-\\037
File size:	51544 bytes
MD5 hash:	fbf1402dd9f72d8ebfff00ce7c3a7bb5

File Activities**File Read****Analysis Process: dash** PID: 5217, Parent PID: 4331**General**

Start time:	08:18:11
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cut PID: 5217, Parent PID: 4331**General**

Start time:	08:18:11
Start date:	21/01/2022
Path:	/usr/bin/cut
Arguments:	cut -c -80
File size:	47480 bytes
MD5 hash:	d8ed0ea8f22c0de0f8692d4d9f1759d3

File Activities**File Read****Analysis Process: dash** PID: 5218, Parent PID: 4331**General**

Start time:	08:18:11
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cat PID: 5218, Parent PID: 4331**General**

Start time:	08:18:11
Start date:	21/01/2022
Path:	/usr/bin/cat
Arguments:	cat /tmp/tmp.zZSir0SvNh
File size:	43416 bytes
MD5 hash:	7e9d213e404ad3bb82e4ebb2e1f2c1b3

File Activities**File Read****Analysis Process: dash** PID: 5219, Parent PID: 4331**General**

Start time:	08:18:11
Start date:	21/01/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: head PID: 5219, Parent PID: 4331		—
General		—
Start time:	08:18:11	
Start date:	21/01/2022	
Path:	/usr/bin/head	
Arguments:	head -n 10	
File size:	47480 bytes	
MD5 hash:	fd96a67145172477dd57131396fc9608	
File Activities		—
File Read		▼
Analysis Process: dash PID: 5220, Parent PID: 4331		—
General		—
Start time:	08:18:11	
Start date:	21/01/2022	
Path:	/usr/bin/dash	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	
Analysis Process: tr PID: 5220, Parent PID: 4331		—
General		—
Start time:	08:18:11	
Start date:	21/01/2022	
Path:	/usr/bin/tr	
Arguments:	tr -d \000-\011\013\014\016-\037	
File size:	51544 bytes	
MD5 hash:	fbd1402dd9f72d8ebfff00ce7c3a7bb5	
File Activities		—
File Read		▼
Analysis Process: dash PID: 5221, Parent PID: 4331		—
General		—
Start time:	08:18:11	
Start date:	21/01/2022	
Path:	/usr/bin/dash	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	
Analysis Process: cut PID: 5221, Parent PID: 4331		—
General		—
Start time:	08:18:11	
Start date:	21/01/2022	
Path:	/usr/bin/cut	
Arguments:	cut -c -80	
File size:	47480 bytes	
MD5 hash:	d8ed0ea8f22c0de0f8692d4d9f1759d3	
File Activities		—
File Read		▼
File Written		▼

Analysis Process: dash PID: 5222, Parent PID: 4331		—
General		—
Start time:	08:18:11	
Start date:	21/01/2022	
Path:	/usr/bin/dash	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	

Analysis Process: rm PID: 5222, Parent PID: 4331		—
General		—
Start time:	08:18:11	
Start date:	21/01/2022	
Path:	/usr/bin/rm	
Arguments:	rm -f /tmp/tmp.zZSir0SvNh /tmp/tmp.zhdUhR0yq7 /tmp/tmp.WcqJIHVoeF	
File size:	72056 bytes	
MD5 hash:	aa2b5496fdbfd88e38791ab81f90b95b	

File Activities		—
File Deleted		▼
File Read		▼

Analysis Process: fuckjewishpeople.arm6 PID: 5226, Parent PID: 5107		—
General		—
Start time:	08:18:12	
Start date:	21/01/2022	
Path:	/tmp/fuckjewishpeople.arm6	
Arguments:	/tmp/fuckjewishpeople.arm6	
File size:	4956856 bytes	
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1	

File Activities		—
File Read		▼

Analysis Process: fuckjewishpeople.arm6 PID: 5228, Parent PID: 5226		—
General		—
Start time:	08:18:13	
Start date:	21/01/2022	
Path:	/tmp/fuckjewishpeople.arm6	
Arguments:	n/a	
File size:	4956856 bytes	
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1	

Analysis Process: fuckjewishpeople.arm6 PID: 5230, Parent PID: 5228		—
General		—
Start time:	08:18:13	
Start date:	21/01/2022	
Path:	/tmp/fuckjewishpeople.arm6	
Arguments:	n/a	
File size:	4956856 bytes	
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1	