

JOeSandbox Cloud BASIC



**ID:** 557496

**Sample Name:**  
fuckjewishpeople.arm5

**Cookbook:**  
defaultlinuxfilecookbook.jbs

**Time:** 08:21:54

**Date:** 21/01/2022

**Version:** 34.0.0 Boulder Opal

# Table of Contents

|                                                                     |    |
|---------------------------------------------------------------------|----|
| Table of Contents                                                   | 2  |
| Linux Analysis Report fuckjewishpeople.arm5                         | 3  |
| Overview                                                            | 3  |
| General Information                                                 | 3  |
| Detection                                                           | 3  |
| Signatures                                                          | 3  |
| Classification                                                      | 3  |
| Analysis Advice                                                     | 3  |
| General Information                                                 | 3  |
| Runtime Messages                                                    | 3  |
| Process Tree                                                        | 4  |
| Yara Overview                                                       | 4  |
| Initial Sample                                                      | 4  |
| Memory Dumps                                                        | 4  |
| Jbx Signature Overview                                              | 4  |
| AV Detection                                                        | 4  |
| Spreading                                                           | 4  |
| Stealing of Sensitive Information                                   | 4  |
| Remote Access Functionality                                         | 4  |
| Mitre Att&ck Matrix                                                 | 4  |
| Malware Configuration                                               | 5  |
| Behavior Graph                                                      | 5  |
| Antivirus, Machine Learning and Genetic Malware Detection           | 6  |
| Initial Sample                                                      | 6  |
| Dropped Files                                                       | 6  |
| Domains                                                             | 6  |
| URLs                                                                | 6  |
| Domains and IPs                                                     | 6  |
| Contacted Domains                                                   | 6  |
| URLs from Memory and Binaries                                       | 6  |
| World Map of Contacted IPs                                          | 6  |
| Public IPs                                                          | 7  |
| Joe Sandbox View / Context                                          | 7  |
| IPs                                                                 | 7  |
| Domains                                                             | 7  |
| ASNs                                                                | 7  |
| JA3 Fingerprints                                                    | 7  |
| Dropped Files                                                       | 7  |
| Created / dropped Files                                             | 7  |
| Static File Info                                                    | 7  |
| General                                                             | 7  |
| Static ELF Info                                                     | 7  |
| ELF header                                                          | 7  |
| Sections                                                            | 8  |
| Program Segments                                                    | 8  |
| Symbols                                                             | 8  |
| Network Behavior                                                    | 26 |
| Network Port Distribution                                           | 26 |
| TCP Packets                                                         | 26 |
| System Behavior                                                     | 26 |
| Analysis Process: fuckjewishpeople.arm5 PID: 5222, Parent PID: 5119 | 26 |
| General                                                             | 26 |
| File Activities                                                     | 26 |
| File Read                                                           | 26 |
| Analysis Process: fuckjewishpeople.arm5 PID: 5224, Parent PID: 5222 | 26 |
| General                                                             | 26 |
| Analysis Process: fuckjewishpeople.arm5 PID: 5226, Parent PID: 5224 | 26 |
| General                                                             | 26 |

# Linux Analysis Report

fuckjewishpeople.arm5

## Overview

General Information

|              |                                                                                                                                                                                                                                                                |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sample Name: | fuckjewishpeople.arm5                                                                                                                                                                                                                                          |
| Analysis ID: | 557496                                                                                                                                                                                                                                                         |
| MD5:         | 7ab259b369da09.                                                                                                                                                                                                                                                |
| SHA1:        | 7c6ec2939f1c41...                                                                                                                                                                                                                                              |
| SHA256:      | 3cb0651a202cae..                                                                                                                                                                                                                                               |
| Tags:        | <div>elfgafgyt</div>                                                                                                                                                                                                                                           |
| Infos:       | <div></div> |

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Gafgyt

Mirai

|              |         |
|--------------|---------|
| Score:       | 76      |
| Range:       | 0 - 100 |
| Whitelisted: | false   |

Signatures

Antivirus / Scanner detection for sub...

Yara detected Mirai

Multi AV Scanner detection for subm...

Yara detected Gafgyt

Opens /proc/net/\* files useful for fin...


Sample contains strings that are us...

Uses the "uname" system call to qu...

Tries to connect to HTTP servers, b...

Detected TCP or UDP traffic on non...

Classification



## Analysis Advice

|                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------|
| Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures  |
| All HTTP servers contacted by the sample do not answer. Likely the sample is an old dropper which does no longer work |
| Static ELF header machine description suggests that the sample might not execute correctly on this machine            |

General Information

|                                      |                                                                                                                              |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Joe Sandbox Version:                 | 34.0.0 Boulder Opal                                                                                                          |
| Analysis ID:                         | 557496                                                                                                                       |
| Start date:                          | 21.01.2022                                                                                                                   |
| Start time:                          | 08:21:54                                                                                                                     |
| Joe Sandbox Product:                 | CloudBasic                                                                                                                   |
| Overall analysis duration:           | 0h 5m 24s                                                                                                                    |
| Hypervisor based Inspection enabled: | false                                                                                                                        |
| Report type:                         | light                                                                                                                        |
| Sample file name:                    | fuckjewishpeople.arm5                                                                                                        |
| Cookbook file name:                  | defaultlinuxfilecookbook.jbs                                                                                                 |
| Analysis system description:         | Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11) |
| Analysis Mode:                       | default                                                                                                                      |
| Detection:                           | MAL                                                                                                                          |
| Classification:                      | mal76.spre.troj.linARM5@0/0@0/0                                                                                              |

Runtime Messages

|                  |                            |
|------------------|----------------------------|
| Command:         | /tmp/fuckjewishpeople.arm5 |
| Exit Code:       | 0                          |
| Exit Code Info:  |                            |
| Killed:          | False                      |
| Standard Output: |                            |
| Standard Error:  |                            |

Process Tree

- system is Inxubuntu20
  - fuckjewishpeople.arm5 (PID: 5222, Parent: 5119, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/fuckjewishpeople.arm5
    - fuckjewishpeople.arm5 New Fork (PID: 5224, Parent: 5222)
    - fuckjewishpeople.arm5 New Fork (PID: 5226, Parent: 5224)
- cleanup

Yara Overview

Initial Sample

| Source                | Rule                | Description          | Author       | Strings |
|-----------------------|---------------------|----------------------|--------------|---------|
| fuckjewishpeople.arm5 | JoeSecurity_Mirai_8 | Yara detected Mirai  | Joe Security |         |
| fuckjewishpeople.arm5 | JoeSecurity_Gafgyt  | Yara detected Gafgyt | Joe Security |         |

Memory Dumps

| Source                                            | Rule                | Description          | Author       | Strings |
|---------------------------------------------------|---------------------|----------------------|--------------|---------|
| 5222.1.00000000e9a696d3.000000009cfdc4d8.r-x.sdmp | JoeSecurity_Mirai_8 | Yara detected Mirai  | Joe Security |         |
| 5222.1.00000000e9a696d3.000000009cfdc4d8.r-x.sdmp | JoeSecurity_Gafgyt  | Yara detected Gafgyt | Joe Security |         |
| 5224.1.00000000e9a696d3.000000009cfdc4d8.r-x.sdmp | JoeSecurity_Mirai_8 | Yara detected Mirai  | Joe Security |         |
| 5224.1.00000000e9a696d3.000000009cfdc4d8.r-x.sdmp | JoeSecurity_Gafgyt  | Yara detected Gafgyt | Joe Security |         |

Jbx Signature Overview

AV Detection



- Antivirus / Scanner detection for submitted sample
- Multi AV Scanner detection for submitted file

Spreading



- Opens /proc/net/\* files useful for finding connected devices and routers

Stealing of Sensitive Information



- Yara detected Mirai
- Yara detected Gafgyt

Remote Access Functionality



- Yara detected Mirai
- Yara detected Gafgyt


Mitre Att&ck Matrix

| Initial Access   | Execution                          | Persistence                          | Privilege Escalation                 | Defense Evasion                 | Credential Access        | Discovery                                                                 | Lateral Movement                   | Collection                     | Exfiltration                           | Command and Control                                          | Network Effects                             | Remote Service Effects                      | Impact                  |
|------------------|------------------------------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------|---------------------------------------------------------------------------|------------------------------------|--------------------------------|----------------------------------------|--------------------------------------------------------------|---------------------------------------------|---------------------------------------------|-------------------------|
| Valid Accounts   | Windows Management Instrumentation | Path Interception                    | Path Interception                    | Direct Volume Access            | OS Credential Dumping    | <div><div>1</div><div>1</div><div>Security Software Discovery</div></div> | Remote Services                    | Data from Local System         | Exfiltration Over Other Network Medium | <div><div>1</div><div>Data Obfuscation</div></div>           | Eavesdrop on Insecure Network Communication | Remotely Track Device Without Authorization | Modify System Partition |
| Default Accounts | Scheduled Task/Job                 | Boot or Logon Initialization Scripts | Boot or Logon Initialization Scripts | Rootkit                         | LSASS Memory             | <div><div>1</div><div>Remote System Discovery</div></div>                 | Remote Desktop Protocol            | Data from Removable Media      | Exfiltration Over Bluetooth            | <div><div>1</div><div>Encrypted Channel</div></div>          | Exploit SS7 to Redirect Phone Calls/SMS     | Remotely Wipe Data Without Authorization    | Device Lockout          |
| Domain Accounts  | At (Linux)                         | Logon Script (Windows)               | Logon Script (Windows)               | Obfuscated Files or Information | Security Account Manager | Query Registry                                                            | SMB/Windows Admin Shares           | Data from Network Shared Drive | Automated Exfiltration                 | <div><div>1</div><div>Non-Standard Port</div></div>          | Exploit SS7 to Track Device Location        | Obtain Device Cloud Backups                 | Delete Device Data      |
| Local Accounts   | At (Windows)                       | Logon Script (Mac)                   | Logon Script (Mac)                   | Binary Padding                  | NTDS                     | System Network Configuration Discovery                                    | Distributed Component Object Model | Input Capture                  | Scheduled Transfer                     | <div><div>1</div><div>Application Layer Protocol</div></div> | SIM Card Swap                               |                                             | Carrier Billing Fraud   |

## Malware Configuration

 No configs have been found

## Behavior Graph



## Antivirus, Machine Learning and Genetic Malware Detection

### Initial Sample

| Source                | Detection | Scanner       | Label               | Link                   |
|-----------------------|-----------|---------------|---------------------|------------------------|
| fuckjewishpeople.arm5 | 56%       | Virustotal    |                     | <a href="#">Browse</a> |
| fuckjewishpeople.arm5 | 60%       | ReversingLabs | Linux.Trojan.Gafgyt |                        |
| fuckjewishpeople.arm5 | 100%      | Avira         | LINUX/Gafgyt.opnd   |                        |

### Dropped Files

🚫 No Antivirus matches

### Domains

🚫 No Antivirus matches

### URLs

| Source                                                                                | Detection | Scanner        | Label | Link |
|---------------------------------------------------------------------------------------|-----------|----------------|-------|------|
| <a href="http://www.billybobbot.com/crawler/">http://www.billybobbot.com/crawler/</a> | 0%        | URL Reputation | safe  |      |
| <a href="http://fast.no/support/crawler.asp">http://fast.no/support/crawler.asp</a>   | 0%        | URL Reputation | safe  |      |
| <a href="http://feedback.redkolibri.com/">http://feedback.redkolibri.com/</a>         | 0%        | URL Reputation | safe  |      |

## Domains and IPs

### Contacted Domains

🚫 No contacted domains info

### URLs from Memory and Binaries

### World Map of Contacted IPs



| Public IPs      |         |                |                                                                                   |       |                |           |
|-----------------|---------|----------------|-----------------------------------------------------------------------------------|-------|----------------|-----------|
| IP              | Domain  | Country        | Flag                                                                              | ASN   | ASN Name       | Malicious |
| 78.47.230.250   | unknown | Germany        |  | 24940 | HETZNER-ASDE   | false     |
| 109.202.202.202 | unknown | Switzerland    |  | 13030 | INIT7CH        | false     |
| 91.189.91.43    | unknown | United Kingdom |  | 41231 | CANONICAL-ASGB | false     |
| 91.189.91.42    | unknown | United Kingdom |  | 41231 | CANONICAL-ASGB | false     |

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

|                       |                                                                                                                                                                |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| File type:            | ELF 32-bit LSB executable, ARM, version 1 (ARM), statically linked, with debug_info, not stripped                                                              |
| Entropy (8bit):       | 6.019561220005166                                                                                                                                              |
| TrID:                 | <ul style="list-style-type: none"><li>ELF Executable and Linkable format (generic) (4004/1) 100.00%</li></ul>                                                  |
| File name:            | fuckjewishpeople.arm5                                                                                                                                          |
| File size:            | 96620                                                                                                                                                          |
| MD5:                  | 7ab259b369da09431d745231ead1a43e                                                                                                                               |
| SHA1:                 | 7c6ec2939f1c41b01017c6dbbda42b9f5366da6                                                                                                                        |
| SHA256:               | 3cb0651a202caee2532b185b4df0761bfe7aa688c6cb14c3424d1c0c125b444d                                                                                               |
| SHA512:               | 4aa7a3962926a1b53e94dbbc5a347cff865d880771bd86f3de0fc68287841d29cd5794b625191f1738f613a5a4d6473411e740f2c0502185797555d665af04b2                               |
| SSDEEP:               | 1536:ZvgGLl1gX3JGQxPuwjxtOzy95hXNKV6T/Fo2kVvQqEqn/JXCPe:tlHQjjB5hXNKV6T/cjvVqQEqn9JXCPe                                                                        |
| File Content Preview: | .ELF...a.....(.....4...X.....4 ...(. .....0...0.....0...0.....g.....Q.td.....-...L." .....0@- .IP...0...S.O...P@...0... ..R.....0...0.....0 ... ..R..... 0...S |

Static ELF Info

ELF header

|        |       |
|--------|-------|
| Class: | ELF32 |
|--------|-------|

| ELF header                 |                               |
|----------------------------|-------------------------------|
| Data:                      | 2's complement, little endian |
| Version:                   | 1 (current)                   |
| Machine:                   | ARM                           |
| Version Number:            | 0x1                           |
| Type:                      | EXEC (Executable file)        |
| OS/ABI:                    | ARM - ABI                     |
| ABI Version:               | 0                             |
| Entry Point Address:       | 0x8190                        |
| Flags:                     | 0x2                           |
| ELF Header Size:           | 52                            |
| Program Header Offset:     | 52                            |
| Program Header Size:       | 32                            |
| Number of Program Headers: | 3                             |
| Section Header Offset:     | 71768                         |
| Section Header Size:       | 40                            |
| Number of Section Headers: | 20                            |
| Header String Table Index: | 17                            |

| Sections       |          |         |         |        |         |       |                   |      |      |       |
|----------------|----------|---------|---------|--------|---------|-------|-------------------|------|------|-------|
| Name           | Type     | Address | Offset  | Size   | EntSize | Flags | Flags Description | Link | Info | Align |
|                | NULL     | 0x0     | 0x0     | 0x0    | 0x0     | 0x0   |                   | 0    | 0    | 0     |
| .init          | PROGBITS | 0x8094  | 0x94    | 0x18   | 0x0     | 0x6   | AX                | 0    | 0    | 4     |
| .text          | PROGBITS | 0x80b0  | 0xb0    | 0xc000 | 0x0     | 0x6   | AX                | 0    | 0    | 16    |
| .fini          | PROGBITS | 0x140b0 | 0xc0b0  | 0x14   | 0x0     | 0x6   | AX                | 0    | 0    | 4     |
| .rodata        | PROGBITS | 0x140c4 | 0xc0c4  | 0x4068 | 0x0     | 0x2   | A                 | 0    | 0    | 4     |
| .eh_frame      | PROGBITS | 0x1812c | 0x1012c | 0x4    | 0x0     | 0x2   | A                 | 0    | 0    | 4     |
| .ctors         | PROGBITS | 0x20130 | 0x10130 | 0x8    | 0x0     | 0x3   | WA                | 0    | 0    | 4     |
| .dtors         | PROGBITS | 0x20138 | 0x10138 | 0x8    | 0x0     | 0x3   | WA                | 0    | 0    | 4     |
| .jcr           | PROGBITS | 0x20140 | 0x10140 | 0x4    | 0x0     | 0x3   | WA                | 0    | 0    | 4     |
| .data          | PROGBITS | 0x20144 | 0x10144 | 0x474  | 0x0     | 0x3   | WA                | 0    | 0    | 4     |
| .bss           | NOBITS   | 0x205b8 | 0x105b8 | 0x6358 | 0x0     | 0x3   | WA                | 0    | 0    | 4     |
| .comment       | PROGBITS | 0x0     | 0x105b8 | 0xa5a  | 0x0     | 0x0   |                   | 0    | 0    | 1     |
| .debug_aranges | PROGBITS | 0x0     | 0x11018 | 0xa0   | 0x0     | 0x0   |                   | 0    | 0    | 8     |
| .debug_info    | PROGBITS | 0x0     | 0x110b8 | 0x30c  | 0x0     | 0x0   |                   | 0    | 0    | 1     |
| .debug_abbrev  | PROGBITS | 0x0     | 0x113c4 | 0x64   | 0x0     | 0x0   |                   | 0    | 0    | 1     |
| .debug_line    | PROGBITS | 0x0     | 0x11428 | 0x2e7  | 0x0     | 0x0   |                   | 0    | 0    | 1     |
| .debug_frame   | PROGBITS | 0x0     | 0x11710 | 0xa0   | 0x0     | 0x0   |                   | 0    | 0    | 4     |
| .shstrtab      | STRTAB   | 0x0     | 0x117b0 | 0xa8   | 0x0     | 0x0   |                   | 0    | 0    | 1     |
| .symtab        | SYMTAB   | 0x0     | 0x11b78 | 0x3d50 | 0x10    | 0x0   |                   | 19   | 559  | 4     |
| .strtab        | STRTAB   | 0x0     | 0x158c8 | 0x20a4 | 0x0     | 0x0   |                   | 0    | 0    | 1     |

| Program Segments |         |                 |                  |           |             |         |       |                   |        |                  |                                     |
|------------------|---------|-----------------|------------------|-----------|-------------|---------|-------|-------------------|--------|------------------|-------------------------------------|
| Type             | Offset  | Virtual Address | Physical Address | File Size | Memory Size | Entropy | Flags | Flags Description | Align  | Prog Interpreter | Section Mappings                    |
| LOAD             | 0x0     | 0x8000          | 0x8000           | 0x10130   | 0x10130     | 3.9128  | 0x5   | R E               | 0x8000 |                  | .init .text .fini .rodata .eh_frame |
| LOAD             | 0x10130 | 0x20130         | 0x20130          | 0x488     | 0x67e0      | 2.2411  | 0x6   | RW                | 0x8000 |                  | .ctors .dtors .jcr .data .bss       |
| GNU_STACK        | 0x0     | 0x0             | 0x0              | 0x0       | 0x0         | 0.0000  | 0x7   | RWE               | 0x4    |                  |                                     |

| Symbols |                   |                        |              |         |      |             |             |                   |           |  |
|---------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|-----------|--|
| Name    | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx       |  |
|         |                   |                        | .symtab      | 0x0     | 0    | NOTYPE      | <unknown>   | DEFAULT           | SHN_UNDEF |  |
|         |                   |                        | .symtab      | 0x8094  | 0    | SECTION     | <unknown>   | DEFAULT           | 1         |  |
|         |                   |                        | .symtab      | 0x80b0  | 0    | SECTION     | <unknown>   | DEFAULT           | 2         |  |
|         |                   |                        | .symtab      | 0x140b0 | 0    | SECTION     | <unknown>   | DEFAULT           | 3         |  |
|         |                   |                        | .symtab      | 0x140c4 | 0    | SECTION     | <unknown>   | DEFAULT           | 4         |  |

| Name | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx |
|------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|-----|
|      |                   |                        | .symtab      | 0x1812c | 0    | SECTION     | <unknown>   | DEFAULT           | 5   |
|      |                   |                        | .symtab      | 0x20130 | 0    | SECTION     | <unknown>   | DEFAULT           | 6   |
|      |                   |                        | .symtab      | 0x20138 | 0    | SECTION     | <unknown>   | DEFAULT           | 7   |
|      |                   |                        | .symtab      | 0x20140 | 0    | SECTION     | <unknown>   | DEFAULT           | 8   |
|      |                   |                        | .symtab      | 0x20144 | 0    | SECTION     | <unknown>   | DEFAULT           | 9   |
|      |                   |                        | .symtab      | 0x205b8 | 0    | SECTION     | <unknown>   | DEFAULT           | 10  |
|      |                   |                        | .symtab      | 0x0     | 0    | SECTION     | <unknown>   | DEFAULT           | 11  |
|      |                   |                        | .symtab      | 0x0     | 0    | SECTION     | <unknown>   | DEFAULT           | 12  |
|      |                   |                        | .symtab      | 0x0     | 0    | SECTION     | <unknown>   | DEFAULT           | 13  |
|      |                   |                        | .symtab      | 0x0     | 0    | SECTION     | <unknown>   | DEFAULT           | 14  |
|      |                   |                        | .symtab      | 0x0     | 0    | SECTION     | <unknown>   | DEFAULT           | 15  |
|      |                   |                        | .symtab      | 0x0     | 0    | SECTION     | <unknown>   | DEFAULT           | 16  |
|      |                   |                        | .symtab      | 0x0     | 0    | SECTION     | <unknown>   | DEFAULT           | 17  |
|      |                   |                        | .symtab      | 0x0     | 0    | SECTION     | <unknown>   | DEFAULT           | 18  |
|      |                   |                        | .symtab      | 0x0     | 0    | SECTION     | <unknown>   | DEFAULT           | 19  |
| \$a  |                   |                        | .symtab      | 0x8094  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 1   |
| \$a  |                   |                        | .symtab      | 0x140b0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 3   |
| \$a  |                   |                        | .symtab      | 0x80b0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x8128  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x140bc | 0    | NOTYPE      | <unknown>   | DEFAULT           | 3   |
| \$a  |                   |                        | .symtab      | 0x8188  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x80a0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 1   |
| \$a  |                   |                        | .symtab      | 0x14074 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x140a8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x80a4  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 1   |
| \$a  |                   |                        | .symtab      | 0x80a8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 1   |
| \$a  |                   |                        | .symtab      | 0x140c0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 3   |
| \$a  |                   |                        | .symtab      | 0x8190  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x81cc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x82a0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x83d8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x8438  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x87f4  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x90ec  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x94ec  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x9904  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x9bf4  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x9d58  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x9ebc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xa07c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xae04  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xafbc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xb174  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xb190  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xbb2c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xbcb8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc4f8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc608  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc6d4  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc7b8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc7bc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc80c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc880  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc8d0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc8f8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc924  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc950  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc97c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |

| Name | Version Info Name | Version Info File Name | Section Name | Value  | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx |
|------|-------------------|------------------------|--------------|--------|------|-------------|-------------|-------------------|-----|
| \$a  |                   |                        | .symtab      | 0xc9a8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xc9f8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xca24 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xca90 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcabc | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcaec | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcb18 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcb44 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcb4c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcb78 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcb90 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcbc4 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcbd0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcc04 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xccb4 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcd24 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcd34 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xcdec | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xce1c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xd4e0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xd578 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xd5b0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xd74c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xd798 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xdc5c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xdc90 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xdd40 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xdd50 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xdd60 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xde00 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xde20 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xde80 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xdf88 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xdfa4 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe084 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe17c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe190 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe278 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe2f4 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe300 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe320 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe38c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe3fc | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe488 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe4ac | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe4f0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe864 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe890 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe8bc | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe8ec | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe918 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe944 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe974 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xe9a0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xea58 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xeac4 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xec18 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xed08 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |

| Name | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx |
|------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|-----|
| \$a  |                   |                        | .symtab      | 0xed9c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xeec4  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf00c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf010  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf08c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf118  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf1b0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf22c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf2ec  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf37c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf448  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf510  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf51c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf524  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf6bc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf750  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf8f4  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf960  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xf9a4  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfa00  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfc4c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfd30  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfd38  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfd64  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfd90  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfdbc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfde8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfe14  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfe40  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfe98  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xfeec  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xff18  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xff24  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xff74  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0xff94  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x10050 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x1010c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x10244 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x10348 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x103b8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x103ec | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x1053c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x1095c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x10bb0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x11040 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x11050 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x1114c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x11164 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x11250 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x11308 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x1137c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x113bc | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x114a8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x11cb4 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x11f88 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x11fd0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x11fe8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x1200c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |

| Name | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx |
|------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|-----|
| \$a  |                   |                        | .symtab      | 0x12048 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12074 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x121f4 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12200 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x1220c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x1233c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12408 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12700 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12730 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x127c4 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12904 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12ae8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12b80 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12c38 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12d00 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12d50 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x12d80 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x1305c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x131c0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13420 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13508 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x135c0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x1361c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13630 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x1370c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13740 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13a68 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13acc | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13b00 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13c30 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13cd8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13da4 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13df0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13e4c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13e78 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$a  |                   |                        | .symtab      | 0x13f34 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x20130 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 6   |
| \$d  |                   |                        | .symtab      | 0x20138 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 7   |
| \$d  |                   |                        | .symtab      | 0x2014c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |
| \$d  |                   |                        | .symtab      | 0x8118  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x8174  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x140a4 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x20150 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |
| \$d  |                   |                        | .symtab      | 0x81c0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x20154 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |
| \$d  |                   |                        | .symtab      | 0x8298  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x83cc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x8434  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x87e0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x90e8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x94e8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x98fc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x1578c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 4   |
| \$d  |                   |                        | .symtab      | 0x9bf0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x9d54  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x9eb8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xa078  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xa9fc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |

| Name | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx |
|------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|-----|
| \$d  |                   |                        | .symtab      | 0xafac  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xb164  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xb18c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xbb00  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xbcac  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xc4d8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xca8c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xcb8c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xcbc0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x20254 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |
| \$d  |                   |                        | .symtab      | 0x2025c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |
| \$d  |                   |                        | .symtab      | 0xcbcc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xcd20  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xcd30  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xcddc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x20264 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |
| \$d  |                   |                        | .symtab      | 0x170d4 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 4   |
| \$d  |                   |                        | .symtab      | 0xd4cc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xd748  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xd78c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xdc38  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xdf80  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xe07c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xe270  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xe2f0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xe2fc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xe388  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xe484  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xe4e8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xe848  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xea54  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xec00  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x203a0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |
| \$d  |                   |                        | .symtab      | 0xecf0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xeffc  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x204a8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |
| \$d  |                   |                        | .symtab      | 0xf074  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xf100  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xf198  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xf214  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x204c0 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |
| \$d  |                   |                        | .symtab      | 0xf2e8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xf378  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xf43c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xf50c  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x17d00 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 4   |
| \$d  |                   |                        | .symtab      | 0xf6b8  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xf734  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x20574 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |
| \$d  |                   |                        | .symtab      | 0xf8f0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xf950  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xf9a0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xf9f0  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xfc18  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x2058c | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |
| \$d  |                   |                        | .symtab      | 0xfd28  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0xfe94  | 0    | NOTYPE      | <unknown>   | DEFAULT           | 2   |
| \$d  |                   |                        | .symtab      | 0x20590 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9   |

| Name                                                                   | Version Info Name | Version Info File Name | Section Name | Value   | Size  | Symbol Type | Symbol Bind | Symbol Visibility | Ndx       |
|------------------------------------------------------------------------|-------------------|------------------------|--------------|---------|-------|-------------|-------------|-------------------|-----------|
| \$d                                                                    |                   |                        | .symtab      | 0x2681c | 0     | NOTYPE      | <unknown>   | DEFAULT           | 10        |
| \$d                                                                    |                   |                        | .symtab      | 0xff20  | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x10924 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x18048 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 4         |
| \$d                                                                    |                   |                        | .symtab      | 0x11144 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x11248 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x114a4 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x11c80 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x11f48 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x2059c | 0     | NOTYPE      | <unknown>   | DEFAULT           | 9         |
| \$d                                                                    |                   |                        | .symtab      | 0x12004 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x12044 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x121d8 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x1232c | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x126d0 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x127b4 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x128dc | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x12ac4 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x12c30 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x13058 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x131bc | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x13418 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x13734 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x13a64 | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x13afc | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| \$d                                                                    |                   |                        | .symtab      | 0x13c2c | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| /home/firmware/build/temp-armv5l/gcc-core/gcc/config/arm/lib1funcs.asm |                   |                        | .symtab      | 0x0     | 0     | FILE        | <unknown>   | DEFAULT           | SHN_ABS   |
| /home/firmware/build/temp-armv5l/gcc-core/gcc/config/arm/lib1funcs.asm |                   |                        | .symtab      | 0x0     | 0     | FILE        | <unknown>   | DEFAULT           | SHN_ABS   |
| /home/firmware/build/temp-armv5l/gcc-core/gcc/config/arm/lib1funcs.asm |                   |                        | .symtab      | 0x0     | 0     | FILE        | <unknown>   | DEFAULT           | SHN_ABS   |
| /home/firmware/build/temp-armv5l/gcc-core/gcc/config/arm/lib1funcs.asm |                   |                        | .symtab      | 0x0     | 0     | FILE        | <unknown>   | DEFAULT           | SHN_ABS   |
| /home/firmware/build/temp-armv5l/gcc-core/gcc/config/arm/lib1funcs.asm |                   |                        | .symtab      | 0x0     | 0     | FILE        | <unknown>   | DEFAULT           | SHN_ABS   |
| C.72.4732                                                              |                   |                        | .symtab      | 0x1578c | 104   | OBJECT      | <unknown>   | DEFAULT           | 4         |
| C.82.4843                                                              |                   |                        | .symtab      | 0x16420 | 1128  | OBJECT      | <unknown>   | DEFAULT           | 4         |
| Laligned                                                               |                   |                        | .symtab      | 0xde48  | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| Llastword                                                              |                   |                        | .symtab      | 0xde64  | 0     | NOTYPE      | <unknown>   | DEFAULT           | 2         |
| Q                                                                      |                   |                        | .symtab      | 0x205e8 | 16384 | OBJECT      | <unknown>   | DEFAULT           | 10        |
| Randhex                                                                |                   |                        | .symtab      | 0x9ebc  | 448   | FUNC        | <unknown>   | DEFAULT           | 2         |
| SendHTTPHex                                                            |                   |                        | .symtab      | 0xae04  | 440   | FUNC        | <unknown>   | DEFAULT           | 2         |
| SendSTD                                                                |                   |                        | .symtab      | 0x9a50  | 420   | FUNC        | <unknown>   | DEFAULT           | 2         |
| UDPRAW                                                                 |                   |                        | .symtab      | 0x9d58  | 356   | FUNC        | <unknown>   | DEFAULT           | 2         |
| _Jv_RegisterClasses                                                    |                   |                        | .symtab      | 0x0     | 0     | NOTYPE      | <unknown>   | DEFAULT           | SHN_UNDEF |
| _READ.c                                                                |                   |                        | .symtab      | 0x0     | 0     | FILE        | <unknown>   | DEFAULT           | SHN_ABS   |
| _WRITE.c                                                               |                   |                        | .symtab      | 0x0     | 0     | FILE        | <unknown>   | DEFAULT           | SHN_ABS   |
| __CTOR_END__                                                           |                   |                        | .symtab      | 0x20134 | 0     | OBJECT      | <unknown>   | DEFAULT           | 6         |
| __CTOR_LIST__                                                          |                   |                        | .symtab      | 0x20130 | 0     | OBJECT      | <unknown>   | DEFAULT           | 6         |
| __C_ctype_b                                                            |                   |                        | .symtab      | 0x20254 | 4     | OBJECT      | <unknown>   | DEFAULT           | 9         |
| __C_ctype_b.c                                                          |                   |                        | .symtab      | 0x0     | 0     | FILE        | <unknown>   | DEFAULT           | SHN_ABS   |
| __C_ctype_b_data                                                       |                   |                        | .symtab      | 0x16ad4 | 768   | OBJECT      | <unknown>   | DEFAULT           | 4         |
| __C_ctype_tolower                                                      |                   |                        | .symtab      | 0x20590 | 4     | OBJECT      | <unknown>   | DEFAULT           | 9         |
| __C_ctype_tolower.c                                                    |                   |                        | .symtab      | 0x0     | 0     | FILE        | <unknown>   | DEFAULT           | SHN_ABS   |
| __C_ctype_tolower_data                                                 |                   |                        | .symtab      | 0x17d32 | 768   | OBJECT      | <unknown>   | DEFAULT           | 4         |

| Name                       | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx     |
|----------------------------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|---------|
| __C_ctype_toupper          |                   |                        | .symtab      | 0x2025c | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| __C_ctype_toupper.c        |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __C_ctype_toupper_data     |                   |                        | .symtab      | 0x16dd4 | 768  | OBJECT      | <unknown>   | DEFAULT           | 4       |
| __DTOR_END__               |                   |                        | .symtab      | 0x2013c | 0    | OBJECT      | <unknown>   | DEFAULT           | 7       |
| __DTOR_LIST__              |                   |                        | .symtab      | 0x20138 | 0    | OBJECT      | <unknown>   | DEFAULT           | 7       |
| __EH_FRAME_BEGIN__         |                   |                        | .symtab      | 0x1812c | 0    | OBJECT      | <unknown>   | DEFAULT           | 5       |
| __FRAME_END__              |                   |                        | .symtab      | 0x1812c | 0    | OBJECT      | <unknown>   | DEFAULT           | 5       |
| __GI__C_ctype_b            |                   |                        | .symtab      | 0x20254 | 4    | OBJECT      | <unknown>   | HIDDEN            | 9       |
| __GI__C_ctype_b_data       |                   |                        | .symtab      | 0x16ad4 | 768  | OBJECT      | <unknown>   | HIDDEN            | 4       |
| __GI__C_ctype_tolower      |                   |                        | .symtab      | 0x20590 | 4    | OBJECT      | <unknown>   | HIDDEN            | 9       |
| __GI__C_ctype_tolower_data |                   |                        | .symtab      | 0x17d32 | 768  | OBJECT      | <unknown>   | HIDDEN            | 4       |
| __GI__C_ctype_toupper      |                   |                        | .symtab      | 0x2025c | 4    | OBJECT      | <unknown>   | HIDDEN            | 9       |
| __GI__C_ctype_toupper_data |                   |                        | .symtab      | 0x16dd4 | 768  | OBJECT      | <unknown>   | HIDDEN            | 4       |
| __GI__ctype_b              |                   |                        | .symtab      | 0x20258 | 4    | OBJECT      | <unknown>   | HIDDEN            | 9       |
| __GI__ctype_tolower        |                   |                        | .symtab      | 0x20594 | 4    | OBJECT      | <unknown>   | HIDDEN            | 9       |
| __GI__ctype_toupper        |                   |                        | .symtab      | 0x20260 | 4    | OBJECT      | <unknown>   | HIDDEN            | 9       |
| __GI__errno_location       |                   |                        | .symtab      | 0xcbc4  | 12   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fgetc_unlocked       |                   |                        | .symtab      | 0x13b00 | 304  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__glibc_strerror_r     |                   |                        | .symtab      | 0xe17c  | 20   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__h_errno_location     |                   |                        | .symtab      | 0xff18  | 12   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__libc_fcntl           |                   |                        | .symtab      | 0xc80c  | 116  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__libc_fcntl64         |                   |                        | .symtab      | 0xc880  | 80   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__libc_open            |                   |                        | .symtab      | 0xca24  | 92   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__uClibc_fini          |                   |                        | .symtab      | 0xf8f4  | 108  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__uClibc_init          |                   |                        | .symtab      | 0xf9a4  | 92   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__xpg_strerror_r       |                   |                        | .symtab      | 0xe190  | 232  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__exit                 |                   |                        | .symtab      | 0xc8d0  | 40   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__abort                |                   |                        | .symtab      | 0xeec4  | 328  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__atoi                 |                   |                        | .symtab      | 0xf510  | 12   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__atol                 |                   |                        | .symtab      | 0xf510  | 12   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__brk                  |                   |                        | .symtab      | 0x1200c | 60   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__chdir                |                   |                        | .symtab      | 0xc8f8  | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__close                |                   |                        | .symtab      | 0xc924  | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__connect              |                   |                        | .symtab      | 0xe864  | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__errno                |                   |                        | .symtab      | 0x2681c | 4    | OBJECT      | <unknown>   | HIDDEN            | 10      |
| __GI__exit                 |                   |                        | .symtab      | 0xf6bc  | 148  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fclose               |                   |                        | .symtab      | 0x12074 | 384  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fcntl                |                   |                        | .symtab      | 0xc80c  | 116  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fcntl64              |                   |                        | .symtab      | 0xc880  | 80   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fflush_unlocked      |                   |                        | .symtab      | 0x12904 | 484  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fgetc_unlocked       |                   |                        | .symtab      | 0x13b00 | 304  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fgets                |                   |                        | .symtab      | 0x12730 | 148  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fgets_unlocked       |                   |                        | .symtab      | 0x12ae8 | 152  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fopen                |                   |                        | .symtab      | 0x121f4 | 12   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fork                 |                   |                        | .symtab      | 0xc950  | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fputs_unlocked       |                   |                        | .symtab      | 0xdc5c  | 52   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fseek                |                   |                        | .symtab      | 0x12200 | 12   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fseeko64             |                   |                        | .symtab      | 0x1220c | 304  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__fwrite_unlocked      |                   |                        | .symtab      | 0xdc90  | 172  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__getc_unlocked        |                   |                        | .symtab      | 0x13b00 | 304  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__getegid              |                   |                        | .symtab      | 0xfd64  | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__geteuid              |                   |                        | .symtab      | 0xfd90  | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__getgid               |                   |                        | .symtab      | 0xfdbc  | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__gethostbyname        |                   |                        | .symtab      | 0xe4ac  | 68   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__gethostbyname_r      |                   |                        | .symtab      | 0xe4f0  | 884  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__getpid               |                   |                        | .symtab      | 0xc97c  | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__getsockname          |                   |                        | .symtab      | 0xe890  | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __GI__getuid               |                   |                        | .symtab      | 0xfde8  | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |

| Name             | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx |
|------------------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|-----|
| __GI_h_errno     |                   |                        | .symtab      | 0x26820 | 4    | OBJECT      | <unknown>   | HIDDEN            | 10  |
| __GI_inet_addr   |                   |                        | .symtab      | 0xe488  | 36   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_inet_aton   |                   |                        | .symtab      | 0x113bc | 236  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_inet_ntoa   |                   |                        | .symtab      | 0xe47c  | 12   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_inet_ntoa_r |                   |                        | .symtab      | 0xe3fc  | 128  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_inet_ntop   |                   |                        | .symtab      | 0x131c0 | 608  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_inet_pton   |                   |                        | .symtab      | 0x12e4c | 528  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_initstate_r |                   |                        | .symtab      | 0xf448  | 200  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_ioctl       |                   |                        | .symtab      | 0xc9a8  | 80   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_isatty      |                   |                        | .symtab      | 0xe300  | 32   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_kill        |                   |                        | .symtab      | 0xc9f8  | 44   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_lseek64     |                   |                        | .symtab      | 0x13a68 | 100  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_memchr      |                   |                        | .symtab      | 0x11050 | 252  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_memcpy      |                   |                        | .symtab      | 0xdd50  | 4    | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_mempmove    |                   |                        | .symtab      | 0x11040 | 4    | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_mempcpy     |                   |                        | .symtab      | 0x1114c | 24   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_memrchr     |                   |                        | .symtab      | 0x11164 | 236  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_memset      |                   |                        | .symtab      | 0xdd60  | 156  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_nanosleep   |                   |                        | .symtab      | 0xfe14  | 44   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_open        |                   |                        | .symtab      | 0xca24  | 92   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_poll        |                   |                        | .symtab      | 0x12048 | 44   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_raise       |                   |                        | .symtab      | 0x11fd0 | 24   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_random      |                   |                        | .symtab      | 0xf010  | 124  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_random_r    |                   |                        | .symtab      | 0xf2ec  | 144  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_rawmemchr   |                   |                        | .symtab      | 0x12b80 | 184  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_read        |                   |                        | .symtab      | 0xca90  | 44   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_recv        |                   |                        | .symtab      | 0xe8ec  | 44   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_sbrk        |                   |                        | .symtab      | 0xfe40  | 88   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_select      |                   |                        | .symtab      | 0xcabc  | 48   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_send        |                   |                        | .symtab      | 0xe918  | 44   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_setsid      |                   |                        | .symtab      | 0xcaec  | 44   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_setsockopt  |                   |                        | .symtab      | 0xe944  | 48   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_setstate_r  |                   |                        | .symtab      | 0xf22c  | 192  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_sigaction   |                   |                        | .symtab      | 0xfc4c  | 228  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_signal      |                   |                        | .symtab      | 0xe9a0  | 184  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_sigprocmask |                   |                        | .symtab      | 0xfe98  | 84   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_sleep       |                   |                        | .symtab      | 0xf750  | 420  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_socket      |                   |                        | .symtab      | 0xe974  | 44   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_sprintf     |                   |                        | .symtab      | 0xcbd0  | 52   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_srandom_r   |                   |                        | .symtab      | 0xf37c  | 204  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strerrorcmp |                   |                        | .symtab      | 0xe278  | 124  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strchr      |                   |                        | .symtab      | 0xde80  | 264  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strerror    |                   |                        | .symtab      | 0xde00  | 28   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strcoll     |                   |                        | .symtab      | 0xde00  | 28   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strerror    |                   |                        | .symtab      | 0xdf88  | 28   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strdup      |                   |                        | .symtab      | 0x12d50 | 48   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strlen      |                   |                        | .symtab      | 0xde20  | 96   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strncat     |                   |                        | .symtab      | 0x12c38 | 200  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strncpy     |                   |                        | .symtab      | 0x11250 | 184  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strnlen     |                   |                        | .symtab      | 0xdfa4  | 224  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strerror    |                   |                        | .symtab      | 0x1137c | 64   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strerror    |                   |                        | .symtab      | 0x12d00 | 80   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strerror    |                   |                        | .symtab      | 0xe084  | 248  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strerror    |                   |                        | .symtab      | 0xe2f4  | 12   | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strerror_r  |                   |                        | .symtab      | 0x11308 | 116  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strerror    |                   |                        | .symtab      | 0xf51c  | 8    | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_strerror    |                   |                        | .symtab      | 0xe320  | 108  | FUNC        | <unknown>   | HIDDEN            | 2   |
| __GI_time        |                   |                        | .symtab      | 0xcb18  | 44   | FUNC        | <unknown>   | HIDDEN            | 2   |

| Name                     | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx           |
|--------------------------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|---------------|
| __GI_tolower             |                   |                        | .symtab      | 0x13acc | 52   | FUNC        | <unknown>   | HIDDEN            | 2             |
| __GI_toupper             |                   |                        | .symtab      | 0xcb90  | 52   | FUNC        | <unknown>   | HIDDEN            | 2             |
| __GI_vsnprintf           |                   |                        | .symtab      | 0xcc04  | 176  | FUNC        | <unknown>   | HIDDEN            | 2             |
| __GI_wait4               |                   |                        | .symtab      | 0xfeec  | 44   | FUNC        | <unknown>   | HIDDEN            | 2             |
| __GI_waitpid             |                   |                        | .symtab      | 0xcb44  | 8    | FUNC        | <unknown>   | HIDDEN            | 2             |
| __GI_wctomb              |                   |                        | .symtab      | 0xff24  | 80   | FUNC        | <unknown>   | HIDDEN            | 2             |
| __GI_wcsnrtombs          |                   |                        | .symtab      | 0xff94  | 188  | FUNC        | <unknown>   | HIDDEN            | 2             |
| __GI_wcsrtombs           |                   |                        | .symtab      | 0xff74  | 32   | FUNC        | <unknown>   | HIDDEN            | 2             |
| __GI_write               |                   |                        | .symtab      | 0xcb4c  | 44   | FUNC        | <unknown>   | HIDDEN            | 2             |
| __JCR_END__              |                   |                        | .symtab      | 0x20140 | 0    | OBJECT      | <unknown>   | DEFAULT           | 8             |
| __JCR_LIST__             |                   |                        | .symtab      | 0x20140 | 0    | OBJECT      | <unknown>   | DEFAULT           | 8             |
| __aeabi_idiv             |                   |                        | .symtab      | 0x13f34 | 0    | FUNC        | <unknown>   | DEFAULT           | 2             |
| __aeabi_idiv0            |                   |                        | .symtab      | 0xc7b8  | 4    | FUNC        | <unknown>   | DEFAULT           | 2             |
| __aeabi_idivmod          |                   |                        | .symtab      | 0x1405c | 24   | FUNC        | <unknown>   | DEFAULT           | 2             |
| __aeabi_ldiv0            |                   |                        | .symtab      | 0xc7b8  | 4    | FUNC        | <unknown>   | DEFAULT           | 2             |
| __aeabi_uidiv            |                   |                        | .symtab      | 0xc4f8  | 0    | FUNC        | <unknown>   | DEFAULT           | 2             |
| __aeabi_uidivmod         |                   |                        | .symtab      | 0xc5f0  | 24   | FUNC        | <unknown>   | DEFAULT           | 2             |
| __app_fini               |                   |                        | .symtab      | 0x26810 | 4    | OBJECT      | <unknown>   | HIDDEN            | 10            |
| __atexit_lock            |                   |                        | .symtab      | 0x20574 | 24   | OBJECT      | <unknown>   | DEFAULT           | 9             |
| __bsd_signal             |                   |                        | .symtab      | 0xe9a0  | 184  | FUNC        | <unknown>   | HIDDEN            | 2             |
| __bss_end__              |                   |                        | .symtab      | 0x26910 | 0    | NOTYPE      | <unknown>   | DEFAULT           | SHN_ABS       |
| __bss_start              |                   |                        | .symtab      | 0x205b8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | SHN_ABS       |
| __bss_start__            |                   |                        | .symtab      | 0x205b8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | SHN_ABS       |
| __check_one_fd           |                   |                        | .symtab      | 0xf96c  | 56   | FUNC        | <unknown>   | DEFAULT           | 2             |
| __ctype_b                |                   |                        | .symtab      | 0x20258 | 4    | OBJECT      | <unknown>   | DEFAULT           | 9             |
| __ctype_tolower          |                   |                        | .symtab      | 0x20594 | 4    | OBJECT      | <unknown>   | DEFAULT           | 9             |
| __ctype_toupper          |                   |                        | .symtab      | 0x20260 | 4    | OBJECT      | <unknown>   | DEFAULT           | 9             |
| __curbrk                 |                   |                        | .symtab      | 0x26840 | 4    | OBJECT      | <unknown>   | HIDDEN            | 10            |
| __data_start             |                   |                        | .symtab      | 0x20144 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9             |
| __decode_answer          |                   |                        | .symtab      | 0x13630 | 220  | FUNC        | <unknown>   | HIDDEN            | 2             |
| __decode_dotted          |                   |                        | .symtab      | 0x13cd8 | 204  | FUNC        | <unknown>   | HIDDEN            | 2             |
| __decode_header          |                   |                        | .symtab      | 0x13508 | 184  | FUNC        | <unknown>   | HIDDEN            | 2             |
| __default_rt_sa_restorer |                   |                        | .symtab      | 0xfd34  | 0    | FUNC        | <unknown>   | DEFAULT           | 2             |
| __default_sa_restorer    |                   |                        | .symtab      | 0xfd30  | 0    | FUNC        | <unknown>   | DEFAULT           | 2             |
| __deregister_frame_info  |                   |                        | .symtab      | 0x0     | 0    | NOTYPE      | <unknown>   | DEFAULT           | SHN_UNDE<br>F |
| __div0                   |                   |                        | .symtab      | 0xc7b8  | 4    | FUNC        | <unknown>   | DEFAULT           | 2             |
| __divsi3                 |                   |                        | .symtab      | 0x13f34 | 296  | FUNC        | <unknown>   | DEFAULT           | 2             |
| __dns_lookup             |                   |                        | .symtab      | 0x114a8 | 2060 | FUNC        | <unknown>   | HIDDEN            | 2             |
| __do_global_ctors_aux    |                   |                        | .symtab      | 0x14074 | 0    | FUNC        | <unknown>   | DEFAULT           | 2             |
| __do_global_dtors_aux    |                   |                        | .symtab      | 0x80b0  | 0    | FUNC        | <unknown>   | DEFAULT           | 2             |
| __dso_handle             |                   |                        | .symtab      | 0x20148 | 0    | OBJECT      | <unknown>   | HIDDEN            | 9             |
| __encode_dotted          |                   |                        | .symtab      | 0x13c30 | 168  | FUNC        | <unknown>   | HIDDEN            | 2             |
| __encode_header          |                   |                        | .symtab      | 0x13420 | 232  | FUNC        | <unknown>   | HIDDEN            | 2             |
| __encode_question        |                   |                        | .symtab      | 0x135c0 | 92   | FUNC        | <unknown>   | HIDDEN            | 2             |
| __end__                  |                   |                        | .symtab      | 0x26910 | 0    | NOTYPE      | <unknown>   | DEFAULT           | SHN_ABS       |
| __environ                |                   |                        | .symtab      | 0x26808 | 4    | OBJECT      | <unknown>   | DEFAULT           | 10            |
| __errno_location         |                   |                        | .symtab      | 0xcbc4  | 12   | FUNC        | <unknown>   | DEFAULT           | 2             |
| __errno_location.c       |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS       |
| __exit_cleanup           |                   |                        | .symtab      | 0x26800 | 4    | OBJECT      | <unknown>   | HIDDEN            | 10            |
| __fgetc_unlocked         |                   |                        | .symtab      | 0x13b00 | 304  | FUNC        | <unknown>   | DEFAULT           | 2             |
| __fini_array_end         |                   |                        | .symtab      | 0x20130 | 0    | NOTYPE      | <unknown>   | HIDDEN            | SHN_ABS       |
| __fini_array_start       |                   |                        | .symtab      | 0x20130 | 0    | NOTYPE      | <unknown>   | HIDDEN            | SHN_ABS       |
| __get_hosts_byname_r     |                   |                        | .symtab      | 0x11f88 | 72   | FUNC        | <unknown>   | HIDDEN            | 2             |
| __glibc_strerror_r       |                   |                        | .symtab      | 0xe17c  | 20   | FUNC        | <unknown>   | DEFAULT           | 2             |
| __glibc_strerror_r.c     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS       |
| __h_errno_location       |                   |                        | .symtab      | 0xff18  | 12   | FUNC        | <unknown>   | DEFAULT           | 2             |
| __h_errno_location.c     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS       |
| __heap_alloc             |                   |                        | .symtab      | 0xed08  | 148  | FUNC        | <unknown>   | DEFAULT           | 2             |

| Name                         | Version Info Name | Version Info File Name | Section Name | Value    | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx       |
|------------------------------|-------------------|------------------------|--------------|----------|------|-------------|-------------|-------------------|-----------|
| __heap_free                  |                   |                        | .symtab      | 0xedd0   | 244  | FUNC        | <unknown>   | DEFAULT           | 2         |
| __heap_link_free_area        |                   |                        | .symtab      | 0xed9c   | 32   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __heap_link_free_area_after  |                   |                        | .symtab      | 0xedbc   | 20   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __init_array_end             |                   |                        | .symtab      | 0x20130  | 0    | NOTYPE      | <unknown>   | HIDDEN            | SHN_ABS   |
| __init_array_start           |                   |                        | .symtab      | 0x20130  | 0    | NOTYPE      | <unknown>   | HIDDEN            | SHN_ABS   |
| __length_dotted              |                   |                        | .symtab      | 0x13da4  | 76   | FUNC        | <unknown>   | HIDDEN            | 2         |
| __length_question            |                   |                        | .symtab      | 0x1361c  | 20   | FUNC        | <unknown>   | HIDDEN            | 2         |
| __libc_close                 |                   |                        | .symtab      | 0xc924   | 44   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_connect               |                   |                        | .symtab      | 0xe864   | 44   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_creat                 |                   |                        | .symtab      | 0xca80   | 16   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_fcntl                 |                   |                        | .symtab      | 0xc80c   | 116  | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_fcntl64               |                   |                        | .symtab      | 0xc880   | 80   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_fork                  |                   |                        | .symtab      | 0xc950   | 44   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_getpid                |                   |                        | .symtab      | 0xc97c   | 44   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_lseek64               |                   |                        | .symtab      | 0x13a68  | 100  | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_nanosleep             |                   |                        | .symtab      | 0xfe14   | 44   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_open                  |                   |                        | .symtab      | 0xca24   | 92   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_poll                  |                   |                        | .symtab      | 0x12048  | 44   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_read                  |                   |                        | .symtab      | 0xca90   | 44   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_recv                  |                   |                        | .symtab      | 0xe8ec   | 44   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_select                |                   |                        | .symtab      | 0xcabc   | 48   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_send                  |                   |                        | .symtab      | 0xe918   | 44   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_sigaction             |                   |                        | .symtab      | 0xfc4c   | 228  | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_stack_end             |                   |                        | .symtab      | 0x26804  | 4    | OBJECT      | <unknown>   | DEFAULT           | 10        |
| __libc_waitpid               |                   |                        | .symtab      | 0xcb44   | 8    | FUNC        | <unknown>   | DEFAULT           | 2         |
| __libc_write                 |                   |                        | .symtab      | 0xcb4c   | 44   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __malloc_heap                |                   |                        | .symtab      | 0x203a0  | 4    | OBJECT      | <unknown>   | DEFAULT           | 9         |
| __malloc_heap_lock           |                   |                        | .symtab      | 0x267e4  | 24   | OBJECT      | <unknown>   | DEFAULT           | 10        |
| __malloc_sbrk_lock           |                   |                        | .symtab      | 0x268cc  | 24   | OBJECT      | <unknown>   | DEFAULT           | 10        |
| __modsi3                     |                   |                        | .symtab      | 0xc6d4   | 228  | FUNC        | <unknown>   | DEFAULT           | 2         |
| __muldi3                     |                   |                        | .symtab      | 0xc7bc   | 80   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __nameserver                 |                   |                        | .symtab      | 0x268f4  | 12   | OBJECT      | <unknown>   | HIDDEN            | 10        |
| __nameservers                |                   |                        | .symtab      | 0x26900  | 4    | OBJECT      | <unknown>   | HIDDEN            | 10        |
| __open_etc_hosts             |                   |                        | .symtab      | 0x1370c  | 52   | FUNC        | <unknown>   | HIDDEN            | 2         |
| __open_nameservers           |                   |                        | .symtab      | 0x11cb4  | 724  | FUNC        | <unknown>   | HIDDEN            | 2         |
| __pagesize                   |                   |                        | .symtab      | 0x2680c  | 4    | OBJECT      | <unknown>   | DEFAULT           | 10        |
| __preinit_array_end          |                   |                        | .symtab      | 0x20130  | 0    | NOTYPE      | <unknown>   | HIDDEN            | SHN_ABS   |
| __preinit_array_start        |                   |                        | .symtab      | 0x20130  | 0    | NOTYPE      | <unknown>   | HIDDEN            | SHN_ABS   |
| __pthread_initialize_minimal |                   |                        | .symtab      | 0x0      | 0    | NOTYPE      | <unknown>   | DEFAULT           | SHN_UNDEF |
| __pthread_mutex_init         |                   |                        | .symtab      | 0xf960   | 8    | FUNC        | <unknown>   | DEFAULT           | 2         |
| __pthread_mutex_lock         |                   |                        | .symtab      | 0xf960   | 8    | FUNC        | <unknown>   | DEFAULT           | 2         |
| __pthread_mutex_trylock      |                   |                        | .symtab      | 0xf960   | 8    | FUNC        | <unknown>   | DEFAULT           | 2         |
| __pthread_mutex_unlock       |                   |                        | .symtab      | 0xf960   | 8    | FUNC        | <unknown>   | DEFAULT           | 2         |
| __pthread_return_0           |                   |                        | .symtab      | 0xf960   | 8    | FUNC        | <unknown>   | DEFAULT           | 2         |
| __pthread_return_void        |                   |                        | .symtab      | 0xf968   | 4    | FUNC        | <unknown>   | DEFAULT           | 2         |
| __raise                      |                   |                        | .symtab      | 0x11fd0  | 24   | FUNC        | <unknown>   | HIDDEN            | 2         |
| __read_etc_hosts_r           |                   |                        | .symtab      | 0x13740  | 808  | FUNC        | <unknown>   | HIDDEN            | 2         |
| __register_frame_info        |                   |                        | .symtab      | 0x0      | 0    | NOTYPE      | <unknown>   | DEFAULT           | SHN_UNDEF |
| __resolv_lock                |                   |                        | .symtab      | 0x2059c  | 24   | OBJECT      | <unknown>   | DEFAULT           | 9         |
| __rtd_fini                   |                   |                        | .symtab      | 0x26814  | 4    | OBJECT      | <unknown>   | HIDDEN            | 10        |
| __searchdomain               |                   |                        | .symtab      | 0x268e4  | 16   | OBJECT      | <unknown>   | HIDDEN            | 10        |
| __searchdomains              |                   |                        | .symtab      | 0x26904  | 4    | OBJECT      | <unknown>   | HIDDEN            | 10        |
| __sigaddset                  |                   |                        | .symtab      | 0xea7c   | 36   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __sigdelset                  |                   |                        | .symtab      | 0xeaa0   | 36   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __sigismember                |                   |                        | .symtab      | 0xea58   | 36   | FUNC        | <unknown>   | DEFAULT           | 2         |
| __stdin                      |                   |                        | .symtab      | 0x20270  | 4    | OBJECT      | <unknown>   | DEFAULT           | 9         |
| __stdio_READ                 |                   |                        | .symtab      | 0x13dfd0 | 92   | FUNC        | <unknown>   | HIDDEN            | 2         |

| Name                           | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx     |
|--------------------------------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|---------|
| __stdio_WRITE                  |                   |                        | .symtab      | 0x10050 | 188  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __stdio_adjust_position        |                   |                        | .symtab      | 0x1233c | 204  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __stdio_fwrite                 |                   |                        | .symtab      | 0x1010c | 312  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __stdio_init_mutex             |                   |                        | .symtab      | 0xcd24  | 16   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __stdio_mutex_initializer.3929 |                   |                        | .symtab      | 0x170d4 | 24   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| __stdio_rfill                  |                   |                        | .symtab      | 0x13e4c | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __stdio_seek                   |                   |                        | .symtab      | 0x12700 | 48   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __stdio_trans2r_o              |                   |                        | .symtab      | 0x13e78 | 188  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __stdio_trans2w_o              |                   |                        | .symtab      | 0x10244 | 260  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __stdio_wcommit                |                   |                        | .symtab      | 0xcdec  | 48   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __stdout                       |                   |                        | .symtab      | 0x20274 | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| __syscall_fcntl.c              |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __syscall_fcntl64.c            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __syscall_rt_sigaction         |                   |                        | .symtab      | 0xfd38  | 44   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __syscall_rt_sigaction.c       |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __uClibc_fini                  |                   |                        | .symtab      | 0xf8f4  | 108  | FUNC        | <unknown>   | DEFAULT           | 2       |
| __uClibc_init                  |                   |                        | .symtab      | 0xf9a4  | 92   | FUNC        | <unknown>   | DEFAULT           | 2       |
| __uClibc_main                  |                   |                        | .symtab      | 0xfa00  | 588  | FUNC        | <unknown>   | DEFAULT           | 2       |
| __uClibc_main.c                |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __uclibc_progname              |                   |                        | .symtab      | 0x2058c | 4    | OBJECT      | <unknown>   | HIDDEN            | 9       |
| __udivsi3                      |                   |                        | .symtab      | 0xc4f8  | 248  | FUNC        | <unknown>   | DEFAULT           | 2       |
| __umodsi3                      |                   |                        | .symtab      | 0xc608  | 204  | FUNC        | <unknown>   | DEFAULT           | 2       |
| __xpg_strerror_r               |                   |                        | .symtab      | 0xe190  | 232  | FUNC        | <unknown>   | DEFAULT           | 2       |
| __xpg_strerror_r.c             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __adjust_pos.c                 |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __bss_end__                    |                   |                        | .symtab      | 0x26910 | 0    | NOTYPE      | <unknown>   | DEFAULT           | SHN_ABS |
| __charpad                      |                   |                        | .symtab      | 0xce1c  | 76   | FUNC        | <unknown>   | DEFAULT           | 2       |
| __cs_funcs.c                   |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __dl_aux_init                  |                   |                        | .symtab      | 0x11fe8 | 36   | FUNC        | <unknown>   | DEFAULT           | 2       |
| __dl_phdr                      |                   |                        | .symtab      | 0x26908 | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| __dl_phnum                     |                   |                        | .symtab      | 0x2690c | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| __edata                        |                   |                        | .symtab      | 0x205b8 | 0    | NOTYPE      | <unknown>   | DEFAULT           | SHN_ABS |
| __end                          |                   |                        | .symtab      | 0x26910 | 0    | NOTYPE      | <unknown>   | DEFAULT           | SHN_ABS |
| __errno                        |                   |                        | .symtab      | 0x2681c | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| __exit                         |                   |                        | .symtab      | 0xc8d0  | 40   | FUNC        | <unknown>   | DEFAULT           | 2       |
| __exit.c                       |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __fini                         |                   |                        | .symtab      | 0x140b0 | 4    | FUNC        | <unknown>   | DEFAULT           | 3       |
| __fixed_buffers                |                   |                        | .symtab      | 0x245f0 | 8192 | OBJECT      | <unknown>   | DEFAULT           | 10      |
| __fopen.c                      |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __fp_out_narrow                |                   |                        | .symtab      | 0xce68  | 132  | FUNC        | <unknown>   | DEFAULT           | 2       |
| __fpmaxtostr                   |                   |                        | .symtab      | 0x1053c | 1640 | FUNC        | <unknown>   | HIDDEN            | 2       |
| __fpmaxtostr.c                 |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __fwrite.c                     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __h_errno                      |                   |                        | .symtab      | 0x26820 | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| __init                         |                   |                        | .symtab      | 0x8094  | 4    | FUNC        | <unknown>   | DEFAULT           | 1       |
| __load_inttype                 |                   |                        | .symtab      | 0x10348 | 112  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __load_inttype.c               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __memcpy                       |                   |                        | .symtab      | 0x10bb0 | 0    | FUNC        | <unknown>   | HIDDEN            | 2       |
| __ppfs_init                    |                   |                        | .symtab      | 0xd4e0  | 152  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __ppfs_init.c                  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __ppfs_parsespec               |                   |                        | .symtab      | 0xd798  | 1220 | FUNC        | <unknown>   | HIDDEN            | 2       |
| __ppfs_parsespec.c             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __ppfs_prepargs                |                   |                        | .symtab      | 0xd578  | 56   | FUNC        | <unknown>   | HIDDEN            | 2       |
| __ppfs_prepargs.c              |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __ppfs_setargs                 |                   |                        | .symtab      | 0xd5b0  | 412  | FUNC        | <unknown>   | HIDDEN            | 2       |
| __ppfs_setargs.c               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| __promoted_size                |                   |                        | .symtab      | 0xd74c  | 76   | FUNC        | <unknown>   | DEFAULT           | 2       |
| __pthread_cleanup_pop_restore  |                   |                        | .symtab      | 0xf968  | 4    | FUNC        | <unknown>   | DEFAULT           | 2       |

| Name                        | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx     |
|-----------------------------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|---------|
| _pthread_cleanup_push_defer |                   |                        | .symtab      | 0xf968  | 4    | FUNC        | <unknown>   | DEFAULT           | 2       |
| _rfill.c                    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| _signintr                   |                   |                        | .symtab      | 0x2684c | 128  | OBJECT      | <unknown>   | HIDDEN            | 10      |
| _start                      |                   |                        | .symtab      | 0x8190  | 0    | FUNC        | <unknown>   | DEFAULT           | 2       |
| _stdio.c                    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| _stdio_fopen                |                   |                        | .symtab      | 0x12408 | 760  | FUNC        | <unknown>   | HIDDEN            | 2       |
| _stdio_init                 |                   |                        | .symtab      | 0xccb4  | 112  | FUNC        | <unknown>   | HIDDEN            | 2       |
| _stdio_openlist             |                   |                        | .symtab      | 0x20278 | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| _stdio_openlist_add_lock    |                   |                        | .symtab      | 0x2027c | 24   | OBJECT      | <unknown>   | DEFAULT           | 9       |
| _stdio_openlist_dec_use     |                   |                        | .symtab      | 0x127c4 | 320  | FUNC        | <unknown>   | DEFAULT           | 2       |
| _stdio_openlist_del_count   |                   |                        | .symtab      | 0x245ec | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| _stdio_openlist_del_lock    |                   |                        | .symtab      | 0x20294 | 24   | OBJECT      | <unknown>   | DEFAULT           | 9       |
| _stdio_openlist_use_count   |                   |                        | .symtab      | 0x245e8 | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| _stdio_streams              |                   |                        | .symtab      | 0x202b0 | 240  | OBJECT      | <unknown>   | DEFAULT           | 9       |
| _stdio_term                 |                   |                        | .symtab      | 0xcd34  | 184  | FUNC        | <unknown>   | HIDDEN            | 2       |
| _stdio_user_locking         |                   |                        | .symtab      | 0x202ac | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| _stdlib_strto_l             |                   |                        | .symtab      | 0xf524  | 408  | FUNC        | <unknown>   | HIDDEN            | 2       |
| _stdlib_strto_l.c           |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| _store_inttype              |                   |                        | .symtab      | 0x103b8 | 52   | FUNC        | <unknown>   | HIDDEN            | 2       |
| _store_inttype.c            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| _string_syserrmsgs          |                   |                        | .symtab      | 0x171a4 | 2906 | OBJECT      | <unknown>   | HIDDEN            | 4       |
| _string_syserrmsgs.c        |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| _trans2r.c                  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| _trans2w.c                  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| _uintmaxtostr               |                   |                        | .symtab      | 0x103ec | 336  | FUNC        | <unknown>   | HIDDEN            | 2       |
| _uintmaxtostr.c             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| _vfprintf_internal          |                   |                        | .symtab      | 0xceec  | 1524 | FUNC        | <unknown>   | HIDDEN            | 2       |
| _vfprintf_internal.c        |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| _wcommit.c                  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| abort                       |                   |                        | .symtab      | 0xeec4  | 328  | FUNC        | <unknown>   | DEFAULT           | 2       |
| abort.c                     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| atoi                        |                   |                        | .symtab      | 0xf510  | 12   | FUNC        | <unknown>   | DEFAULT           | 2       |
| atol                        |                   |                        | .symtab      | 0xf510  | 12   | FUNC        | <unknown>   | DEFAULT           | 2       |
| atol.c                      |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| bcopy                       |                   |                        | .symtab      | 0xdd40  | 16   | FUNC        | <unknown>   | DEFAULT           | 2       |
| been_there_done_that        |                   |                        | .symtab      | 0x267fc | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| been_there_done_that.2789   |                   |                        | .symtab      | 0x26818 | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| bot.c                       |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| brk                         |                   |                        | .symtab      | 0x1200c | 60   | FUNC        | <unknown>   | DEFAULT           | 2       |
| brk.c                       |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| bsd_signal                  |                   |                        | .symtab      | 0xe9a0  | 184  | FUNC        | <unknown>   | DEFAULT           | 2       |
| buf.2613                    |                   |                        | .symtab      | 0x265f4 | 16   | OBJECT      | <unknown>   | DEFAULT           | 10      |
| buf.4901                    |                   |                        | .symtab      | 0x26604 | 460  | OBJECT      | <unknown>   | DEFAULT           | 10      |
| c                           |                   |                        | .symtab      | 0x2024c | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| call__do_global_ctors_aux   |                   |                        | .symtab      | 0x140a8 | 0    | FUNC        | <unknown>   | DEFAULT           | 2       |
| call__do_global_dtors_aux   |                   |                        | .symtab      | 0x8128  | 0    | FUNC        | <unknown>   | DEFAULT           | 2       |
| call_frame_dummy            |                   |                        | .symtab      | 0x8188  | 0    | FUNC        | <unknown>   | DEFAULT           | 2       |
| chdir                       |                   |                        | .symtab      | 0xc8f8  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| chdir.c                     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| close                       |                   |                        | .symtab      | 0xc924  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| close.c                     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| commServer                  |                   |                        | .symtab      | 0x20154 | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| completed.2555              |                   |                        | .symtab      | 0x205b8 | 1    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| connect                     |                   |                        | .symtab      | 0xe864  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| connect.c                   |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| connectTimeout              |                   |                        | .symtab      | 0x94ec  | 640  | FUNC        | <unknown>   | DEFAULT           | 2       |
| creat                       |                   |                        | .symtab      | 0xca80  | 16   | FUNC        | <unknown>   | DEFAULT           | 2       |
| crtstuff.c                  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |

| Name                 | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx     |
|----------------------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|---------|
| crtstuff.c           |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| currentServer        |                   |                        | .symtab      | 0x20248 | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| data_start           |                   |                        | .symtab      | 0x20150 | 0    | NOTYPE      | <unknown>   | DEFAULT           | 9       |
| decodea.c            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| decoded.c            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| decodeh.c            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| dl-support.c         |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| dns                  |                   |                        | .symtab      | 0x20158 | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| dnslookup.c          |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| encoded.c            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| encodeh.c            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| encodeq.c            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| environ              |                   |                        | .symtab      | 0x26808 | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| errno                |                   |                        | .symtab      | 0x2681c | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| errno.c              |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| exit                 |                   |                        | .symtab      | 0xf6bc  | 148  | FUNC        | <unknown>   | DEFAULT           | 2       |
| exit.c               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| exp10_table          |                   |                        | .symtab      | 0x18048 | 72   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| fclose               |                   |                        | .symtab      | 0x12074 | 384  | FUNC        | <unknown>   | DEFAULT           | 2       |
| fclose.c             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| fcntl                |                   |                        | .symtab      | 0xc80c  | 116  | FUNC        | <unknown>   | DEFAULT           | 2       |
| fcntl64              |                   |                        | .symtab      | 0xc880  | 80   | FUNC        | <unknown>   | DEFAULT           | 2       |
| fdgets               |                   |                        | .symtab      | 0x8438  | 208  | FUNC        | <unknown>   | DEFAULT           | 2       |
| fflush_unlocked      |                   |                        | .symtab      | 0x12904 | 484  | FUNC        | <unknown>   | DEFAULT           | 2       |
| fflush_unlocked.c    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| fgetc_unlocked       |                   |                        | .symtab      | 0x13b00 | 304  | FUNC        | <unknown>   | DEFAULT           | 2       |
| fgetc_unlocked.c     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| fgets                |                   |                        | .symtab      | 0x12730 | 148  | FUNC        | <unknown>   | DEFAULT           | 2       |
| fgets.c              |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| fgets_unlocked       |                   |                        | .symtab      | 0x12ae8 | 152  | FUNC        | <unknown>   | DEFAULT           | 2       |
| fgets_unlocked.c     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| fmt                  |                   |                        | .symtab      | 0x18034 | 20   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| fopen                |                   |                        | .symtab      | 0x121f4 | 12   | FUNC        | <unknown>   | DEFAULT           | 2       |
| fopen.c              |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| force_to_data        |                   |                        | .symtab      | 0x20144 | 0    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| force_to_data        |                   |                        | .symtab      | 0x205b4 | 0    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| fork                 |                   |                        | .symtab      | 0xc950  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| fork.c               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| fputs_unlocked       |                   |                        | .symtab      | 0xdc5c  | 52   | FUNC        | <unknown>   | DEFAULT           | 2       |
| fputs_unlocked.c     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| frame_dummy          |                   |                        | .symtab      | 0x8130  | 0    | FUNC        | <unknown>   | DEFAULT           | 2       |
| free                 |                   |                        | .symtab      | 0xec18  | 240  | FUNC        | <unknown>   | DEFAULT           | 2       |
| free.c               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| fseek                |                   |                        | .symtab      | 0x12200 | 12   | FUNC        | <unknown>   | DEFAULT           | 2       |
| fseeko               |                   |                        | .symtab      | 0x12200 | 12   | FUNC        | <unknown>   | DEFAULT           | 2       |
| fseeko.c             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| fseeko64             |                   |                        | .symtab      | 0x1220c | 304  | FUNC        | <unknown>   | DEFAULT           | 2       |
| fseeko64.c           |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| fwrite_unlocked      |                   |                        | .symtab      | 0xdc90  | 172  | FUNC        | <unknown>   | DEFAULT           | 2       |
| fwrite_unlocked.c    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| getArch              |                   |                        | .symtab      | 0xb174  | 28   | FUNC        | <unknown>   | DEFAULT           | 2       |
| getHost              |                   |                        | .symtab      | 0x91b4  | 100  | FUNC        | <unknown>   | DEFAULT           | 2       |
| getOurIP             |                   |                        | .symtab      | 0x8508  | 748  | FUNC        | <unknown>   | DEFAULT           | 2       |
| getRandomIP          |                   |                        | .symtab      | 0x83d8  | 96   | FUNC        | <unknown>   | DEFAULT           | 2       |
| get_hosts_byname_r.c |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| getc_unlocked        |                   |                        | .symtab      | 0x13b00 | 304  | FUNC        | <unknown>   | DEFAULT           | 2       |
| getegid              |                   |                        | .symtab      | 0xfd64  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| getegid.c            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |

| Name                      | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx     |
|---------------------------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|---------|
| geteuid                   |                   |                        | .symtab      | 0xfd90  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| geteuid.c                 |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| getgid                    |                   |                        | .symtab      | 0xfdbc  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| getgid.c                  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| gethostbyname             |                   |                        | .symtab      | 0xe4ac  | 68   | FUNC        | <unknown>   | DEFAULT           | 2       |
| gethostbyname.c           |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| gethostbyname_r           |                   |                        | .symtab      | 0xe4f0  | 884  | FUNC        | <unknown>   | DEFAULT           | 2       |
| gethostbyname_r.c         |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| getpid                    |                   |                        | .symtab      | 0xc97c  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| getpid.c                  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| getsockname               |                   |                        | .symtab      | 0xe890  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| getsockname.c             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| getsockopt                |                   |                        | .symtab      | 0xe8bc  | 48   | FUNC        | <unknown>   | DEFAULT           | 2       |
| getsockopt.c              |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| getuid                    |                   |                        | .symtab      | 0xfde8  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| getuid.c                  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| h.4900                    |                   |                        | .symtab      | 0x267d0 | 20   | OBJECT      | <unknown>   | DEFAULT           | 10      |
| h_errno                   |                   |                        | .symtab      | 0x26820 | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| heap_alloc.c              |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| heap_free.c               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| htonl                     |                   |                        | .symtab      | 0xe3c4  | 36   | FUNC        | <unknown>   | DEFAULT           | 2       |
| htons                     |                   |                        | .symtab      | 0xe3e8  | 20   | FUNC        | <unknown>   | DEFAULT           | 2       |
| i.4123                    |                   |                        | .symtab      | 0x20250 | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| index                     |                   |                        | .symtab      | 0xde80  | 264  | FUNC        | <unknown>   | DEFAULT           | 2       |
| inet_addr                 |                   |                        | .symtab      | 0xe488  | 36   | FUNC        | <unknown>   | DEFAULT           | 2       |
| inet_aton                 |                   |                        | .symtab      | 0x113bc | 236  | FUNC        | <unknown>   | DEFAULT           | 2       |
| inet_aton.c               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| inet_makeaddr.c           |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| inet_ntoa                 |                   |                        | .symtab      | 0xe47c  | 12   | FUNC        | <unknown>   | DEFAULT           | 2       |
| inet_ntoa.c               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| inet_ntoa_r               |                   |                        | .symtab      | 0xe3fc  | 128  | FUNC        | <unknown>   | DEFAULT           | 2       |
| inet_ntop                 |                   |                        | .symtab      | 0x131c0 | 608  | FUNC        | <unknown>   | DEFAULT           | 2       |
| inet_ntop4                |                   |                        | .symtab      | 0x1305c | 356  | FUNC        | <unknown>   | DEFAULT           | 2       |
| inet_pton                 |                   |                        | .symtab      | 0x12e4c | 528  | FUNC        | <unknown>   | DEFAULT           | 2       |
| inet_pton4                |                   |                        | .symtab      | 0x12d80 | 204  | FUNC        | <unknown>   | DEFAULT           | 2       |
| initConnection            |                   |                        | .symtab      | 0xbb2c  | 396  | FUNC        | <unknown>   | DEFAULT           | 2       |
| init_rand                 |                   |                        | .symtab      | 0x81cc  | 212  | FUNC        | <unknown>   | DEFAULT           | 2       |
| initfini.c                |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| initfini.c                |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| initial_fa                |                   |                        | .symtab      | 0x203a4 | 260  | OBJECT      | <unknown>   | DEFAULT           | 9       |
| initstate                 |                   |                        | .symtab      | 0xf118  | 152  | FUNC        | <unknown>   | DEFAULT           | 2       |
| initstate_r               |                   |                        | .symtab      | 0xf448  | 200  | FUNC        | <unknown>   | DEFAULT           | 2       |
| ioctl                     |                   |                        | .symtab      | 0xc9a8  | 80   | FUNC        | <unknown>   | DEFAULT           | 2       |
| ioctl.c                   |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| isatty                    |                   |                        | .symtab      | 0xe300  | 32   | FUNC        | <unknown>   | DEFAULT           | 2       |
| isatty.c                  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| isspace                   |                   |                        | .symtab      | 0xcb78  | 24   | FUNC        | <unknown>   | DEFAULT           | 2       |
| isspace.c                 |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| kill                      |                   |                        | .symtab      | 0xc9f8  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| kill.c                    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| lengthd.c                 |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| lengthq.c                 |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| libc/string/arm/_memcpy.S |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| libc/string/arm/bcopy.S   |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| libc/string/arm/memcpy.S  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| libc/string/arm/memmove.S |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| libc/string/arm/memset.S  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| libc/string/arm/strcmp.S  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |


| Name                                 | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx     |
|--------------------------------------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|---------|
| libc/string/arm/strlen.S             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| libc/sysdeps/linux/arm/crt1.S        |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| libc/sysdeps/linux/arm/crti.S        |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| libc/sysdeps/linux/arm/crtn.S        |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| libc/sysdeps/linux/arm/sigrestorer.S |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| libgcc2.c                            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| listFork                             |                   |                        | .symtab      | 0x976c  | 408  | FUNC        | <unknown>   | DEFAULT           | 2       |
| llseek.c                             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| lseek64                              |                   |                        | .symtab      | 0x13a68 | 100  | FUNC        | <unknown>   | DEFAULT           | 2       |
| macAddress                           |                   |                        | .symtab      | 0x205e0 | 6    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| main                                 |                   |                        | .symtab      | 0xbcb8  | 2112 | FUNC        | <unknown>   | DEFAULT           | 2       |
| mainCommSock                         |                   |                        | .symtab      | 0x205d4 | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| malloc                               |                   |                        | .symtab      | 0xeac4  | 340  | FUNC        | <unknown>   | DEFAULT           | 2       |
| malloc.c                             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| memchr                               |                   |                        | .symtab      | 0x11050 | 252  | FUNC        | <unknown>   | DEFAULT           | 2       |
| memchr.c                             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| memcpy                               |                   |                        | .symtab      | 0xdd50  | 4    | FUNC        | <unknown>   | DEFAULT           | 2       |
| memmove                              |                   |                        | .symtab      | 0x11040 | 4    | FUNC        | <unknown>   | DEFAULT           | 2       |
| mempcpy                              |                   |                        | .symtab      | 0x1114c | 24   | FUNC        | <unknown>   | DEFAULT           | 2       |
| mempcpy.c                            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| memrchr                              |                   |                        | .symtab      | 0x11164 | 236  | FUNC        | <unknown>   | DEFAULT           | 2       |
| memrchr.c                            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| memset                               |                   |                        | .symtab      | 0xdd60  | 156  | FUNC        | <unknown>   | DEFAULT           | 2       |
| mylock                               |                   |                        | .symtab      | 0x204a8 | 24   | OBJECT      | <unknown>   | DEFAULT           | 9       |
| mylock                               |                   |                        | .symtab      | 0x204c0 | 24   | OBJECT      | <unknown>   | DEFAULT           | 9       |
| mylock                               |                   |                        | .symtab      | 0x26824 | 24   | OBJECT      | <unknown>   | DEFAULT           | 10      |
| nanosleep                            |                   |                        | .symtab      | 0xfe14  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| nanosleep.c                          |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| next_start.1066                      |                   |                        | .symtab      | 0x265f0 | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| ntohl                                |                   |                        | .symtab      | 0xe38c  | 36   | FUNC        | <unknown>   | DEFAULT           | 2       |
| ntohl.c                              |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| ntohs                                |                   |                        | .symtab      | 0xe3b0  | 20   | FUNC        | <unknown>   | DEFAULT           | 2       |
| ntop.c                               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| numpids                              |                   |                        | .symtab      | 0x205d8 | 8    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| object.2636                          |                   |                        | .symtab      | 0x205bc | 24   | OBJECT      | <unknown>   | DEFAULT           | 10      |
| open                                 |                   |                        | .symtab      | 0xca24  | 92   | FUNC        | <unknown>   | DEFAULT           | 2       |
| open.c                               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| opennameservers.c                    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| ourIP                                |                   |                        | .symtab      | 0x26844 | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| ovhI7                                |                   |                        | .symtab      | 0xa07c  | 3464 | FUNC        | <unknown>   | DEFAULT           | 2       |
| p.2553                               |                   |                        | .symtab      | 0x2014c | 0    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| pids                                 |                   |                        | .symtab      | 0x26848 | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| poll                                 |                   |                        | .symtab      | 0x12048 | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| poll.c                               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| prefix.4141                          |                   |                        | .symtab      | 0x170fc | 12   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| print                                |                   |                        | .symtab      | 0x8cfc  | 1008 | FUNC        | <unknown>   | DEFAULT           | 2       |
| printchar                            |                   |                        | .symtab      | 0x8924  | 108  | FUNC        | <unknown>   | DEFAULT           | 2       |
| printi                               |                   |                        | .symtab      | 0x8b14  | 488  | FUNC        | <unknown>   | DEFAULT           | 2       |
| prints                               |                   |                        | .symtab      | 0x8990  | 388  | FUNC        | <unknown>   | DEFAULT           | 2       |
| processCmd                           |                   |                        | .symtab      | 0xb190  | 2460 | FUNC        | <unknown>   | DEFAULT           | 2       |
| qual_chars.4147                      |                   |                        | .symtab      | 0x17110 | 20   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| raise                                |                   |                        | .symtab      | 0x11fd0 | 24   | FUNC        | <unknown>   | DEFAULT           | 2       |
| raise.c                              |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| rand                                 |                   |                        | .symtab      | 0xf00c  | 4    | FUNC        | <unknown>   | DEFAULT           | 2       |
| rand.c                               |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| rand_cmw                             |                   |                        | .symtab      | 0x82a0  | 312  | FUNC        | <unknown>   | DEFAULT           | 2       |
| random                               |                   |                        | .symtab      | 0xf010  | 124  | FUNC        | <unknown>   | DEFAULT           | 2       |
| random.c                             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |

| Name               | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx     |
|--------------------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|---------|
| random_poly_info   |                   |                        | .symtab      | 0x17d00 | 40   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| random_r           |                   |                        | .symtab      | 0xf2ec  | 144  | FUNC        | <unknown>   | DEFAULT           | 2       |
| random_r.c         |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| randtbl            |                   |                        | .symtab      | 0x204f4 | 128  | OBJECT      | <unknown>   | DEFAULT           | 9       |
| rawmemchr          |                   |                        | .symtab      | 0x12b80 | 184  | FUNC        | <unknown>   | DEFAULT           | 2       |
| rawmemchr.c        |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| read               |                   |                        | .symtab      | 0xca90  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| read.c             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| read_etc_hosts_r.c |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| recv               |                   |                        | .symtab      | 0xe8ec  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| recv.c             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| recvLine           |                   |                        | .symtab      | 0x9218  | 724  | FUNC        | <unknown>   | DEFAULT           | 2       |
| sbrk               |                   |                        | .symtab      | 0xfe40  | 88   | FUNC        | <unknown>   | DEFAULT           | 2       |
| sbrk.c             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| select             |                   |                        | .symtab      | 0xcabc  | 48   | FUNC        | <unknown>   | DEFAULT           | 2       |
| select.c           |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| send               |                   |                        | .symtab      | 0xe918  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| send.c             |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| sendHTTPtwo        |                   |                        | .symtab      | 0xafbc  | 440  | FUNC        | <unknown>   | DEFAULT           | 2       |
| setsid             |                   |                        | .symtab      | 0xcaec  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| setsid.c           |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| setsockopt         |                   |                        | .symtab      | 0xe944  | 48   | FUNC        | <unknown>   | DEFAULT           | 2       |
| setsockopt.c       |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| setstate           |                   |                        | .symtab      | 0xf08c  | 140  | FUNC        | <unknown>   | DEFAULT           | 2       |
| setstate_r         |                   |                        | .symtab      | 0xf22c  | 192  | FUNC        | <unknown>   | DEFAULT           | 2       |
| sigaction          |                   |                        | .symtab      | 0xfc4c  | 228  | FUNC        | <unknown>   | DEFAULT           | 2       |
| sigaction.c        |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| signal             |                   |                        | .symtab      | 0xe9a0  | 184  | FUNC        | <unknown>   | DEFAULT           | 2       |
| signal.c           |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| sigprocmask        |                   |                        | .symtab      | 0xfe98  | 84   | FUNC        | <unknown>   | DEFAULT           | 2       |
| sigprocmask.c      |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| sigsetops.c        |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| sleep              |                   |                        | .symtab      | 0xf750  | 420  | FUNC        | <unknown>   | DEFAULT           | 2       |
| sleep.c            |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| socket             |                   |                        | .symtab      | 0xe974  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| socket.c           |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| socket_connect     |                   |                        | .symtab      | 0x9904  | 332  | FUNC        | <unknown>   | DEFAULT           | 2       |
| sockprintf         |                   |                        | .symtab      | 0x90ec  | 200  | FUNC        | <unknown>   | DEFAULT           | 2       |
| spec_and_mask.4146 |                   |                        | .symtab      | 0x17124 | 16   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| spec_base.4140     |                   |                        | .symtab      | 0x17108 | 7    | OBJECT      | <unknown>   | DEFAULT           | 4       |
| spec_chars.4143    |                   |                        | .symtab      | 0x17150 | 21   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| spec_flags.4142    |                   |                        | .symtab      | 0x17168 | 8    | OBJECT      | <unknown>   | DEFAULT           | 4       |
| spec_or_mask.4145  |                   |                        | .symtab      | 0x17134 | 16   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| spec_ranges.4144   |                   |                        | .symtab      | 0x17144 | 9    | OBJECT      | <unknown>   | DEFAULT           | 4       |
| sprintf            |                   |                        | .symtab      | 0xcbd0  | 52   | FUNC        | <unknown>   | DEFAULT           | 2       |
| sprintf.c          |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| srand              |                   |                        | .symtab      | 0xf1b0  | 124  | FUNC        | <unknown>   | DEFAULT           | 2       |
| srandom            |                   |                        | .symtab      | 0xf1b0  | 124  | FUNC        | <unknown>   | DEFAULT           | 2       |
| srandom_r          |                   |                        | .symtab      | 0xf37c  | 204  | FUNC        | <unknown>   | DEFAULT           | 2       |
| static_id          |                   |                        | .symtab      | 0x20598 | 2    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| static_ns          |                   |                        | .symtab      | 0x2683c | 4    | OBJECT      | <unknown>   | DEFAULT           | 10      |
| stderr             |                   |                        | .symtab      | 0x2026c | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| stdin              |                   |                        | .symtab      | 0x20264 | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| stdout             |                   |                        | .symtab      | 0x20268 | 4    | OBJECT      | <unknown>   | DEFAULT           | 9       |
| strcasecmp         |                   |                        | .symtab      | 0xe278  | 124  | FUNC        | <unknown>   | DEFAULT           | 2       |
| strcasecmp.c       |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| strchr             |                   |                        | .symtab      | 0xde80  | 264  | FUNC        | <unknown>   | DEFAULT           | 2       |
| strchr.c           |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |

| Name         | Version Info Name | Version Info File Name | Section Name | Value   | Size | Symbol Type | Symbol Bind | Symbol Visibility | Ndx     |
|--------------|-------------------|------------------------|--------------|---------|------|-------------|-------------|-------------------|---------|
| strcmp       |                   |                        | .symtab      | 0xde00  | 28   | FUNC        | <unknown>   | DEFAULT           | 2       |
| strcoll      |                   |                        | .symtab      | 0xde00  | 28   | FUNC        | <unknown>   | DEFAULT           | 2       |
| strcpy       |                   |                        | .symtab      | 0xdf88  | 28   | FUNC        | <unknown>   | DEFAULT           | 2       |
| strcpy.c     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| strdup       |                   |                        | .symtab      | 0x12d50 | 48   | FUNC        | <unknown>   | DEFAULT           | 2       |
| strdup.c     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| strerror_r   |                   |                        | .symtab      | 0xe190  | 232  | FUNC        | <unknown>   | DEFAULT           | 2       |
| strlen       |                   |                        | .symtab      | 0xde20  | 96   | FUNC        | <unknown>   | DEFAULT           | 2       |
| strncat      |                   |                        | .symtab      | 0x12c38 | 200  | FUNC        | <unknown>   | DEFAULT           | 2       |
| strncat.c    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| strncpy      |                   |                        | .symtab      | 0x11250 | 184  | FUNC        | <unknown>   | DEFAULT           | 2       |
| strncpy.c    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| strnlen      |                   |                        | .symtab      | 0xdfa4  | 224  | FUNC        | <unknown>   | DEFAULT           | 2       |
| strnlen.c    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| strpbrk      |                   |                        | .symtab      | 0x1137c | 64   | FUNC        | <unknown>   | DEFAULT           | 2       |
| strpbrk.c    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| strspn       |                   |                        | .symtab      | 0x12d00 | 80   | FUNC        | <unknown>   | DEFAULT           | 2       |
| strspn.c     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| strstr       |                   |                        | .symtab      | 0xe084  | 248  | FUNC        | <unknown>   | DEFAULT           | 2       |
| strstr.c     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| strtok       |                   |                        | .symtab      | 0xe2f4  | 12   | FUNC        | <unknown>   | DEFAULT           | 2       |
| strtok.c     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| strtok_r     |                   |                        | .symtab      | 0x11308 | 116  | FUNC        | <unknown>   | DEFAULT           | 2       |
| strtok_r.c   |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| strtol       |                   |                        | .symtab      | 0xf51c  | 8    | FUNC        | <unknown>   | DEFAULT           | 2       |
| strtol.c     |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| tcgetattr    |                   |                        | .symtab      | 0xe320  | 108  | FUNC        | <unknown>   | DEFAULT           | 2       |
| tcgetattr.c  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| time         |                   |                        | .symtab      | 0xcb18  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| time.c       |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| tolower      |                   |                        | .symtab      | 0x13acc | 52   | FUNC        | <unknown>   | DEFAULT           | 2       |
| tolower.c    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| toupper      |                   |                        | .symtab      | 0xcb90  | 52   | FUNC        | <unknown>   | DEFAULT           | 2       |
| toupper.c    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| trim         |                   |                        | .symtab      | 0x87f4  | 304  | FUNC        | <unknown>   | DEFAULT           | 2       |
| type_codes   |                   |                        | .symtab      | 0x17170 | 24   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| type_sizes   |                   |                        | .symtab      | 0x17188 | 12   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| unknown.1088 |                   |                        | .symtab      | 0x17194 | 14   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| unsafe_state |                   |                        | .symtab      | 0x204d8 | 28   | OBJECT      | <unknown>   | DEFAULT           | 9       |
| useragents   |                   |                        | .symtab      | 0x2015c | 236  | OBJECT      | <unknown>   | DEFAULT           | 9       |
| vsnprintf    |                   |                        | .symtab      | 0xcc04  | 176  | FUNC        | <unknown>   | DEFAULT           | 2       |
| vsnprintf.c  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| wait4        |                   |                        | .symtab      | 0xfeec  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| wait4.c      |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| waitpid      |                   |                        | .symtab      | 0xcb44  | 8    | FUNC        | <unknown>   | DEFAULT           | 2       |
| waitpid.c    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| wcrtomb      |                   |                        | .symtab      | 0xff24  | 80   | FUNC        | <unknown>   | DEFAULT           | 2       |
| wcrtomb.c    |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| wcsnrtombs   |                   |                        | .symtab      | 0xff94  | 188  | FUNC        | <unknown>   | DEFAULT           | 2       |
| wcsnrtombs.c |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| wcsrtombs    |                   |                        | .symtab      | 0xff74  | 32   | FUNC        | <unknown>   | DEFAULT           | 2       |
| wcsrtombs.c  |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| write        |                   |                        | .symtab      | 0xcb4c  | 44   | FUNC        | <unknown>   | DEFAULT           | 2       |
| write.c      |                   |                        | .symtab      | 0x0     | 0    | FILE        | <unknown>   | DEFAULT           | SHN_ABS |
| xdigits.3041 |                   |                        | .symtab      | 0x180f4 | 17   | OBJECT      | <unknown>   | DEFAULT           | 4       |
| xtdcustom    |                   |                        | .symtab      | 0x9bf4  | 356  | FUNC        | <unknown>   | DEFAULT           | 2       |

## Network Behavior

### Network Port Distribution



### TCP Packets

## System Behavior

Analysis Process: fuckjewishpeople.arm5 PID: 5222, Parent PID: 5119

### General

|             |                                  |
|-------------|----------------------------------|
| Start time: | 08:22:36                         |
| Start date: | 21/01/2022                       |
| Path:       | /tmp/fuckjewishpeople.arm5       |
| Arguments:  | /tmp/fuckjewishpeople.arm5       |
| File size:  | 4956856 bytes                    |
| MD5 hash:   | 5ebfcae4fe2471fcc5695c2394773ff1 |

### File Activities

#### File Read

Analysis Process: fuckjewishpeople.arm5 PID: 5224, Parent PID: 5222

### General

|             |                                  |
|-------------|----------------------------------|
| Start time: | 08:22:36                         |
| Start date: | 21/01/2022                       |
| Path:       | /tmp/fuckjewishpeople.arm5       |
| Arguments:  | n/a                              |
| File size:  | 4956856 bytes                    |
| MD5 hash:   | 5ebfcae4fe2471fcc5695c2394773ff1 |

Analysis Process: fuckjewishpeople.arm5 PID: 5226, Parent PID: 5224

### General

|             |                                  |
|-------------|----------------------------------|
| Start time: | 08:22:36                         |
| Start date: | 21/01/2022                       |
| Path:       | /tmp/fuckjewishpeople.arm5       |
| Arguments:  | n/a                              |
| File size:  | 4956856 bytes                    |
| MD5 hash:   | 5ebfcae4fe2471fcc5695c2394773ff1 |