

JOeSandbox Cloud BASIC



ID: 557501

Sample Name:
fuckjewishpeople.arm4

Cookbook:
defaultlinuxfilecookbook.jbs

Time: 08:33:56

Date: 21/01/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report fuckjewishpeople.arm4	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Overview	4
Initial Sample	4
Memory Dumps	4
Jbx Signature Overview	4
AV Detection	4
Spreading	4
Stealing of Sensitive Information	4
Remote Access Functionality	4
Mitre Att&ck Matrix	4
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	6
Initial Sample	6
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	6
Contacted Domains	6
URLs from Memory and Binaries	6
World Map of Contacted IPs	6
Public IPs	7
Joe Sandbox View / Context	7
IPs	7
Domains	7
ASNs	7
JA3 Fingerprints	7
Dropped Files	7
Created / dropped Files	7
Static File Info	7
General	7
Static ELF Info	7
ELF header	8
Sections	8
Program Segments	8
Symbols	8
Network Behavior	26
Network Port Distribution	26
TCP Packets	27
System Behavior	27
Analysis Process: fuckjewishpeople.arm4 PID: 5211, Parent PID: 5109	27
General	27
File Activities	27
File Read	27
Analysis Process: fuckjewishpeople.arm4 PID: 5213, Parent PID: 5211	27
General	27
Analysis Process: fuckjewishpeople.arm4 PID: 5215, Parent PID: 5213	27
General	27
Analysis Process: dash PID: 5256, Parent PID: 4331	27
General	27
Analysis Process: rm PID: 5256, Parent PID: 4331	28
General	28
File Activities	28
File Deleted	28
File Read	28

Linux Analysis Report

fuckjewishpeople.arm4

Overview

General Information

Sample Name:	fuckjewishpeople.arm4
Analysis ID:	557501
MD5:	dd5bd8e578d9fd..
SHA1:	8e13ffdceb07da3..
SHA256:	a3bc1d1f071b72..
Tags:	elfgafgyt
Infos:	↑↓ Yara

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Gafgyt

Mirai

Score:	76
Range:	0 - 100
Whitelisted:	false

Signatures

Antivirus / Scanner detection for sub...

Yara detected Mirai

Multi AV Scanner detection for subm...

Yara detected Gafgyt

Opens /proc/net/* files useful for fin...

Sample contains strings that are us...

Uses the "uname" system call to qu...

Tries to connect to HTTP servers, b...

Detected TCP or UDP traffic on non...

Executes the "rm" command used t...

Classification

Analysis Advice

Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures
All HTTP servers contacted by the sample do not answer. Likely the sample is an old dropper which does no longer work
Static ELF header machine description suggests that the sample might not execute correctly on this machine

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	557501
Start date:	21.01.2022
Start time:	08:33:56
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 26s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	fuckjewishpeople.arm4
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal76.spre.troj.linARM4@0/0@0/0

Runtime Messages

Command:	/tmp/fuckjewishpeople.arm4
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Process Tree

- system is Inxubuntu20
- fuckjewishpeople.arm4 (PID: 5211, Parent: 5109, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/fuckjewishpeople.arm4
 - fuckjewishpeople.arm4 New Fork (PID: 5213, Parent: 5211)
 - fuckjewishpeople.arm4 New Fork (PID: 5215, Parent: 5213)
 - dash New Fork (PID: 5256, Parent: 4331)
 - rm (PID: 5256, Parent: 4331, MD5: aa2b5496fdbfd88e38791ab81f90b95b) Arguments: rm -f /tmp/tmp.wRs3qiJEhP /tmp/tmp.gvBL1RYhhH /tmp/tmp.PUBSFriSN1
- cleanup

Yara Overview

Initial Sample

Source	Rule	Description	Author	Strings
fuckjewishpeople.arm4	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
fuckjewishpeople.arm4	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Memory Dumps

Source	Rule	Description	Author	Strings
5211.1.0000000053c9437b.0000000006ca488c6.r-x.sdump	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5211.1.0000000053c9437b.0000000006ca488c6.r-x.sdump	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	
5213.1.0000000053c9437b.0000000006ca488c6.r-x.sdump	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
5213.1.0000000053c9437b.0000000006ca488c6.r-x.sdump	JoeSecurity_Gafgyt	Yara detected Gafgyt	Joe Security	

Jbx Signature Overview

AV Detection



Antivirus / Scanner detection for submitted sample



Multi AV Scanner detection for submitted file



Spreading



Opens /proc/net/* files useful for finding connected devices and routers



Stealing of Sensitive Information



Yara detected Mirai



Yara detected Gafgyt



Remote Access Functionality



Yara detected Mirai



Yara detected Gafgyt



Mitre Att&ck Matrix

Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
fuckjewishpeople.arm4	57%	Virustotal		Browse
fuckjewishpeople.arm4	60%	ReversingLabs	Linux.Trojan.Gafgyt	
fuckjewishpeople.arm4	100%	Avira	LINUX/Gafgyt.opnd	

Dropped Files

🚫 No Antivirus matches

Domains

🚫 No Antivirus matches

URLs

Source	Detection	Scanner	Label	Link
http://www.billybobbot.com/crawler/	0%	URL Reputation	safe	
http://fast.no/support/crawler.asp	0%	URL Reputation	safe	
http://feedback.redkolibri.com/	0%	URL Reputation	safe	

Domains and IPs

Contacted Domains

🚫 No contacted domains info

URLs from Memory and Binaries

World Map of Contacted IPs



Public IPs						
IP	Domain	Country	Flag	ASN	ASN Name	Malicious
34.249.145.219	unknown	United States		16509	AMAZON-02US	false
78.47.230.250	unknown	Germany		24940	HETZNER-ASDE	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

 No context

Domains

 No context

ASNs

 No context

JA3 Fingerprints

 No context

Dropped Files

 No context

Created / dropped Files

 No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, ARM, version 1 (ARM), statically linked, with debug_info, not stripped
Entropy (8bit):	6.011998386267223
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	fuckjewishpeople.arm4
File size:	103862
MD5:	dd5bd8e578d9fd63a4c07d7fe03c751f
SHA1:	8e13ffdceb07da38209b0fd2ed7b1fb5f2733a9b
SHA256:	a3bc1d1f071b7262fae1d20f57874bd8d2496813c7d781e0c8c912e6d5535808
SHA512:	0ae68967ac425186111f7d0ef52b24f941004d9273363499123ddf049a737d3bfb99f2944b912793f8b32bc554d7dbdf7a6bf2bd80a236113a7b251b0cf56ec1
SSDEEP:	3072:7e9h9oZX5hvFfKufS2faYj0+rQ0Knm4XATe:y9wZX5hNfKfpYj0+rQ0Knm4XATe
File Content Preview:	.ELF...a.....(.....4...<0.....4. ...{(.....X...X.....g.....Q.td.....<0.....-...L."2.....0@-.\P...0.....S.O...P@...0... ..R.....0...0.....0... ..R..... 0...S

Static ELF Info

ELF header	
Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	ARM
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	ARM - ABI
ABI Version:	0
Entry Point Address:	0x8190
Flags:	0x202
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	3
Section Header Offset:	77884
Section Header Size:	40
Number of Section Headers:	20
Header String Table Index:	17

Sections										
Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x8094	0x94	0x18	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x80b0	0xb0	0xcc28	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x14cd8	0xccd8	0x14	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x14cec	0xccec	0x4068	0x0	0x2	A	0	0	4
.eh_frame	PROGBITS	0x18d54	0x10d54	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x21000	0x11000	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x21008	0x11008	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x21010	0x11010	0x4	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x21014	0x11014	0x474	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x21488	0x11488	0x6358	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0x11488	0xa5a	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x11ee8	0x120	0x0	0x0		0	0	8
.debug_info	PROGBITS	0x0	0x12008	0x578	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x12580	0xb4	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x12634	0x8bd	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x12ef4	0xa0	0x0	0x0		0	0	4
.shstrtab	STRTAB	0x0	0x12f94	0xa8	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x1335c	0x4000	0x10	0x0		19	566	4
.strtab	STRTAB	0x0	0x1735c	0x225a	0x0	0x0		0	0	1

Program Segments											
Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x8000	0x8000	0x10d58	0x10d58	3.8847	0x5	R E	0x8000		.init .text .fini .rodata .eh_frame
LOAD	0x11000	0x21000	0x21000	0x488	0x67e0	2.2650	0x6	RW	0x8000		.ctors .dtors .jcr .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols										
Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx	
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF	
			.symtab	0x8094	0	SECTION	<unknown>	DEFAULT	1	
			.symtab	0x80b0	0	SECTION	<unknown>	DEFAULT	2	
			.symtab	0x14cd8	0	SECTION	<unknown>	DEFAULT	3	

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x14cec	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x18d54	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x21000	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x21008	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x21010	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x21014	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x21488	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
\$a			.symtab	0x8094	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x14cd8	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8128	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14ce4	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x8188	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x80a0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x14c9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14cd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x80a4	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x80a8	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x14ce8	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x8190	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x82a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x83d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8438	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x87f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x90ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x94ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9904	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9bf4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9d58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9ebc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa07c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xae04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xafbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb174	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb190	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbb2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbcb8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc4f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc608	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc6d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc7b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc7bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc80c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc880	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc8d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc8f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc924	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc950	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xc97c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc9a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc9f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xca24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xca90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcabc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcaec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcb18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcb44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcb4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcb78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcb90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcbc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcbd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcc04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xccb4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcd24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcd34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcddec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xce1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd4e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd578	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd5b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd74c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd798	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdc5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdc90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdd40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdd50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdd60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xde00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xde20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xde80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdf88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdfa4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe084	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe17c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe190	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe278	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe2f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe300	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe320	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe38c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe3fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe488	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe4ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe4f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe864	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe890	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe8bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe8ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe918	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe944	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe974	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe9a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xea58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xeac4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xec18	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xed08	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xed9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xeec4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf00c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf010	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf08c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf118	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf1b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf22c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf2ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf37c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf448	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf510	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf51c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf524	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf6bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf750	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf8f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf960	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf9a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfa00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfc4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd64	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfdbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfde8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfe14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfe40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfe98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfeec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xff18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xff24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xff74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xff94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10050	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1010c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10244	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10348	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x103b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x103ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1053c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10d30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x111c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x111d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x112cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x112e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x113d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11488	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x114fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1153c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11628	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12108	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12150	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12168	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1218c	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x121c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x121f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12374	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12380	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1238c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x124bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12588	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12880	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x128b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12944	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12a84	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12c68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12d00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12db8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12e80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ed0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12f00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x131dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13340	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x135a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13688	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13740	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1379c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x137b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1388c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x138c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13be8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13c4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13c80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13db0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13e58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13f24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13f70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13fcc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13ff8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x140b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x141f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x145f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14b20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14c48	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21000	0	NOTYPE	<unknown>	DEFAULT	6
\$d			.symtab	0x21008	0	NOTYPE	<unknown>	DEFAULT	7
\$d			.symtab	0x2101c	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x8118	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8174	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14ccc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21020	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x81c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21024	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x8298	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x83cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8434	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x87e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x90e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x94e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x98fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x163b4	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x9bf0	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x9d54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9eb8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa078	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa9fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xafac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb164	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb18c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbb00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbcac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc4d8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xca8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcb8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcbc0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21124	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2112c	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0xcbcc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcd20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcd30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcddc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21134	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x17cfc	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xd4cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd748	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd78c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdc38	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdf80	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe07c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe270	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe2f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe2fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe388	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe484	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe4e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe848	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xea54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xec00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21270	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0xecf0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xeffc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21378	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0xf074	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf100	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf198	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf214	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21390	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0xf2e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf378	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf43c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf50c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18928	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xf6b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf734	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21444	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0xf8f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf950	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf9a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf9f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfc18	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x2145c	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0xfd28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfe94	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21460	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x276ec	0	NOTYPE	<unknown>	DEFAULT	10
\$d			.symtab	0xff20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10d08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18c70	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x112c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x113c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11624	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x120c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2146c	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x12184	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x121c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12358	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x124ac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12850	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12934	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12a5c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12c44	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12db0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x131d8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1333c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13598	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x138b4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13be4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13c7c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13dac	0	NOTYPE	<unknown>	DEFAULT	2
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
C.72.4732			.symtab	0x163b4	104	OBJECT	<unknown>	DEFAULT	4
C.82.4843			.symtab	0x17048	1128	OBJECT	<unknown>	DEFAULT	4
Laligned			.symtab	0xde48	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0xde64	0	NOTYPE	<unknown>	DEFAULT	2
Q			.symtab	0x214b8	16384	OBJECT	<unknown>	DEFAULT	10
Randhex			.symtab	0x9ebc	448	FUNC	<unknown>	DEFAULT	2
SendHTTPHex			.symtab	0xae04	440	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
SendSTD			.symtab	0x9a50	420	FUNC	<unknown>	DEFAULT	2
UDPRAW			.symtab	0x9d58	356	FUNC	<unknown>	DEFAULT	2
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x21004	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x21000	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x21124	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x176fc	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x21460	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x1895a	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x2112c	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x179fc	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x2100c	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x21008	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x18d54	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x18d54	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x21124	4	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_b_data			.symtab	0x176fc	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_tolower			.symtab	0x21460	4	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_tolower_data			.symtab	0x1895a	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x2112c	4	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_toupper_data			.symtab	0x179fc	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x21128	4	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_tolower			.symtab	0x21464	4	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_toupper			.symtab	0x21130	4	OBJECT	<unknown>	HIDDEN	9
__GI__errno_location			.symtab	0xcbc4	12	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x13c80	304	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0xe17c	20	FUNC	<unknown>	HIDDEN	2
__GI__h_errno_location			.symtab	0xff18	12	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0xc80c	116	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl64			.symtab	0xc880	80	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0xca24	92	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0xf8f4	108	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0xf9a4	92	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0xe190	232	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0xc8d0	40	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0xeec4	328	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0xf510	12	FUNC	<unknown>	HIDDEN	2
__GI__atol			.symtab	0xf510	12	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x1218c	60	FUNC	<unknown>	HIDDEN	2
__GI__chdir			.symtab	0xc8f8	44	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0xc924	44	FUNC	<unknown>	HIDDEN	2
__GI__connect			.symtab	0xe864	44	FUNC	<unknown>	HIDDEN	2
__GI__errno			.symtab	0x276ec	4	OBJECT	<unknown>	HIDDEN	10
__GI__exit			.symtab	0xf6bc	148	FUNC	<unknown>	HIDDEN	2
__GI__fclose			.symtab	0x121f4	384	FUNC	<unknown>	HIDDEN	2
__GI__fcntl			.symtab	0xc80c	116	FUNC	<unknown>	HIDDEN	2
__GI__fcntl64			.symtab	0xc880	80	FUNC	<unknown>	HIDDEN	2
__GI__flush_unlocked			.symtab	0x12a84	484	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x13c80	304	FUNC	<unknown>	HIDDEN	2
__GI__fgets			.symtab	0x128b0	148	FUNC	<unknown>	HIDDEN	2
__GI__fgets_unlocked			.symtab	0x12c68	152	FUNC	<unknown>	HIDDEN	2
__GI__fopen			.symtab	0x12374	12	FUNC	<unknown>	HIDDEN	2
__GI__fork			.symtab	0xc950	44	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_fputs_unlocked			.symtab	0xdc5c	52	FUNC	<unknown>	HIDDEN	2
__GI_fseek			.symtab	0x12380	12	FUNC	<unknown>	HIDDEN	2
__GI_fseeko64			.symtab	0x1238c	304	FUNC	<unknown>	HIDDEN	2
__GI_fwrite_unlocked			.symtab	0xdc90	172	FUNC	<unknown>	HIDDEN	2
__GI_getc_unlocked			.symtab	0x13c80	304	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0xfd64	44	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0xfd90	44	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0xfdbc	44	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname			.symtab	0xe4ac	68	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname_r			.symtab	0xe4f0	884	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0xc97c	44	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0xe890	44	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0xfde8	44	FUNC	<unknown>	HIDDEN	2
__GI_h_errno			.symtab	0x276f0	4	OBJECT	<unknown>	HIDDEN	10
__GI_inet_addr			.symtab	0xe488	36	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x1153c	236	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa			.symtab	0xe47c	12	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa_r			.symtab	0xe3fc	128	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntop			.symtab	0x13340	608	FUNC	<unknown>	HIDDEN	2
__GI_inet_pton			.symtab	0x12fcc	528	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0xf448	200	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0xc9a8	80	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0xe300	32	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0xc9f8	44	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x13be8	100	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x111d0	252	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0xdd50	4	FUNC	<unknown>	HIDDEN	2
__GI_mempmove			.symtab	0x111c0	4	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x112cc	24	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x112e4	236	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0xdd60	156	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0xfe14	44	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0xca24	92	FUNC	<unknown>	HIDDEN	2
__GI_poll			.symtab	0x121c8	44	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x12150	24	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0xf010	124	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0xf2ec	144	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x12d00	184	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0xca90	44	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0xe8ec	44	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0xfe40	88	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0xcabc	48	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0xe918	44	FUNC	<unknown>	HIDDEN	2
__GI_setsid			.symtab	0xcaec	44	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0xe944	48	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0xf22c	192	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0xfc4c	228	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0xe9a0	184	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0xfe98	84	FUNC	<unknown>	HIDDEN	2
__GI_sleep			.symtab	0xf750	420	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0xe974	44	FUNC	<unknown>	HIDDEN	2
__GI_sprintf			.symtab	0xcbd0	52	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0xf37c	204	FUNC	<unknown>	HIDDEN	2
__GI_strcasecmp			.symtab	0xe278	124	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0xde80	264	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0xde00	28	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0xde00	28	FUNC	<unknown>	HIDDEN	2
__GI_strcpy			.symtab	0xdf88	28	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_strdup			.symtab	0x12ed0	48	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0xde20	96	FUNC	<unknown>	HIDDEN	2
__GI_strncat			.symtab	0x12db8	200	FUNC	<unknown>	HIDDEN	2
__GI_strncpy			.symtab	0x113d0	184	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0xdfa4	224	FUNC	<unknown>	HIDDEN	2
__GI_strpbrk			.symtab	0x114fc	64	FUNC	<unknown>	HIDDEN	2
__GI_strspn			.symtab	0x12e80	80	FUNC	<unknown>	HIDDEN	2
__GI_strstr			.symtab	0xe084	248	FUNC	<unknown>	HIDDEN	2
__GI_strtok			.symtab	0xe2f4	12	FUNC	<unknown>	HIDDEN	2
__GI_strtok_r			.symtab	0x11488	116	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0xf51c	8	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0xe320	108	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0xcb18	44	FUNC	<unknown>	HIDDEN	2
__GI_tolower			.symtab	0x13c4c	52	FUNC	<unknown>	HIDDEN	2
__GI_toupper			.symtab	0xcb90	52	FUNC	<unknown>	HIDDEN	2
__GI_vsnprintf			.symtab	0xcc04	176	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0xfeec	44	FUNC	<unknown>	HIDDEN	2
__GI_waitpid			.symtab	0xcb44	8	FUNC	<unknown>	HIDDEN	2
__GI_wctomb			.symtab	0xff24	80	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0xff94	188	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0xff74	32	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0xcb4c	44	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x21010	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x21010	0	OBJECT	<unknown>	DEFAULT	8
__adddf3			.symtab	0x14200	736	FUNC	<unknown>	DEFAULT	2
__aeabi_cdcmpeq			.symtab	0x14bd0	20	FUNC	<unknown>	DEFAULT	2
__aeabi_cdcmple			.symtab	0x14bd0	20	FUNC	<unknown>	DEFAULT	2
__aeabi_cdrcmpeq			.symtab	0x14bb4	48	FUNC	<unknown>	DEFAULT	2
__aeabi_d2uiz			.symtab	0x14c48	84	FUNC	<unknown>	DEFAULT	2
__aeabi_dadd			.symtab	0x14200	736	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmpeq			.symtab	0x14be4	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmpge			.symtab	0x14c20	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmpgt			.symtab	0x14c34	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmple			.symtab	0x14c0c	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmplt			.symtab	0x14bf8	20	FUNC	<unknown>	DEFAULT	2
__aeabi_ddiv			.symtab	0x1491c	516	FUNC	<unknown>	DEFAULT	2
__aeabi_dmul			.symtab	0x145f4	808	FUNC	<unknown>	DEFAULT	2
__aeabi_drsub			.symtab	0x141f4	0	FUNC	<unknown>	DEFAULT	2
__aeabi_dsub			.symtab	0x141fc	740	FUNC	<unknown>	DEFAULT	2
__aeabi_f2d			.symtab	0x14534	64	FUNC	<unknown>	DEFAULT	2
__aeabi_i2d			.symtab	0x14508	44	FUNC	<unknown>	DEFAULT	2
__aeabi_idiv			.symtab	0x140b4	0	FUNC	<unknown>	DEFAULT	2
__aeabi_idiv0			.symtab	0xc7b8	4	FUNC	<unknown>	DEFAULT	2
__aeabi_idivmod			.symtab	0x141dc	24	FUNC	<unknown>	DEFAULT	2
__aeabi_l2d			.symtab	0x14588	108	FUNC	<unknown>	DEFAULT	2
__aeabi_ldiv0			.symtab	0xc7b8	4	FUNC	<unknown>	DEFAULT	2
__aeabi_ui2d			.symtab	0x144e0	40	FUNC	<unknown>	DEFAULT	2
__aeabi_uidiv			.symtab	0xc4f8	0	FUNC	<unknown>	DEFAULT	2
__aeabi_uidivmod			.symtab	0xc5f0	24	FUNC	<unknown>	DEFAULT	2
__aeabi_ul2d			.symtab	0x14574	128	FUNC	<unknown>	DEFAULT	2
__app_fini			.symtab	0x276e0	4	OBJECT	<unknown>	HIDDEN	10
__atexit_lock			.symtab	0x21444	24	OBJECT	<unknown>	DEFAULT	9
__bsd_signal			.symtab	0xe9a0	184	FUNC	<unknown>	HIDDEN	2
__bss_end__			.symtab	0x277e0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x21488	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x21488	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0xf96c	56	FUNC	<unknown>	DEFAULT	2
__cmpdf2			.symtab	0x14b30	132	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__ctype_b			.symtab	0x21128	4	OBJECT	<unknown>	DEFAULT	9
__ctype_tolower			.symtab	0x21464	4	OBJECT	<unknown>	DEFAULT	9
__ctype_toupper			.symtab	0x21130	4	OBJECT	<unknown>	DEFAULT	9
__curbrk			.symtab	0x27710	4	OBJECT	<unknown>	HIDDEN	10
__data_start			.symtab	0x21014	0	NOTYPE	<unknown>	DEFAULT	9
__decode_answer			.symtab	0x137b0	220	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x13e58	204	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x13688	184	FUNC	<unknown>	HIDDEN	2
__default_rt_sa_restorer			.symtab	0xfd34	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0xfd30	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__div0			.symtab	0xc7b8	4	FUNC	<unknown>	DEFAULT	2
__divdf3			.symtab	0x1491c	516	FUNC	<unknown>	DEFAULT	2
__divsi3			.symtab	0x140b4	296	FUNC	<unknown>	DEFAULT	2
__dns_lookup			.symtab	0x11628	2060	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x14c9c	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x80b0	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x21018	0	OBJECT	<unknown>	HIDDEN	9
__encode_dotted			.symtab	0x13db0	168	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x135a0	232	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x13740	92	FUNC	<unknown>	HIDDEN	2
__end__			.symtab	0x277e0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x276d8	4	OBJECT	<unknown>	DEFAULT	10
__eqdf2			.symtab	0x14b30	132	FUNC	<unknown>	DEFAULT	2
__errno_location			.symtab	0xcbc4	12	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x276d0	4	OBJECT	<unknown>	HIDDEN	10
__extendsfdf2			.symtab	0x14534	64	FUNC	<unknown>	DEFAULT	2
__fgetc_unlocked			.symtab	0x13c80	304	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fixunsdfsi			.symtab	0x14c48	84	FUNC	<unknown>	DEFAULT	2
__floatdidf			.symtab	0x14588	108	FUNC	<unknown>	DEFAULT	2
__floatsidf			.symtab	0x14508	44	FUNC	<unknown>	DEFAULT	2
__floatundidf			.symtab	0x14574	128	FUNC	<unknown>	DEFAULT	2
__floatunsidf			.symtab	0x144e0	40	FUNC	<unknown>	DEFAULT	2
__gedf2			.symtab	0x14b20	148	FUNC	<unknown>	DEFAULT	2
__get_hosts_byname_r			.symtab	0x12108	72	FUNC	<unknown>	HIDDEN	2
__glibc_strerror_r			.symtab	0xe17c	20	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gtdf2			.symtab	0x14b20	148	FUNC	<unknown>	DEFAULT	2
__h_errno_location			.symtab	0xff18	12	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__heap_alloc			.symtab	0xed08	148	FUNC	<unknown>	DEFAULT	2
__heap_free			.symtab	0xedd0	244	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area			.symtab	0xed9c	32	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area_after			.symtab	0xedbc	20	FUNC	<unknown>	DEFAULT	2
__init_array_end			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__ledf2			.symtab	0x14b28	140	FUNC	<unknown>	DEFAULT	2
__length_dotted			.symtab	0x13f24	76	FUNC	<unknown>	HIDDEN	2
__length_question			.symtab	0x1379c	20	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0xc924	44	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0xe864	44	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0xca80	16	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0xc80c	116	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0xc880	80	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0xc950	44	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__libc_getpid			.symtab	0xc97c	44	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x13be8	100	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0xfe14	44	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0xca24	92	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x121c8	44	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0xca90	44	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0xe8ec	44	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0xcabc	48	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0xe918	44	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0xfc4c	228	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x276d4	4	OBJECT	<unknown>	DEFAULT	10
__libc_waitpid			.symtab	0xcb44	8	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0xcb4c	44	FUNC	<unknown>	DEFAULT	2
__ltdf2			.symtab	0x14b28	140	FUNC	<unknown>	DEFAULT	2
__malloc_heap			.symtab	0x21270	4	OBJECT	<unknown>	DEFAULT	9
__malloc_heap_lock			.symtab	0x276b4	24	OBJECT	<unknown>	DEFAULT	10
__malloc_sbrk_lock			.symtab	0x2779c	24	OBJECT	<unknown>	DEFAULT	10
__modsi3			.symtab	0xc6d4	228	FUNC	<unknown>	DEFAULT	2
__muldf3			.symtab	0x145f4	808	FUNC	<unknown>	DEFAULT	2
__muldi3			.symtab	0xc7bc	80	FUNC	<unknown>	DEFAULT	2
__nameserver			.symtab	0x277c4	12	OBJECT	<unknown>	HIDDEN	10
__nameservers			.symtab	0x277d0	4	OBJECT	<unknown>	HIDDEN	10
__nedf2			.symtab	0x14b30	132	FUNC	<unknown>	DEFAULT	2
__open_etc_hosts			.symtab	0x1388c	52	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x11e34	724	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x276dc	4	OBJECT	<unknown>	DEFAULT	10
__preinit_array_end			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0xf960	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0xf960	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0xf960	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0xf960	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0xf960	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0xf968	4	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x12150	24	FUNC	<unknown>	HIDDEN	2
__read_etc_hosts_r			.symtab	0x138c0	808	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x2146c	24	OBJECT	<unknown>	DEFAULT	9
__rtld_fini			.symtab	0x276e4	4	OBJECT	<unknown>	HIDDEN	10
__searchdomain			.symtab	0x277b4	16	OBJECT	<unknown>	HIDDEN	10
__searchdomains			.symtab	0x277d4	4	OBJECT	<unknown>	HIDDEN	10
__sigaddset			.symtab	0xea7c	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0xeaa0	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0xea58	36	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x21140	4	OBJECT	<unknown>	DEFAULT	9
__stdio_READ			.symtab	0x13f70	92	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x10050	188	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x124bc	204	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x1010c	312	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0xcd24	16	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.3929			.symtab	0x17cfc	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x13fcc	44	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x12880	48	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x13ff8	188	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x10244	260	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0xcdec	48	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__stdout			.symtab	0x21144	4	OBJECT	<unknown>	DEFAULT	9
__subdf3			.symtab	0x141fc	740	FUNC	<unknown>	DEFAULT	2
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0xfd38	44	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0xf8f4	108	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0xf9a4	92	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0xfa00	588	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x2145c	4	OBJECT	<unknown>	HIDDEN	9
__udivsi3			.symtab	0xc4f8	248	FUNC	<unknown>	DEFAULT	2
__umodsi3			.symtab	0xc608	204	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r			.symtab	0xe190	232	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_bss_end__			.symtab	0x277e0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0xce1c	76	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x12168	36	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x277d8	4	OBJECT	<unknown>	DEFAULT	10
_dl_phnum			.symtab	0x277dc	4	OBJECT	<unknown>	DEFAULT	10
_edata			.symtab	0x21488	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x277e0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x276ec	4	OBJECT	<unknown>	DEFAULT	10
_exit			.symtab	0xc8d0	40	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x14cd8	4	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x254c0	8192	OBJECT	<unknown>	DEFAULT	10
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0xce68	132	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x1053c	2036	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x276f0	4	OBJECT	<unknown>	DEFAULT	10
_init			.symtab	0x8094	4	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x10348	112	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_memcpy			.symtab	0x10d30	0	FUNC	<unknown>	HIDDEN	2
_ppfs_init			.symtab	0xd4e0	152	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0xd798	1220	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0xd578	56	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0xd5b0	412	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0xd74c	76	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0xf968	4	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0xf968	4	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_sigintr			.symtab	0x2771c	128	OBJECT	<unknown>	HIDDEN	10
_start			.symtab	0x8190	0	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x12588	760	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0xccb4	112	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x21148	4	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_add_lock			.symtab	0x2114c	24	OBJECT	<unknown>	DEFAULT	9

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_stdio_openlist_dec_use			.symtab	0x12944	320	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x254bc	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_del_lock			.symtab	0x21164	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_use_count			.symtab	0x254b8	4	OBJECT	<unknown>	DEFAULT	10
_stdio_streams			.symtab	0x21180	240	OBJECT	<unknown>	DEFAULT	9
_stdio_term			.symtab	0xcd34	184	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x2117c	4	OBJECT	<unknown>	DEFAULT	9
_stdlib_strto_l			.symtab	0xf524	408	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x103b8	52	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x17dcc	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x103ec	336	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0xceec	1524	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0xeec4	328	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0xf510	12	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0xf510	12	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bcopy			.symtab	0xdd40	16	FUNC	<unknown>	DEFAULT	2
been_there_done_that			.symtab	0x276cc	4	OBJECT	<unknown>	DEFAULT	10
been_there_done_that.2789			.symtab	0x276e8	4	OBJECT	<unknown>	DEFAULT	10
bot.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x1218c	60	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0xe9a0	184	FUNC	<unknown>	DEFAULT	2
buf.2613			.symtab	0x274c4	16	OBJECT	<unknown>	DEFAULT	10
buf.4901			.symtab	0x274d4	460	OBJECT	<unknown>	DEFAULT	10
c			.symtab	0x2111c	4	OBJECT	<unknown>	DEFAULT	9
call___do_global_ctors_aux			.symtab	0x14cd0	0	FUNC	<unknown>	DEFAULT	2
call___do_global_dtors_aux			.symtab	0x8128	0	FUNC	<unknown>	DEFAULT	2
call_frame_dummy			.symtab	0x8188	0	FUNC	<unknown>	DEFAULT	2
chdir			.symtab	0xc8f8	44	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0xc924	44	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x21024	4	OBJECT	<unknown>	DEFAULT	9
completed.2555			.symtab	0x21488	1	OBJECT	<unknown>	DEFAULT	10
connect			.symtab	0xe864	44	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x94ec	640	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0xca80	16	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
currentServer			.symtab	0x21118	4	OBJECT	<unknown>	DEFAULT	9
data_start			.symtab	0x21020	0	NOTYPE	<unknown>	DEFAULT	9
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dns			.symtab	0x21028	4	OBJECT	<unknown>	DEFAULT	9
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x276d8	4	OBJECT	<unknown>	DEFAULT	10
errno			.symtab	0x276ec	4	OBJECT	<unknown>	DEFAULT	10
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0xf6bc	148	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x18c70	72	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x121f4	384	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0xc80c	116	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0xc880	80	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x8438	208	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x12a84	484	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x13c80	304	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x128b0	148	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x12c68	152	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x18c5c	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x12374	12	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
force_to_data			.symtab	0x21014	0	OBJECT	<unknown>	DEFAULT	9
force_to_data			.symtab	0x21484	0	OBJECT	<unknown>	DEFAULT	9
fork			.symtab	0xc950	44	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0xdc5c	52	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8130	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0xec18	240	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x12380	12	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x12380	12	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x1238c	304	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0xdc90	172	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getArch			.symtab	0xb174	28	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x91b4	100	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x8508	748	FUNC	<unknown>	DEFAULT	2
getRandomIP			.symtab	0x83d8	96	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x13c80	304	FUNC	<unknown>	DEFAULT	2
getegid			.symtab	0xfd64	44	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0xfd90	44	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0xfdbc	44	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0xe4ac	68	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0xe4f0	884	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0xc97c	44	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0xe890	44	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0xe8bc	48	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0xfde8	44	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.4900			.symtab	0x276a0	20	OBJECT	<unknown>	DEFAULT	10
h_errno			.symtab	0x276f0	4	OBJECT	<unknown>	DEFAULT	10
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
htonl			.symtab	0xe3c4	36	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0xe3e8	20	FUNC	<unknown>	DEFAULT	2
i.4123			.symtab	0x21120	4	OBJECT	<unknown>	DEFAULT	9
index			.symtab	0xde80	264	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0xe488	36	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x1153c	236	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0xe47c	12	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0xe3fc	128	FUNC	<unknown>	DEFAULT	2
inet_ntop			.symtab	0x13340	608	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x131dc	356	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x12fcc	528	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x12f00	204	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0xbb2c	396	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x81cc	212	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x21274	260	OBJECT	<unknown>	DEFAULT	9
initstate			.symtab	0xf118	152	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0xf448	200	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0xc9a8	80	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0xe300	32	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0xcb78	24	FUNC	<unknown>	DEFAULT	2
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0xc9f8	44	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/_memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/bcopy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memmove.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/strcmp.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/strlen.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/sigrestorer.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libgcc2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x976c	408	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x13be8	100	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
macAddress			.symtab	0x214b0	6	OBJECT	<unknown>	DEFAULT	10
main			.symtab	0xbcb8	2112	FUNC	<unknown>	DEFAULT	2
mainCommSock			.symtab	0x214a4	4	OBJECT	<unknown>	DEFAULT	10
malloc			.symtab	0xeac4	340	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memchr			.symtab	0x111d0	252	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0xdd50	4	FUNC	<unknown>	DEFAULT	2
memmove			.symtab	0x111c0	4	FUNC	<unknown>	DEFAULT	2
mempcpy			.symtab	0x112cc	24	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x112e4	236	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0xdd60	156	FUNC	<unknown>	DEFAULT	2
mylock			.symtab	0x21378	24	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x21390	24	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x276f4	24	OBJECT	<unknown>	DEFAULT	10
nanosleep			.symtab	0xfe14	44	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1066			.symtab	0x274c0	4	OBJECT	<unknown>	DEFAULT	10
ntohl			.symtab	0xe38c	36	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0xe3b0	20	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x214a8	8	OBJECT	<unknown>	DEFAULT	10
object.2636			.symtab	0x2148c	24	OBJECT	<unknown>	DEFAULT	10
open			.symtab	0xca24	92	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x27714	4	OBJECT	<unknown>	DEFAULT	10
ovhl7			.symtab	0xa07c	3464	FUNC	<unknown>	DEFAULT	2
p.2553			.symtab	0x2101c	0	OBJECT	<unknown>	DEFAULT	9
pids			.symtab	0x27718	4	OBJECT	<unknown>	DEFAULT	10
poll			.symtab	0x121c8	44	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4141			.symtab	0x17d24	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x8cfc	1008	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x8924	108	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x8b14	488	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x8990	388	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0xb190	2460	FUNC	<unknown>	DEFAULT	2
qual_chars.4147			.symtab	0x17d38	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x12150	24	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0xf00c	4	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmw			.symtab	0x82a0	312	FUNC	<unknown>	DEFAULT	2
random			.symtab	0xf010	124	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x18928	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0xf2ec	144	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x213c4	128	OBJECT	<unknown>	DEFAULT	9
rawmemchr			.symtab	0x12d00	184	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0xca90	44	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
recv			.symtab	0xe8ec	44	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x9218	724	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0xfe40	88	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
select			.symtab	0xcabc	48	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0xe918	44	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendHTTPtwo			.symtab	0xafbc	440	FUNC	<unknown>	DEFAULT	2
setsid			.symtab	0xcaec	44	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0xe944	48	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0xf08c	140	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0xf22c	192	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0xfc4c	228	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0xe9a0	184	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0xfe98	84	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0xf750	420	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0xe974	44	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x9904	332	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x90ec	200	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4146			.symtab	0x17d4c	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4140			.symtab	0x17d30	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4143			.symtab	0x17d78	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4142			.symtab	0x17d90	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4145			.symtab	0x17d5c	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4144			.symtab	0x17d6c	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0xcbd0	52	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0xf1b0	124	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0xf1b0	124	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0xf37c	204	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x21468	2	OBJECT	<unknown>	DEFAULT	9
static_ns			.symtab	0x2770c	4	OBJECT	<unknown>	DEFAULT	10
stderr			.symtab	0x2113c	4	OBJECT	<unknown>	DEFAULT	9
stdin			.symtab	0x21134	4	OBJECT	<unknown>	DEFAULT	9
stdout			.symtab	0x21138	4	OBJECT	<unknown>	DEFAULT	9
strcasecmp			.symtab	0xe278	124	FUNC	<unknown>	DEFAULT	2
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0xde80	264	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0xde00	28	FUNC	<unknown>	DEFAULT	2
strcoll			.symtab	0xde00	28	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0xdf88	28	FUNC	<unknown>	DEFAULT	2
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strdup			.symtab	0x12ed0	48	FUNC	<unknown>	DEFAULT	2
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0xe190	232	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0xde20	96	FUNC	<unknown>	DEFAULT	2
strncat			.symtab	0x12db8	200	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x113d0	184	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strlen			.symtab	0xdfa4	224	FUNC	<unknown>	DEFAULT	2
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x114fc	64	FUNC	<unknown>	DEFAULT	2
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x12e80	80	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0xe084	248	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0xe2f4	12	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x11488	116	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0xf51c	8	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcgetattr			.symtab	0xe320	108	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
time			.symtab	0xcb18	44	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tolower			.symtab	0x13c4c	52	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0xcb90	52	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x87f4	304	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x17d98	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x17db0	12	OBJECT	<unknown>	DEFAULT	4
unknown.1088			.symtab	0x17dbc	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x213a8	28	OBJECT	<unknown>	DEFAULT	9
useragents			.symtab	0x2102c	236	OBJECT	<unknown>	DEFAULT	9
vsprintf			.symtab	0xcc04	176	FUNC	<unknown>	DEFAULT	2
vsprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0xfeec	44	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0xcb44	8	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0xff24	80	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0xff94	188	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtoombs			.symtab	0xff74	32	FUNC	<unknown>	DEFAULT	2
wcsrtoombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
write			.symtab	0xcb4c	44	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
xdigits.3041			.symtab	0x18d1c	17	OBJECT	<unknown>	DEFAULT	4
xtddcustom			.symtab	0x9bf4	356	FUNC	<unknown>	DEFAULT	2

Network Behavior

Network Port Distribution

Total Packets: 21

- 80 (HTTP)
- 443 (HTTPS)
- 4258 undefined



TCP Packets

System Behavior

Analysis Process: fuckjewishpeople.arm4 PID: 5211, Parent PID: 5109

General

Start time:	08:34:37
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.arm4
Arguments:	/tmp/fuckjewishpeople.arm4
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities

File Read

Analysis Process: fuckjewishpeople.arm4 PID: 5213, Parent PID: 5211

General

Start time:	08:34:37
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.arm4
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: fuckjewishpeople.arm4 PID: 5215, Parent PID: 5213

General

Start time:	08:34:37
Start date:	21/01/2022
Path:	/tmp/fuckjewishpeople.arm4
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: dash PID: 5256, Parent PID: 4331

General

Start time:	08:36:02
Start date:	21/01/2022

Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: rm PID: 5256, Parent PID: 4331

General

Start time:	08:36:02
Start date:	21/01/2022
Path:	/usr/bin/rm
Arguments:	rm -f /tmp/tmp.wRs3qJEhP /tmp/tmp.gvBL1RYhhH /tmp/tmp.PUBSFrlSN1
File size:	72056 bytes
MD5 hash:	aa2b5496fdbfd88e38791ab81f90b95b

File Activities

File Deleted

File Read