

JOeSandbox Cloud BASIC



ID: 557572

Sample Name: DaHcly3sdZ

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 10:56:15

Date: 21/01/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report DaHcly3sdZ	4
Overview	4
General Information	4
Detection	4
Signatures	4
Classification	4
Analysis Advice	4
General Information	4
Runtime Messages	4
Process Tree	5
Yara Overview	5
Initial Sample	5
Jbx Signature Overview	5
AV Detection	5
System Summary	5
Stealing of Sensitive Information	5
Remote Access Functionality	5
Mitre Att&ck Matrix	5
Malware Configuration	6
Behavior Graph	6
Antivirus, Machine Learning and Genetic Malware Detection	6
Initial Sample	6
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	7
Contacted Domains	7
World Map of Contacted IPs	7
Public IPs	7
Joe Sandbox View / Context	7
IPs	7
Domains	7
ASNs	7
JA3 Fingerprints	8
Dropped Files	8
Created / dropped Files	8
Static File Info	8
General	8
Static ELF Info	8
ELF header	8
Sections	8
Program Segments	9
Symbols	9
Network Behavior	27
Network Port Distribution	27
TCP Packets	27
System Behavior	28
Analysis Process: DaHcly3sdZ PID: 5225, Parent PID: 5118	28
General	28
File Activities	28
File Read	28
Analysis Process: DaHcly3sdZ PID: 5227, Parent PID: 5225	28
General	28
File Activities	28
File Read	28
Directory Enumerated	28
Analysis Process: DaHcly3sdZ PID: 5322, Parent PID: 5227	28
General	28
Analysis Process: DaHcly3sdZ PID: 5324, Parent PID: 5227	28
General	28
Analysis Process: DaHcly3sdZ PID: 5328, Parent PID: 5324	28
General	28
Analysis Process: DaHcly3sdZ PID: 5335, Parent PID: 5328	29
General	29
Analysis Process: DaHcly3sdZ PID: 5330, Parent PID: 5324	29
General	29
Analysis Process: DaHcly3sdZ PID: 5228, Parent PID: 5225	29
General	29
Analysis Process: DaHcly3sdZ PID: 5229, Parent PID: 5225	29
General	29
Analysis Process: DaHcly3sdZ PID: 5233, Parent PID: 5229	29
General	29
File Activities	29
File Read	29
Directory Enumerated	29
Analysis Process: DaHcly3sdZ PID: 5325, Parent PID: 5233	29
General	29

Linux Analysis Report

DaHcly3sdZ

Overview

General Information

Sample Name:	DaHcly3sdZ
Analysis ID:	557572
MD5:	3589e536d48793..
SHA1:	75f1682cde5955..
SHA256:	1fe6da5a13d03e..
Tags:	32armelfmirai
Infos:	↓↑ Yara

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Mirai

Score:	60
Range:	0 - 100
Whitelisted:	false

Signatures

Multi AV Scanner detection for subm...

Contains symbols with names comm...

Yara detected Mirai

Uses the "uname" system call to qu...

Enumerates processes within the "p...

Tries to connect to HTTP servers, b...

Sample listens on a socket

Sample tries to kill a process (SIGK...

Classification

Analysis Advice

Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures
All HTTP servers contacted by the sample do not answer. Likely the sample is an old dropper which does no longer work
Static ELF header machine description suggests that the sample might not execute correctly on this machine

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	557572
Start date:	21.01.2022
Start time:	10:56:15
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 6m 32s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	DaHcly3sdZ
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal60.troj.lin@0/0@0/0

Runtime Messages

Command:	/tmp/DaHcly3sdZ
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	DaddyL33T Infected Your Shit
Standard Error:	

Process Tree

- system is Inxubuntu20
 - DaHcly3sdZ (PID: 5225, Parent: 5118, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/DaHcly3sdZ
 - DaHcly3sdZ New Fork (PID: 5227, Parent: 5225)
 - DaHcly3sdZ New Fork (PID: 5322, Parent: 5227)
 - DaHcly3sdZ New Fork (PID: 5324, Parent: 5227)
 - DaHcly3sdZ New Fork (PID: 5328, Parent: 5324)
 - DaHcly3sdZ New Fork (PID: 5335, Parent: 5328)
 - DaHcly3sdZ New Fork (PID: 5330, Parent: 5324)
 - DaHcly3sdZ New Fork (PID: 5228, Parent: 5225)
 - DaHcly3sdZ New Fork (PID: 5229, Parent: 5225)
 - DaHcly3sdZ New Fork (PID: 5233, Parent: 5229)
 - DaHcly3sdZ New Fork (PID: 5325, Parent: 5233)
 - DaHcly3sdZ New Fork (PID: 5234, Parent: 5229)
 - cleanup

Yara Overview

Initial Sample

Source	Rule	Description	Author	Strings
DaHcly3sdZ	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
DaHcly3sdZ	JoeSecurity_Mirai_2	Yara detected Mirai	Joe Security	

Jbx Signature Overview

AV Detection



Multi AV Scanner detection for submitted file

System Summary



Contains symbols with names commonly found in malware

Stealing of Sensitive Information



Remote Access Functionality



Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	1 OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Encrypted Channel	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Application Layer Protocol	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout

—

—



1

—

Source	Detection	Scanner	Label	Link
DaHcly3sdZ	52%	Virustotal		Browse
DaHcly3sdZ	63%	ReversingLabs	Linux.Trojan.Mirai	

—

—

①

—

No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
192.3.1.12	unknown	United States		36352	AS-COLOCROSSINGUS	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, ARM, EABI4 version 1 (SYSV), statically linked, with debug_info, not stripped
Entropy (8bit):	5.883883785360017
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	DaHcly3sdZ
File size:	121508
MD5:	3589e536d48793638924927ccf3188ff
SHA1:	75f1682cde5955919a5516ca2f635bc485afa4cc
SHA256:	1fe6da5a13d03efa8a2cb71fd85f320e84bff991944825a738bad346306b1c28
SHA512:	21710d050e206f976d6f468f5e7fa9ef9e8cccd4461b25776bd4f072a9d322b7926c49559f4417bfff400a493a3827ad2a8029dc89f851448945f446bd8e08e9
SSDEEP:	3072:amrQK1bmVnILm7EcYxjOFJGar+/M/9tCmM:vrQK1bmOLm7EcwjSGarGM/9tCmM
File Content Preview:	.ELF.....(.....4....q.....4. ..(.....p`...`x..x.....x..x..x.....2.....Q.td.....~..L.....@-.,@...0....S

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	ARM
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x8194
Flags:	0x4000002
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	5
Section Header Offset:	94480
Section Header Size:	40
Number of Section Headers:	29
Header String Table Index:	26

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x80d4	0xd4	0x10	0x0	0x6	AX	0	0	4

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.text	PROGBITS	0x80f0	0xf0	0x101ac	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x1829c	0x1029c	0x10	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x182ac	0x102ac	0xd9c	0x0	0x2	A	0	0	4
.ARM.extab	PROGBITS	0x19048	0x11048	0x18	0x0	0x2	A	0	0	4
.ARM.exidx	ARM_EXIDX	0x19060	0x11060	0x118	0x0	0x82	AL	2	0	4
.eh_frame	PROGBITS	0x21178	0x11178	0x4	0x0	0x3	WA	0	0	4
.tbss	NOBITS	0x2117c	0x1117c	0x8	0x0	0x403	WAT	0	0	4
.init_array	INIT_ARRAY	0x2117c	0x1117c	0x4	0x0	0x3	WA	0	0	4
.fini_array	FINI_ARRAY	0x21180	0x11180	0x4	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x21184	0x11184	0x4	0x0	0x3	WA	0	0	4
.got	PROGBITS	0x21188	0x11188	0xa8	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x21230	0x11230	0x200	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x21430	0x11430	0x2fcc	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0x11430	0x8f2	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x11d28	0xc0	0x0	0x0		0	0	8
.debug_pubnames	PROGBITS	0x0	0x11de8	0x213	0x0	0x0		0	0	1
.debug_info	PROGBITS	0x0	0x11ffb	0x1d23	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x13d1e	0x692	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x143b0	0x9c7	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x14d78	0x2b8	0x0	0x0		0	0	4
.debug_str	PROGBITS	0x0	0x15030	0x8ca	0x1	0x30	MS	0	0	1
.debug_loc	PROGBITS	0x0	0x158fa	0x118f	0x0	0x0		0	0	1
.debug_ranges	PROGBITS	0x0	0x16a89	0x558	0x0	0x0		0	0	1
.ARM.attributes	ARM_ATTRIBUTES	0x0	0x16fe1	0x16	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x16ff7	0x117	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x17598	0x4380	0x10	0x0		28	619	4
.strtab	STRTAB	0x0	0x1b918	0x218c	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
EXIDX	0x11060	0x19060	0x19060	0x118	0x118	1.6025	0x4	R	0x4		.ARM.exidx
LOAD	0x0	0x8000	0x8000	0x11178	0x11178	3.1138	0x5	R E	0x8000		.init .text .fini .rodata .ARM.extab .ARM.exidx
LOAD	0x11178	0x21178	0x21178	0x2b8	0x3284	2.4233	0x6	RW	0x8000		.eh_frame .init_array .fini_array .jcr .got .data .bss
TLS	0x1117c	0x2117c	0x2117c	0x0	0x8	0.0000	0x4	R	0x4		
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x80d4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80f0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x1829c	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x182ac	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x19048	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x19060	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x21178	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x2117c	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x2117c	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x21180	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x21184	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x21188	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x21230	0	SECTION	<unknown>	DEFAULT	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x21430	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	21
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	22
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	23
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	24
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	25
\$a			.symtab	0x80d4	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1829c	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80e0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x182a8	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8134	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8194	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x822c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8328	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8544	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x85b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8620	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8a4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8ca4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8f20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x91c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9460	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x994c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9fe0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa5fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xaa34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb09c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb0f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb8a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc058	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc750	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcdfc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xce4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcef0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd484	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdc30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdc48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdc90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdd80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe4dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe538	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe5a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe670	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe74c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe770	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe810	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe8b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xed50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xed78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xedc0	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xed4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xee08	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xef44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xefa0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf034	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf0c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf144	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf240	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf354	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf368	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf400	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf4f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf508	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf5e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf620	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf664	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf6a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf6e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf76c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf7ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf838	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf868	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf8a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf9b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfa88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfb4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfbfc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfce4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfdf0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfe14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfe3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfe80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfec4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xff38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xff7c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xffc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10004	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10048	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x100b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10100	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10188	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x101cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1023c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10288	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10310	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10358	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1039c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x103ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10400	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x104c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10530	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10ee0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11020	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x113e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11880	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x118c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x119e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11a00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11aa4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11b5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11c1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11cc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11d50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11f20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1200c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1202c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12048	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12220	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x122e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12430	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12a54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12e20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12eb8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12f00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ff0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13124	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1317c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13184	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x131b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1320c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13214	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13244	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1329c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x132a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x132d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1332c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13334	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13360	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x133e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x134c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13584	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x135d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13630	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13a1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13a98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13ac4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13b4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13b54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13b60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13b70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13b80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13bc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13c28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13c8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13d2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13d58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13d6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13d80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13d94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13dbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13df4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13e34	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x13e48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13e8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13ecc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13f0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13f6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13fd8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13fec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14164	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14250	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x145f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14924	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14944	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14da4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14e24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14f88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14fb8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x150fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15218	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x154c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15874	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x159a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15a40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ed0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ee0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15f00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15f60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16050	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1613c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16180	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x161d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1621c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16240	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x162bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x163b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1642c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16494	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x166e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x166f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1672c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16784	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x167dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x167e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16930	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16988	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16a64	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16a94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16b38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16b5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16b9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16c0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16d50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16d9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16de8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16df0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16df4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16e20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16e2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16e38	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x17058	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x171a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x171c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17224	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17290	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17348	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17368	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x174ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x179f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x179fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17a04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17a0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17ac8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17b0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18220	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18268	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8128	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21180	0	NOTYPE	<unknown>	DEFAULT	10
\$d			.symtab	0x8180	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2117c	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x81c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8320	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8a10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8ca0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8f1c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9948	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9fdc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa5f8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xaa30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb08c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb0e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb8a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc054	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc74c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcdf8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x186ac	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x186b8	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xd480	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdc20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdc40	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdc88	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdd7c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe4a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21230	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x21234	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x21238	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xe528	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe590	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe660	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe73c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe76c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe808	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe8a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xecd4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2123c	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x20	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x26	0	NOTYPE	<unknown>	DEFAULT	21

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0xf3f8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf4e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf5d8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf61c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf660	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf6a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf6e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf764	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf7a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf834	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf8a4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf99c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfa80	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfb40	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfb4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18c70	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xfcd0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfd00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfd34	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfe78	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfebc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xff30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xff74	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xffbc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10000	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10040	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x100b0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x100fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10180	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x101c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10234	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10280	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10308	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10350	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10394	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x103e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x104b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10ebc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21240	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x11004	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x113c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11864	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x118b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x119d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21258	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x11a88	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11b40	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11c00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11ca4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21270	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x21308	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x11d4c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e1c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11f10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12000	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18c88	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x12210	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x122c4	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x2131c	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1240c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12a28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12df8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12fe4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13110	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13120	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x131b0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13240	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x132d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x134bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13570	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x135d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13624	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x139d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21334	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x13a90	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13ac0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13b40	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13bbc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13c20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13c88	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13d28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13db4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13df0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13e30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13e88	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13ec8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13f08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13f64	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13fd0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1423c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x145ec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14914	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14d70	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14e14	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14f6c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2134c	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x21348	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x154ac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1585c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15998	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16048	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16134	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x162b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x163ac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16414	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16484	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x166c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16720	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x167d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16928	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16a60	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16b34	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16c08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x4c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x53	0	NOTYPE	<unknown>	DEFAULT	21

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x1703c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x179e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x58	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	23
\$d			.symtab	0x23c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0xe39	0	NOTYPE	<unknown>	DEFAULT	23
\$d			.symtab	0x21340	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x18d18	0	NOTYPE	<unknown>	DEFAULT	4
C.102.6392			.symtab	0x186ac	8	OBJECT	<unknown>	DEFAULT	4
C.11.5548			.symtab	0x18cf4	12	OBJECT	<unknown>	DEFAULT	4
C.22.4569			.symtab	0x186b8	1024	OBJECT	<unknown>	DEFAULT	4
C.5.5083			.symtab	0x18c70	24	OBJECT	<unknown>	DEFAULT	4
C.7.5370			.symtab	0x18d00	12	OBJECT	<unknown>	DEFAULT	4
C.7.6109			.symtab	0x1903c	12	OBJECT	<unknown>	DEFAULT	4
C.7.6182			.symtab	0x19018	12	OBJECT	<unknown>	DEFAULT	4
C.8.6110			.symtab	0x19030	12	OBJECT	<unknown>	DEFAULT	4
C.9.6119			.symtab	0x19024	12	OBJECT	<unknown>	DEFAULT	4
LOCAL_ADDR			.symtab	0x23f34	4	OBJECT	<unknown>	DEFAULT	14
Laligned			.symtab	0x15f28	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0x15f44	0	NOTYPE	<unknown>	DEFAULT	2
_Exit			.symtab	0x13bc0	104	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x21188	0	OBJECT	<unknown>	HIDDEN	12
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_Unwind_Complete			.symtab	0x16df0	4	FUNC	<unknown>	HIDDEN	2
_Unwind_DeleteException			.symtab	0x16df4	44	FUNC	<unknown>	HIDDEN	2
_Unwind_ForcedUnwind			.symtab	0x17aa4	36	FUNC	<unknown>	HIDDEN	2
_Unwind_GetCFA			.symtab	0x16de8	8	FUNC	<unknown>	HIDDEN	2
_Unwind_GetDataRelBase			.symtab	0x16e2c	12	FUNC	<unknown>	HIDDEN	2
_Unwind_GetLanguageSpecificData			.symtab	0x17ac8	68	FUNC	<unknown>	HIDDEN	2
_Unwind_GetRegionStart			.symtab	0x18268	52	FUNC	<unknown>	HIDDEN	2
_Unwind_GetTextRelBase			.symtab	0x16e20	12	FUNC	<unknown>	HIDDEN	2
_Unwind_RaiseException			.symtab	0x17a38	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume			.symtab	0x17a5c	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume_or_Rethrow			.symtab	0x17a80	36	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Get			.symtab	0x16d50	76	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Pop			.symtab	0x17368	324	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Set			.symtab	0x16d9c	76	FUNC	<unknown>	HIDDEN	2
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b			.symtab	0x21340	4	OBJECT	<unknown>	DEFAULT	13
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x18d18	768	OBJECT	<unknown>	DEFAULT	4
__EH_FRAME_BEGIN__			.symtab	0x21178	0	OBJECT	<unknown>	DEFAULT	7
__FRAME_END__			.symtab	0x21178	0	OBJECT	<unknown>	DEFAULT	7
__GI__C_ctype_b			.symtab	0x21340	4	OBJECT	<unknown>	HIDDEN	13
__GI__close			.symtab	0x13140	100	FUNC	<unknown>	HIDDEN	2
__GI__close_nocancel			.symtab	0x13124	24	FUNC	<unknown>	HIDDEN	2
__GI__ctype_b			.symtab	0x21344	4	OBJECT	<unknown>	HIDDEN	13
__GI__errno_location			.symtab	0xfce4	32	FUNC	<unknown>	HIDDEN	2
__GI__fcntl_nocancel			.symtab	0xf368	152	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x15874	300	FUNC	<unknown>	HIDDEN	2
__GI__libc_close			.symtab	0x13140	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0xf400	244	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x131d0	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_read			.symtab	0x132f0	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_write			.symtab	0x13260	100	FUNC	<unknown>	HIDDEN	2
__GI__open			.symtab	0x131d0	100	FUNC	<unknown>	HIDDEN	2
__GI__open_nocancel			.symtab	0x131b4	24	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI__read			.symtab	0x132f0	100	FUNC	<unknown>	HIDDEN	2
__GI__read_nocancel			.symtab	0x132d4	24	FUNC	<unknown>	HIDDEN	2
__GI__sigaddset			.symtab	0x104e8	36	FUNC	<unknown>	HIDDEN	2
__GI__sigdelset			.symtab	0x1050c	36	FUNC	<unknown>	HIDDEN	2
__GI__sigismember			.symtab	0x104c4	36	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x13508	124	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x135d8	88	FUNC	<unknown>	HIDDEN	2
__GI__write			.symtab	0x13260	100	FUNC	<unknown>	HIDDEN	2
__GI__write_nocancel			.symtab	0x13244	24	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x13bc0	104	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x118c0	296	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0x1200c	32	FUNC	<unknown>	HIDDEN	2
__GI__bind			.symtab	0xfe3c	68	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x16784	88	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0x13140	100	FUNC	<unknown>	HIDDEN	2
__GI__closedir			.symtab	0xf8a8	272	FUNC	<unknown>	HIDDEN	2
__GI__config_close			.symtab	0x14578	52	FUNC	<unknown>	HIDDEN	2
__GI__config_open			.symtab	0x145ac	72	FUNC	<unknown>	HIDDEN	2
__GI__config_read			.symtab	0x14250	808	FUNC	<unknown>	HIDDEN	2
__GI__connect			.symtab	0xfec4	116	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x12220	196	FUNC	<unknown>	HIDDEN	2
__GI__fclose			.symtab	0x145f4	816	FUNC	<unknown>	HIDDEN	2
__GI__fcntl			.symtab	0xf400	244	FUNC	<unknown>	HIDDEN	2
__GI__flush_unlocked			.symtab	0x154c8	940	FUNC	<unknown>	HIDDEN	2
__GI__fgetc			.symtab	0x14fb8	324	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x15874	300	FUNC	<unknown>	HIDDEN	2
__GI__fgets			.symtab	0x150fc	284	FUNC	<unknown>	HIDDEN	2
__GI__fgets_unlocked			.symtab	0x159a0	160	FUNC	<unknown>	HIDDEN	2
__GI__fopen			.symtab	0x14924	32	FUNC	<unknown>	HIDDEN	2
__GI__fork			.symtab	0x12a54	972	FUNC	<unknown>	HIDDEN	2
__GI__fstat			.symtab	0x13c28	100	FUNC	<unknown>	HIDDEN	2
__GI__getc_unlocked			.symtab	0x15874	300	FUNC	<unknown>	HIDDEN	2
__GI__getdtablesize			.symtab	0x13d2c	44	FUNC	<unknown>	HIDDEN	2
__GI__getegid			.symtab	0x13d58	20	FUNC	<unknown>	HIDDEN	2
__GI__geteuid			.symtab	0x13d6c	20	FUNC	<unknown>	HIDDEN	2
__GI__getgid			.symtab	0x13d80	20	FUNC	<unknown>	HIDDEN	2
__GI__getpagesize			.symtab	0x13d94	40	FUNC	<unknown>	HIDDEN	2
__GI__getpid			.symtab	0x12eb8	72	FUNC	<unknown>	HIDDEN	2
__GI__getrlimit			.symtab	0x13dbc	56	FUNC	<unknown>	HIDDEN	2
__GI__getsockname			.symtab	0xff38	68	FUNC	<unknown>	HIDDEN	2
__GI__gettimeofday			.symtab	0x13df4	64	FUNC	<unknown>	HIDDEN	2
__GI__getuid			.symtab	0x13e34	20	FUNC	<unknown>	HIDDEN	2
__GI__inet_addr			.symtab	0xfe14	40	FUNC	<unknown>	HIDDEN	2
__GI__inet_aton			.symtab	0x162bc	248	FUNC	<unknown>	HIDDEN	2
__GI__initstate_r			.symtab	0x11e28	248	FUNC	<unknown>	HIDDEN	2
__GI__ioctl			.symtab	0xf508	224	FUNC	<unknown>	HIDDEN	2
__GI__isatty			.symtab	0x1621c	36	FUNC	<unknown>	HIDDEN	2
__GI__kill			.symtab	0xf5e8	56	FUNC	<unknown>	HIDDEN	2
__GI__listen			.symtab	0xffc4	64	FUNC	<unknown>	HIDDEN	2
__GI__lseek64			.symtab	0x16b9c	112	FUNC	<unknown>	HIDDEN	2
__GI__memcpy			.symtab	0xfd40	4	FUNC	<unknown>	HIDDEN	2
__GI__memmove			.symtab	0x15ed0	4	FUNC	<unknown>	HIDDEN	2
__GI__memcpy			.symtab	0x16b38	36	FUNC	<unknown>	HIDDEN	2
__GI__memset			.symtab	0xfd50	156	FUNC	<unknown>	HIDDEN	2
__GI__mmap			.symtab	0x13a1c	124	FUNC	<unknown>	HIDDEN	2
__GI__mremap			.symtab	0x13e48	68	FUNC	<unknown>	HIDDEN	2
__GI__munmap			.symtab	0x13e8c	64	FUNC	<unknown>	HIDDEN	2
__GI__nanosleep			.symtab	0x13f0c	96	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_open			.symtab	0x131d0	100	FUNC	<unknown>	HIDDEN	2
__Gl_opendir			.symtab	0xfa88	196	FUNC	<unknown>	HIDDEN	2
__Gl_raise			.symtab	0x12f00	240	FUNC	<unknown>	HIDDEN	2
__Gl_random			.symtab	0x11a00	164	FUNC	<unknown>	HIDDEN	2
__Gl_random_r			.symtab	0x11cc0	144	FUNC	<unknown>	HIDDEN	2
__Gl_read			.symtab	0x132f0	100	FUNC	<unknown>	HIDDEN	2
__Gl_readdir			.symtab	0xfbfc	232	FUNC	<unknown>	HIDDEN	2
__Gl_readdir64			.symtab	0x14164	236	FUNC	<unknown>	HIDDEN	2
__Gl_readlink			.symtab	0xf664	64	FUNC	<unknown>	HIDDEN	2
__Gl_recv			.symtab	0x10048	112	FUNC	<unknown>	HIDDEN	2
__Gl_recvfrom			.symtab	0x10100	136	FUNC	<unknown>	HIDDEN	2
__Gl_sbrk			.symtab	0x13f6c	108	FUNC	<unknown>	HIDDEN	2
__Gl_select			.symtab	0xf6e8	132	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0x101cc	112	FUNC	<unknown>	HIDDEN	2
__Gl_sendto			.symtab	0x10288	136	FUNC	<unknown>	HIDDEN	2
__Gl_setsid			.symtab	0xf76c	64	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x10310	72	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x11f20	236	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x13ac4	136	FUNC	<unknown>	HIDDEN	2
__Gl_sigaddset			.symtab	0x1039c	80	FUNC	<unknown>	HIDDEN	2
__Gl_sigemptyset			.symtab	0x103ec	20	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x10400	196	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0xf7ac	140	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0x12ff0	300	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0x10358	68	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0x11d50	216	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x15f60	240	FUNC	<unknown>	HIDDEN	2
__Gl_strchrnul			.symtab	0x16050	236	FUNC	<unknown>	HIDDEN	2
__Gl_strcmp			.symtab	0x15ee0	28	FUNC	<unknown>	HIDDEN	2
__Gl_strcoll			.symtab	0x15ee0	28	FUNC	<unknown>	HIDDEN	2
__Gl_strcpy			.symtab	0xfdf0	36	FUNC	<unknown>	HIDDEN	2
__Gl_strcspn			.symtab	0x1613c	68	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x15f00	96	FUNC	<unknown>	HIDDEN	2
__Gl_strrchr			.symtab	0x16180	80	FUNC	<unknown>	HIDDEN	2
__Gl_strspn			.symtab	0x161d0	76	FUNC	<unknown>	HIDDEN	2
__Gl_strtol			.symtab	0x1202c	28	FUNC	<unknown>	HIDDEN	2
__Gl_sysconf			.symtab	0x12430	1572	FUNC	<unknown>	HIDDEN	2
__Gl_tcgetattr			.symtab	0x16240	124	FUNC	<unknown>	HIDDEN	2
__Gl_time			.symtab	0xf838	48	FUNC	<unknown>	HIDDEN	2
__Gl_times			.symtab	0x13fd8	20	FUNC	<unknown>	HIDDEN	2
__Gl_unlink			.symtab	0xf868	64	FUNC	<unknown>	HIDDEN	2
__Gl_write			.symtab	0x13260	100	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x21184	0	OBJECT	<unknown>	DEFAULT	11
__JCR_LIST__			.symtab	0x21184	0	OBJECT	<unknown>	DEFAULT	11
__Unwind_ForcedUnwind			.symtab	0x17aa4	36	FUNC	<unknown>	HIDDEN	2
__Unwind_RaiseException			.symtab	0x17a38	36	FUNC	<unknown>	HIDDEN	2
__Unwind_Resume			.symtab	0x17a5c	36	FUNC	<unknown>	HIDDEN	2
__Unwind_Resume_or_Rethrow			.symtab	0x17a80	36	FUNC	<unknown>	HIDDEN	2
__aeabi_idiv			.symtab	0x16c0c	0	FUNC	<unknown>	HIDDEN	2
__aeabi_idivmod			.symtab	0x16d38	24	FUNC	<unknown>	HIDDEN	2
__aeabi_read_tp			.symtab	0x13b70	8	FUNC	<unknown>	DEFAULT	2
__aeabi_uidiv			.symtab	0xf240	0	FUNC	<unknown>	HIDDEN	2
__aeabi_uidivmod			.symtab	0xf33c	24	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr0			.symtab	0x17a04	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr1			.symtab	0x179fc	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr2			.symtab	0x179f4	8	FUNC	<unknown>	HIDDEN	2
__app_fini			.symtab	0x219cc	4	OBJECT	<unknown>	HIDDEN	14
__atexit_lock			.symtab	0x2131c	24	OBJECT	<unknown>	DEFAULT	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__bss_end__			.symtab	0x243fc	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x21430	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x21430	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x13584	84	FUNC	<unknown>	DEFAULT	2
__close			.symtab	0x13140	100	FUNC	<unknown>	DEFAULT	2
__close_nocancel			.symtab	0x13124	24	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x21344	4	OBJECT	<unknown>	DEFAULT	13
__curbrk			.symtab	0x23f30	4	OBJECT	<unknown>	HIDDEN	14
__cxa_begin_cleanup			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_call_unexpected			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_type_match			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__data_start			.symtab	0x21230	0	NOTYPE	<unknown>	DEFAULT	13
__default_rt_sa_restorer			.symtab	0x13b64	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0x13b58	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__div0			.symtab	0xf354	20	FUNC	<unknown>	HIDDEN	2
__divsi3			.symtab	0x16c0c	300	FUNC	<unknown>	HIDDEN	2
__do_global_dtors_aux			.symtab	0x80f0	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux_fini_array_entry			.symtab	0x21180	0	OBJECT	<unknown>	DEFAULT	10
__end__			.symtab	0x243fc	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x219c4	4	OBJECT	<unknown>	DEFAULT	14
__errno_location			.symtab	0xfce4	32	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exidx_end			.symtab	0x19178	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exidx_start			.symtab	0x19060	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x21474	4	OBJECT	<unknown>	HIDDEN	14
__fcntl_nocancel			.symtab	0xf368	152	FUNC	<unknown>	DEFAULT	2
__fgetc_unlocked			.symtab	0x15874	300	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x21184	0	NOTYPE	<unknown>	HIDDEN	10
__fini_array_start			.symtab	0x21180	0	NOTYPE	<unknown>	HIDDEN	10
__fork			.symtab	0x12a54	972	FUNC	<unknown>	DEFAULT	2
__fork_generation_pointer			.symtab	0x243c8	4	OBJECT	<unknown>	HIDDEN	14
__fork_handlers			.symtab	0x243cc	4	OBJECT	<unknown>	HIDDEN	14
__fork_lock			.symtab	0x21478	4	OBJECT	<unknown>	HIDDEN	14
__frame_dummy_init_array_entry			.symtab	0x2117c	0	OBJECT	<unknown>	DEFAULT	9
__getdents			.symtab	0x13c8c	160	FUNC	<unknown>	HIDDEN	2
__getdents64			.symtab	0x167e8	328	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x13d94	40	FUNC	<unknown>	DEFAULT	2
__getpid			.symtab	0x12eb8	72	FUNC	<unknown>	DEFAULT	2
__gnu_Unwind_Find_exidx			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__gnu_Unwind_ForcedUnwind			.symtab	0x171a8	28	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_RaiseException			.symtab	0x17290	184	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Restore_VFP			.symtab	0x17a28	0	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume			.symtab	0x17224	108	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume_or_Rethrow			.symtab	0x17348	32	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Save_VFP			.symtab	0x17a30	0	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_execute			.symtab	0x17b0c	1812	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_frame			.symtab	0x18220	72	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_pr_common			.symtab	0x174ac	1352	FUNC	<unknown>	DEFAULT	2
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__init_array_end			.symtab	0x21180	0	NOTYPE	<unknown>	HIDDEN	9
__init_array_start			.symtab	0x2117c	0	NOTYPE	<unknown>	HIDDEN	9
__libc_close			.symtab	0x13140	100	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__libc_connect			.symtab	0xfec4	116	FUNC	<unknown>	DEFAULT	2
__libc_disable_asynccancel			.symtab	0x13360	136	FUNC	<unknown>	HIDDEN	2
__libc_enable_asynccancel			.symtab	0x133e8	220	FUNC	<unknown>	HIDDEN	2
__libc_errno			.symtab	0x0	4	TLS	<unknown>	HIDDEN	8
__libc_fcntl			.symtab	0xf400	244	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x12a54	972	FUNC	<unknown>	DEFAULT	2
__libc_h_errno			.symtab	0x4	4	TLS	<unknown>	HIDDEN	8
__libc_multiple_threads			.symtab	0x243d0	4	OBJECT	<unknown>	HIDDEN	14
__libc_nanosleep			.symtab	0x13f0c	96	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x131d0	100	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x132f0	100	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x10048	112	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0x10100	136	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0xf6e8	132	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x101cc	112	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x10288	136	FUNC	<unknown>	DEFAULT	2
__libc_setup_tls			.symtab	0x164b8	560	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x13ac4	136	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x219c0	4	OBJECT	<unknown>	DEFAULT	14
__libc_write			.symtab	0x13260	100	FUNC	<unknown>	DEFAULT	2
__lll_lock_wait_private			.symtab	0x12e20	152	FUNC	<unknown>	HIDDEN	2
__malloc Consolidate			.symtab	0x11490	436	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x10530	120	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x21240	24	OBJECT	<unknown>	DEFAULT	13
__malloc_state			.symtab	0x24050	888	OBJECT	<unknown>	DEFAULT	14
__malloc_trim			.symtab	0x113e0	176	FUNC	<unknown>	DEFAULT	2
__nptl_deallocate_tsd			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__nptl_nthreads			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__open			.symtab	0x131d0	100	FUNC	<unknown>	DEFAULT	2
__open_nocancel			.symtab	0x131b4	24	FUNC	<unknown>	DEFAULT	2
__pagesize			.symtab	0x219c8	4	OBJECT	<unknown>	DEFAULT	14
__preinit_array_end			.symtab	0x2117c	0	NOTYPE	<unknown>	HIDDEN	8
__preinit_array_start			.symtab	0x2117c	0	NOTYPE	<unknown>	HIDDEN	8
__progname			.symtab	0x21338	4	OBJECT	<unknown>	DEFAULT	13
__progname_full			.symtab	0x2133c	4	OBJECT	<unknown>	DEFAULT	13
__pthread_initialize_minimal			.symtab	0x166e8	12	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_init			.symtab	0x134cc	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x134c4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x134c4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x134c4	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x134c4	8	FUNC	<unknown>	DEFAULT	2
__pthread_unwind			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__read			.symtab	0x132f0	100	FUNC	<unknown>	DEFAULT	2
__read_nocancel			.symtab	0x132d4	24	FUNC	<unknown>	DEFAULT	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__restore_core_regs			.symtab	0x17a0c	28	FUNC	<unknown>	HIDDEN	2
__rtld_fini			.symtab	0x219d0	4	OBJECT	<unknown>	HIDDEN	14
__sigaddset			.symtab	0x104e8	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x1050c	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x104c4	36	FUNC	<unknown>	DEFAULT	2
__sigjmp_save			.symtab	0x16b5c	64	FUNC	<unknown>	HIDDEN	2
__sigsetjmp			.symtab	0x167dc	12	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x21358	4	OBJECT	<unknown>	DEFAULT	13
__stdio_READ			.symtab	0x16930	88	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x16988	220	FUNC	<unknown>	HIDDEN	2
__stdio_rfill			.symtab	0x16a64	48	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__stdio_trans2r_o			.symtab	0x16a94	164	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x14f88	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x2135c	4	OBJECT	<unknown>	DEFAULT	13
__sys_connect			.symtab	0xfe80	68	FUNC	<unknown>	DEFAULT	2
__sys_recv			.symtab	0x10004	68	FUNC	<unknown>	DEFAULT	2
__sys_recvfrom			.symtab	0x100b8	72	FUNC	<unknown>	DEFAULT	2
__sys_send			.symtab	0x10188	68	FUNC	<unknown>	DEFAULT	2
__sys_sendto			.symtab	0x1023c	76	FUNC	<unknown>	DEFAULT	2
__syscall_error			.symtab	0x13a98	44	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_nanosleep			.symtab	0x13ecc	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction			.symtab	0x13b80	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_select			.symtab	0xf6a4	68	FUNC	<unknown>	DEFAULT	2
__tls_get_addr			.symtab	0x16494	36	FUNC	<unknown>	DEFAULT	2
_uClibc_fini			.symtab	0x13508	124	FUNC	<unknown>	DEFAULT	2
_uClibc_init			.symtab	0x135d8	88	FUNC	<unknown>	DEFAULT	2
_uClibc_main			.symtab	0x13630	1004	FUNC	<unknown>	DEFAULT	2
_uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_progname			.symtab	0x21334	4	OBJECT	<unknown>	HIDDEN	13
_udivsi3			.symtab	0xf240	252	FUNC	<unknown>	HIDDEN	2
_write			.symtab	0x13260	100	FUNC	<unknown>	DEFAULT	2
_write_nocancel			.symtab	0x13244	24	FUNC	<unknown>	DEFAULT	2
_xstat32_conv			.symtab	0x140b8	172	FUNC	<unknown>	HIDDEN	2
_xstat64_conv			.symtab	0x13fec	204	FUNC	<unknown>	HIDDEN	2
_bss_end__			.symtab	0x243fc	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x166f4	56	FUNC	<unknown>	DEFAULT	2
_dl_nothread_init_static_tls			.symtab	0x1672c	88	FUNC	<unknown>	HIDDEN	2
_dl_phdr			.symtab	0x243f4	4	OBJECT	<unknown>	DEFAULT	14
_dl_phnum			.symtab	0x243f8	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_dtv_gaps			.symtab	0x243e8	1	OBJECT	<unknown>	DEFAULT	14
_dl_tls_dtv_slotinfo_list			.symtab	0x243e4	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_generation			.symtab	0x243ec	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_max_dtv_idx			.symtab	0x243dc	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_setup			.symtab	0x1642c	104	FUNC	<unknown>	DEFAULT	2
_dl_tls_static_align			.symtab	0x243d8	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_nelem			.symtab	0x243f0	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_size			.symtab	0x243e0	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_used			.symtab	0x243d4	4	OBJECT	<unknown>	DEFAULT	14
_edata			.symtab	0x21430	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x243fc	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_exit			.symtab	0x13bc0	104	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x1829c	0	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x219f4	8192	OBJECT	<unknown>	DEFAULT	14
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_init			.symtab	0x80d4	0	FUNC	<unknown>	DEFAULT	1
_memcpy			.symtab	0x15a40	0	FUNC	<unknown>	HIDDEN	2
_pthread_cleanup_pop_restore			.symtab	0x134dc	44	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x134d4	8	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_setjmp			.symtab	0x13b4c	8	FUNC	<unknown>	DEFAULT	2
_sigintr			.symtab	0x24048	8	OBJECT	<unknown>	HIDDEN	14
_start			.symtab	0x8194	0	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x14944	1120	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x14da4	128	FUNC	<unknown>	HIDDEN	2


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_stdio_openlist			.symtab	0x21360	4	OBJECT	<unknown>	DEFAULT	13
_stdio_openlist_add_lock			.symtab	0x219d4	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_dec_use			.symtab	0x15218	688	FUNC	<unknown>	HIDDEN	2
_stdio_openlist_del_count			.symtab	0x219f0	4	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_del_lock			.symtab	0x219e0	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_use_count			.symtab	0x219ec	4	OBJECT	<unknown>	DEFAULT	14
_stdio_streams			.symtab	0x21364	204	OBJECT	<unknown>	DEFAULT	13
_stdio_term			.symtab	0x14e24	356	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x21348	4	OBJECT	<unknown>	DEFAULT	13
_stdlib_strto_l			.symtab	0x12048	472	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x118c0	296	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
anti_gdb_entry			.symtab	0xdc30	24	FUNC	<unknown>	DEFAULT	2
atoi			.symtab	0x1200c	32	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x1200c	32	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_get_opt_int			.symtab	0x85b0	112	FUNC	<unknown>	DEFAULT	2
attack_get_opt_ip			.symtab	0x8544	108	FUNC	<unknown>	DEFAULT	2
attack_get_opt_str			.symtab	0x81d0	92	FUNC	<unknown>	DEFAULT	2
attack_init			.symtab	0x8620	1068	FUNC	<unknown>	DEFAULT	2
attack_method.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_method_greeth			.symtab	0x994c	1684	FUNC	<unknown>	DEFAULT	2
attack_method_greip			.symtab	0x9fe0	1564	FUNC	<unknown>	DEFAULT	2
attack_method_hex			.symtab	0x8ca4	636	FUNC	<unknown>	DEFAULT	2
attack_method_std			.symtab	0x91c0	672	FUNC	<unknown>	DEFAULT	2
attack_method_stdhex			.symtab	0x8a4c	600	FUNC	<unknown>	DEFAULT	2
attack_method_tcpack			.symtab	0xc058	1784	FUNC	<unknown>	DEFAULT	2
attack_method_tcpstomp			.symtab	0xb8a4	1972	FUNC	<unknown>	DEFAULT	2
attack_method_tcpsyn			.symtab	0xc750	1708	FUNC	<unknown>	DEFAULT	2
attack_method_tcpxmas			.symtab	0xb0f0	1972	FUNC	<unknown>	DEFAULT	2
attack_method_udpdns			.symtab	0xaa34	1724	FUNC	<unknown>	DEFAULT	2
attack_method_udpgeneric			.symtab	0x9460	1260	FUNC	<unknown>	DEFAULT	2
attack_method_udpplain			.symtab	0x8f20	672	FUNC	<unknown>	DEFAULT	2
attack_method_udpvse			.symtab	0xa5fc	1080	FUNC	<unknown>	DEFAULT	2
attack_parse			.symtab	0x8328	540	FUNC	<unknown>	DEFAULT	2
attack_start			.symtab	0x822c	252	FUNC	<unknown>	DEFAULT	2
been_there_done_that			.symtab	0x21470	4	OBJECT	<unknown>	DEFAULT	14
bind			.symtab	0xfe3c	68	FUNC	<unknown>	DEFAULT	2
bind.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x16784	88	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x10400	196	FUNC	<unknown>	DEFAULT	2
calloc			.symtab	0x10ee0	320	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_generic			.symtab	0xcdfc	80	FUNC	<unknown>	DEFAULT	2
checksum_tcpudp			.symtab	0xce4c	164	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0xfd04	52	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x13140	100	FUNC	<unknown>	DEFAULT	2
closedir			.symtab	0xf8a8	272	FUNC	<unknown>	DEFAULT	2
closedir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.5105			.symtab	0x21430	1	OBJECT	<unknown>	DEFAULT	14
connect			.symtab	0xfec4	116	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x219c4	4	OBJECT	<unknown>	DEFAULT	14
errno			.symtab	0x0	4	TLS	<unknown>	DEFAULT	8
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x12220	196	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fclose			.symtab	0x145f4	816	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0xf400	244	FUNC	<unknown>	DEFAULT	2
fd_ctrl			.symtab	0x21230	4	OBJECT	<unknown>	DEFAULT	13
fd_serv			.symtab	0x21234	4	OBJECT	<unknown>	DEFAULT	13
fd_to_DIR			.symtab	0xf9b8	208	FUNC	<unknown>	DEFAULT	2
fdopendir			.symtab	0xfb4c	176	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x154c8	940	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc			.symtab	0x14fb8	324	FUNC	<unknown>	DEFAULT	2
fgetc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x15874	300	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x150fc	284	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x159a0	160	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fopen			.symtab	0x14924	32	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x12a54	972	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork_handler_pool			.symtab	0x2147c	1348	OBJECT	<unknown>	DEFAULT	14
frame_dummy			.symtab	0x8134	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x11644	572	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fstat			.symtab	0x13c28	100	FUNC	<unknown>	DEFAULT	2
fstat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
get_eit_entry			.symtab	0x16e38	544	FUNC	<unknown>	DEFAULT	2
getc			.symtab	0x14fb8	324	FUNC	<unknown>	DEFAULT	2
getc_unlocked			.symtab	0x15874	300	FUNC	<unknown>	DEFAULT	2
getdents.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdents64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdtablesize			.symtab	0x13d2c	44	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x13d58	20	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x13d6c	20	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x13d80	20	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x13d94	40	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x12eb8	72	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0xf4f4	20	FUNC	<unknown>	DEFAULT	2
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x13dbc	56	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0xff38	68	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0xff7c	72	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gettimeofday			.symtab	0x13df4	64	FUNC	<unknown>	DEFAULT	2
gettimeofday.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x13e34	20	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h_errno			.symtab	0x4	4	TLS	<unknown>	DEFAULT	8
index			.symtab	0x15f60	240	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0xfe14	40	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x162bc	248	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
init_static_tls			.symtab	0x163b4	120	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0x11b5c	192	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x11e28	248	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0xf508	224	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x1621c	36	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0xf5e8	56	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer_init			.symtab	0xd484	1964	FUNC	<unknown>	DEFAULT	2
killer_kill_by_port			.symtab	0xcef0	1428	FUNC	<unknown>	DEFAULT	2
killer_pid			.symtab	0x23f3c	4	OBJECT	<unknown>	DEFAULT	14
killer_realpath			.symtab	0x23f38	4	OBJECT	<unknown>	DEFAULT	14
killer_realpath_len			.symtab	0x21454	4	OBJECT	<unknown>	DEFAULT	14
libc-cancellation.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc-lowlevellock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc-tls.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc_multiple_threads.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listen			.symtab	0xffc4	64	FUNC	<unknown>	DEFAULT	2
listen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x16b9c	112	FUNC	<unknown>	DEFAULT	2
main			.symtab	0xdd80	1884	FUNC	<unknown>	DEFAULT	2
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc			.symtab	0x105a8	2360	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0x11880	64	FUNC	<unknown>	DEFAULT	2
memcpy			.symtab	0xfd40	4	FUNC	<unknown>	DEFAULT	2
memmove			.symtab	0x15ed0	4	FUNC	<unknown>	DEFAULT	2
mempcpy			.symtab	0x16b38	36	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0xfd50	156	FUNC	<unknown>	DEFAULT	2
methods			.symtab	0x21450	4	OBJECT	<unknown>	DEFAULT	14
methods_len			.symtab	0x2144c	1	OBJECT	<unknown>	DEFAULT	14
mmap			.symtab	0x13a1c	124	FUNC	<unknown>	DEFAULT	2
mmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mremap			.symtab	0x13e48	68	FUNC	<unknown>	DEFAULT	2
mremap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
munmap			.symtab	0x13e8c	64	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x21258	24	OBJECT	<unknown>	DEFAULT	13
mylock			.symtab	0x21270	24	OBJECT	<unknown>	DEFAULT	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
nanosleep			.symtab	0x13f0c	96	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
nprocessors_onln			.symtab	0x122e4	332	FUNC	<unknown>	DEFAULT	2
object.5113			.symtab	0x21434	24	OBJECT	<unknown>	DEFAULT	14
open			.symtab	0x131d0	100	FUNC	<unknown>	DEFAULT	2
opendir			.symtab	0xfa88	196	FUNC	<unknown>	DEFAULT	2
opendir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
parse_config.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
pending_connection			.symtab	0x2145c	1	OBJECT	<unknown>	DEFAULT	14
pr-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0xf620	68	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
program_invocation_name			.symtab	0x2133c	4	OBJECT	<unknown>	DEFAULT	13
program_invocation_short_name			.symtab	0x21338	4	OBJECT	<unknown>	DEFAULT	13
raise			.symtab	0x12f00	240	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x119e8	24	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_alpha_str			.symtab	0xe5a0	208	FUNC	<unknown>	DEFAULT	2
rand_init			.symtab	0xe538	104	FUNC	<unknown>	DEFAULT	2
rand_next			.symtab	0xe4dc	92	FUNC	<unknown>	DEFAULT	2
rand_str			.symtab	0xe670	220	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x11a00	164	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x18c88	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x11cc0	144	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x21288	128	OBJECT	<unknown>	DEFAULT	13
read			.symtab	0x132f0	100	FUNC	<unknown>	DEFAULT	2
readdir			.symtab	0xfbfc	232	FUNC	<unknown>	DEFAULT	2
readdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readdir64			.symtab	0x14164	236	FUNC	<unknown>	DEFAULT	2
readdir64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readlink			.symtab	0xf664	64	FUNC	<unknown>	DEFAULT	2
readlink.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0x11020	960	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x10048	112	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvfrom			.symtab	0x10100	136	FUNC	<unknown>	DEFAULT	2
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
register-atfork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolve_cnc_addr			.symtab	0xdc48	72	FUNC	<unknown>	DEFAULT	2
resolve_func			.symtab	0x21238	4	OBJECT	<unknown>	DEFAULT	13
restore_core_regs			.symtab	0x17a0c	28	FUNC	<unknown>	HIDDEN	2
rindex			.symtab	0x16180	80	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x13f6c	108	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
select			.symtab	0xf6e8	132	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x101cc	112	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendto			.symtab	0x10288	136	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setuid			.symtab	0xf76c	64	FUNC	<unknown>	DEFAULT	2
setuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
setsockopt			.symtab	0x10310	72	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x11aa4	184	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x11f20	236	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x13ac4	136	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x1039c	80	FUNC	<unknown>	DEFAULT	2
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x103ec	20	FUNC	<unknown>	DEFAULT	2
sigjmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0x10400	196	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0xf7ac	140	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x12ff0	300	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x10358	68	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x11c1c	164	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x11c1c	164	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x11d50	216	FUNC	<unknown>	DEFAULT	2
srv_addr			.symtab	0x23f40	16	OBJECT	<unknown>	DEFAULT	14
static_dtv			.symtab	0x239f4	512	OBJECT	<unknown>	DEFAULT	14
static_map			.symtab	0x23efc	52	OBJECT	<unknown>	DEFAULT	14
static_slotinfo			.symtab	0x23bf4	776	OBJECT	<unknown>	DEFAULT	14
stderr			.symtab	0x21354	4	OBJECT	<unknown>	DEFAULT	13
stdin			.symtab	0x2134c	4	OBJECT	<unknown>	DEFAULT	13
stdout			.symtab	0x21350	4	OBJECT	<unknown>	DEFAULT	13
strchr			.symtab	0x15f60	240	FUNC	<unknown>	DEFAULT	2



System Behavior

Analysis Process: DaHcly3sdZ PID: 5225, Parent PID: 5118

General

Start time:	10:56:55
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ
Arguments:	/tmp/DaHcly3sdZ
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities

File Read

Analysis Process: DaHcly3sdZ PID: 5227, Parent PID: 5225

General

Start time:	10:56:55
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities

File Read

Directory Enumerated

Analysis Process: DaHcly3sdZ PID: 5322, Parent PID: 5227

General

Start time:	10:59:46
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: DaHcly3sdZ PID: 5324, Parent PID: 5227

General

Start time:	10:59:46
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: DaHcly3sdZ PID: 5328, Parent PID: 5324

General

Start time:	10:59:46
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: DaHcly3sdZ PID: 5335, Parent PID: 5328	
General	
Start time:	10:59:51
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: DaHcly3sdZ PID: 5330, Parent PID: 5324	
General	
Start time:	10:59:46
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: DaHcly3sdZ PID: 5228, Parent PID: 5225	
General	
Start time:	10:56:55
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: DaHcly3sdZ PID: 5229, Parent PID: 5225	
General	
Start time:	10:56:55
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: DaHcly3sdZ PID: 5233, Parent PID: 5229	
General	
Start time:	10:56:55
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities
File Read
Directory Enumerated

Analysis Process: DaHcly3sdZ PID: 5325, Parent PID: 5233	
General	
Start time:	10:59:46
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ

Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: DaHcly3sdZ PID: 5234, Parent PID: 5229

General

Start time:	10:56:55
Start date:	21/01/2022
Path:	/tmp/DaHcly3sdZ
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1