

ID: 626516
Sample Name: rubix.arm7-20220514-0500
Cookbook: defaultlinuxfilecookbook.jbs
Time: 07:06:03
Date: 14/05/2022
Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents 2
Linux Analysis Report rubix.arm7-20220514-0500 3
Overview 3
General Information 3
Detection 3
Signatures 3
Classification 3
Analysis Advice 3
General Information 3
Runtime Messages 3
Process Tree 4
Yara Signatures 4
Initial Sample 4
Snort Signatures 4
Joe Sandbox Signatures 4
AV Detection 4
System Summary 4
Stealing of Sensitive Information 4
Remote Access Functionality 4
Mitre Att&ck Matrix 4
Malware Configuration 5
Behavior Graph 5
Antivirus, Machine Learning and Genetic Malware Detection 5
Initial Sample 5
Dropped Files 5
Domains 6
URLs 6
Domains and IPs 6
Contacted Domains 6
World Map of Contacted IPs 6
Public IPs 6
Joe Sandbox View / Context 6
IPs 6
Domains 6
ASNs 7
JA3 Fingerprints 7
Dropped Files 7
Created / dropped Files 7
Static File Info 7
General 7
Static ELF Info 7
ELF header 7
Sections 8
Program Segments 8
Symbols 8
Network Behavior 26
Network Port Distribution 26
TCP Packets 26
System Behavior 27
Analysis Process: rubix.arm7-20220514-0500 PID: 6234, Parent PID: 6125 27
General 27
File Activities 27
File Read 27

Linux Analysis Report


rubix.arm7-20220514-0500

Overview

General Information

Sample Name:	rubix.arm7-20220514-0500
Analysis ID:	626516
MD5:	a4e3a4990f81cd..
SHA1:	a1a56aa4bee86f..
SHA256:	8bf8a96bf64539b.
Infos:	

Detection




Mirai

Score:	60
Range:	0 - 100
Whitelisted:	false

Signatures

- Yara detected Mirai
- Multi AV Scanner detection for subm…
- Contains symbols with names comm…
- Sample contains symbols with susp…
- Uses the "uname" system call to qu…
- Tries to connect to HTTP servers, b…
- Sample listens on a socket

Classification



Analysis Advice

Static ELF header machine description suggests that the sample might not execute correctly on this machine.

Exit code information suggests that the sample terminated abnormally, try to lookup the sample's target architecture.

All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.

Non-zero exit code suggests an error during the execution. Lookup the error code for hints.

Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures.

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	626516
Start date and time: 14/05/202207:06:03	2022-05-14 07:06:03 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 4m 55s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	rubix.arm7-20220514-0500
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal60.troj.linARM7-20220514-0500@0/0@0/0

Runtime Messages

Command:	/tmp/rubix.arm7-20220514-0500
PID:	6234
Exit Code:	139
Exit Code Info:	SIGSEGV (11) Segmentation fault invalid memory reference
Killed:	False

Copyright Joe Security LLC 2022

Standard Output:	
Standard Error:	qemu: uncaught target signal 11 (Segmentation fault) - core dumped

Process Tree

- **system is lnxubuntu20**
- rubix.arm7-20220514-0500 (PID: 6234, Parent: 6125, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/rubix.arm7-20220514-0500
- **cleanup**

Yara Signatures

Initial Sample

Source	Rule	Description	Author	Strings
rubix.arm7-20220514-0500	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

Snort Signatures

No Snort rule has matched

Joe Sandbox Signatures

AV Detection



Multi AV Scanner detection for submitted file

System Summary



Contains symbols with names commonly found in malware

Stealing of Sensitive Information



Yara detected Mirai

Remote Access Functionality



Yara detected Mirai

Mitre Att&ck Matrix


Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	1 Masquerading	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Encrypted Channel	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Application Layer Protocol	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout

Malware Configuration

No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
rubix.arm7-20220514-0500	50%	Virustotal		Browse

Dropped Files

No Antivirus matches

Copyright Joe Security LLC 2022

Domains

No Antivirus matches

URLs


No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, ARM, EABI4 version 1 (SYSV), statically linked, with debug_info, not stripped
Entropy (8bit):	5.932069841658106
TrID:	• ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	rubix.arm7-20220514-0500
File size:	117185
MD5:	a4e3a4990f81cd4d51a5641cdc891e9f
SHA1:	a1a56aa4bee86f64cb408ef12b1683873e0c1a72
SHA256:	8bf8a96bf64539b242fb0d3a0902b683b9c871a0d3fa64a9871f4b1503336121
SHA512:	e592c9132a4708a78e6afdd2add3d3b3084a98baf3c2c0d9e640980d2213a0ab469c84a50e54073337c5c2f3f24c6152288396a5f4ddf280ba36aa248cfddcab
SSDEEP:	1536:8InU/Lj68zQoroHqohCsxY25rllKpiyRoGYFGiuzS4xokpUah0zw/9SnpWDn84yh:a/EbqohCsxY5FRonFZu9xz0M/9UIDnbI
TLSH:	F3B32A56E7818B13C0D62779BAEF42453323AB9193D7730695287FF43F8679A0E13906
File Content Preview:	.ELF.....(.....4...._.....4. ...(.....p.....s...s.....2.....Q.td.....-...L.....@-.,@...0....S

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	ARM
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x8194
Flags:	0x4000002
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	5
Section Header Offset:	90032
Section Header Size:	40
Number of Section Headers:	29
Header String Table Index:	26

Copyright Joe Security LLC 2022

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x80d4	0xd4	0x10	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x80f0	0xf0	0xe3ac	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x1649c	0xe49c	0x10	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x164ac	0xe4ac	0xeec	0x0	0x2	A	0	0	4
.ARM.extab	PROGBITS	0x17398	0xf398	0x18	0x0	0x2	A	0	0	4
.ARM.exidx	ARM_EXIDX	0x173b0	0xf3b0	0x118	0x0	0x82	AL	2	0	4
.eh_frame	PROGBITS	0x1f4c8	0xf4c8	0x4	0x0	0x3	WA	0	0	4
.tbss	NOBITS	0x1f4cc	0xf4cc	0x8	0x0	0x403	WAT	0	0	4
.init_array	INIT_ARRAY	0x1f4cc	0xf4cc	0x4	0x0	0x3	WA	0	0	4
.fini_array	FINI_ARRAY	0x1f4d0	0xf4d0	0x4	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x1f4d4	0xf4d4	0x4	0x0	0x3	WA	0	0	4
.got	PROGBITS	0x1f4d8	0xf4d8	0xa8	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x1f580	0xf580	0x208	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x1f788	0xf788	0x3010	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0xf788	0xb9e	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x10328	0x140	0x0	0x0		0	0	8
.debug_pubnames	PROGBITS	0x0	0x10468	0x213	0x0	0x0		0	0	1
.debug_info	PROGBITS	0x0	0x1067b	0x2043	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x126be	0x6e2	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x12da0	0xe76	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x13c18	0x2b8	0x0	0x0		0	0	4
.debug_str	PROGBITS	0x0	0x13ed0	0x8ca	0x1	0x30	MS	0	0	1
.debug_loc	PROGBITS	0x0	0x1479a	0x118f	0x0	0x0		0	0	1
.debug_ranges	PROGBITS	0x0	0x15929	0x558	0x0	0x0		0	0	1
.ARM.attributes	ARM_ATTRIBUTES	0x0	0x15e81	0x16	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x15e97	0x117	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x16438	0x4320	0x10	0x0		28	636	4
.strtab	STRTAB	0x0	0x1a758	0x2269	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
EXIDX	0xf3b0	0x173b0	0x173b0	0x118	0x118	1.5600	0x4	R	0x4		.ARM.exidx
LOAD	0x0	0x8000	0x8000	0xf4c8	0xf4c8	3.2629	0x5	R E	0x8000		.init .text .fini .rodata .ARM.extab .ARM.exidx
LOAD	0xf4c8	0x1f4c8	0x1f4c8	0x2c0	0x32d0	2.4169	0x6	RW	0x8000		.eh_frame .init_array .fini_array .jcr .got .data .bss
TLS	0xf4cc	0x1f4cc	0x1f4cc	0x0	0x8	0.0000	0x4	R	0x4		
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x80d4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80f0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x1649c	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x164ac	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x17398	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x173b0	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x1f4c8	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x1f4cc	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x1f4cc	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x1f4d0	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x1f4d4	0	SECTION	<unknown>	DEFAULT	11

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x1f4d8	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x1f580	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x1f788	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	21
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	22
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	23
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	24
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	25
$a			.symtab	0x80d4	0	NOTYPE	<unknown>	DEFAULT	1
$a			.symtab	0x1649c	0	NOTYPE	<unknown>	DEFAULT	3
$a			.symtab	0x80e0	0	NOTYPE	<unknown>	DEFAULT	1
$a			.symtab	0x164a8	0	NOTYPE	<unknown>	DEFAULT	3
$a			.symtab	0x80f0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x8134	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x8194	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x81d0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x82cc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x84e8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x8554	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x85c4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x8950	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x8c04	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x8ea4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x9144	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x9424	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x9a40	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x9f2c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xa364	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xab18	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xb2cc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xb9c4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xc048	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xc098	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xc13c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xc154	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xc19c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xc2f8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xcab4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xcb10	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xcb78	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xcc48	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xcd24	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xcd48	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xcde8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xce88	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xd4e4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xd50c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xd554	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xd578	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xd59c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xd6d8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xd76c	0	NOTYPE	<unknown>	DEFAULT	2

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
$a			.symtab	0xd880	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xd894	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xd92c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xda20	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xda34	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xda6c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xdab0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xdaf4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xdb78	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xdbb8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xdc44	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xdc74	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xdd84	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xde54	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xdf18	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xdfc8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xdfe8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe020	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe030	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe0d0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe130	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe154	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe17c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe1c0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe234	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe278	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe2bc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe330	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe374	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe3bc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe3fc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe440	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe4b0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe4f8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe580	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe5c4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe634	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe680	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe708	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe750	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe794	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe7e4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe7f8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe8bc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xe928	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xf2d8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xf418	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xf7d8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xfc78	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xfcb8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xfde0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xfdf8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xfe9c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0xff54	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x10014	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x100b8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x10148	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x10220	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
$a			.symtab	0x10318	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x10404	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x104c8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x10614	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x10c38	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x10c88	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11054	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x110ec	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11134	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11224	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11354	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x113ac	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x113b4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x113e4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1143c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11444	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11474	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x114cc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x114d4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11504	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1155c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11564	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11590	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11618	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x116f4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x117b4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11808	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11860	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11c4c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11cc8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11cf4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11d7c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11d84	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11d90	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11da0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11db0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11df0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11e58	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11ebc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11ee8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11efc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11f10	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11f24	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11f4c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11f84	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11fc4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x11fd8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1201c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1205c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1209c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x120fc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x12168	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1217c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x122f4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x123e0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x12784	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x12ab4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x12ad4	0	NOTYPE	<unknown>	DEFAULT	2

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
$a			.symtab	0x12f34	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x12fb4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x13118	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x13148	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1328c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x133a8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x13658	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x13a04	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x13b30	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x13bd0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14060	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14080	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14170	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1425c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x142a0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x142f0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1433c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14360	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x143dc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x144d4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1454c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x145b4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14808	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14814	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1484c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x148a4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x148fc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14908	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x149e8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14b30	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14b88	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14c64	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14c94	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14d38	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14d5c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14d9c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14e0c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14f50	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14f9c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14fe8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14ff0	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x14ff4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15020	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x1502c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15038	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15258	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x153a8	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x153c4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15424	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15490	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15548	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15568	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x156ac	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15bf4	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15bfc	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15c04	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15c0c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x15cc8	0	NOTYPE	<unknown>	DEFAULT	2

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
$a			.symtab	0x15d0c	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x16420	0	NOTYPE	<unknown>	DEFAULT	2
$a			.symtab	0x16468	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x8128	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1f4d0	0	NOTYPE	<unknown>	DEFAULT	10
$d			.symtab	0x8180	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1f4cc	0	NOTYPE	<unknown>	DEFAULT	9
$d			.symtab	0x81c4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x82c4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x891c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x8c00	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x9420	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x9a3c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x9f28	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xa360	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xab14	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xb2c8	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xb9c0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xbff0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1f580	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0xc14c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xc198	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xc2ec	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xca7c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1f584	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0x1f588	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0x1f58c	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0x1f590	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0xcb00	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xcb68	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xcc38	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xcd14	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xcd44	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xcde0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xce80	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xd43c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1f594	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	21
$d			.symtab	0x20	0	NOTYPE	<unknown>	DEFAULT	21
$d			.symtab	0x26	0	NOTYPE	<unknown>	DEFAULT	21
$d			.symtab	0xd924	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xda10	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xda68	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xdaac	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xdaf0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xdb70	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xdbb4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xdc40	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xdd68	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xde4c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xdf0c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xdfc0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x16fbc	0	NOTYPE	<unknown>	DEFAULT	4
$d			.symtab	0xdfe4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe018	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe1b8	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe22c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe270	0	NOTYPE	<unknown>	DEFAULT	2

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
$d			.symtab	0xe2b4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe328	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe36c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe3b4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe3f8	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe438	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe4a8	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe4f4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe578	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe5bc	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe62c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe678	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe700	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe748	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe78c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe7e0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xe8b0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xf2b4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1f598	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0xf3fc	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xf7b8	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xfc5c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xfcb0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xfdcc	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1f5b0	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0xfe80	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xff38	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0xfff8	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1009c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1f5c8	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0x1f660	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0x10144	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x10214	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x10308	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x103f8	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x16fd4	0	NOTYPE	<unknown>	DEFAULT	4
$d			.symtab	0x104a8	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1f674	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0x105f0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x10c0c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x10c84	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1102c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11218	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11344	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11350	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x113e0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11470	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11500	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x116ec	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x117a0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11800	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11854	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11c00	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1f68c	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0x11cc0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11cf0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11d70	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11dec	0	NOTYPE	<unknown>	DEFAULT	2

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
$d			.symtab	0x11e50	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11eb8	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11f44	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11f80	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x11fc0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x12018	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x12058	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x12098	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x120f4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x12160	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x123cc	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1277c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x12aa4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x12f00	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x12fa4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x130fc	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x1f6a4	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0x1f6a0	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0x1363c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x139ec	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x13b28	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x14168	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x14254	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x143d8	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x144cc	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x14534	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x145a4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x147e0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x14840	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x148f0	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x149d8	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x14b28	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x14c60	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x14d34	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x14e08	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x2c	0	NOTYPE	<unknown>	DEFAULT	21
$d			.symtab	0x4c	0	NOTYPE	<unknown>	DEFAULT	21
$d			.symtab	0x53	0	NOTYPE	<unknown>	DEFAULT	21
$d			.symtab	0x1523c	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x15be4	0	NOTYPE	<unknown>	DEFAULT	2
$d			.symtab	0x58	0	NOTYPE	<unknown>	DEFAULT	21
$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	23
$d			.symtab	0x23c	0	NOTYPE	<unknown>	DEFAULT	21
$d			.symtab	0xe39	0	NOTYPE	<unknown>	DEFAULT	23
$d			.symtab	0x1f698	0	NOTYPE	<unknown>	DEFAULT	13
$d			.symtab	0x17066	0	NOTYPE	<unknown>	DEFAULT	4
C.11.5548			.symtab	0x17044	12	OBJECT	<unknown>	DEFAULT	4
C.5.5083			.symtab	0x16fbc	24	OBJECT	<unknown>	DEFAULT	4
C.7.5370			.symtab	0x17050	12	OBJECT	<unknown>	DEFAULT	4
C.7.6109			.symtab	0x1738c	12	OBJECT	<unknown>	DEFAULT	4
C.7.6182			.symtab	0x17368	12	OBJECT	<unknown>	DEFAULT	4
C.8.6110			.symtab	0x17380	12	OBJECT	<unknown>	DEFAULT	4
C.9.6119			.symtab	0x17374	12	OBJECT	<unknown>	DEFAULT	4
LOCAL_ADDR			.symtab	0x22288	4	OBJECT	<unknown>	DEFAULT	14
Laligned			.symtab	0xe0f8	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0xe114	0	NOTYPE	<unknown>	DEFAULT	2
_Exit			.symtab	0x11df0	104	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x1f4d8	0	OBJECT	<unknown>	HIDDEN	12

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_Unwind_Complete			.symtab	0x14ff0	4	FUNC	<unknown>	HIDDEN	2
_Unwind_DeleteException			.symtab	0x14ff4	44	FUNC	<unknown>	HIDDEN	2
_Unwind_ForcedUnwind			.symtab	0x15ca4	36	FUNC	<unknown>	HIDDEN	2
_Unwind_GetCFA			.symtab	0x14fe8	8	FUNC	<unknown>	HIDDEN	2
_Unwind_GetDataRelBase			.symtab	0x1502c	12	FUNC	<unknown>	HIDDEN	2
_Unwind_GetLanguageSpecificData			.symtab	0x15cc8	68	FUNC	<unknown>	HIDDEN	2
_Unwind_GetRegionStart			.symtab	0x16468	52	FUNC	<unknown>	HIDDEN	2
_Unwind_GetTextRelBase			.symtab	0x15020	12	FUNC	<unknown>	HIDDEN	2
_Unwind_RaiseException			.symtab	0x15c38	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume			.symtab	0x15c5c	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume_or_Rethrow			.symtab	0x15c80	36	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Get			.symtab	0x14f50	76	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Pop			.symtab	0x15568	324	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Set			.symtab	0x14f9c	76	FUNC	<unknown>	HIDDEN	2
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b			.symtab	0x1f698	4	OBJECT	<unknown>	DEFAULT	13
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x17066	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__EH_FRAME_BEGIN__			.symtab	0x1f4c8	0	OBJECT	<unknown>	DEFAULT	7
__FRAME_END__			.symtab	0x1f4c8	0	OBJECT	<unknown>	DEFAULT	7
__GI___C_ctype_b			.symtab	0x1f698	4	OBJECT	<unknown>	HIDDEN	13
__GI___close			.symtab	0x11370	100	FUNC	<unknown>	HIDDEN	2
__GI___close_nocancel			.symtab	0x11354	24	FUNC	<unknown>	HIDDEN	2
__GI___ctype_b			.symtab	0x1f69c	4	OBJECT	<unknown>	HIDDEN	13
__GI___errno_location			.symtab	0xdfc8	32	FUNC	<unknown>	HIDDEN	2
__GI___fcntl_nocancel			.symtab	0xd894	152	FUNC	<unknown>	HIDDEN	2
__GI___fgetc_unlocked			.symtab	0x13a04	300	FUNC	<unknown>	HIDDEN	2
__GI___libc_close			.symtab	0x11370	100	FUNC	<unknown>	HIDDEN	2
__GI___libc_fcntl			.symtab	0xd92c	244	FUNC	<unknown>	HIDDEN	2
__GI___libc_open			.symtab	0x11400	100	FUNC	<unknown>	HIDDEN	2
__GI___libc_read			.symtab	0x11520	100	FUNC	<unknown>	HIDDEN	2
__GI___libc_write			.symtab	0x11490	100	FUNC	<unknown>	HIDDEN	2
__GI___open			.symtab	0x11400	100	FUNC	<unknown>	HIDDEN	2
__GI___open_nocancel			.symtab	0x113e4	24	FUNC	<unknown>	HIDDEN	2
__GI___read			.symtab	0x11520	100	FUNC	<unknown>	HIDDEN	2
__GI___read_nocancel			.symtab	0x11504	24	FUNC	<unknown>	HIDDEN	2
__GI___sigaddset			.symtab	0xe8e0	36	FUNC	<unknown>	HIDDEN	2
__GI___sigdelset			.symtab	0xe904	36	FUNC	<unknown>	HIDDEN	2
__GI___sigismember			.symtab	0xe8bc	36	FUNC	<unknown>	HIDDEN	2
__GI___uClibc_fini			.symtab	0x11738	124	FUNC	<unknown>	HIDDEN	2
__GI___uClibc_init			.symtab	0x11808	88	FUNC	<unknown>	HIDDEN	2
__GI___write			.symtab	0x11490	100	FUNC	<unknown>	HIDDEN	2
__GI___write_nocancel			.symtab	0x11474	24	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x11df0	104	FUNC	<unknown>	HIDDEN	2
__GI_abort			.symtab	0xfcb8	296	FUNC	<unknown>	HIDDEN	2
__GI_accept			.symtab	0xe1c0	116	FUNC	<unknown>	HIDDEN	2
__GI_bind			.symtab	0xe234	68	FUNC	<unknown>	HIDDEN	2
__GI_brk			.symtab	0x148a4	88	FUNC	<unknown>	HIDDEN	2
__GI_close			.symtab	0x11370	100	FUNC	<unknown>	HIDDEN	2
__GI_closedir			.symtab	0xdc74	272	FUNC	<unknown>	HIDDEN	2
__GI_config_close			.symtab	0x12708	52	FUNC	<unknown>	HIDDEN	2
__GI_config_open			.symtab	0x1273c	72	FUNC	<unknown>	HIDDEN	2
__GI_config_read			.symtab	0x123e0	808	FUNC	<unknown>	HIDDEN	2
__GI_connect			.symtab	0xe2bc	116	FUNC	<unknown>	HIDDEN	2
__GI_exit			.symtab	0x10404	196	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_fclose			.symtab	0x12784	816	FUNC	<unknown>	HIDDEN	2
__GI_fcntl			.symtab	0xd92c	244	FUNC	<unknown>	HIDDEN	2
__GI_fflush_unlocked			.symtab	0x13658	940	FUNC	<unknown>	HIDDEN	2
__GI_fgetc			.symtab	0x13148	324	FUNC	<unknown>	HIDDEN	2
__GI_fgetc_unlocked			.symtab	0x13a04	300	FUNC	<unknown>	HIDDEN	2
__GI_fgets			.symtab	0x1328c	284	FUNC	<unknown>	HIDDEN	2
__GI_fgets_unlocked			.symtab	0x13b30	160	FUNC	<unknown>	HIDDEN	2
__GI_fopen			.symtab	0x12ab4	32	FUNC	<unknown>	HIDDEN	2
__GI_fork			.symtab	0x10c88	972	FUNC	<unknown>	HIDDEN	2
__GI_fstat			.symtab	0x11e58	100	FUNC	<unknown>	HIDDEN	2
__GI_getc_unlocked			.symtab	0x13a04	300	FUNC	<unknown>	HIDDEN	2
__GI_getdtablesize			.symtab	0x11ebc	44	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0x11ee8	20	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0x11efc	20	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0x11f10	20	FUNC	<unknown>	HIDDEN	2
__GI_getpagesize			.symtab	0x11f24	40	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0x110ec	72	FUNC	<unknown>	HIDDEN	2
__GI_getrlimit			.symtab	0x11f4c	56	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0xe330	68	FUNC	<unknown>	HIDDEN	2
__GI_gettimeofday			.symtab	0x11f84	64	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x11fc4	20	FUNC	<unknown>	HIDDEN	2
__GI_inet_addr			.symtab	0xe154	40	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x143dc	248	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0x10220	248	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0x14908	224	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x1433c	36	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0xda34	56	FUNC	<unknown>	HIDDEN	2
__GI_listen			.symtab	0xe3bc	64	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x14d9c	112	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0xe020	4	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x14d38	36	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0xe030	156	FUNC	<unknown>	HIDDEN	2
__GI_mmap			.symtab	0x11c4c	124	FUNC	<unknown>	HIDDEN	2
__GI_mremap			.symtab	0x11fd8	68	FUNC	<unknown>	HIDDEN	2
__GI_munmap			.symtab	0x1201c	64	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x1209c	96	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x11400	100	FUNC	<unknown>	HIDDEN	2
__GI_opendir			.symtab	0xde54	196	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x11134	240	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0xfdf8	164	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x100b8	144	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x11520	100	FUNC	<unknown>	HIDDEN	2
__GI_readdir64			.symtab	0x122f4	236	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0xe440	112	FUNC	<unknown>	HIDDEN	2
__GI_recvfrom			.symtab	0xe4f8	136	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x120fc	108	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0xdaf4	132	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0xe5c4	112	FUNC	<unknown>	HIDDEN	2
__GI_sendto			.symtab	0xe680	136	FUNC	<unknown>	HIDDEN	2
__GI_setsid			.symtab	0xdb78	64	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0xe708	72	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0x10318	236	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0x11cf4	136	FUNC	<unknown>	HIDDEN	2
__GI_sigaddset			.symtab	0xe794	80	FUNC	<unknown>	HIDDEN	2
__GI_sigemptyset			.symtab	0xe7e4	20	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0xe7f8	196	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0xdbb8	140	FUNC	<unknown>	HIDDEN	2
__GI_sleep			.symtab	0x11224	300	FUNC	<unknown>	HIDDEN	2

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_socket			.symtab	0xe750	68	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0x10148	216	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0x14080	240	FUNC	<unknown>	HIDDEN	2
__GI_strchrnul			.symtab	0x14170	236	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0x14060	28	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0x14060	28	FUNC	<unknown>	HIDDEN	2
__GI_strcpy			.symtab	0xe130	36	FUNC	<unknown>	HIDDEN	2
__GI_strcspn			.symtab	0x1425c	68	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0xe0d0	96	FUNC	<unknown>	HIDDEN	2
__GI_strrchr			.symtab	0x142a0	80	FUNC	<unknown>	HIDDEN	2
__GI_strspn			.symtab	0x142f0	76	FUNC	<unknown>	HIDDEN	2
__GI_sysconf			.symtab	0x10614	1572	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0x14360	124	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0xdc44	48	FUNC	<unknown>	HIDDEN	2
__GI_times			.symtab	0x12168	20	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x11490	100	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x1f4d4	0	OBJECT	<unknown>	DEFAULT	11
__JCR_LIST__			.symtab	0x1f4d4	0	OBJECT	<unknown>	DEFAULT	11
___Unwind_ForcedUnwind			.symtab	0x15ca4	36	FUNC	<unknown>	HIDDEN	2
___Unwind_RaiseException			.symtab	0x15c38	36	FUNC	<unknown>	HIDDEN	2
___Unwind_Resume			.symtab	0x15c5c	36	FUNC	<unknown>	HIDDEN	2
___Unwind_Resume_or_Rethrow			.symtab	0x15c80	36	FUNC	<unknown>	HIDDEN	2
__aeabi_idiv			.symtab	0x14e0c	0	FUNC	<unknown>	HIDDEN	2
__aeabi_idivmod			.symtab	0x14f38	24	FUNC	<unknown>	HIDDEN	2
__aeabi_read_tp			.symtab	0x11da0	8	FUNC	<unknown>	DEFAULT	2
__aeabi_uidiv			.symtab	0xd76c	0	FUNC	<unknown>	HIDDEN	2
__aeabi_uidivmod			.symtab	0xd868	24	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr0			.symtab	0x15c04	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr1			.symtab	0x15bfc	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr2			.symtab	0x15bf4	8	FUNC	<unknown>	HIDDEN	2
__app_fini			.symtab	0x1fd20	4	OBJECT	<unknown>	HIDDEN	14
__atexit_lock			.symtab	0x1f674	24	OBJECT	<unknown>	DEFAULT	13
__bss_end__			.symtab	0x22798	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x1f788	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x1f788	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x117b4	84	FUNC	<unknown>	DEFAULT	2
__close			.symtab	0x11370	100	FUNC	<unknown>	DEFAULT	2
__close_nocancel			.symtab	0x11354	24	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x1f69c	4	OBJECT	<unknown>	DEFAULT	13
__curbrk			.symtab	0x22284	4	OBJECT	<unknown>	HIDDEN	14
__cxa_begin_cleanup			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_call_unexpected			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_type_match			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__data_start			.symtab	0x1f580	0	NOTYPE	<unknown>	DEFAULT	13
__default_rt_sa_restorer			.symtab	0x11d94	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0x11d88	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__div0			.symtab	0xd880	20	FUNC	<unknown>	HIDDEN	2
__divsi3			.symtab	0x14e0c	300	FUNC	<unknown>	HIDDEN	2
__do_global_dtors_aux			.symtab	0x80f0	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux_fini_array_entry			.symtab	0x1f4d0	0	OBJECT	<unknown>	DEFAULT	10
__end__			.symtab	0x22798	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x1fd18	4	OBJECT	<unknown>	DEFAULT	14
__errno_location			.symtab	0xdfc8	32	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__exidx_end			.symtab	0x174c8	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exidx_start			.symtab	0x173b0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x1f7c8	4	OBJECT	<unknown>	HIDDEN	14
__fcntl_nocancel			.symtab	0xd894	152	FUNC	<unknown>	DEFAULT	2
__fgetc_unlocked			.symtab	0x13a04	300	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x1f4d4	0	NOTYPE	<unknown>	HIDDEN	10
__fini_array_start			.symtab	0x1f4d0	0	NOTYPE	<unknown>	HIDDEN	10
__fork			.symtab	0x10c88	972	FUNC	<unknown>	DEFAULT	2
__fork_generation_pointer			.symtab	0x22764	4	OBJECT	<unknown>	HIDDEN	14
__fork_handlers			.symtab	0x22768	4	OBJECT	<unknown>	HIDDEN	14
__fork_lock			.symtab	0x1f7cc	4	OBJECT	<unknown>	HIDDEN	14
__frame_dummy_init_array_entry			.symtab	0x1f4cc	0	OBJECT	<unknown>	DEFAULT	9
__getdents64			.symtab	0x149e8	328	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x11f24	40	FUNC	<unknown>	DEFAULT	2
__getpid			.symtab	0x110ec	72	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gnu_Unwind_Find_exidx			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__gnu_Unwind_ForcedUnwind			.symtab	0x153a8	28	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_RaiseException			.symtab	0x15490	184	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Restore_VFP			.symtab	0x15c28	0	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume			.symtab	0x15424	108	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume_or_Rethrow			.symtab	0x15548	32	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Save_VFP			.symtab	0x15c30	0	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_execute			.symtab	0x15d0c	1812	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_frame			.symtab	0x16420	72	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_pr_common			.symtab	0x156ac	1352	FUNC	<unknown>	DEFAULT	2
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__init_array_end			.symtab	0x1f4d0	0	NOTYPE	<unknown>	HIDDEN	9
__init_array_start			.symtab	0x1f4cc	0	NOTYPE	<unknown>	HIDDEN	9
__libc_accept			.symtab	0xe1c0	116	FUNC	<unknown>	DEFAULT	2
__libc_close			.symtab	0x11370	100	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0xe2bc	116	FUNC	<unknown>	DEFAULT	2
__libc_disable_asynccancel			.symtab	0x11590	136	FUNC	<unknown>	HIDDEN	2
__libc_enable_asynccancel			.symtab	0x11618	220	FUNC	<unknown>	HIDDEN	2
__libc_errno			.symtab	0x0	4	TLS	<unknown>	HIDDEN	8
__libc_fcntl			.symtab	0xd92c	244	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x10c88	972	FUNC	<unknown>	DEFAULT	2
__libc_h_errno			.symtab	0x4	4	TLS	<unknown>	HIDDEN	8
__libc_multiple_threads			.symtab	0x2276c	4	OBJECT	<unknown>	HIDDEN	14
__libc_nanosleep			.symtab	0x1209c	96	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x11400	100	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x11520	100	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0xe440	112	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0xe4f8	136	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0xdaf4	132	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0xe5c4	112	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0xe680	136	FUNC	<unknown>	DEFAULT	2
__libc_setup_tls			.symtab	0x145d8	560	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x11cf4	136	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x1fd14	4	OBJECT	<unknown>	DEFAULT	14
__libc_write			.symtab	0x11490	100	FUNC	<unknown>	DEFAULT	2
__lll_lock_wait_private			.symtab	0x11054	152	FUNC	<unknown>	HIDDEN	2
__malloc_consolidate			.symtab	0xf888	436	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0xe928	120	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x1f598	24	OBJECT	<unknown>	DEFAULT	13
__malloc_state			.symtab	0x223ec	888	OBJECT	<unknown>	DEFAULT	14

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__malloc_trim			.symtab	0xf7d8	176	FUNC	<unknown>	DEFAULT	2
__nptl_deallocate_tsd			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__nptl_nthreads			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__open			.symtab	0x11400	100	FUNC	<unknown>	DEFAULT	2
__open_nocancel			.symtab	0x113e4	24	FUNC	<unknown>	DEFAULT	2
__pagesize			.symtab	0x1fd1c	4	OBJECT	<unknown>	DEFAULT	14
__preinit_array_end			.symtab	0x1f4cc	0	NOTYPE	<unknown>	HIDDEN	8
__preinit_array_start			.symtab	0x1f4cc	0	NOTYPE	<unknown>	HIDDEN	8
__progname			.symtab	0x1f690	4	OBJECT	<unknown>	DEFAULT	13
__progname_full			.symtab	0x1f694	4	OBJECT	<unknown>	DEFAULT	13
__pthread_initialize_minimal			.symtab	0x14808	12	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_init			.symtab	0x116fc	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x116f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x116f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x116f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x116f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_unwind			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__read			.symtab	0x11520	100	FUNC	<unknown>	DEFAULT	2
__read_nocancel			.symtab	0x11504	24	FUNC	<unknown>	DEFAULT	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__restore_core_regs			.symtab	0x15c0c	28	FUNC	<unknown>	HIDDEN	2
__rtld_fini			.symtab	0x1fd24	4	OBJECT	<unknown>	HIDDEN	14
__sigaddset			.symtab	0xe8e0	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0xe904	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0xe8bc	36	FUNC	<unknown>	DEFAULT	2
__sigjmp_save			.symtab	0x14d5c	64	FUNC	<unknown>	HIDDEN	2
__sigsetjmp			.symtab	0x148fc	12	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x1f6b0	4	OBJECT	<unknown>	DEFAULT	13
__stdio_READ			.symtab	0x14b30	88	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x14b88	220	FUNC	<unknown>	HIDDEN	2
__stdio_rfill			.symtab	0x14c64	48	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x14c94	164	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x13118	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x1f6b4	4	OBJECT	<unknown>	DEFAULT	13
__sys_accept			.symtab	0xe17c	68	FUNC	<unknown>	DEFAULT	2
__sys_connect			.symtab	0xe278	68	FUNC	<unknown>	DEFAULT	2
__sys_recv			.symtab	0xe3fc	68	FUNC	<unknown>	DEFAULT	2
__sys_recvfrom			.symtab	0xe4b0	72	FUNC	<unknown>	DEFAULT	2
__sys_send			.symtab	0xe580	68	FUNC	<unknown>	DEFAULT	2
__sys_sendto			.symtab	0xe634	76	FUNC	<unknown>	DEFAULT	2
__syscall_error			.symtab	0x11cc8	44	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_nanosleep			.symtab	0x1205c	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction			.symtab	0x11db0	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_select			.symtab	0xdab0	68	FUNC	<unknown>	DEFAULT	2
__tls_get_addr			.symtab	0x145b4	36	FUNC	<unknown>	DEFAULT	2
__uClibc_fini			.symtab	0x11738	124	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x11808	88	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x11860	1004	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uclibc_progname			.symtab	0x1f68c	4	OBJECT	<unknown>	HIDDEN	13
__udivsi3			.symtab	0xd76c	252	FUNC	<unknown>	HIDDEN	2
__write			.symtab	0x11490	100	FUNC	<unknown>	DEFAULT	2
__write_nocancel			.symtab	0x11474	24	FUNC	<unknown>	DEFAULT	2

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__xstat32_conv			.symtab	0x12248	172	FUNC	<unknown>	HIDDEN	2
__xstat64_conv			.symtab	0x1217c	204	FUNC	<unknown>	HIDDEN	2
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_bss_end__			.symtab	0x22798	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x14814	56	FUNC	<unknown>	DEFAULT	2
_dl_nothread_init_static_tls			.symtab	0x1484c	88	FUNC	<unknown>	HIDDEN	2
_dl_phdr			.symtab	0x22790	4	OBJECT	<unknown>	DEFAULT	14
_dl_phnum			.symtab	0x22794	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_dtv_gaps			.symtab	0x22784	1	OBJECT	<unknown>	DEFAULT	14
_dl_tls_dtv_slotinfo_list			.symtab	0x22780	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_generation			.symtab	0x22788	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_max_dtv_idx			.symtab	0x22778	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_setup			.symtab	0x1454c	104	FUNC	<unknown>	DEFAULT	2
_dl_tls_static_align			.symtab	0x22774	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_nelem			.symtab	0x2278c	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_size			.symtab	0x2277c	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_used			.symtab	0x22770	4	OBJECT	<unknown>	DEFAULT	14
_edata			.symtab	0x1f788	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x22798	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_exit			.symtab	0x11df0	104	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x1649c	0	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x1fd48	8192	OBJECT	<unknown>	DEFAULT	14
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_init			.symtab	0x80d4	0	FUNC	<unknown>	DEFAULT	1
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_memcpy			.symtab	0x13bd0	0	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_pthread_cleanup_pop_restore			.symtab	0x1170c	44	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x11704	8	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_setjmp			.symtab	0x11d7c	8	FUNC	<unknown>	DEFAULT	2
_sigintr			.symtab	0x223e4	8	OBJECT	<unknown>	HIDDEN	14
_start			.symtab	0x8194	0	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x12ad4	1120	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x12f34	128	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x1f6b8	4	OBJECT	<unknown>	DEFAULT	13
_stdio_openlist_add_lock			.symtab	0x1fd28	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_dec_use			.symtab	0x133a8	688	FUNC	<unknown>	HIDDEN	2
_stdio_openlist_del_count			.symtab	0x1fd44	4	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_del_lock			.symtab	0x1fd34	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_use_count			.symtab	0x1fd40	4	OBJECT	<unknown>	DEFAULT	14
_stdio_streams			.symtab	0x1f6bc	204	OBJECT	<unknown>	DEFAULT	13
_stdio_term			.symtab	0x12fb4	356	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x1f6a0	4	OBJECT	<unknown>	DEFAULT	13
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0xfcb8	296	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
accept			.symtab	0xe1c0	116	FUNC	<unknown>	DEFAULT	2
accept.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
anti_gdb_entry			.symtab	0xc13c	24	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_get_opt_int			.symtab	0x8554	112	FUNC	<unknown>	DEFAULT	2
attack_get_opt_ip			.symtab	0x84e8	108	FUNC	<unknown>	DEFAULT	2
attack_gre_ip			.symtab	0x9424	1564	FUNC	<unknown>	DEFAULT	2
attack_init			.symtab	0x85c4	908	FUNC	<unknown>	DEFAULT	2
attack_method.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_method_nudp			.symtab	0xb9c4	1668	FUNC	<unknown>	DEFAULT	2
attack_method_std			.symtab	0x8ea4	672	FUNC	<unknown>	DEFAULT	2
attack_method_stdhex			.symtab	0x9144	736	FUNC	<unknown>	DEFAULT	2
attack_method_tcpack			.symtab	0xb2cc	1784	FUNC	<unknown>	DEFAULT	2
attack_method_tcpstomp			.symtab	0xa364	1972	FUNC	<unknown>	DEFAULT	2
attack_method_tcpxmas			.symtab	0xab18	1972	FUNC	<unknown>	DEFAULT	2
attack_method_udpgeneric			.symtab	0x9a40	1260	FUNC	<unknown>	DEFAULT	2
attack_method_udphex			.symtab	0x8950	692	FUNC	<unknown>	DEFAULT	2
attack_method_udpplain			.symtab	0x8c04	672	FUNC	<unknown>	DEFAULT	2
attack_method_udpvse			.symtab	0x9f2c	1080	FUNC	<unknown>	DEFAULT	2
attack_parse			.symtab	0x82cc	540	FUNC	<unknown>	DEFAULT	2
attack_start			.symtab	0x81d0	252	FUNC	<unknown>	DEFAULT	2
been_there_done_that			.symtab	0x1f7c4	4	OBJECT	<unknown>	DEFAULT	14
bind			.symtab	0xe234	68	FUNC	<unknown>	DEFAULT	2
bind.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x148a4	88	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0xe7f8	196	FUNC	<unknown>	DEFAULT	2
calloc			.symtab	0xf2d8	320	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_generic			.symtab	0xc048	80	FUNC	<unknown>	DEFAULT	2
checksum_tcpudp			.symtab	0xc098	164	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0xdfe8	52	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x11370	100	FUNC	<unknown>	DEFAULT	2
closedir			.symtab	0xdc74	272	FUNC	<unknown>	DEFAULT	2
closedir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.5105			.symtab	0x1f788	1	OBJECT	<unknown>	DEFAULT	14
connect			.symtab	0xe2bc	116	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ensure_single_instance			.symtab	0xc19c	348	FUNC	<unknown>	DEFAULT	2
environ			.symtab	0x1fd18	4	OBJECT	<unknown>	DEFAULT	14
errno			.symtab	0x0	4	TLS	<unknown>	DEFAULT	8
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x10404	196	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fclose			.symtab	0x12784	816	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0xd92c	244	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
fd_ctrl			.symtab	0x1f584	4	OBJECT	<unknown>	DEFAULT	13
fd_serv			.symtab	0x1f588	4	OBJECT	<unknown>	DEFAULT	13
fd_to_DIR			.symtab	0xdd84	208	FUNC	<unknown>	DEFAULT	2
fdopendir			.symtab	0xdf18	176	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x13658	940	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc			.symtab	0x13148	324	FUNC	<unknown>	DEFAULT	2
fgetc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x13a04	300	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x1328c	284	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x13b30	160	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fopen			.symtab	0x12ab4	32	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x10c88	972	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork_handler_pool			.symtab	0x1f7d0	1348	OBJECT	<unknown>	DEFAULT	14
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8134	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0xfa3c	572	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fstat			.symtab	0x11e58	100	FUNC	<unknown>	DEFAULT	2
fstat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
get_eit_entry			.symtab	0x15038	544	FUNC	<unknown>	DEFAULT	2
getc			.symtab	0x13148	324	FUNC	<unknown>	DEFAULT	2
getc_unlocked			.symtab	0x13a04	300	FUNC	<unknown>	DEFAULT	2
getdents.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdents64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdtablesize			.symtab	0x11ebc	44	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x11ee8	20	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x11efc	20	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x11f10	20	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x11f24	40	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x110ec	72	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0xda20	20	FUNC	<unknown>	DEFAULT	2
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x11f4c	56	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0xe330	68	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0xe374	72	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gettimeofday			.symtab	0x11f84	64	FUNC	<unknown>	DEFAULT	2
gettimeofday.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x11fc4	20	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h_errno			.symtab	0x4	4	TLS	<unknown>	DEFAULT	8

Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
hexPayload			.symtab	0x1f580	4	OBJECT	<unknown>	DEFAULT	13
huawei.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
index			.symtab	0x14080	240	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0xe154	40	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x143dc	248	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
init_static_tls			.symtab	0x144d4	120	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0xff54	192	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x10220	248	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x14908	224	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ioctl_pid			.symtab	0x1f7ac	4	OBJECT	<unknown>	DEFAULT	14
isatty			.symtab	0x1433c	36	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
jaws.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0xda34	56	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc-cancellation.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc-lowlevellock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc-tls.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc_multiple_threads.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listen			.symtab	0xe3bc	64	FUNC	<unknown>	DEFAULT	2
listen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
local_bind.4771			.symtab	0x1f590	1	OBJECT	<unknown>	DEFAULT	13
lseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x14d9c	112	FUNC	<unknown>	DEFAULT	2
main			.symtab	0xc2f8	1980	FUNC	<unknown>	DEFAULT	2
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc			.symtab	0xe9a0	2360	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0xfc78	64	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0xe020	4	FUNC	<unknown>	DEFAULT	2
mempcpy			.symtab	0x14d38	36	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0xe030	156	FUNC	<unknown>	DEFAULT	2
methods			.symtab	0x1f7a8	4	OBJECT	<unknown>	DEFAULT	14
methods_len			.symtab	0x1f7a4	1	OBJECT	<unknown>	DEFAULT	14
mmap			.symtab	0x11c4c	124	FUNC	<unknown>	DEFAULT	2
mmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mremap			.symtab	0x11fd8	68	FUNC	<unknown>	DEFAULT	2
mremap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
munmap			.symtab	0x1201c	64	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x1f5b0	24	OBJECT	<unknown>	DEFAULT	13
mylock			.symtab	0x1f5c8	24	OBJECT	<unknown>	DEFAULT	13
nanosleep			.symtab	0x1209c	96	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
nprocessors_onln			.symtab	0x104c8	332	FUNC	<unknown>	DEFAULT	2
object.5113			.symtab	0x1f78c	24	OBJECT	<unknown>	DEFAULT	14
open			.symtab	0x11400	100	FUNC	<unknown>	DEFAULT	2
opendir			.symtab	0xde54	196	FUNC	<unknown>	DEFAULT	2


Copyright Joe Security LLC 2022

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
opendir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
parse_config.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
pending_connection			.symtab	0x1f7b0	1	OBJECT	<unknown>	DEFAULT	14
pr-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0xda6c	68	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
program_invocation_name			.symtab	0x1f694	4	OBJECT	<unknown>	DEFAULT	13
program_invocation_short_name			.symtab	0x1f690	4	OBJECT	<unknown>	DEFAULT	13
raise			.symtab	0x11134	240	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0xfde0	24	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_alpha_str			.symtab	0xcb78	208	FUNC	<unknown>	DEFAULT	2
rand_init			.symtab	0xcb10	104	FUNC	<unknown>	DEFAULT	2
rand_next			.symtab	0xcab4	92	FUNC	<unknown>	DEFAULT	2
rand_str			.symtab	0xcc48	220	FUNC	<unknown>	DEFAULT	2
random			.symtab	0xfdf8	164	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x16fd4	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x100b8	144	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x1f5e0	128	OBJECT	<unknown>	DEFAULT	13
read			.symtab	0x11520	100	FUNC	<unknown>	DEFAULT	2
readdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readdir64			.symtab	0x122f4	236	FUNC	<unknown>	DEFAULT	2
readdir64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readlink.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0xf418	960	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0xe440	112	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvfrom			.symtab	0xe4f8	136	FUNC	<unknown>	DEFAULT	2
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
register-atfork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolve_cnc_addr			.symtab	0xc154	72	FUNC	<unknown>	DEFAULT	2
resolve_func			.symtab	0x1f58c	4	OBJECT	<unknown>	DEFAULT	13
restore_core_regs			.symtab	0x15c0c	28	FUNC	<unknown>	HIDDEN	2
rewinddir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rindex			.symtab	0x142a0	80	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x120fc	108	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
select			.symtab	0xdaf4	132	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0xe5c4	112	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendto			.symtab	0xe680	136	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsid			.symtab	0xdb78	64	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0xe708	72	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0xfe9c	184	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x10318	236	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x11cf4	136	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0xe794	80	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0xe7e4	20	FUNC	<unknown>	DEFAULT	2
sigjmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0xe7f8	196	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0xdbb8	140	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x11224	300	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0xe750	68	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x10014	164	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x10014	164	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x10148	216	FUNC	<unknown>	DEFAULT	2
srv_addr			.symtab	0x2228c	16	OBJECT	<unknown>	DEFAULT	14
static_dtv			.symtab	0x21d48	512	OBJECT	<unknown>	DEFAULT	14
static_map			.symtab	0x22250	52	OBJECT	<unknown>	DEFAULT	14
static_slotinfo			.symtab	0x21f48	776	OBJECT	<unknown>	DEFAULT	14
stderr			.symtab	0x1f6ac	4	OBJECT	<unknown>	DEFAULT	13
stdin			.symtab	0x1f6a4	4	OBJECT	<unknown>	DEFAULT	13
stdout			.symtab	0x1f6a8	4	OBJECT	<unknown>	DEFAULT	13
strcasestr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x14080	240	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchrnul			.symtab	0x14170	236	FUNC	<unknown>	DEFAULT	2
strchrnul.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x14060	28	FUNC	<unknown>	DEFAULT	2
strcoll			.symtab	0x14060	28	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0xe130	36	FUNC	<unknown>	DEFAULT	2

Network Behavior

Network Port Distribution



TCP Packets

System Behavior

Analysis Process: rubix.arm7-20220514-0500 PID: **6234**, Parent PID: **6125**

General

Start time:	07:06:50
Start date:	14/05/2022
Path:	/tmp/rubix.arm7-20220514-0500
Arguments:	/tmp/rubix.arm7-20220514-0500
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities

File Read