

JOeSandbox Cloud BASIC



ID: 632620

Sample Name: WSm0NI8ucm

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 20:34:56

Date: 23/05/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report WSm0NI8ucm	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Snort Signatures	4
Joe Sandbox Signatures	4
AV Detection	4
Networking	4
System Summary	4
Mitre Att&ck Matrix	4
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	5
Initial Sample	5
Dropped Files	5
Domains	5
URLs	5
Domains and IPs	6
Contacted Domains	6
World Map of Contacted IPs	6
Public IPs	6
Joe Sandbox View / Context	6
IPs	6
Domains	6
ASNs	6
JA3 Fingerprints	6
Dropped Files	7
Created / dropped Files	7
Static File Info	7
General	7
Static ELF Info	7
ELF header	7
Sections	7
Program Segments	8
Symbols	8
Network Behavior	26
Network Port Distribution	26
TCP Packets	26
System Behavior	26
Analysis Process: WSm0NI8ucm PID: 6234, Parent PID: 6128	27
General	27
File Activities	27
File Read	27
Analysis Process: WSm0NI8ucm PID: 6236, Parent PID: 6234	27
General	27
Analysis Process: WSm0NI8ucm PID: 6238, Parent PID: 6236	27
General	27
File Activities	27
Directory Enumerated	27

Linux Analysis Report

WSm0NI8ucm

Overview

General Information

Sample Name:	WSm0NI8ucm
Analysis ID:	632620
MD5:	b31d4cd770fbc3...
SHA1:	8c1a9042133980..
SHA256:	4f8f3c128fc8bf5...
Tags:	32armelfgafgyt
Infos:	↓↑⚙


Detection

MALICIOUS SUSPICIOUS CLEAN UNKNOWN	
Score:	56
Range:	0 - 100
Whitelisted:	false

Signatures

Multi AV Scanner detection for subm...
Contains symbols with names comm...
Connects to many ports of the same...
Uses the "uname" system call to qu...
Tries to connect to HTTP servers, b...
Detected TCP or UDP traffic on non...
Sample listens on a socket

Classification



Analysis Advice

Static ELF header machine description suggests that the sample might not execute correctly on this machine.
All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.
Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures.

General Information	
Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	632620
Start date and time: 23/05/202220:34:56	2022-05-23 20:34:56 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 28s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	WSm0NI8ucm
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal56.troj.lin@0/0@0/0

Runtime Messages	
Command:	/tmp/WSm0NI8ucm
PID:	6234
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	\$UICIDEBOY\$
Standard Error:	

Process Tree

- system is Inxubuntu20
 - WSm0NI8ucm (PID: 6234, Parent: 6128, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/WSm0NI8ucm
 - WSm0NI8ucm New Fork (PID: 6236, Parent: 6234)
 - WSm0NI8ucm New Fork (PID: 6238, Parent: 6236)
- cleanup

Yara Signatures

⊘ No yara matches

Snort Signatures

⊘ No Snort rule has matched

Joe Sandbox Signatures

AV Detection



Multi AV Scanner detection for submitted file

Networking



Connects to many ports of the same IP (likely port scanning)

System Summary



Contains symbols with names commonly found in malware

Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Encrypted Channel	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Non-Standard Port	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Application Layer Protocol	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

—

—



—

—

Source	Detection	Scanner	Label	Link
WSm0NI8ucm	21%	Virustotal		Browse
WSm0NI8ucm	20%	ReversingLabs	Linux.Trojan.Gafgyt	

—

—


—

Domains and IPs

Contacted Domains

⊘ No contacted domains info

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
149.57.210.157	unknown	United States		174	COGENT-174US	true
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

⊘ No context

Domains

⊘ No context

ASNs

⊘ No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, ARM, EABI4 version 1 (SYSV), statically linked, with debug_info, not stripped
Entropy (8bit):	5.785129868288457
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	WSm0NI8ucm
File size:	100798
MD5:	b31d4cd770fbc3079c19278eaead5c82
SHA1:	8c1a9042133980355e8deb005e545b3153a42326
SHA256:	4f8f3c128fc8bf5c1305949cdd955a427b6e04d5ad4bd0eb26397240dbc248ea
SHA512:	5ded9d13cdef3969ed045f0e45e3323b72fe72ef7ecd5673f03c673139b4a355f33c50d55b5d876ac121310058c7bb52090ff8717a7be30b6e0a4ada563d512
SSDEEP:	1536:NqnhvNZa+Tw2GO+IZy2GiWZqjBmCuGYMRuzw/9iK6LhUV3XGVKs:alTwxuZqGBma38M/9TOEng5
TLSH:	AEA33D49E7409B07C1E227BAAADF43463333DB54A7DB230A562C57F43BC27AD5E22506
File Content Preview:	.ELF.....(.....4.....4. ... (.....p.....@...@.....f.....Q.td..... ...L.....G.F.G.F.G.F.G.

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	ARM
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x81d0
Flags:	0x4000002
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	5
Section Header Offset:	73976
Section Header Size:	40
Number of Section Headers:	29
Header String Table Index:	26

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x80d4	0xd4	0x10	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x80f0	0xf0	0xba08	0x0	0x6	AX	0	0	16

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.fini	PROGBITS	0x13af8	0xbaf8	0x10	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x13b08	0xbb08	0x568	0x0	0x2	A	0	0	4
.ARM.extab	PROGBITS	0x14070	0xc070	0x18	0x0	0x2	A	0	0	4
.ARM.exidx	ARM_EXIDX	0x14088	0xc088	0x118	0x0	0x82	AL	2	0	4
.eh_frame	PROGBITS	0x1c1a0	0xc1a0	0x4	0x0	0x3	WA	0	0	4
.tbss	NOBITS	0x1c1a4	0xc1a4	0x8	0x0	0x403	WAT	0	0	4
.init_array	INIT_ARRAY	0x1c1a4	0xc1a4	0x4	0x0	0x3	WA	0	0	4
.fini_array	FINI_ARRAY	0x1c1a8	0xc1a8	0x4	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x1c1ac	0xc1ac	0x4	0x0	0x3	WA	0	0	4
.got	PROGBITS	0x1c1b0	0xc1b0	0xa8	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x1c258	0xc258	0x22c	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x1c484	0xc484	0x6fbc	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0xc484	0x886	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0xcd10	0xc0	0x0	0x0		0	0	8
.debug_pubnames	PROGBITS	0x0	0xcdd0	0x213	0x0	0x0		0	0	1
.debug_info	PROGBITS	0x0	0xcfe3	0x1d23	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0xed06	0x692	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0xf398	0x9c7	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0xfd60	0x2b8	0x0	0x0		0	0	4
.debug_str	PROGBITS	0x0	0x10018	0x8ca	0x1	0x30	MS	0	0	1
.debug_loc	PROGBITS	0x0	0x108e2	0x118f	0x0	0x0		0	0	1
.debug_ranges	PROGBITS	0x0	0x11a71	0x558	0x0	0x0		0	0	1
.ARM.attributes	ARM_ATTRIBUTES	0x0	0x11fc9	0x16	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x11fdf	0x117	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x12580	0x4290	0x10	0x0		28	583	4
.strtab	STRTAB	0x0	0x16810	0x21ae	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
EXIDX	0xc088	0x14088	0x14088	0x118	0x118	1.5479	0x4	R	0x4		.ARM.exidx
LOAD	0x0	0x8000	0x8000	0xc1a0	0xc1a0	3.2523	0x5	R E	0x8000		.init .text .fini .rodata .ARM.extab .ARM.exidx
LOAD	0xc1a0	0x1c1a0	0x1c1a0	0x2e4	0x72a0	2.6130	0x6	RW	0x8000		.eh_frame .init_array .fini_array .jcr .got .data .bss
TLS	0xc1a4	0x1c1a4	0x1c1a4	0x0	0x8	0.0000	0x4	R	0x4		
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x80d4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80f0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x13af8	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x13b08	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x14070	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x14088	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x1c1a0	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x1c1a4	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x1c1a4	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x1c1a8	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x1c1ac	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x1c1b0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x1c258	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x1c484	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	21
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	22
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	23
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	24
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	25
\$a			.symtab	0x80d4	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x13af8	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80e0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x13b04	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x812c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8170	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x820c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x850c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x869c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x86ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x879c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8868	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8924	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8a94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8b18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8c34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8d00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8de8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8ef4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8f80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9028	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x90ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x924c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9270	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9360	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9530	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x960c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9adc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9c8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9de8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa5f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa874	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xad90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xae68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xafac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb044	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb138	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb14c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb22c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb264	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb2a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb2e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb328	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb358	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb468	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb538	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb5fc	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xb6ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb794	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb7d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb870	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb8d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb8f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb93c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb980	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb9f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xba38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xba80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbac0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbb04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbb74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbbb8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbc28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbc70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbcb4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbd78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbde4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbe68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc818	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc958	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcdf8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xce38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcf60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcf78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd01c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd0d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd194	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd238	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd2c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd3a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd498	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd584	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd5a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd5c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd798	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd85c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd9a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdfcc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe398	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe430	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe494	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe61c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe664	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe754	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe884	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe8dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe8e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe914	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe96c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe974	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe9a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe9fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xea04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xea34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xea8c	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xea94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xeac0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xeb48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xec24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xece4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xed38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xed90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf17c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf1f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf224	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf2ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf2b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf2c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf2d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf2e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf320	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf388	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf3ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf48c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf4b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf4cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf4e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf4f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf51c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf554	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf594	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf5a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf5e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf628	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf688	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf6f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf780	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf794	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf90c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf9f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x100cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x100ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1054c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x105cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10730	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10760	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x108a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x109c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1101c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11148	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x111f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11200	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11210	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11230	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11290	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11380	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1146c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x114b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11500	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1154c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11570	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x115ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x116e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11aa4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11b1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11b84	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11dd8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11de4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11ecc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11ed8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11f1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12064	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x120bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12198	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x121c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1226c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12290	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x122d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12340	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12454	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12598	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x125ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x125f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12644	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1264c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12650	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1267c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12688	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12694	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x128b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12a04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12a20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12a80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12aec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ba4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12bc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12d08	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13250	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13258	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13260	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13268	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13324	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13368	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13a7c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13ac4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8164	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c1a8	0	NOTYPE	<unknown>	DEFAULT	10
\$d			.symtab	0x81bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c1a4	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x1c25c	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x8200	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x84f8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c4a4	0	NOTYPE	<unknown>	DEFAULT	14
\$d			.symtab	0x1c260	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x86e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8794	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8860	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x891c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8a8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8b14	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8c28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8cfc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8de4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8ef0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8f70	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c5a8	0	NOTYPE	<unknown>	DEFAULT	14
\$d			.symtab	0x9024	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x90e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9248	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9354	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9524	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9608	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9ad8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c288	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x9dd8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa5f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa864	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xad84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xae64	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xafa4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb03c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb128	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb21c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb260	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb2a4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb2e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb324	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb44c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb530	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb5f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb6a4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13c80	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xb780	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb7c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb934	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb978	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb9ec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xba30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xba78	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbabc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbafc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbb6c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbbb0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbc20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbc68	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbcac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbd6c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbe64	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc7f4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c290	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xc93c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcddc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xce30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcf4c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c2a8	0	NOTYPE	<unknown>	DEFAULT	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0xd000	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd0b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd178	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd21c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c2c0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1c358	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xd2c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd394	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd488	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd578	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13c98	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xd788	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd83c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c36c	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xd984	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdfa0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe370	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe48c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe60c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe748	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe874	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe880	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe910	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe9a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xea30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xec1c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xecd0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xed30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xed84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf130	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c384	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xf1f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf220	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf2a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf31c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf380	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf3e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf488	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf514	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf550	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf590	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf5e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf624	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf680	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf6ec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf77c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c390	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x13d2e	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xf9e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfd94	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x100bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10518	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x105bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10714	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c39c	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1c398	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x10c54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11004	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x11140	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11378	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11464	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x115e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x116dc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11a84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11b04	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11b74	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11db0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c480	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x11ec0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11f18	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1205c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12194	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12268	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1233c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x20	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x26	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x2c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x4c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x53	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x12898	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13240	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x58	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	23
\$d			.symtab	0x23c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0xe39	0	NOTYPE	<unknown>	DEFAULT	23
\$t			.symtab	0x80f0	0	NOTYPE	<unknown>	DEFAULT	2
C.11.5548			.symtab	0x13d08	12	OBJECT	<unknown>	DEFAULT	4
C.5.5083			.symtab	0x13c80	24	OBJECT	<unknown>	DEFAULT	4
C.7.5370			.symtab	0x13d14	12	OBJECT	<unknown>	DEFAULT	4
C.7.6109			.symtab	0x14054	12	OBJECT	<unknown>	DEFAULT	4
C.7.6182			.symtab	0x14030	12	OBJECT	<unknown>	DEFAULT	4
C.8.6110			.symtab	0x14048	12	OBJECT	<unknown>	DEFAULT	4
C.9.6119			.symtab	0x1403c	12	OBJECT	<unknown>	DEFAULT	4
Laligned			.symtab	0x11258	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0x11274	0	NOTYPE	<unknown>	DEFAULT	2
Q			.symtab	0x1c5b0	16384	OBJECT	<unknown>	DEFAULT	14
_Exit			.symtab	0xf320	104	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x1c1b0	0	OBJECT	<unknown>	HIDDEN	12
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_Unwind_Complete			.symtab	0x1264c	4	FUNC	<unknown>	HIDDEN	2
_Unwind_DeleteException			.symtab	0x12650	44	FUNC	<unknown>	HIDDEN	2
_Unwind_ForcedUnwind			.symtab	0x13300	36	FUNC	<unknown>	HIDDEN	2
_Unwind_GetCFA			.symtab	0x12644	8	FUNC	<unknown>	HIDDEN	2
_Unwind_GetDataRelBase			.symtab	0x12688	12	FUNC	<unknown>	HIDDEN	2
_Unwind_GetLanguageSpecificData			.symtab	0x13324	68	FUNC	<unknown>	HIDDEN	2
_Unwind_GetRegionStart			.symtab	0x13ac4	52	FUNC	<unknown>	HIDDEN	2
_Unwind_GetTextRelBase			.symtab	0x1267c	12	FUNC	<unknown>	HIDDEN	2
_Unwind_RaiseException			.symtab	0x13294	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume			.symtab	0x132b8	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume_or_Rethrow			.symtab	0x132dc	36	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Get			.symtab	0x125ac	76	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Pop			.symtab	0x12bc4	324	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Set			.symtab	0x125f8	76	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b			.symtab	0x1c390	4	OBJECT	<unknown>	DEFAULT	13
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x13d2e	768	OBJECT	<unknown>	DEFAULT	4
_EH_FRAME_BEGIN__			.symtab	0x1c1a0	0	OBJECT	<unknown>	DEFAULT	7
__FRAME_END__			.symtab	0x1c1a0	0	OBJECT	<unknown>	DEFAULT	7
__Gl__C_ctype_b			.symtab	0x1c390	4	OBJECT	<unknown>	HIDDEN	13
__Gl__close			.symtab	0xe8a0	100	FUNC	<unknown>	HIDDEN	2
__Gl__close_nocancel			.symtab	0xe884	24	FUNC	<unknown>	HIDDEN	2
__Gl__ctype_b			.symtab	0x1c394	4	OBJECT	<unknown>	HIDDEN	13
__Gl__errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__Gl__fcntl_nocancel			.symtab	0xafac	152	FUNC	<unknown>	HIDDEN	2
__Gl__fgetc_unlocked			.symtab	0x1101c	300	FUNC	<unknown>	HIDDEN	2
__Gl__libc_close			.symtab	0xe8a0	100	FUNC	<unknown>	HIDDEN	2
__Gl__libc_fcntl			.symtab	0xb044	244	FUNC	<unknown>	HIDDEN	2
__Gl__libc_open			.symtab	0xe930	100	FUNC	<unknown>	HIDDEN	2
__Gl__libc_read			.symtab	0xea50	100	FUNC	<unknown>	HIDDEN	2
__Gl__libc_write			.symtab	0xe9c0	100	FUNC	<unknown>	HIDDEN	2
__Gl__open			.symtab	0xe930	100	FUNC	<unknown>	HIDDEN	2
__Gl__open_nocancel			.symtab	0xe914	24	FUNC	<unknown>	HIDDEN	2
__Gl__read			.symtab	0xea50	100	FUNC	<unknown>	HIDDEN	2
__Gl__read_nocancel			.symtab	0xea34	24	FUNC	<unknown>	HIDDEN	2
__Gl__register_atfork			.symtab	0xe494	392	FUNC	<unknown>	HIDDEN	2
__Gl__sigaddset			.symtab	0xbd9c	36	FUNC	<unknown>	HIDDEN	2
__Gl__sigdelset			.symtab	0xbdc0	36	FUNC	<unknown>	HIDDEN	2
__Gl__sigismember			.symtab	0xbd78	36	FUNC	<unknown>	HIDDEN	2
__Gl__uClibc_fini			.symtab	0xec68	124	FUNC	<unknown>	HIDDEN	2
__Gl__uClibc_init			.symtab	0xed38	88	FUNC	<unknown>	HIDDEN	2
__Gl__write			.symtab	0xe9c0	100	FUNC	<unknown>	HIDDEN	2
__Gl__write_nocancel			.symtab	0xe9a4	24	FUNC	<unknown>	HIDDEN	2
__Gl__exit			.symtab	0xf320	104	FUNC	<unknown>	HIDDEN	2
__Gl__abort			.symtab	0xce38	296	FUNC	<unknown>	HIDDEN	2
__Gl__atoi			.symtab	0xd584	32	FUNC	<unknown>	HIDDEN	2
__Gl__bind			.symtab	0xb8f8	68	FUNC	<unknown>	HIDDEN	2
__Gl__brk			.symtab	0x11e74	88	FUNC	<unknown>	HIDDEN	2
__Gl__close			.symtab	0xe8a0	100	FUNC	<unknown>	HIDDEN	2
__Gl__closedir			.symtab	0xb358	272	FUNC	<unknown>	HIDDEN	2
__Gl__config_close			.symtab	0xfd20	52	FUNC	<unknown>	HIDDEN	2
__Gl__config_open			.symtab	0xfd54	72	FUNC	<unknown>	HIDDEN	2
__Gl__config_read			.symtab	0xf9f8	808	FUNC	<unknown>	HIDDEN	2
__Gl__connect			.symtab	0xb980	116	FUNC	<unknown>	HIDDEN	2
__Gl__exit			.symtab	0xd798	196	FUNC	<unknown>	HIDDEN	2
__Gl__fclose			.symtab	0xfd9c	816	FUNC	<unknown>	HIDDEN	2
__Gl__fcntl			.symtab	0xb044	244	FUNC	<unknown>	HIDDEN	2
__Gl__flush_unlocked			.symtab	0x10c70	940	FUNC	<unknown>	HIDDEN	2
__Gl__fgetc			.symtab	0x10760	324	FUNC	<unknown>	HIDDEN	2
__Gl__fgetc_unlocked			.symtab	0x1101c	300	FUNC	<unknown>	HIDDEN	2
__Gl__fgets			.symtab	0x108a4	284	FUNC	<unknown>	HIDDEN	2
__Gl__fgets_unlocked			.symtab	0x11148	160	FUNC	<unknown>	HIDDEN	2
__Gl__fopen			.symtab	0x100cc	32	FUNC	<unknown>	HIDDEN	2
__Gl__fork			.symtab	0xdfcc	972	FUNC	<unknown>	HIDDEN	2
__Gl__fstat			.symtab	0xf388	100	FUNC	<unknown>	HIDDEN	2
__Gl__getc_unlocked			.symtab	0x1101c	300	FUNC	<unknown>	HIDDEN	2
__Gl__getdtablesize			.symtab	0xf48c	44	FUNC	<unknown>	HIDDEN	2
__Gl__getegid			.symtab	0xf4b8	20	FUNC	<unknown>	HIDDEN	2
__Gl__geteuid			.symtab	0xf4cc	20	FUNC	<unknown>	HIDDEN	2
__Gl__getgid			.symtab	0xf4e0	20	FUNC	<unknown>	HIDDEN	2
__Gl__getpagesize			.symtab	0xf4f4	40	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_getpid			.symtab	0xe61c	72	FUNC	<unknown>	HIDDEN	2
__Gl_getrlimit			.symtab	0xf51c	56	FUNC	<unknown>	HIDDEN	2
__Gl_getsockname			.symtab	0xb9f4	68	FUNC	<unknown>	HIDDEN	2
__Gl_gettimeofday			.symtab	0xf554	64	FUNC	<unknown>	HIDDEN	2
__Gl_getuid			.symtab	0xf594	20	FUNC	<unknown>	HIDDEN	2
__Gl_htonl			.symtab	0xb880	32	FUNC	<unknown>	HIDDEN	2
__Gl_htons			.symtab	0xb870	16	FUNC	<unknown>	HIDDEN	2
__Gl_inet_addr			.symtab	0xb8d0	40	FUNC	<unknown>	HIDDEN	2
__Gl_inet_aton			.symtab	0x115ec	248	FUNC	<unknown>	HIDDEN	2
__Gl_initstate_r			.symtab	0xd3a0	248	FUNC	<unknown>	HIDDEN	2
__Gl_ioctl			.symtab	0xb14c	224	FUNC	<unknown>	HIDDEN	2
__Gl_isatty			.symtab	0x1154c	36	FUNC	<unknown>	HIDDEN	2
__Gl_kill			.symtab	0xb22c	56	FUNC	<unknown>	HIDDEN	2
__Gl_listen			.symtab	0xba80	64	FUNC	<unknown>	HIDDEN	2
__Gl_lseek64			.symtab	0x122d0	112	FUNC	<unknown>	HIDDEN	2
__Gl_memcpy			.symtab	0x111f0	4	FUNC	<unknown>	HIDDEN	2
__Gl_memmove			.symtab	0x11200	4	FUNC	<unknown>	HIDDEN	2
__Gl_memcpy			.symtab	0x1226c	36	FUNC	<unknown>	HIDDEN	2
__Gl_memset			.symtab	0xb7d0	156	FUNC	<unknown>	HIDDEN	2
__Gl_mmap			.symtab	0xf17c	124	FUNC	<unknown>	HIDDEN	2
__Gl_mremap			.symtab	0x11ed8	68	FUNC	<unknown>	HIDDEN	2
__Gl_munmap			.symtab	0xf5a8	64	FUNC	<unknown>	HIDDEN	2
__Gl_nanosleep			.symtab	0xf628	96	FUNC	<unknown>	HIDDEN	2
__Gl_ntohl			.symtab	0xb8b0	32	FUNC	<unknown>	HIDDEN	2
__Gl_ntohs			.symtab	0xb8a0	16	FUNC	<unknown>	HIDDEN	2
__Gl_open			.symtab	0xe930	100	FUNC	<unknown>	HIDDEN	2
__Gl_opendir			.symtab	0xb538	196	FUNC	<unknown>	HIDDEN	2
__Gl_raise			.symtab	0xe664	240	FUNC	<unknown>	HIDDEN	2
__Gl_random			.symtab	0xcf78	164	FUNC	<unknown>	HIDDEN	2
__Gl_random_r			.symtab	0xd238	144	FUNC	<unknown>	HIDDEN	2
__Gl_read			.symtab	0xea50	100	FUNC	<unknown>	HIDDEN	2
__Gl_readdir			.symtab	0xb6ac	232	FUNC	<unknown>	HIDDEN	2
__Gl_readdir64			.symtab	0xf90c	236	FUNC	<unknown>	HIDDEN	2
__Gl_readlink			.symtab	0xb2a8	64	FUNC	<unknown>	HIDDEN	2
__Gl_recv			.symtab	0xbb04	112	FUNC	<unknown>	HIDDEN	2
__Gl_sbrk			.symtab	0xf688	108	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0xbbb8	112	FUNC	<unknown>	HIDDEN	2
__Gl_setsid			.symtab	0xb2e8	64	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0xbc28	72	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0xd498	236	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0xf224	136	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0xbcb4	196	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0xf6f4	140	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0xe754	300	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0xbc70	68	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0xd2c8	216	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x11290	240	FUNC	<unknown>	HIDDEN	2
__Gl_strchrnul			.symtab	0x11380	236	FUNC	<unknown>	HIDDEN	2
__Gl_strcmp			.symtab	0x11210	28	FUNC	<unknown>	HIDDEN	2
__Gl_strcoll			.symtab	0x11210	28	FUNC	<unknown>	HIDDEN	2
__Gl_strerrorn			.symtab	0x1146c	68	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x11230	96	FUNC	<unknown>	HIDDEN	2
__Gl_strrchr			.symtab	0x114b0	80	FUNC	<unknown>	HIDDEN	2
__Gl_strerrorn			.symtab	0x11500	76	FUNC	<unknown>	HIDDEN	2
__Gl_strtol			.symtab	0xd5a4	28	FUNC	<unknown>	HIDDEN	2
__Gl_sysconf			.symtab	0xd9a8	1572	FUNC	<unknown>	HIDDEN	2
__Gl_tcgetattr			.symtab	0x11570	124	FUNC	<unknown>	HIDDEN	2
__Gl_time			.symtab	0xb328	48	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_times			.symtab	0xf780	20	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0xe9c0	100	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x1c1ac	0	OBJECT	<unknown>	DEFAULT	11
__JCR_LIST__			.symtab	0x1c1ac	0	OBJECT	<unknown>	DEFAULT	11
__Unwind_ForcedUnwind			.symtab	0x13300	36	FUNC	<unknown>	HIDDEN	2
__Unwind_RaiseException			.symtab	0x13294	36	FUNC	<unknown>	HIDDEN	2
__Unwind_Resume			.symtab	0x132b8	36	FUNC	<unknown>	HIDDEN	2
__Unwind_Resume_or_Rethrow			.symtab	0x132dc	36	FUNC	<unknown>	HIDDEN	2
__aeabi_idiv			.symtab	0x12454	0	FUNC	<unknown>	HIDDEN	2
__aeabi_idivmod			.symtab	0x12580	24	FUNC	<unknown>	HIDDEN	2
__aeabi_read_tp			.symtab	0xf2d0	8	FUNC	<unknown>	DEFAULT	2
__aeabi_uidiv			.symtab	0x12340	0	FUNC	<unknown>	HIDDEN	2
__aeabi_uidivmod			.symtab	0x1243c	24	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr0			.symtab	0x13260	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr1			.symtab	0x13258	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr2			.symtab	0x13250	8	FUNC	<unknown>	HIDDEN	2
__app_fini			.symtab	0x20b0c	4	OBJECT	<unknown>	HIDDEN	14
__atexit_lock			.symtab	0x1c36c	24	OBJECT	<unknown>	DEFAULT	13
__bss_end__			.symtab	0x23440	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x1c484	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x1c484	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0xece4	84	FUNC	<unknown>	DEFAULT	2
__close			.symtab	0xe8a0	100	FUNC	<unknown>	DEFAULT	2
__close_nocancel			.symtab	0xe884	24	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x1c394	4	OBJECT	<unknown>	DEFAULT	13
__curbrk			.symtab	0x23070	4	OBJECT	<unknown>	HIDDEN	14
__cxa_begin_cleanup			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_call_unexpected			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_type_match			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__data_start			.symtab	0x1c258	0	NOTYPE	<unknown>	DEFAULT	13
__default_rt_sa_restorer			.symtab	0xf2c4	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0xf2b8	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__div0			.symtab	0x12598	20	FUNC	<unknown>	HIDDEN	2
__divsi3			.symtab	0x12454	300	FUNC	<unknown>	HIDDEN	2
__do_global_dtors_aux			.symtab	0x812c	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux_fini_array_entry			.symtab	0x1c1a8	0	OBJECT	<unknown>	DEFAULT	10
__dso_handle			.symtab	0x1c258	0	OBJECT	<unknown>	HIDDEN	13
__end__			.symtab	0x23440	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x20b04	4	OBJECT	<unknown>	DEFAULT	14
__exidx_end			.symtab	0x141a0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exidx_start			.symtab	0x14088	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x205b4	4	OBJECT	<unknown>	HIDDEN	14
__fcntl_nocancel			.symtab	0xafac	152	FUNC	<unknown>	DEFAULT	2
__fgetc_unlocked			.symtab	0x1101c	300	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x1c1ac	0	NOTYPE	<unknown>	HIDDEN	10
__fini_array_start			.symtab	0x1c1a8	0	NOTYPE	<unknown>	HIDDEN	10
__fork			.symtab	0xdfcc	972	FUNC	<unknown>	DEFAULT	2
__fork_generation_pointer			.symtab	0x2340c	4	OBJECT	<unknown>	HIDDEN	14
__fork_handlers			.symtab	0x23410	4	OBJECT	<unknown>	HIDDEN	14
__fork_lock			.symtab	0x205b8	4	OBJECT	<unknown>	HIDDEN	14
__frame_dummy_init_array_entry			.symtab	0x1c1a4	0	OBJECT	<unknown>	DEFAULT	9
__getdents			.symtab	0xf3ec	160	FUNC	<unknown>	HIDDEN	2
__getdents64			.symtab	0x11f1c	328	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0xf4f4	40	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__getpid			.symtab	0xe61c	72	FUNC	<unknown>	DEFAULT	2
__gnu_Unwind_Find_exidx			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__gnu_Unwind_ForcedUnwind			.symtab	0x12a04	28	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_RaiseException			.symtab	0x12aec	184	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Restore_VFP			.symtab	0x13284	0	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume			.symtab	0x12a80	108	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume_or_Rethrow			.symtab	0x12ba4	32	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Save_VFP			.symtab	0x1328c	0	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_execute			.symtab	0x13368	1812	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_frame			.symtab	0x13a7c	72	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_pr_common			.symtab	0x12d08	1352	FUNC	<unknown>	DEFAULT	2
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__init_array_end			.symtab	0x1c1a8	0	NOTYPE	<unknown>	HIDDEN	9
__init_array_start			.symtab	0x1c1a4	0	NOTYPE	<unknown>	HIDDEN	9
__libc_close			.symtab	0xe8a0	100	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0xb980	116	FUNC	<unknown>	DEFAULT	2
__libc_disable_asynccancel			.symtab	0xeac0	136	FUNC	<unknown>	HIDDEN	2
__libc_enable_asynccancel			.symtab	0xeb48	220	FUNC	<unknown>	HIDDEN	2
__libc_errno			.symtab	0x0	4	TLS	<unknown>	HIDDEN	8
__libc_fcntl			.symtab	0xb044	244	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0xdfcc	972	FUNC	<unknown>	DEFAULT	2
__libc_h_errno			.symtab	0x4	4	TLS	<unknown>	HIDDEN	8
__libc_multiple_threads			.symtab	0x23414	4	OBJECT	<unknown>	HIDDEN	14
__libc_nanosleep			.symtab	0xf628	96	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0xe930	100	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0xea50	100	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0xbb04	112	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0xbbb8	112	FUNC	<unknown>	DEFAULT	2
__libc_setup_tls			.symtab	0x11ba8	560	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0xf224	136	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x20b00	4	OBJECT	<unknown>	DEFAULT	14
__libc_write			.symtab	0xe9c0	100	FUNC	<unknown>	DEFAULT	2
__linkin_atfork			.symtab	0xe430	100	FUNC	<unknown>	HIDDEN	2
__lll_lock_wait_private			.symtab	0xe398	152	FUNC	<unknown>	HIDDEN	2
__malloc Consolidate			.symtab	0xca08	436	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0xbe68	120	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x1c290	24	OBJECT	<unknown>	DEFAULT	13
__malloc_state			.symtab	0x23094	888	OBJECT	<unknown>	DEFAULT	14
__malloc_trim			.symtab	0xc958	176	FUNC	<unknown>	DEFAULT	2
__nptl_deallocate_tsd			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__nptl_nthreads			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__open			.symtab	0xe930	100	FUNC	<unknown>	DEFAULT	2
__open_nocancel			.symtab	0xe914	24	FUNC	<unknown>	DEFAULT	2
__pagesize			.symtab	0x20b08	4	OBJECT	<unknown>	DEFAULT	14
__preinit_array_end			.symtab	0x1c1a4	0	NOTYPE	<unknown>	HIDDEN	8
__preinit_array_start			.symtab	0x1c1a4	0	NOTYPE	<unknown>	HIDDEN	8
__progname			.symtab	0x1c388	4	OBJECT	<unknown>	DEFAULT	13
__progname_full			.symtab	0x1c38c	4	OBJECT	<unknown>	DEFAULT	13
__pthread_initialize_minimal			.symtab	0x11dd8	12	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_init			.symtab	0xec2c	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0xec24	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0xec24	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0xec24	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0xec24	8	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__pthread_unwind			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__read			.symtab	0xea50	100	FUNC	<unknown>	DEFAULT	2
__read_nocancel			.symtab	0xea34	24	FUNC	<unknown>	DEFAULT	2
__register_atfork			.symtab	0xe494	392	FUNC	<unknown>	DEFAULT	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__restore_core_regs			.symtab	0x13268	28	FUNC	<unknown>	HIDDEN	2
__rtld_fini			.symtab	0x20b10	4	OBJECT	<unknown>	HIDDEN	14
__sigaddset			.symtab	0xbd9c	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0xbdc0	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0xbd78	36	FUNC	<unknown>	DEFAULT	2
__sigjmp_save			.symtab	0x12290	64	FUNC	<unknown>	HIDDEN	2
__sigsetjmp			.symtab	0x11ecc	12	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x1c3a8	4	OBJECT	<unknown>	DEFAULT	13
__stdio_READ			.symtab	0x12064	88	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x120bc	220	FUNC	<unknown>	HIDDEN	2
__stdio_rfill			.symtab	0x12198	48	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x121c8	164	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x10730	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x1c3ac	4	OBJECT	<unknown>	DEFAULT	13
__sys_connect			.symtab	0xb93c	68	FUNC	<unknown>	DEFAULT	2
__sys_recv			.symtab	0xbac0	68	FUNC	<unknown>	DEFAULT	2
__sys_send			.symtab	0xbb74	68	FUNC	<unknown>	DEFAULT	2
__syscall_error			.symtab	0xf1f8	44	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_nanosleep			.symtab	0xf5e8	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction			.symtab	0xf2e0	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__sysv_signal			.symtab	0xbde4	132	FUNC	<unknown>	DEFAULT	2
__tls_get_addr			.symtab	0x11b84	36	FUNC	<unknown>	DEFAULT	2
__uClibc_fini			.symtab	0xec68	124	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0xed38	88	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0xed90	1004	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uclibc_progname			.symtab	0x1c384	4	OBJECT	<unknown>	HIDDEN	13
__udivsi3			.symtab	0x12340	252	FUNC	<unknown>	HIDDEN	2
__write			.symtab	0xe9c0	100	FUNC	<unknown>	DEFAULT	2
__write_nocancel			.symtab	0xe9a4	24	FUNC	<unknown>	DEFAULT	2
__xstat32_conv			.symtab	0xf860	172	FUNC	<unknown>	HIDDEN	2
__xstat64_conv			.symtab	0xf794	204	FUNC	<unknown>	HIDDEN	2
__atoi			.symtab	0xae68	136	FUNC	<unknown>	DEFAULT	2
__bss_end__			.symtab	0x23440	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__call_via_fp			.symtab	0x811d	4	FUNC	<unknown>	HIDDEN	2
__call_via_ip			.symtab	0x8121	4	FUNC	<unknown>	HIDDEN	2
__call_via_lr			.symtab	0x8129	4	FUNC	<unknown>	HIDDEN	2
__call_via_r0			.symtab	0x80f1	4	FUNC	<unknown>	HIDDEN	2
__call_via_r1			.symtab	0x80f5	4	FUNC	<unknown>	HIDDEN	2
__call_via_r2			.symtab	0x80f9	4	FUNC	<unknown>	HIDDEN	2
__call_via_r3			.symtab	0x80fd	4	FUNC	<unknown>	HIDDEN	2
__call_via_r4			.symtab	0x8101	4	FUNC	<unknown>	HIDDEN	2
__call_via_r5			.symtab	0x8105	4	FUNC	<unknown>	HIDDEN	2
__call_via_r6			.symtab	0x8109	4	FUNC	<unknown>	HIDDEN	2
__call_via_r7			.symtab	0x810d	4	FUNC	<unknown>	HIDDEN	2
__call_via_r8			.symtab	0x8111	4	FUNC	<unknown>	HIDDEN	2
__call_via_r9			.symtab	0x8115	4	FUNC	<unknown>	HIDDEN	2
__call_via_sl			.symtab	0x8119	4	FUNC	<unknown>	HIDDEN	2
__call_via_sp			.symtab	0x8125	4	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_dl_aux_init			.symtab	0x11de4	56	FUNC	<unknown>	DEFAULT	2
_dl_init_static_tls			.symtab	0x1c480	4	OBJECT	<unknown>	DEFAULT	13
_dl_nothread_init_static_tls			.symtab	0x11e1c	88	FUNC	<unknown>	HIDDEN	2
_dl_phdr			.symtab	0x23438	4	OBJECT	<unknown>	DEFAULT	14
_dl_phnum			.symtab	0x2343c	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_dtv_gaps			.symtab	0x2342c	1	OBJECT	<unknown>	DEFAULT	14
_dl_tls_dtv_slotinfo_list			.symtab	0x23428	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_generation			.symtab	0x23430	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_max_dtv_idx			.symtab	0x23420	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_setup			.symtab	0x11b1c	104	FUNC	<unknown>	DEFAULT	2
_dl_tls_static_align			.symtab	0x2341c	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_nelem			.symtab	0x23434	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_size			.symtab	0x23424	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_used			.symtab	0x23418	4	OBJECT	<unknown>	DEFAULT	14
_edata			.symtab	0x1c484	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x23440	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_exit			.symtab	0xf320	104	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x13af8	0	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x20b34	8192	OBJECT	<unknown>	DEFAULT	14
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_init			.symtab	0x80d4	0	FUNC	<unknown>	DEFAULT	1
_memcpy			.symtab	0x9f14	124	FUNC	<unknown>	DEFAULT	2
_memmove			.symtab	0x9f90	160	FUNC	<unknown>	DEFAULT	2
_memset			.symtab	0xa030	104	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0xec3c	44	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0xec34	8	FUNC	<unknown>	DEFAULT	2
_read			.symtab	0xad90	180	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_setjmp			.symtab	0xf2ac	8	FUNC	<unknown>	DEFAULT	2
_sigintr			.symtab	0x2308c	8	OBJECT	<unknown>	HIDDEN	14
_start			.symtab	0x81d0	0	FUNC	<unknown>	DEFAULT	2
_startswith			.symtab	0xa2d0	148	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x100ec	1120	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x1054c	128	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x1c3b0	4	OBJECT	<unknown>	DEFAULT	13
_stdio_openlist_add_lock			.symtab	0x20b14	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_dec_use			.symtab	0x109c0	688	FUNC	<unknown>	HIDDEN	2
_stdio_openlist_del_count			.symtab	0x20b30	4	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_del_lock			.symtab	0x20b20	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_use_count			.symtab	0x20b2c	4	OBJECT	<unknown>	DEFAULT	14
_stdio_streams			.symtab	0x1c3b4	204	OBJECT	<unknown>	DEFAULT	13
_stdio_term			.symtab	0x105cc	356	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x1c398	4	OBJECT	<unknown>	DEFAULT	13
_stdlib_strto_l			.symtab	0xd5c0	472	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_strcat			.symtab	0xa114	148	FUNC	<unknown>	DEFAULT	2
_strcmp			.symtab	0x9e40	212	FUNC	<unknown>	DEFAULT	2
_strcpy			.symtab	0xa098	124	FUNC	<unknown>	DEFAULT	2
_strdup			.symtab	0xa1a8	88	FUNC	<unknown>	DEFAULT	2
_strlen			.symtab	0x9de8	88	FUNC	<unknown>	DEFAULT	2
_strstr			.symtab	0xa200	208	FUNC	<unknown>	DEFAULT	2
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0xce38	296	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
add_to_kill			.symtab	0x8d00	232	FUNC	<unknown>	DEFAULT	2


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
add_to_list			.symtab	0x8f80	168	FUNC	<unknown>	DEFAULT	2
alphanum			.symtab	0x13c14	63	OBJECT	<unknown>	DEFAULT	4
atoi			.symtab	0xd584	32	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0xd584	32	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_checksum			.symtab	0xa6b8	232	FUNC	<unknown>	DEFAULT	2
been_there_done_that			.symtab	0x205b0	4	OBJECT	<unknown>	DEFAULT	14
bind			.symtab	0xb8f8	68	FUNC	<unknown>	DEFAULT	2
bind.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x11e74	88	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0xbcb4	196	FUNC	<unknown>	DEFAULT	2
c			.symtab	0x1c288	4	OBJECT	<unknown>	DEFAULT	13
calloc			.symtab	0xc818	320	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
check_connection			.symtab	0xa44c	148	FUNC	<unknown>	DEFAULT	2
check_fds			.symtab	0x8924	368	FUNC	<unknown>	DEFAULT	2
check_for_contraband			.symtab	0x8868	188	FUNC	<unknown>	DEFAULT	2
check_pid			.symtab	0x90ec	136	FUNC	<unknown>	DEFAULT	2
check_realpath			.symtab	0x879c	204	FUNC	<unknown>	DEFAULT	2
check_whitelisted			.symtab	0x86ec	176	FUNC	<unknown>	DEFAULT	2
checksum_generic			.symtab	0xa92c	216	FUNC	<unknown>	DEFAULT	2
checksum_tcpudp			.symtab	0xaa04	416	FUNC	<unknown>	DEFAULT	2
clear_and_set_fd			.symtab	0xa4e0	148	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0xb794	52	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0xe8a0	100	FUNC	<unknown>	DEFAULT	2
close_fds			.symtab	0xa41c	48	FUNC	<unknown>	DEFAULT	2
closedir			.symtab	0xb358	272	FUNC	<unknown>	DEFAULT	2
closedir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
compare_realpaths			.symtab	0x8b18	284	FUNC	<unknown>	DEFAULT	2
completed.5105			.symtab	0x1c484	1	OBJECT	<unknown>	DEFAULT	14
confails.2346			.symtab	0x1c4a0	4	OBJECT	<unknown>	DEFAULT	14
connect			.symtab	0xb980	116	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connection			.symtab	0x82f8	532	FUNC	<unknown>	DEFAULT	2
connection.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connection_failed			.symtab	0xa574	128	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0xa874	184	FUNC	<unknown>	DEFAULT	2
data_start			.symtab	0x1c25c	0	NOTYPE	<unknown>	DEFAULT	13
delete_list			.symtab	0x8a94	132	FUNC	<unknown>	DEFAULT	2
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ensure			.symtab	0x820c	236	FUNC	<unknown>	DEFAULT	2
environ			.symtab	0x20b04	4	OBJECT	<unknown>	DEFAULT	14
errno			.symtab	0x0	4	TLS	<unknown>	DEFAULT	8
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0xd798	196	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fclose			.symtab	0xfd9c	816	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0xb044	244	FUNC	<unknown>	DEFAULT	2
fd_to_DIR			.symtab	0xb468	208	FUNC	<unknown>	DEFAULT	2
fdopendir			.symtab	0xb5fc	176	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x10c70	940	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc			.symtab	0x10760	324	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
fgetc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x1101c	300	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x108a4	284	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x11148	160	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
flood.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fopen			.symtab	0x100cc	32	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0xdfcc	972	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork_handler_pool			.symtab	0x205bc	1348	OBJECT	<unknown>	DEFAULT	14
frame_dummy			.symtab	0x8170	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0xcbbc	572	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fstat			.symtab	0xf388	100	FUNC	<unknown>	DEFAULT	2
fstat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
get_eit_entry			.symtab	0x12694	544	FUNC	<unknown>	DEFAULT	2
getc			.symtab	0x10760	324	FUNC	<unknown>	DEFAULT	2
getc_unlocked			.symtab	0x1101c	300	FUNC	<unknown>	DEFAULT	2
getdents.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdents64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdtablesize			.symtab	0xf48c	44	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0xf4b8	20	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0xf4cc	20	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0xf4e0	20	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0xf4f4	40	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0xe61c	72	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0xb138	20	FUNC	<unknown>	DEFAULT	2
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0xf51c	56	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0xb9f4	68	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0xba38	72	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gettimeofday			.symtab	0xf554	64	FUNC	<unknown>	DEFAULT	2
gettimeofday.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0xf594	20	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h_errno			.symtab	0x4	4	TLS	<unknown>	DEFAULT	8
htonl			.symtab	0xb880	32	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0xb870	16	FUNC	<unknown>	DEFAULT	2
i.3363			.symtab	0x1c28c	4	OBJECT	<unknown>	DEFAULT	13
index			.symtab	0x11290	240	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0xb8d0	40	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x115ec	248	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
init_static_tls			.symtab	0x11aa4	120	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0xd0d4	192	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0xd3a0	248	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0xb14c	224	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x1154c	36	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
k_head			.symtab	0x1c4a4	4	OBJECT	<unknown>	DEFAULT	14
kill			.symtab	0xb22c	56	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill_list			.symtab	0x8c34	204	FUNC	<unknown>	DEFAULT	2
killer.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer_init			.symtab	0x8ef4	140	FUNC	<unknown>	DEFAULT	2
killer_kill			.symtab	0x86bc	48	FUNC	<unknown>	DEFAULT	2
killer_pid			.symtab	0x23078	4	OBJECT	<unknown>	DEFAULT	14
killer_send_result			.symtab	0x869c	32	FUNC	<unknown>	DEFAULT	2
killer_that_kills			.symtab	0x8de8	268	FUNC	<unknown>	DEFAULT	2
l_head			.symtab	0x1c5a8	4	OBJECT	<unknown>	DEFAULT	14
last.1531			.symtab	0x1c5ac	4	OBJECT	<unknown>	DEFAULT	14
libc-cancellation.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc-lowlevellock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc-tls.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc_multiple_threads.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listen			.symtab	0xba80	64	FUNC	<unknown>	DEFAULT	2
listen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
locker.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
locker_init			.symtab	0x924c	36	FUNC	<unknown>	DEFAULT	2
locker_that_locks			.symtab	0x9174	216	FUNC	<unknown>	DEFAULT	2
lseek64			.symtab	0x122d0	112	FUNC	<unknown>	DEFAULT	2
main			.symtab	0x9270	240	FUNC	<unknown>	DEFAULT	2
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc			.symtab	0xbee0	2360	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0xcdf8	64	FUNC	<unknown>	DEFAULT	2
memcpy			.symtab	0x111f0	4	FUNC	<unknown>	DEFAULT	2
memmove			.symtab	0x11200	4	FUNC	<unknown>	DEFAULT	2
mempcpy			.symtab	0x1226c	36	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0xb7d0	156	FUNC	<unknown>	DEFAULT	2
mmap			.symtab	0xf17c	124	FUNC	<unknown>	DEFAULT	2
mmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mremap			.symtab	0x11ed8	68	FUNC	<unknown>	DEFAULT	2
mremap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
munmap			.symtab	0xf5a8	64	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x1c2a8	24	OBJECT	<unknown>	DEFAULT	13
mylock			.symtab	0x1c2c0	24	OBJECT	<unknown>	DEFAULT	13
nanosleep			.symtab	0xf628	96	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
nprocessors_onln			.symtab	0xd85c	332	FUNC	<unknown>	DEFAULT	2
ntohl			.symtab	0xb8b0	32	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0xb8a0	16	FUNC	<unknown>	DEFAULT	2
object.5113			.symtab	0x1c488	24	OBJECT	<unknown>	DEFAULT	14
open			.symtab	0xe930	100	FUNC	<unknown>	DEFAULT	2
opendir			.symtab	0xb538	196	FUNC	<unknown>	DEFAULT	2
opendir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
parse_config.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
parser			.symtab	0x9360	464	FUNC	<unknown>	DEFAULT	2
parser.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ping_watchdog			.symtab	0xae0	188	FUNC	<unknown>	DEFAULT	2
pr-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0xb264	68	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
program_invocation_name			.symtab	0x1c38c	4	OBJECT	<unknown>	DEFAULT	13
program_invocation_short_name			.symtab	0x1c388	4	OBJECT	<unknown>	DEFAULT	13
raise			.symtab	0xe664	240	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0xcf60	24	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_alphanum			.symtab	0x9530	220	FUNC	<unknown>	DEFAULT	2
rand_cmw			.symtab	0xac4c	324	FUNC	<unknown>	DEFAULT	2
rand_init			.symtab	0x9d54	148	FUNC	<unknown>	DEFAULT	2
rand_next			.symtab	0xa7a0	212	FUNC	<unknown>	DEFAULT	2
random			.symtab	0xcf78	164	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x13c98	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0xd238	144	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x1c2d8	128	OBJECT	<unknown>	DEFAULT	13
read			.symtab	0xea50	100	FUNC	<unknown>	DEFAULT	2
readdir			.symtab	0xb6ac	232	FUNC	<unknown>	DEFAULT	2
readdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readdir64			.symtab	0xf90c	236	FUNC	<unknown>	DEFAULT	2
readdir64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readlink			.symtab	0xb2a8	64	FUNC	<unknown>	DEFAULT	2
readlink.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0x116e4	960	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0xbb04	112	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
register-atfork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
remove_newline			.symtab	0xaba4	168	FUNC	<unknown>	DEFAULT	2
restore_core_regs			.symtab	0x13268	28	FUNC	<unknown>	HIDDEN	2
return_arch			.symtab	0xae44	36	FUNC	<unknown>	DEFAULT	2
rindex			.symtab	0x114b0	80	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0xf688	108	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
search_list			.symtab	0x9028	196	FUNC	<unknown>	DEFAULT	2
self_name			.symtab	0x23074	4	OBJECT	<unknown>	DEFAULT	14
self_realpath			.symtab	0x1c4a8	256	OBJECT	<unknown>	DEFAULT	14
send			.symtab	0xbbb8	112	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
set_signals			.symtab	0xa3e0	60	FUNC	<unknown>	DEFAULT	2
setsid			.symtab	0xb2e8	64	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0xbc28	72	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0xd01c	184	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0xd498	236	FUNC	<unknown>	DEFAULT	2
setup_connection			.symtab	0xa364	124	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0xf224	136	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigjmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
signal			.symtab	0xbcb4	196	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0xf6f4	140	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0xe754	300	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0xbc70	68	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0xd194	164	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0xd194	164	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0xd2c8	216	FUNC	<unknown>	DEFAULT	2
static_dtv			.symtab	0x22b34	512	OBJECT	<unknown>	DEFAULT	14
static_map			.symtab	0x2303c	52	OBJECT	<unknown>	DEFAULT	14
static_slotinfo			.symtab	0x22d34	776	OBJECT	<unknown>	DEFAULT	14
stderr			.symtab	0x1c3a4	4	OBJECT	<unknown>	DEFAULT	13
stdin			.symtab	0x1c39c	4	OBJECT	<unknown>	DEFAULT	13
stdout			.symtab	0x1c3a0	4	OBJECT	<unknown>	DEFAULT	13
strchr			.symtab	0x11290	240	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchrnul			.symtab	0x11380	236	FUNC	<unknown>	DEFAULT	2
strchrnul.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x11210	28	FUNC	<unknown>	DEFAULT	2
strcoll			.symtab	0x11210	28	FUNC	<unknown>	DEFAULT	2
strcspn			.symtab	0x1146c	68	FUNC	<unknown>	DEFAULT	2
strcspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strlen			.symtab	0x11230	96	FUNC	<unknown>	DEFAULT	2
strrchr			.symtab	0x114b0	80	FUNC	<unknown>	DEFAULT	2
strrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x11500	76	FUNC	<unknown>	DEFAULT	2



TCP Packets

Analysis Process: WSm0NI8ucm PID: 6234, Parent PID: 6128		—
General		—
Start time:	20:35:46	
Start date:	23/05/2022	
Path:	/tmp/WSm0NI8ucm	
Arguments:	/tmp/WSm0NI8ucm	
File size:	4956856 bytes	
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1	

File Activities		—
File Read		▼

Analysis Process: WSm0NI8ucm PID: 6236, Parent PID: 6234		—
General		—
Start time:	20:35:46	
Start date:	23/05/2022	
Path:	/tmp/WSm0NI8ucm	
Arguments:	n/a	
File size:	4956856 bytes	
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1	

Analysis Process: WSm0NI8ucm PID: 6238, Parent PID: 6236		—
General		—
Start time:	20:35:46	
Start date:	23/05/2022	
Path:	/tmp/WSm0NI8ucm	
Arguments:	n/a	
File size:	4956856 bytes	
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1	

File Activities		—
Directory Enumerated		▼