

JOeSandbox Cloud BASIC



ID: 632632

Sample Name: 2VhAzm1AF

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 20:53:11

Date: 23/05/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report 2VhAzm1AF	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Warnings	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Snort Signatures	4
Joe Sandbox Signatures	4
AV Detection	4
Networking	4
System Summary	4
Mitre Att&ck Matrix	4
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	5
Initial Sample	5
Dropped Files	5
Domains	5
URLs	5
Domains and IPs	6
Contacted Domains	6
World Map of Contacted IPs	6
Public IPs	6
Joe Sandbox View / Context	6
IPs	6
Domains	6
ASNs	6
JA3 Fingerprints	7
Dropped Files	7
Created / dropped Files	7
Static File Info	7
General	7
Static ELF Info	7
ELF header	7
Sections	7
Program Segments	8
Symbols	8
Network Behavior	24
Network Port Distribution	24
TCP Packets	24
System Behavior	24
Analysis Process: 2VhAzm1AF PID: 6221, Parent PID: 6119	24
General	24
File Activities	24
File Read	24
Analysis Process: 2VhAzm1AF PID: 6223, Parent PID: 6221	24
General	24
Analysis Process: 2VhAzm1AF PID: 6225, Parent PID: 6223	24
General	24
File Activities	24
Directory Enumerated	25

Linux Analysis Report

2VhAzm1AF

Overview

General Information

Sample Name:	2VhAzm1AF
Analysis ID:	632632
MD5:	6afb3fbab800e3.
SHA1:	1ea709020a4050.
SHA256:	99b220a4a3228b.
Tags:	32armelfgafgyt
Infos:	↓↑⚙


Detection

MALICIOUS SUSPICIOUS CLEAN UNKNOWN	
Score:	56
Range:	0 - 100
Whitelisted:	false

Signatures

Multi AV Scanner detection for subm...
Contains symbols with names comm...
Connects to many ports of the same...
Uses the "uname" system call to qu...
Tries to connect to HTTP servers, b...
Detected TCP or UDP traffic on non...
Sample listens on a socket

Classification



Analysis Advice

Static ELF header machine description suggests that the sample might not execute correctly on this machine.
All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.
Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures.

General Information	
Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	632632
Start date and time: 23/05/202220:53:11	2022-05-23 20:53:11 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 31s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	2VhAzm1AF
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal56.troj.lin@0/0@0/0

Warnings	
Runtime Messages	
Command:	/tmp/2VhAzm1AF
PID:	6221
Exit Code:	0
Exit Code Info:	
Killed:	False

Standard Output:	\$UICIDEBOY\$
Standard Error:	

Process Tree

- system is Inxubuntu20
 - 2VhAznm1AF (PID: 6221, Parent: 6119, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/2VhAznm1AF
 - 2VhAznm1AF New Fork (PID: 6223, Parent: 6221)
 - 2VhAznm1AF New Fork (PID: 6225, Parent: 6223)
- cleanup

Yara Signatures

No yara matches

Snort Signatures

No Snort rule has matched

Joe Sandbox Signatures

AV Detection



Multi AV Scanner detection for submitted file

Networking



Connects to many ports of the same IP (likely port scanning)

System Summary



Contains symbols with names commonly found in malware


Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Encrypted Channel	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Non-Standard Port	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Application Layer Protocol	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

Malware Configuration

No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
2VhAznm1AF	20%	ReversingLabs	Linux.Trojan.Gafgyt	

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs

No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info

World Map of Contacted IPs



Public IPs						
IP	Domain	Country	Flag	ASN	ASN Name	Malicious
149.57.210.157	unknown	United States		174	COGENT-174US	true
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, ARM, EABI4 version 1 (SYSV), statically linked, with debug_info, not stripped
Entropy (8bit):	5.746188488336697
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	2VhAznm1AF
File size:	63472
MD5:	6afba3fbab800e3cbabe51625ceaa2b9
SHA1:	1ea709020a40502ed5adf2a621deb1ab2cfbc927
SHA256:	99b220a4a3228b9ca49dce01e123063c6e8c93124668d5261ec13d6f6d0d1f32
SHA512:	437722b835901fde3f34133f5f22663c8977f1c7f223998dbe4493de61bf3bd8bdd69b16936430151b78e71ff5ca82b3273c84f30308bdd86ef02c50917db8e8
SSDEEP:	1536:8onZqp6mWHFIgiFa0N3Riqd3njfRPd+mYLLswRT:Z1a0N3Riqd+LL51
TLSH:	E0531A06E1508B17C1E227BEBBDF421E37237E54979F331697286BF8278239D1A39521
File Content Preview:	.ELF.....(.....4.....4. ...(.....p.....g.....Q.td.....-...L.....G.F.G.F.G.F.G.F.G.F.G.F0G.F8G.F@G.FHG.FPG.FXG.

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	ARM
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x81b0
Flags:	0x4000002
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	4
Section Header Offset:	41260
Section Header Size:	40
Number of Section Headers:	24
Header String Table Index:	21

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.init	PROGBITS	0x80b4	0xb4	0x10	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x80d0	0xd0	0x89b4	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x10a84	0x8a84	0x10	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x10a94	0x8a94	0x528	0x0	0x2	A	0	0	4
.ARM.extab	PROGBITS	0x10fbc	0x8fbc	0x18	0x0	0x2	A	0	0	4
.ARM.exidx	ARM_EXIDX	0x10fd4	0x8fd4	0x10	0x0	0x82	AL	2	0	4
.eh_frame	PROGBITS	0x19000	0x9000	0x4	0x0	0x3	WA	0	0	4
.init_array	INIT_ARRAY	0x19004	0x9004	0x4	0x0	0x3	WA	0	0	4
.fini_array	FINI_ARRAY	0x19008	0x9008	0x4	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x1900c	0x900c	0x4	0x0	0x3	WA	0	0	4
.got	PROGBITS	0x19010	0x9010	0x74	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x19084	0x9084	0x27c	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x19300	0x9300	0x64fc	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0x9300	0x862	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x9b68	0x60	0x0	0x0		0	0	8
.debug_info	PROGBITS	0x0	0x9bc8	0x204	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x9dcc	0x3c	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x9e08	0x1da	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x9fe4	0x58	0x0	0x0		0	0	4
.ARM.attributes	ARM_ATTRIBUTES	0x0	0xa03c	0x10	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0xa04c	0xdd	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0xa4ec	0x3700	0x10	0x0		23	474	4
.strtab	STRTAB	0x0	0xdbec	0x1c04	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
EXIDX	0x8fd4	0x10fd4	0x10fd4	0x10	0x10	1.0000	0x4	R	0x4		.ARM.exidx
LOAD	0x0	0x8000	0x8000	0x8fe4	0x8fe4	3.2756	0x5	R E	0x8000		.init .text .fini .rodata .ARM.extab .ARM.exidx
LOAD	0x9000	0x19000	0x19000	0x300	0x67fc	2.1112	0x6	RW	0x8000		.eh_frame .init_array .fini_array .jcr .got .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x80b4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80d0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x10a84	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x10a94	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x10fbc	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x10fd4	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x19000	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x19004	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x19008	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x1900c	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x19010	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x19084	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x19300	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	21
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	22
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	23
\$a			.symtab	0x80b4	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x10a84	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80c0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x10a90	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x810c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8150	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x84ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x867c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x86cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x877c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8848	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8904	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8a74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8af8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8c14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8ce0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8dc8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8ed4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8f60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9008	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x90cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x922c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9250	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9340	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9510	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x95ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9abc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9c6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9dc8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa5d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa854	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xad70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xae48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xaf8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xafa0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb000	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb014	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb044	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb084	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb0b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb0ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb120	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb154	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb188	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb260	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb294	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb2c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb31c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb350	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb448	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb518	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb5c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb65c	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xb744	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb760	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb7a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb840	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb8a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb8c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb900	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb938	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb970	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb9b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb9e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xba20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xba58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xba9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbad4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbb8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbbf8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbc70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc608	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc73c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcbdc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcc1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcd44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcd5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xce00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xceb8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcf78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd01c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd100	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd190	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd268	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd34c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd36c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd388	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd548	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd600	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd6ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd7f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xddd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xde90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdee4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdf50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe224	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe28c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe314	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe320	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe32c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe354	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe368	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe39c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe3b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe3c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe458	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe4b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe51c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe530	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe760	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe78c	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xe7c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe7f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe808	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe83c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe868	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe8a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe98c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xed30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xeeee4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xef04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf20c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf274	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf2a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf37c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf3ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf488	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf544	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf6cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf8d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfa04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfab0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfac0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfb20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfb40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfb50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfb94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfbe0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfc30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfe0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfe30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfeac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xffa4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xffc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10374	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x103ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x103f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10404	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10438	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10478	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x105bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10614	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x106c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x106f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10790	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x107b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10818	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1092c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10a70	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8144	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19008	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x819c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19004	0	NOTYPE	<unknown>	DEFAULT	8
\$d			.symtab	0x19088	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x81e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x84d8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19320	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1908c	0	NOTYPE	<unknown>	DEFAULT	12

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x86c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8774	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8840	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x88fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8a6c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8af4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8c08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8cdc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8dc4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8ed0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8f50	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19424	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x9004	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x90c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9228	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9334	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9504	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x95e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9ab8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x190b4	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x9db8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa5d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa844	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xad64	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xae44	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xaf84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb434	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb510	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb5c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10c0c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xb730	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb758	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb790	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb8fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb934	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb96c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb9b0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xba1c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xba54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xba98	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbad0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbb84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc5ec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x190bc	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0xc724	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcbc0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcc14	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcd30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x190d4	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0xcde4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xce9c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcf5c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd000	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x190ec	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x19184	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0xd0f8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd18c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd25c	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$.d			.symtab	0xd344	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x10c24	0	NOTYPE	<unknown>	DEFAULT	4
\$.d			.symtab	0xd540	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xd5e0	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x19198	0	NOTYPE	<unknown>	DEFAULT	12
\$.d			.symtab	0xd6a8	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xd7d4	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xddac	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xde7c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xdedc	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xdf40	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xe1e4	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x191b0	0	NOTYPE	<unknown>	DEFAULT	12
\$.d			.symtab	0xe308	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xe34c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xe514	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x191bc	0	NOTYPE	<unknown>	DEFAULT	12
\$.d			.symtab	0xe978	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x1d448	0	NOTYPE	<unknown>	DEFAULT	13
\$.d			.symtab	0xed28	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xeec4	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xf1d8	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xf26c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xf2a0	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xf368	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x191f8	0	NOTYPE	<unknown>	DEFAULT	12
\$.d			.symtab	0x191c4	0	NOTYPE	<unknown>	DEFAULT	12
\$.d			.symtab	0x10fa4	0	NOTYPE	<unknown>	DEFAULT	4
\$.d			.symtab	0xf474	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xf530	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xf6a0	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xf8b4	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xf9fc	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xfd14	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xfe04	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xfea8	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0xff9c	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x10358	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x103a0	0	NOTYPE	<unknown>	DEFAULT	2
\$.d			.symtab	0x103f0	0	NOTYPE	<unknown>	DEFAULT	2
\$.t			.symtab	0x80d0	0	NOTYPE	<unknown>	DEFAULT	2
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
C.1.3506			.symtab	0x10c0c	24	OBJECT	<unknown>	DEFAULT	4
Laligned			.symtab	0xfae8	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0xfb04	0	NOTYPE	<unknown>	DEFAULT	2
Q			.symtab	0x1942c	16384	OBJECT	<unknown>	DEFAULT	13
_Exit			.symtab	0xe83c	44	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x19010	0	OBJECT	<unknown>	HIDDEN	11
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b			.symtab	0x191bc	4	OBJECT	<unknown>	DEFAULT	12

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x10ca2	768	OBJECT	<unknown>	DEFAULT	4
__EH_FRAME_BEGIN__			.symtab	0x19000	0	OBJECT	<unknown>	DEFAULT	7
__FRAME_END__			.symtab	0x19000	0	OBJECT	<unknown>	DEFAULT	7
__Gl__C_ctype_b			.symtab	0x191bc	4	OBJECT	<unknown>	HIDDEN	12
__Gl__ctype_b			.symtab	0x191c0	4	OBJECT	<unknown>	HIDDEN	12
__Gl__errno_location			.symtab	0xb744	28	FUNC	<unknown>	HIDDEN	2
__Gl__fcntl_nocancel			.symtab	0xb1f4	108	FUNC	<unknown>	HIDDEN	2
__Gl__fgetc_unlocked			.symtab	0xf8d8	300	FUNC	<unknown>	HIDDEN	2
__Gl__libc_fcntl			.symtab	0xb188	108	FUNC	<unknown>	HIDDEN	2
__Gl__sigaddset			.symtab	0xbbb0	36	FUNC	<unknown>	HIDDEN	2
__Gl__sigdelset			.symtab	0xbbd4	36	FUNC	<unknown>	HIDDEN	2
__Gl__sigismember			.symtab	0xbb8c	36	FUNC	<unknown>	HIDDEN	2
__Gl__uClibc_fini			.symtab	0xde14	124	FUNC	<unknown>	HIDDEN	2
__Gl__uClibc_init			.symtab	0xdee4	108	FUNC	<unknown>	HIDDEN	2
__Gl__exit			.symtab	0xe83c	44	FUNC	<unknown>	HIDDEN	2
__Gl_abort			.symtab	0xcc1c	296	FUNC	<unknown>	HIDDEN	2
__Gl_atoi			.symtab	0xd34c	32	FUNC	<unknown>	HIDDEN	2
__Gl_bind			.symtab	0xb8c8	56	FUNC	<unknown>	HIDDEN	2
__Gl_brk			.symtab	0x103ac	76	FUNC	<unknown>	HIDDEN	2
__Gl_clock_getres			.symtab	0xe368	52	FUNC	<unknown>	HIDDEN	2
__Gl_close			.symtab	0xb31c	52	FUNC	<unknown>	HIDDEN	2
__Gl_closedir			.symtab	0xb350	248	FUNC	<unknown>	HIDDEN	2
__Gl_config_close			.symtab	0xecb4	52	FUNC	<unknown>	HIDDEN	2
__Gl_config_open			.symtab	0xece8	72	FUNC	<unknown>	HIDDEN	2
__Gl_config_read			.symtab	0xe98c	808	FUNC	<unknown>	HIDDEN	2
__Gl_connect			.symtab	0xb900	56	FUNC	<unknown>	HIDDEN	2
__Gl_errno			.symtab	0x1d448	4	OBJECT	<unknown>	HIDDEN	13
__Gl_exit			.symtab	0xd548	184	FUNC	<unknown>	HIDDEN	2
__Gl_fclose			.symtab	0xed30	436	FUNC	<unknown>	HIDDEN	2
__Gl_fcntl			.symtab	0xb188	108	FUNC	<unknown>	HIDDEN	2
__Gl_fflush_unlocked			.symtab	0xf6cc	524	FUNC	<unknown>	HIDDEN	2
__Gl_fgetc			.symtab	0xf3ac	220	FUNC	<unknown>	HIDDEN	2
__Gl_fgetc_unlocked			.symtab	0xf8d8	300	FUNC	<unknown>	HIDDEN	2
__Gl_fgets			.symtab	0xf488	188	FUNC	<unknown>	HIDDEN	2
__Gl_fgets_unlocked			.symtab	0xfa04	160	FUNC	<unknown>	HIDDEN	2
__Gl_fopen			.symtab	0xeeee4	32	FUNC	<unknown>	HIDDEN	2
__Gl_fork			.symtab	0xb084	52	FUNC	<unknown>	HIDDEN	2
__Gl_fstat			.symtab	0xe458	88	FUNC	<unknown>	HIDDEN	2
__Gl_getc_unlocked			.symtab	0xf8d8	300	FUNC	<unknown>	HIDDEN	2
__Gl_getdtablesize			.symtab	0xe760	44	FUNC	<unknown>	HIDDEN	2
__Gl_getegid			.symtab	0xe39c	20	FUNC	<unknown>	HIDDEN	2
__Gl_geteuid			.symtab	0xe3b0	20	FUNC	<unknown>	HIDDEN	2
__Gl_getgid			.symtab	0xe51c	20	FUNC	<unknown>	HIDDEN	2
__Gl_getpagesize			.symtab	0xe32c	40	FUNC	<unknown>	HIDDEN	2
__Gl_getpid			.symtab	0xb000	20	FUNC	<unknown>	HIDDEN	2
__Gl_getrlimit			.symtab	0x10404	52	FUNC	<unknown>	HIDDEN	2
__Gl_getsockname			.symtab	0xb938	56	FUNC	<unknown>	HIDDEN	2
__Gl_gettimeofday			.symtab	0xb154	52	FUNC	<unknown>	HIDDEN	2
__Gl_getuid			.symtab	0xe354	20	FUNC	<unknown>	HIDDEN	2
__Gl_h_errno			.symtab	0x1d44c	4	OBJECT	<unknown>	HIDDEN	13
__Gl_htonl			.symtab	0xb850	32	FUNC	<unknown>	HIDDEN	2
__Gl_htons			.symtab	0xb840	16	FUNC	<unknown>	HIDDEN	2
__Gl_inet_addr			.symtab	0xb8a0	40	FUNC	<unknown>	HIDDEN	2
__Gl_inet_aton			.symtab	0xfeac	248	FUNC	<unknown>	HIDDEN	2
__Gl_initstate_r			.symtab	0xd268	228	FUNC	<unknown>	HIDDEN	2
__Gl_ioctl			.symtab	0xb2c8	84	FUNC	<unknown>	HIDDEN	2
__Gl_isatty			.symtab	0xfe0c	36	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_kill			.symtab	0xb120	52	FUNC	<unknown>	HIDDEN	2
__GI_listen			.symtab	0xb9b4	52	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x107b4	100	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0xfb40	4	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0xfab0	4	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x10790	36	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0xb7a0	156	FUNC	<unknown>	HIDDEN	2
__GI_mmap			.symtab	0xe224	104	FUNC	<unknown>	HIDDEN	2
__GI_mremap			.symtab	0x10438	64	FUNC	<unknown>	HIDDEN	2
__GI_munmap			.symtab	0xe78c	52	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0xe7c0	52	FUNC	<unknown>	HIDDEN	2
__GI_ntohl			.symtab	0xb880	32	FUNC	<unknown>	HIDDEN	2
__GI_ntohs			.symtab	0xb870	16	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0xafa0	96	FUNC	<unknown>	HIDDEN	2
__GI_opendir			.symtab	0xb518	172	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0xffa4	28	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0xcd5c	164	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0xd100	144	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0xb0ec	52	FUNC	<unknown>	HIDDEN	2
__GI_readdir			.symtab	0xb65c	232	FUNC	<unknown>	HIDDEN	2
__GI_readdir64			.symtab	0xe8a0	236	FUNC	<unknown>	HIDDEN	2
__GI_readlink			.symtab	0xb0b8	52	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0xb9e8	56	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0xe4b0	108	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0xba20	56	FUNC	<unknown>	HIDDEN	2
__GI_setsid			.symtab	0xb294	52	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0xba58	68	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0xd01c	228	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0xe28c	136	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0xbad4	184	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0xe868	56	FUNC	<unknown>	HIDDEN	2
__GI_sleep			.symtab	0xd600	172	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0xba9c	56	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0xd190	216	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0xfd1c	240	FUNC	<unknown>	HIDDEN	2
__GI_strchrnul			.symtab	0xfc30	236	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0xfb20	28	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0xfb20	28	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0xfb50	68	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0xfac0	96	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0xfbe0	80	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0xfb94	76	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0xd36c	28	FUNC	<unknown>	HIDDEN	2
__GI_sysconf			.symtab	0xd7f8	1496	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0xfe30	124	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0xb014	48	FUNC	<unknown>	HIDDEN	2
__GI_times			.symtab	0xe7f4	20	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0xb260	52	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x1900c	0	OBJECT	<unknown>	DEFAULT	10
__JCR_LIST__			.symtab	0x1900c	0	OBJECT	<unknown>	DEFAULT	10
__aeabi_idiv			.symtab	0x1092c	0	FUNC	<unknown>	HIDDEN	2
__aeabi_idivmod			.symtab	0x10a58	24	FUNC	<unknown>	HIDDEN	2
__aeabi_uidiv			.symtab	0x10818	0	FUNC	<unknown>	HIDDEN	2
__aeabi_uidivmod			.symtab	0x10914	24	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr0			.symtab	0x103f8	4	FUNC	<unknown>	DEFAULT	2
__aeabi_unwind_cpp_pr1			.symtab	0x103fc	4	FUNC	<unknown>	DEFAULT	2
__aeabi_unwind_cpp_pr2			.symtab	0x10400	4	FUNC	<unknown>	DEFAULT	2
__app_fini			.symtab	0x1d440	4	OBJECT	<unknown>	HIDDEN	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__atexit_lock			.symtab	0x19198	24	OBJECT	<unknown>	DEFAULT	12
__bss_end__			.symtab	0x1f7fc	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x19300	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x19300	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0xde90	84	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x191c0	4	OBJECT	<unknown>	DEFAULT	12
__curbrk			.symtab	0x1f458	4	OBJECT	<unknown>	HIDDEN	13
__data_start			.symtab	0x19084	0	NOTYPE	<unknown>	DEFAULT	12
__default_rt_sa_restorer			.symtab	0xe324	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0xe318	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__div0			.symtab	0x10a70	20	FUNC	<unknown>	HIDDEN	2
__divsi3			.symtab	0x1092c	300	FUNC	<unknown>	HIDDEN	2
__do_global_dtors_aux			.symtab	0x810c	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux_fini_array_entry			.symtab	0x19008	0	OBJECT	<unknown>	DEFAULT	9
__dso_handle			.symtab	0x19084	0	OBJECT	<unknown>	HIDDEN	12
__end__			.symtab	0x1f7fc	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x1d438	4	OBJECT	<unknown>	DEFAULT	13
__errno_location			.symtab	0xb744	28	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exidx_end			.symtab	0x10fe4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exidx_start			.symtab	0x10fd4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x1d430	4	OBJECT	<unknown>	HIDDEN	13
__fcntl_nocancel			.symtab	0xb1f4	108	FUNC	<unknown>	DEFAULT	2
__fgetc_unlocked			.symtab	0xf8d8	300	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x1900c	0	NOTYPE	<unknown>	HIDDEN	9
__fini_array_start			.symtab	0x19008	0	NOTYPE	<unknown>	HIDDEN	9
__frame_dummy_init_array_entry			.symtab	0x19004	0	OBJECT	<unknown>	DEFAULT	8
__getdents			.symtab	0xe3c4	148	FUNC	<unknown>	HIDDEN	2
__getdents64			.symtab	0x10478	324	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0xe32c	40	FUNC	<unknown>	DEFAULT	2
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__init_array_end			.symtab	0x19008	0	NOTYPE	<unknown>	HIDDEN	8
__init_array_start			.symtab	0x19004	0	NOTYPE	<unknown>	HIDDEN	8
__libc_close			.symtab	0xb31c	52	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0xb900	56	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0xb188	108	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0xb084	52	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x107b4	100	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0xe7c0	52	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0xafaa0	96	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0xb0ec	52	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0xb9e8	56	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0xba20	56	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0xe28c	136	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x1d434	4	OBJECT	<unknown>	DEFAULT	13
__libc_write			.symtab	0xb260	52	FUNC	<unknown>	DEFAULT	2
__malloc Consolidate			.symtab	0xc7ec	436	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0xbc70	120	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x190bc	24	OBJECT	<unknown>	DEFAULT	12
__malloc_state			.symtab	0x1f47c	888	OBJECT	<unknown>	DEFAULT	13
__malloc_trim			.symtab	0xc73c	176	FUNC	<unknown>	DEFAULT	2
__pagesize			.symtab	0x1d43c	4	OBJECT	<unknown>	DEFAULT	13
__preinit_array_end			.symtab	0x19004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x19004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__progname			.symtab	0x191b4	4	OBJECT	<unknown>	DEFAULT	12

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__progrname_full			.symtab	0x191b8	4	OBJECT	<unknown>	DEFAULT	12
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0xdd8	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0xdd0	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0xdd0	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0xdd0	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0xdd0	8	FUNC	<unknown>	DEFAULT	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__rtld_fini			.symtab	0x1d444	4	OBJECT	<unknown>	HIDDEN	13
__sigaddset			.symtab	0xbbb0	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0bbd4	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0xbb8c	36	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x19204	4	OBJECT	<unknown>	DEFAULT	12
__stdio_READ			.symtab	0x105bc	88	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x10614	180	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0xf274	52	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.4636			.symtab	0x10fa4	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x106c8	48	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x106f8	152	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0xf37c	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x19208	4	OBJECT	<unknown>	DEFAULT	12
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0xe808	52	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__sysv_signal			.symtab	0xbbf8	120	FUNC	<unknown>	DEFAULT	2
_uClibc_fini			.symtab	0xde14	124	FUNC	<unknown>	DEFAULT	2
_uClibc_init			.symtab	0xdee4	108	FUNC	<unknown>	DEFAULT	2
_uClibc_main			.symtab	0xdf50	724	FUNC	<unknown>	DEFAULT	2
_uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_progrname			.symtab	0x191b0	4	OBJECT	<unknown>	HIDDEN	12
_udivsi3			.symtab	0x10818	252	FUNC	<unknown>	HIDDEN	2
_xstat32_conv			.symtab	0xe5fc	172	FUNC	<unknown>	HIDDEN	2
_xstat64_conv			.symtab	0xe530	204	FUNC	<unknown>	HIDDEN	2
_xstat_conv			.symtab	0xe6a8	184	FUNC	<unknown>	HIDDEN	2
_atoi			.symtab	0xae48	136	FUNC	<unknown>	DEFAULT	2
_bss_end__			.symtab	0x1f7fc	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_call_via_fp			.symtab	0x80fd	4	FUNC	<unknown>	HIDDEN	2
_call_via_ip			.symtab	0x8101	4	FUNC	<unknown>	HIDDEN	2
_call_via_lr			.symtab	0x8109	4	FUNC	<unknown>	HIDDEN	2
_call_via_r0			.symtab	0x80d1	4	FUNC	<unknown>	HIDDEN	2
_call_via_r1			.symtab	0x80d5	4	FUNC	<unknown>	HIDDEN	2
_call_via_r2			.symtab	0x80d9	4	FUNC	<unknown>	HIDDEN	2
_call_via_r3			.symtab	0x80dd	4	FUNC	<unknown>	HIDDEN	2
_call_via_r4			.symtab	0x80e1	4	FUNC	<unknown>	HIDDEN	2
_call_via_r5			.symtab	0x80e5	4	FUNC	<unknown>	HIDDEN	2
_call_via_r6			.symtab	0x80e9	4	FUNC	<unknown>	HIDDEN	2
_call_via_r7			.symtab	0x80ed	4	FUNC	<unknown>	HIDDEN	2
_call_via_r8			.symtab	0x80f1	4	FUNC	<unknown>	HIDDEN	2
_call_via_r9			.symtab	0x80f5	4	FUNC	<unknown>	HIDDEN	2
_call_via_sl			.symtab	0x80f9	4	FUNC	<unknown>	HIDDEN	2
_call_via_sp			.symtab	0x8105	4	FUNC	<unknown>	HIDDEN	2
_dl_aux_init			.symtab	0x10374	56	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x1f7f4	4	OBJECT	<unknown>	DEFAULT	13
_dl_phnum			.symtab	0x1f7f8	4	OBJECT	<unknown>	DEFAULT	13
_edata			.symtab	0x19300	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x1f7fc	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x1d448	4	OBJECT	<unknown>	DEFAULT	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_exit			.symtab	0xe83c	44	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x10a84	0	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x1d458	8192	OBJECT	<unknown>	DEFAULT	13
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x1d44c	4	OBJECT	<unknown>	DEFAULT	13
_init			.symtab	0x80b4	0	FUNC	<unknown>	DEFAULT	1
_memcpy			.symtab	0x9ef4	124	FUNC	<unknown>	DEFAULT	2
_memmove			.symtab	0x9f70	160	FUNC	<unknown>	DEFAULT	2
_memset			.symtab	0xa010	104	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0xddde8	44	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0xddde0	8	FUNC	<unknown>	DEFAULT	2
_read			.symtab	0xad70	180	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_sigintr			.symtab	0x1f474	8	OBJECT	<unknown>	HIDDEN	13
_start			.symtab	0x81b0	0	FUNC	<unknown>	DEFAULT	2
_startswith			.symtab	0xa2b0	148	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0xef04	776	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0xf20c	104	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x1920c	4	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_add_lock			.symtab	0x191c4	24	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_dec_use			.symtab	0xf544	392	FUNC	<unknown>	HIDDEN	2
_stdio_openlist_del_count			.symtab	0x1d454	4	OBJECT	<unknown>	DEFAULT	13
_stdio_openlist_del_lock			.symtab	0x191dc	24	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_use_count			.symtab	0x1d450	4	OBJECT	<unknown>	DEFAULT	13
_stdio_streams			.symtab	0x19210	240	OBJECT	<unknown>	DEFAULT	12
_stdio_term			.symtab	0xf2a8	212	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x191f4	4	OBJECT	<unknown>	DEFAULT	12
_stdlib_strto_l			.symtab	0xd388	448	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_strcat			.symtab	0xa0f4	148	FUNC	<unknown>	DEFAULT	2
_strcmp			.symtab	0x9e20	212	FUNC	<unknown>	DEFAULT	2
_strcpy			.symtab	0xa078	124	FUNC	<unknown>	DEFAULT	2
_strdup			.symtab	0xa188	88	FUNC	<unknown>	DEFAULT	2
_strlen			.symtab	0x9dc8	88	FUNC	<unknown>	DEFAULT	2
_strstr			.symtab	0xa1e0	208	FUNC	<unknown>	DEFAULT	2
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0xcc1c	296	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
add_to_kill			.symtab	0x8ce0	232	FUNC	<unknown>	DEFAULT	2
add_to_list			.symtab	0x8f60	168	FUNC	<unknown>	DEFAULT	2
aeabi_unwind_cpp_pr1.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
alphanum			.symtab	0x10ba0	63	OBJECT	<unknown>	DEFAULT	4
atoi			.symtab	0xd34c	32	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0xd34c	32	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_checksum			.symtab	0xa698	232	FUNC	<unknown>	DEFAULT	2
been_there_done_that			.symtab	0x1d42c	4	OBJECT	<unknown>	DEFAULT	13
bind			.symtab	0xb8c8	56	FUNC	<unknown>	DEFAULT	2
bind.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x103ac	76	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0xbad4	184	FUNC	<unknown>	DEFAULT	2
c			.symtab	0x190b4	4	OBJECT	<unknown>	DEFAULT	12
calloc			.symtab	0xc608	308	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
check_connection			.symtab	0xa42c	148	FUNC	<unknown>	DEFAULT	2
check_fds			.symtab	0x8904	368	FUNC	<unknown>	DEFAULT	2
check_for_contradband			.symtab	0x8848	188	FUNC	<unknown>	DEFAULT	2
check_pid			.symtab	0x90cc	136	FUNC	<unknown>	DEFAULT	2
check_realpath			.symtab	0x877c	204	FUNC	<unknown>	DEFAULT	2
check_whitelisted			.symtab	0x86cc	176	FUNC	<unknown>	DEFAULT	2
checksum_generic			.symtab	0xa90c	216	FUNC	<unknown>	DEFAULT	2
checksum_tcpudp			.symtab	0xa9e4	416	FUNC	<unknown>	DEFAULT	2
clear_and_set_fd			.symtab	0xa4c0	148	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0xb760	52	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
clock_getres			.symtab	0xe368	52	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0xb31c	52	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close_fds			.symtab	0xa3fc	48	FUNC	<unknown>	DEFAULT	2
closedir			.symtab	0xb350	248	FUNC	<unknown>	DEFAULT	2
closedir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
compare_realpaths			.symtab	0x8af8	284	FUNC	<unknown>	DEFAULT	2
completed.4959			.symtab	0x19300	1	OBJECT	<unknown>	DEFAULT	13
confails.2346			.symtab	0x1931c	4	OBJECT	<unknown>	DEFAULT	13
connect			.symtab	0xb900	56	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connection			.symtab	0x82d8	532	FUNC	<unknown>	DEFAULT	2
connection.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connection_failed			.symtab	0xa554	128	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0xa854	184	FUNC	<unknown>	DEFAULT	2
data_start			.symtab	0x19088	0	NOTYPE	<unknown>	DEFAULT	12
delete_list			.symtab	0x8a74	132	FUNC	<unknown>	DEFAULT	2
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ensure			.symtab	0x81ec	236	FUNC	<unknown>	DEFAULT	2
environ			.symtab	0x1d438	4	OBJECT	<unknown>	DEFAULT	13
errno			.symtab	0x1d448	4	OBJECT	<unknown>	DEFAULT	13
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0xd548	184	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fclose			.symtab	0xed30	436	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0xb188	108	FUNC	<unknown>	DEFAULT	2
fd_to_DIR			.symtab	0xb448	208	FUNC	<unknown>	DEFAULT	2
fdopendir			.symtab	0xb5c4	152	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0xf6cc	524	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc			.symtab	0xf3ac	220	FUNC	<unknown>	DEFAULT	2
fgetc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0xf8d8	300	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0xf488	188	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0xfa04	160	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
flood.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fopen			.symtab	0xeeee4	32	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0xb084	52	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
frame_dummy			.symtab	0x8150	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0xc9a0	572	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fstat			.symtab	0xe458	88	FUNC	<unknown>	DEFAULT	2
fstat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc			.symtab	0xf3ac	220	FUNC	<unknown>	DEFAULT	2
getc_unlocked			.symtab	0xf8d8	300	FUNC	<unknown>	DEFAULT	2
getdents.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdents64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdtablesize			.symtab	0xe760	44	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0xe39c	20	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0xe3b0	20	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0xe51c	20	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0xe32c	40	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0xb000	20	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0xaf8c	20	FUNC	<unknown>	DEFAULT	2
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x10404	52	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0xb938	56	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0xb970	68	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gettimeofday			.symtab	0xb154	52	FUNC	<unknown>	DEFAULT	2
gettimeofday.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0xe354	20	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h_errno			.symtab	0x1d44c	4	OBJECT	<unknown>	DEFAULT	13
htonl			.symtab	0xb850	32	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0xb840	16	FUNC	<unknown>	DEFAULT	2
i.3332			.symtab	0x190b8	4	OBJECT	<unknown>	DEFAULT	12
index			.symtab	0xfd1c	240	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0xb8a0	40	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0xfeac	248	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0xceb8	192	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0xd268	228	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0xb2c8	84	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0xfe0c	36	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
k_head			.symtab	0x19320	4	OBJECT	<unknown>	DEFAULT	13
kill			.symtab	0xb120	52	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill_list			.symtab	0x8c14	204	FUNC	<unknown>	DEFAULT	2
killer.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer_init			.symtab	0x8ed4	140	FUNC	<unknown>	DEFAULT	2
killer_kill			.symtab	0x869c	48	FUNC	<unknown>	DEFAULT	2
killer_pid			.symtab	0x1f460	4	OBJECT	<unknown>	DEFAULT	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
killer_send_result			.symtab	0x867c	32	FUNC	<unknown>	DEFAULT	2
killer_that_kills			.symtab	0x8dc8	268	FUNC	<unknown>	DEFAULT	2
l_head			.symtab	0x19424	4	OBJECT	<unknown>	DEFAULT	13
last.1531			.symtab	0x19428	4	OBJECT	<unknown>	DEFAULT	13
libc/string/arm/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memmove.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/strcmp.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/strlen.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/sigrestorer.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listen			.symtab	0xb9b4	52	FUNC	<unknown>	DEFAULT	2
listen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
locker.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
locker_init			.symtab	0x922c	36	FUNC	<unknown>	DEFAULT	2
locker_that_locks			.symtab	0x9154	216	FUNC	<unknown>	DEFAULT	2
lseek64			.symtab	0x107b4	100	FUNC	<unknown>	DEFAULT	2
main			.symtab	0x9250	240	FUNC	<unknown>	DEFAULT	2
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc			.symtab	0xbce8	2336	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0xcbdc	64	FUNC	<unknown>	DEFAULT	2
memcpy			.symtab	0xfb40	4	FUNC	<unknown>	DEFAULT	2
memmove			.symtab	0xfab0	4	FUNC	<unknown>	DEFAULT	2
mempcpy			.symtab	0x10790	36	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0xb7a0	156	FUNC	<unknown>	DEFAULT	2
mmap			.symtab	0xe224	104	FUNC	<unknown>	DEFAULT	2
mmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mremap			.symtab	0x10438	64	FUNC	<unknown>	DEFAULT	2
mremap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
munmap			.symtab	0xe78c	52	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x190d4	24	OBJECT	<unknown>	DEFAULT	12
mylock			.symtab	0x190ec	24	OBJECT	<unknown>	DEFAULT	12
nanosleep			.symtab	0xe7c0	52	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
nprocessors_onln			.symtab	0xd6ac	332	FUNC	<unknown>	DEFAULT	2
ntohl			.symtab	0xb880	32	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0xb870	16	FUNC	<unknown>	DEFAULT	2
object.4967			.symtab	0x19304	24	OBJECT	<unknown>	DEFAULT	13
open			.symtab	0xafaf	96	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opendir			.symtab	0xb518	172	FUNC	<unknown>	DEFAULT	2
opendir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
parse_config.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
parser			.symtab	0x9340	464	FUNC	<unknown>	DEFAULT	2
parser.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ping_watchdog			.symtab	0xaed0	188	FUNC	<unknown>	DEFAULT	2
prctl			.symtab	0xb044	64	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
program_invocation_name			.symtab	0x191b8	4	OBJECT	<unknown>	DEFAULT	12
program_invocation_short_name			.symtab	0x191b4	4	OBJECT	<unknown>	DEFAULT	12
raise			.symtab	0xffaf	28	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0xcd44	24	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_alphanum			.symtab	0x9510	220	FUNC	<unknown>	DEFAULT	2
rand_cmw			.symtab	0xac2c	324	FUNC	<unknown>	DEFAULT	2
rand_init			.symtab	0x9d34	148	FUNC	<unknown>	DEFAULT	2
rand_next			.symtab	0xa780	212	FUNC	<unknown>	DEFAULT	2
random			.symtab	0xcd5c	164	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x10c24	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0xd100	144	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x19104	128	OBJECT	<unknown>	DEFAULT	12
read			.symtab	0xb0ec	52	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readdir			.symtab	0xb65c	232	FUNC	<unknown>	DEFAULT	2
readdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readdir64			.symtab	0xe8a0	236	FUNC	<unknown>	DEFAULT	2
readdir64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readlink			.symtab	0xb0b8	52	FUNC	<unknown>	DEFAULT	2
readlink.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0xffc0	948	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0xb9e8	56	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
remove_newline			.symtab	0xab84	168	FUNC	<unknown>	DEFAULT	2
return_arch			.symtab	0xae24	36	FUNC	<unknown>	DEFAULT	2
rindex			.symtab	0xfbe0	80	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0xe4b0	108	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
search_list			.symtab	0x9008	196	FUNC	<unknown>	DEFAULT	2
self_name			.symtab	0x1f45c	4	OBJECT	<unknown>	DEFAULT	13
self_realpath			.symtab	0x19324	256	OBJECT	<unknown>	DEFAULT	13
send			.symtab	0xba20	56	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
set_signals			.symtab	0xa3c0	60	FUNC	<unknown>	DEFAULT	2
setsid			.symtab	0xb294	52	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0xba58	68	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0xce00	184	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0xd01c	228	FUNC	<unknown>	DEFAULT	2
setup_connection			.symtab	0xa344	124	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0xe28c	136	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0xbad4	184	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0xe868	56	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0xd600	172	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0xba9c	56	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0xcf78	164	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0xcf78	164	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0xd190	216	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
stderr			.symtab	0x19200	4	OBJECT	<unknown>	DEFAULT	12
stdin			.symtab	0x191f8	4	OBJECT	<unknown>	DEFAULT	12
stdout			.symtab	0x191fc	4	OBJECT	<unknown>	DEFAULT	12
strchr			.symtab	0xfd1c	240	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchrnul			.symtab	0xfc30	236	FUNC	<unknown>	DEFAULT	2
strchrnul.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0xfb20	28	FUNC	<unknown>	DEFAULT	2
strcoll			.symtab	0xfb20	28	FUNC	<unknown>	DEFAULT	2
strcspn			.symtab	0xfb50	68	FUNC	<unknown>	DEFAULT	2
strcspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strlen			.symtab	0xfac0	96	FUNC	<unknown>	DEFAULT	2
strrchr			.symtab	0xfbe0	80	FUNC	<unknown>	DEFAULT	2
strrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0xfb94	76	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0xd36c	28	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sysconf			.symtab	0xd7f8	1496	FUNC	<unknown>	DEFAULT	2
sysconf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sysv_signal			.symtab	0xbbf8	120	FUNC	<unknown>	DEFAULT	2
sysv_signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcgetattr			.symtab	0xfe30	124	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
time			.symtab	0xb014	48	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
times			.symtab	0xe7f4	20	FUNC	<unknown>	DEFAULT	2
times.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
udp			.symtab	0x8544	312	FUNC	<unknown>	DEFAULT	2
unsafe_state			.symtab	0x19184	20	OBJECT	<unknown>	DEFAULT	12
util.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util_isalpha			.symtab	0x9c6c	112	FUNC	<unknown>	DEFAULT	2
util_isdigit			.symtab	0x9cdc	88	FUNC	<unknown>	DEFAULT	2
util_local_addr			.symtab	0xa5d4	196	FUNC	<unknown>	DEFAULT	2
util_memcpy			.symtab	0x974c	132	FUNC	<unknown>	DEFAULT	2
util_memset			.symtab	0x986c	112	FUNC	<unknown>	DEFAULT	2
util_strcat			.symtab	0x981c	80	FUNC	<unknown>	DEFAULT	2
util_strcmp			.symtab	0x9678	212	FUNC	<unknown>	DEFAULT	2
util_strcpy			.symtab	0x97d0	76	FUNC	<unknown>	DEFAULT	2
util_strlen			.symtab	0x95ec	140	FUNC	<unknown>	DEFAULT	2
util_strncmp			.symtab	0x9abc	192	FUNC	<unknown>	DEFAULT	2
util_strstr			.symtab	0x9b7c	240	FUNC	<unknown>	DEFAULT	2
util_strtok			.symtab	0x9a7c	64	FUNC	<unknown>	DEFAULT	2
util_strtok_r			.symtab	0x98dc	416	FUNC	<unknown>	DEFAULT	2
utils.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
w			.symtab	0x1f468	4	OBJECT	<unknown>	DEFAULT	13
watch			.symtab	0x84ec	88	FUNC	<unknown>	DEFAULT	2
whitelistpaths			.symtab	0x1908c	40	OBJECT	<unknown>	DEFAULT	12
write			.symtab	0xb260	52	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
x			.symtab	0x1f464	4	OBJECT	<unknown>	DEFAULT	13
xstatconv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
y			.symtab	0x1f470	4	OBJECT	<unknown>	DEFAULT	13
z			.symtab	0x1f46c	4	OBJECT	<unknown>	DEFAULT	13

Network Behavior

Network Port Distribution



Total Packets: 14

- 80 (HTTP)
- 443 (HTTPS)
- 57468 undefined

TCP Packets

System Behavior

Analysis Process: 2VhAzm1AF PID: 6221, Parent PID: 6119

General

Start time:	20:53:56
Start date:	23/05/2022
Path:	/tmp/2VhAzm1AF
Arguments:	/tmp/2VhAzm1AF
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities

File Read

Analysis Process: 2VhAzm1AF PID: 6223, Parent PID: 6221

General

Start time:	20:53:56
Start date:	23/05/2022
Path:	/tmp/2VhAzm1AF
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: 2VhAzm1AF PID: 6225, Parent PID: 6223

General

Start time:	20:53:56
Start date:	23/05/2022
Path:	/tmp/2VhAzm1AF
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities

