

JOeSandbox Cloud BASIC



ID: 635349

Sample Name: ftp

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 19:50:28

Date: 27/05/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report ftp	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Warnings	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Snort Signatures	4
Joe Sandbox Signatures	4
AV Detection	4
Spreading	4
Networking	4
Mitre Att&ck Matrix	4
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	5
Initial Sample	5
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	6
Contacted Domains	6
URLs from Memory and Binaries	6
World Map of Contacted IPs	6
Public IPs	6
Joe Sandbox View / Context	9
IPs	9
Domains	9
ASNs	9
JA3 Fingerprints	9
Dropped Files	9
Created / dropped Files	9
Static File Info	9
General	9
Static ELF Info	10
ELF header	10
Sections	10
Program Segments	10
Symbols	11
Network Behavior	21
Snort IDS Alerts	21
TCP Packets	22
System Behavior	22
Analysis Process: ftp PID: 6231, Parent PID: 6122	22
General	22
File Activities	22
File Read	22
Analysis Process: ftp PID: 6232, Parent PID: 6231	22
General	22
Analysis Process: ftp PID: 6233, Parent PID: 6232	22
General	22
Analysis Process: ftp PID: 6234, Parent PID: 6233	22
General	22

Linux Analysis Report

ftp

Overview

General Information

Sample Name:	ftp
Analysis ID:	635349
MD5:	de4287d3d34ef4..
SHA1:	28d24ea33e1719.
SHA256:	68afe620877b71..
Infos:	


Detection

Score:	64
Range:	0 - 100
Whitelisted:	false

Signatures

Antivirus / Scanner detection for sub...
Snort IDS alert for network traffic
Opens /proc/net/* files useful for fin...
Machine Learning detection for sam...
Sample contains symbols with susp...
Tries to connect to HTTP servers, b...

Classification



Analysis Advice

All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.

General Information	
Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	635349
Start date and time: 27/05/202219:50:28	2022-05-27 19:50:28 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 48s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	ftp
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal64.spre.lin@0/0@0/0

Warnings	
Runtime Messages	
Command:	/tmp/ftp
PID:	6231
Exit Code:	0
Exit Code Info:	
Killed:	False

Standard Output:	BUILD DONGS BUILD DONGS buf: BUILD DONGS buf: PROBING buf: PONG
Standard Error:	

Process Tree

▪ system is Inxubuntu20
◦ ftp (PID: 6231, Parent: 6122, MD5: de4287d3d34ef4007b3324db376be7bf) Arguments: /tmp/ftp
• ftp New Fork (PID: 6232, Parent: 6231)
• ftp New Fork (PID: 6233, Parent: 6232)
• ftp New Fork (PID: 6234, Parent: 6233)
▪ cleanup

Yara Signatures

⊘ No yara matches

Snort Signatures

ETPRO TROJAN ELF/BASHLITE Variant CnC Activity - Source IP: 192.168.2.23 - Destination IP: 45.95.55.12	
Timestamp:	192.168.2.2345.95.55.1257822232840333 05/27/22-19:51:12.996861
SID:	2840333
Source Port:	57822
Destination Port:	23
Protocol:	TCP
Classtype:	A Network Trojan was detected

Joe Sandbox Signatures

AV Detection

Antivirus / Scanner detection for submitted sample

Machine Learning detection for sample

Spreading

Opens /proc/net/* files useful for finding connected devices and routers

Networking

Snort IDS alert for network traffic

Mitre Att&ck Matrix

Source	Detection	Scanner	Label	Link
ftp	100%	Joe Sandbox ML		

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs

Source	Detection	Scanner	Label	Link
http://45.95.55.12/bins.sh;	0%	Avira URL Cloud	safe	


Domains and IPs

Contacted Domains

No contacted domains info

URLs from Memory and Binaries

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
219.204.143.164	unknown	Japan		17676	GIGAINFRASoftbankBBCorpJP	false
170.218.132.197	unknown	United States		11740	PROGRESSIVE-ASUS	false
104.77.51.189	unknown	United States		16625	AKAMAI-ASUS	false
111.96.140.127	unknown	Japan		2516	KDDIKDDICORPORATIONJP	false
48.181.47.70	unknown	United States		2686	ATGS-MMD-ASUS	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
167.153.85.177	unknown	United States		22252	AS22252US	false
191.208.247.217	unknown	Brazil		26599	TELEFONICABRASILSABR	false
31.27.18.75	unknown	Italy		30722	VODAFONE-IT-ASNIT	false
204.101.228.161	unknown	Canada		577	BACOMCA	false
116.97.25.84	unknown	Viet Nam		7552	VIETEL-AS-APViettelGroupVN	false
110.110.110.110	unknown	China		38341	CNNIC-HCENET-APHEXIEInformationtechnologyCoLtdCN	false
184.132.167.220	unknown	United States		5778	CENTURYLINK-LEGACY-EMBARQ-RCMTUS	false
57.35.167.101	unknown	Belgium		2686	ATGS-MMD-ASUS	false
72.72.72.72	unknown	United States		701	UUNETUS	false
37.72.126.109	unknown	Poland		38987	OST-ASPL	false
158.158.158.158	unknown	Singapore		8075	MICROSOFT-CORP-MSN-AS-BLOCKUS	false
180.131.110.64	unknown	Japan		10013	FBDCFreeBitCoLtdJP	false
95.166.80.91	unknown	Denmark		3292	TDCTDCASDK	false
176.127.106.60	unknown	Switzerland		3303	SWISSCOMSwisscomSwitzerlandLtdCH	false
132.61.151.142	unknown	United States		427	AFCONC-BLOCK1-ASUS	false
143.121.253.187	unknown	Netherlands		1103	SURFNET-NLSURFnetTheNetherlandsNL	false
183.183.183.183	unknown	Japan		45684	MIRAINETKyoceraCommunicationSystemsCoLtdJP	false
134.50.98.150	unknown	United States		11252	ISU-NET-ASUS	false
91.69.201.135	unknown	France		15557	LDCOMNETFR	false
179.135.154.163	unknown	Brazil		26599	TELEFONICABRASILSABR	false
162.195.179.131	unknown	United States		7018	ATT-INTERNET4US	false
140.125.169.156	unknown	Taiwan; Republic of China (ROC)		38847	NCHU-AS-TWNationalChungHsingUniversityTW	false
121.114.181.81	unknown	Japan		4713	OCNNTTCommunicationsCorporationJP	false
75.100.111.91	unknown	United States		4181	TDS-ASUS	false
253.210.183.242	unknown	Reserved		unknown	unknown	false
90.75.119.106	unknown	France		12479	UNI2-ASES	false
193.248.231.232	unknown	France		3215	FranceTelecom-OrangeFR	false
52.167.29.39	unknown	United States		8075	MICROSOFT-CORP-MSN-AS-BLOCKUS	false
190.151.198.182	unknown	Colombia		13489	EPMTelecomunicacionesSAESPCO	false
215.163.198.251	unknown	United States		721	DNIC-ASBLK-00721-00726US	false
197.154.127.186	unknown	Ethiopia		37133	airtel-tz-asTZ	false
143.128.67.88	unknown	South Africa		2018	TENET-1ZA	false
186.139.159.174	unknown	Argentina		10318	TelecomArgentinaSAAR	false
99.112.149.123	unknown	United States		7018	ATT-INTERNET4US	false
162.96.159.162	unknown	United States		33274	ASN-FAIRVIEWHEALTHSERVICESUS	false
126.33.18.137	unknown	Japan		17676	GIGAINFRASoftbankBBCorpJP	false
126.82.101.110	unknown	Japan		17676	GIGAINFRASoftbankBBCorpJP	false
101.94.74.117	unknown	China		4812	CHINANET-SH-APChinaTelecomGroupCN	false
118.169.202.178	unknown	Taiwan; Republic of China (ROC)		3462	HINETDataCommunicationBusinessGroupTW	false
57.141.104.49	unknown	Belgium		2686	ATGS-MMD-ASUS	false
155.136.64.123	unknown	United Kingdom		21054	RBSG-UK-ASEdinburghGB	false
137.88.67.21	unknown	United States		14977	STATE-OF-WYOMING-ASNUS	false
82.148.131.62	unknown	Norway		16175	SIGNALNO	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
19.70.103.79	unknown	United States		3	MIT-GATEWAYSUS	false
118.111.178.78	unknown	Japan		2518	BIGLOBEBIGLOBEIncJP	false
170.121.251.172	unknown	United States		17190	WMATAUS	false
114.80.136.38	unknown	China		4812	CHINANET-SH-APChinaTelecomGroupCN	false
153.101.136.189	unknown	China		4837	CHINA169-BACKBONECHINAUNICOMChina169BackboneCN	false
115.248.114.137	unknown	India		18101	RELIANCE-COMMUNICATIONS-INRelianceCommunicationsLtdDAKC	false
211.167.99.73	unknown	China		9812	CNNIC-CN-COLNETOrientalCableNetworkCoLtdCN	false
107.62.181.48	unknown	United States		16567	NETRIX-16567US	false
183.77.94.78	unknown	Japan		4685	ASAHI-NETAsahiNetJP	false
18.126.122.135	unknown	United States		3	MIT-GATEWAYSUS	false
123.37.121.46	unknown	Korea Republic of		6619	SAMUNGSDS-AS-KRSamsungSDSIncKR	false
166.94.177.134	unknown	United States		3926	FFX-CNTYUS	false
170.236.219.150	unknown	Switzerland		11685	HNBCOL-ASUS	false
49.28.93.44	unknown	Korea Republic of		4766	KIXS-AS-KRKoreaTelecomKR	false
59.117.96.89	unknown	Taiwan; Republic of China (ROC)		3462	HINETDataCommunicationBusinessGroupTW	false
173.83.113.116	unknown	United States		46606	UNIFIEDLAYER-AS-1US	false
215.144.234.225	unknown	United States		721	DNIC-ASBLK-00721-00726US	false
154.51.178.111	unknown	United States		174	COGENT-174US	false
117.113.104.161	unknown	China		4847	CNIX-APChinaNetworksInter-ExchangeCN	false
129.23.40.24	unknown	United States		32666	CWRU-AS-1US	false
163.77.161.86	unknown	France		17816	CHINA169-GZChinaUnicomIPnetworkChina169Guangdongprovi	false
217.217.217.217	unknown	Spain		12357	COMUNITELSPAINES	false
76.141.173.214	unknown	United States		7922	COMCAST-7922US	false
141.203.166.125	unknown	Austria		6720	MAGWIENAT	false
146.56.86.89	unknown	Japan		7160	NETDYNAMICSUS	false
59.177.69.121	unknown	India		17813	MTNL-APMahanagarTelephoneNigamLimitedIN	false
195.156.203.187	unknown	Finland		1759	TSF-IP-CORETeliaFinlandOyjEU	false
36.125.148.29	unknown	China		4847	CNIX-APChinaNetworksInter-ExchangeCN	false
79.145.128.59	unknown	Spain		3352	TELEFONICA_DE_ESPANAES	false
92.88.79.136	unknown	France		15557	LDCOMNETFR	false
137.114.114.122	unknown	United States		1767	ILIGHT-NETUS	false
166.123.96.155	unknown	United States		6360	UNIVHAWAIIUS	false
206.151.251.108	unknown	United States		3561	CENTURYLINK-LEGACY-SAVVISUS	false
221.177.196.205	unknown	China		9808	CMNET-GDGuangdongMobileCommunicationCoLtdCN	false
151.217.200.131	unknown	unknown		11003	PANDGUS	false
196.171.226.114	unknown	Togo		24691	TOGOTEL-ASTogoTelecomTogoTG	false
149.162.199.173	unknown	United States		87	INDIANA-ASUS	false
171.229.208.201	unknown	Viet Nam		7552	VIETEL-AS-APViettelGroupVN	false
136.65.155.146	unknown	United States		60311	ONEFMCH	false
49.147.68.127	unknown	Philippines		9299	IPG-AS-APPhilippineLongDistanceTelephoneCompanyPH	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
81.146.66.151	unknown	United Kingdom		2856	BT-UK-ASBTnetUKRegionalnetworkKGB	false
192.89.216.149	unknown	Finland		1759	TSF-IP-CORETeliaFinlandOyjEU	false
94.125.49.16	unknown	Russian Federation		8749	REDCOM-ASRedcomKhabarovskRussiaRU	false
183.105.85.205	unknown	Korea Republic of		4766	KIXS-AS-KRKoreaTelecomKR	false
23.19.10.67	unknown	United States		395954	LEASEWEB-USA-LAX-11US	false
161.222.164.137	unknown	United States		33217	SCHNEIDERUS	false
183.169.101.193	unknown	China		4538	ERX-CERNET-BKBChinaEducationandResearchNetworkCenter	false
144.92.71.149	unknown	United States		59	WISC-MADISON-ASUS	false
100.16.64.116	unknown	United States		701	UUNETUS	false
79.153.124.60	unknown	Spain		3352	TELEFONICA_DE_ESPANAES	false
208.240.175.216	unknown	United States		4208	THE-ISERV-COMPANYUS	false
174.119.219.76	unknown	Canada		812	ROGERS-COMMUNICATIONSCA	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

File type:

ELF 32-bit LSB executable, Intel 80386, version 1 (SYSV), statically linked, not stripped

Entropy (8bit):

6.361203595021241

TrID:	- ELF Executable and Linkable format (Linux) (4029/14) 50.16% - ELF Executable and Linkable format (generic) (4004/1) 49.84%
File name:	ftp
File size:	74492
MD5:	de4287d3d34ef4007b3324db376be7bf
SHA1:	28d24ea33e17190cdd8769960bc48b68a59df8b4
SHA256:	68afe620877b71aa6b93ae6529f0b9bc52d5b28fb8c1c3487cfb9c3c94f05d52
SHA512:	c735c41e5d6e79498d3d0a40d1c573af4708f30807f2804c657d187623a5046e01037142fe01603bff84f1afde3b9fd7e9954471482b293c6fb38e87106e6af8
SSDEEP:	1536:8/4Mws7y6stOSV9zyjeYwMcp5WLfuBs1T2T/O/sFw2U09RLZ5:8/l7x+R9zyjeYwMcmLfGSTu/vFw2d95
TLSH:	51734B45A680D6F7D14306F1069BAFA8033AFD3A1ABBEE85F3587CF48B710847925719
File Content Preview:	.ELF.....d...4.....4. ...(.....@...@.....P...P.....h.....Q.td.....U..S.....w...h...c...[]..\$......U.....= S...t..5....\$P.....\$P.....u.....t...h<O.....

Static ELF Info	
ELF header	
Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	Intel 80386
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x8048164
Flags:	0x0
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	3
Section Header Offset:	56552
Section Header Size:	40
Number of Section Headers:	16
Header String Table Index:	13

Sections										
Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x8048094	0x94	0x1c	0x0	0x6	AX	0	0	1
.text	PROGBITS	0x80480b0	0xb0	0xb088	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x8053138	0xb138	0x17	0x0	0x6	AX	0	0	1
.rodata	PROGBITS	0x8053160	0xb160	0x1ddc	0x0	0x2	A	0	0	32
.eh_frame	PROGBITS	0x8054f3c	0xc3c	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x8055000	0xd000	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x8055008	0xd008	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x8055010	0xd010	0x4	0x0	0x3	WA	0	0	4
.got.plt	PROGBITS	0x8055014	0xd014	0xc	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x8055020	0xd020	0x2fc	0x0	0x3	WA	0	0	32
.bss	NOBITS	0x8055320	0xd31c	0x64e0	0x0	0x3	WA	0	0	32
.comment	PROGBITS	0x0	0xd31c	0x95a	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0xdc76	0x6f	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0xdf68	0x2700	0x10	0x0		15	223	4
.strtab	STRTAB	0x0	0x10668	0x1c94	0x0	0x0		0	0	1

Program Segments											
Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x8048000	0x8048000	0xcf40	0xcf40	3.5983	0x5	R E	0x1000		.init .text .fini .rodata .eh_frame
LOAD	0xd000	0x8055000	0x8055000	0x31c	0x6800	2.4542	0x6	RW	0x1000		.ctors .dtors .jcr .got.plt .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x4		

Symbols									
Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x8048094	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80480b0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x8053138	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x8053160	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x8054f3c	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x8055000	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x8055008	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x8055010	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x8055014	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x8055020	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x8055320	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
Q			.symtab	0x8055360	16384	OBJECT	<unknown>	DEFAULT	11
StartTheLelz			.symtab	0x8049ed3	5394	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x8055014	0	OBJECT	<unknown>	HIDDEN	9
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x8055004	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x8055000	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x80550c0	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x80539a0	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x80550c8	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x8053ca0	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x805500c	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x8055008	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x8054f3c	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x8054f3c	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x80550c0	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_b_data			.symtab	0x80539a0	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x80550c8	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_toupper_data			.symtab	0x8053ca0	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x80550c4	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_toupper			.symtab	0x80550cc	4	OBJECT	<unknown>	HIDDEN	10
__GI__errno_location			.symtab	0x804e76c	6	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x804fa60	29	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x804e274	87	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl64			.symtab	0x804e2cc	63	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x804e4e8	75	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x80515e8	63	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x805165f	64	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x804fa80	183	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x804e30c	40	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x8050b2c	273	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0x80510f8	20	FUNC	<unknown>	HIDDEN	2
__GI__atol			.symtab	0x80510f8	20	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x8052df8	54	FUNC	<unknown>	HIDDEN	2
__GI__chdir			.symtab	0x804e334	46	FUNC	<unknown>	HIDDEN	2
__GI__clock_getres			.symtab	0x80519e4	50	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0x804e364	46	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_connect			.symtab	0x804fc98	43	FUNC	<unknown>	HIDDEN	2
__GI_dup2			.symtab	0x804e394	50	FUNC	<unknown>	HIDDEN	2
__GI_errno			.symtab	0x805b3d4	4	OBJECT	<unknown>	HIDDEN	11
__GI_execl			.symtab	0x80512a8	105	FUNC	<unknown>	HIDDEN	2
__GI_execve			.symtab	0x8051a18	54	FUNC	<unknown>	HIDDEN	2
__GI_exit			.symtab	0x8051240	103	FUNC	<unknown>	HIDDEN	2
__GI_fclose			.symtab	0x8051ce4	265	FUNC	<unknown>	HIDDEN	2
__GI_fcntl			.symtab	0x804e274	87	FUNC	<unknown>	HIDDEN	2
__GI_fcntl64			.symtab	0x804e2cc	63	FUNC	<unknown>	HIDDEN	2
__GI_fdopen			.symtab	0x8051df0	50	FUNC	<unknown>	HIDDEN	2
__GI_fflush_unlocked			.symtab	0x8052a78	321	FUNC	<unknown>	HIDDEN	2
__GI_fork			.symtab	0x804e3c8	38	FUNC	<unknown>	HIDDEN	2
__GI_fputs_unlocked			.symtab	0x804f7fc	51	FUNC	<unknown>	HIDDEN	2
__GI_fseek			.symtab	0x8052e30	27	FUNC	<unknown>	HIDDEN	2
__GI_fseeko64			.symtab	0x8052e4c	227	FUNC	<unknown>	HIDDEN	2
__GI_fwrite_unlocked			.symtab	0x804f830	116	FUNC	<unknown>	HIDDEN	2
__GI_getdtablesize			.symtab	0x804e3f0	37	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0x8051a50	38	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0x8051a78	38	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0x8051aa0	38	FUNC	<unknown>	HIDDEN	2
__GI_getpagesize			.symtab	0x8051ac8	19	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0x804e418	38	FUNC	<unknown>	HIDDEN	2
__GI_getrlimit			.symtab	0x804e440	50	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0x804fcc4	43	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x8051adc	38	FUNC	<unknown>	HIDDEN	2
__GI_h_errno			.symtab	0x805b3d8	4	OBJECT	<unknown>	HIDDEN	11
__GI_inet_addr			.symtab	0x804fc70	37	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x8052d38	148	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa			.symtab	0x804fc5b	21	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa_r			.symtab	0x804fc0c	79	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0x8050f16	171	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0x804e474	63	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x804fb54	29	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0x804e4b4	50	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x80530a4	95	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x8052bbc	35	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x804f8a4	39	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x8052be0	33	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x8052c04	176	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0x804f8cc	21	FUNC	<unknown>	HIDDEN	2
__GI_mmap			.symtab	0x8051958	27	FUNC	<unknown>	HIDDEN	2
__GI_munmap			.symtab	0x8051b04	50	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x8051b38	50	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x804e4e8	75	FUNC	<unknown>	HIDDEN	2
__GI_pipe			.symtab	0x804e54c	46	FUNC	<unknown>	HIDDEN	2
__GI_printf			.symtab	0x804e774	32	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x8052dcc	24	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0x8050c48	72	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x8050e21	95	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x805300c	99	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x804e5bc	54	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0x804fd2c	51	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x8051b6c	78	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0x804e5f4	63	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0x804fd60	51	FUNC	<unknown>	HIDDEN	2
__GI_sendto			.symtab	0x804fd94	67	FUNC	<unknown>	HIDDEN	2
__GI_setsid			.symtab	0x804e634	38	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0x804fdd8	59	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_setstate_r			.symtab	0x8050d88	153	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x8051867	217	FUNC	<unknown>	HIDDEN	2
__Gl_sigaddset			.symtab	0x804fe40	42	FUNC	<unknown>	HIDDEN	2
__Gl_sigemptyset			.symtab	0x804fe6c	25	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x804fe88	175	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x804e65c	85	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0x8051314	393	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0x804fe14	43	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0x8050e80	150	FUNC	<unknown>	HIDDEN	2
__Gl_strcat			.symtab	0x804f8e4	31	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x804f904	30	FUNC	<unknown>	HIDDEN	2
__Gl_strcpy			.symtab	0x804f924	27	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x804f940	19	FUNC	<unknown>	HIDDEN	2
__Gl_strncpy			.symtab	0x804f954	38	FUNC	<unknown>	HIDDEN	2
__Gl_strnlen			.symtab	0x804f97c	25	FUNC	<unknown>	HIDDEN	2
__Gl_strpbrk			.symtab	0x8052d10	39	FUNC	<unknown>	HIDDEN	2
__Gl_strspn			.symtab	0x8053070	50	FUNC	<unknown>	HIDDEN	2
__Gl_strstr			.symtab	0x804f998	198	FUNC	<unknown>	HIDDEN	2
__Gl_strtok			.symtab	0x804fb38	25	FUNC	<unknown>	HIDDEN	2
__Gl_strtok_r			.symtab	0x8052cb4	89	FUNC	<unknown>	HIDDEN	2
__Gl_strtol			.symtab	0x805110c	26	FUNC	<unknown>	HIDDEN	2
__Gl_sysconf			.symtab	0x80514a0	325	FUNC	<unknown>	HIDDEN	2
__Gl_tcgetattr			.symtab	0x804fb74	112	FUNC	<unknown>	HIDDEN	2
__Gl_time			.symtab	0x804e6b4	46	FUNC	<unknown>	HIDDEN	2
__Gl_toupper			.symtab	0x804e74c	29	FUNC	<unknown>	HIDDEN	2
__Gl_vfork			.symtab	0x804e25c	21	FUNC	<unknown>	HIDDEN	2
__Gl_vfprintf			.symtab	0x804eb78	136	FUNC	<unknown>	HIDDEN	2
__Gl_wait4			.symtab	0x8051bbc	59	FUNC	<unknown>	HIDDEN	2
__Gl_waitpid			.symtab	0x804e6e4	26	FUNC	<unknown>	HIDDEN	2
__Gl_wctomb			.symtab	0x8051bf8	68	FUNC	<unknown>	HIDDEN	2
__Gl_wcsnrtombs			.symtab	0x8051c5c	134	FUNC	<unknown>	HIDDEN	2
__Gl_wcsrtombs			.symtab	0x8051c3c	30	FUNC	<unknown>	HIDDEN	2
__Gl_write			.symtab	0x804e700	54	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x8055010	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x8055010	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x805b3c8	4	OBJECT	<unknown>	HIDDEN	11
__atexit_lock			.symtab	0x8055300	24	OBJECT	<unknown>	DEFAULT	10
__bsd_signal			.symtab	0x804fe88	175	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x805531c	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x805162b	52	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x80550c4	4	OBJECT	<unknown>	DEFAULT	10
__ctype_toupper			.symtab	0x80550cc	4	OBJECT	<unknown>	DEFAULT	10
__curbrk			.symtab	0x805b3dc	4	OBJECT	<unknown>	HIDDEN	11
__data_start			.symtab	0x8055028	0	NOTYPE	<unknown>	DEFAULT	10
__deregister_frame_info_bases			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__do_global_ctors_aux			.symtab	0x8053110	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x80480c0	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x8055020	0	OBJECT	<unknown>	HIDDEN	10
__environ			.symtab	0x805b3c0	4	OBJECT	<unknown>	DEFAULT	11
__errno_location			.symtab	0x804e76c	6	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x805b3b8	4	OBJECT	<unknown>	HIDDEN	11
__fini_array_end			.symtab	0x8055000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x8055000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_pc_thunk_bx			.symtab	0x80480b0	0	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x8051ac8	19	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x804fa60	29	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__init_array_end			.symtab	0x8055000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x8055000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__libc_close			.symtab	0x804e364	46	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x804fc98	43	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x804e533	25	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x804e274	87	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x804e2cc	63	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x804e3c8	38	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x804e418	38	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x80530a4	95	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x8051b38	50	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x804e4e8	75	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x804e5bc	54	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x804fd2c	51	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x804e5f4	63	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x804fd60	51	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x804fd94	67	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x8051867	217	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x805b3bc	4	OBJECT	<unknown>	DEFAULT	11
__libc_system			.symtab	0x8050fc4	305	FUNC	<unknown>	DEFAULT	2
__libc_waitpid			.symtab	0x804e6e4	26	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x804e700	54	FUNC	<unknown>	DEFAULT	2
__malloc Consolidate			.symtab	0x80507c5	424	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x804ff9c	38	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x8055210	24	OBJECT	<unknown>	DEFAULT	10
__malloc_state			.symtab	0x805b480	888	OBJECT	<unknown>	DEFAULT	11
__malloc_trim			.symtab	0x8050738	141	FUNC	<unknown>	DEFAULT	2
__pagesize			.symtab	0x805b3c4	4	OBJECT	<unknown>	DEFAULT	11
__preinit_array_end			.symtab	0x8055000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x8055000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__pthread_mutex_init			.symtab	0x8051627	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x8051627	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x8051627	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x8051627	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x8051627	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x805162a	1	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x8052dcc	24	FUNC	<unknown>	HIDDEN	2
__register_frame_info_bases			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__restore			.symtab	0x805185f	0	NOTYPE	<unknown>	DEFAULT	2
__restore_rt			.symtab	0x8051858	0	NOTYPE	<unknown>	DEFAULT	2
__rtld_fini			.symtab	0x805b3cc	4	OBJECT	<unknown>	HIDDEN	11
__sigaddset			.symtab	0x804ff5c	32	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x804ff7c	32	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x804ff38	36	FUNC	<unknown>	DEFAULT	2
__socketcall			.symtab	0x8051974	50	FUNC	<unknown>	HIDDEN	2
__socketcall.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__stdin			.symtab	0x80550dc	4	OBJECT	<unknown>	DEFAULT	10
__stdio_WRITE			.symtab	0x8051e24	126	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x8052f30	168	FUNC	<unknown>	HIDDEN	2
__stdio_fwrit			.symtab	0x80520d4	240	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x804eaad	23	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.3991			.symtab	0x8053fac	24	OBJECT	<unknown>	DEFAULT	4
__stdio_seek			.symtab	0x8052fd8	51	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x80521c4	158	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__stdio_wcommit			.symtab	0x804eb4c	43	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x80550e0	4	OBJECT	<unknown>	DEFAULT	10
__syscall_error			.symtab	0x8051940	21	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x80519a8	59	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_fini			.symtab	0x80515e8	63	FUNC	<unknown>	DEFAULT	2
_uClibc_init			.symtab	0x805165f	64	FUNC	<unknown>	DEFAULT	2
_uClibc_main			.symtab	0x805169f	441	FUNC	<unknown>	DEFAULT	2
_uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uclibc_progname			.symtab	0x8055318	4	OBJECT	<unknown>	HIDDEN	10
__vfork			.symtab	0x804e25c	21	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0x804fa80	183	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0x804ec00	54	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x8052de4	18	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x805b7f8	4	OBJECT	<unknown>	DEFAULT	11
_dl_phnum			.symtab	0x805b7fc	4	OBJECT	<unknown>	DEFAULT	11
_edata			.symtab	0x805531c	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x805b800	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x805b3d4	4	OBJECT	<unknown>	DEFAULT	11
_exit			.symtab	0x804e30c	40	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x8053138	3	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x80593a0	8192	OBJECT	<unknown>	DEFAULT	11
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x804ec36	106	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x80523d0	1476	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x805b3d8	4	OBJECT	<unknown>	DEFAULT	11
_init			.symtab	0x8048094	3	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x8052264	86	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x804f248	111	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x804f435	966	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x804f2b8	66	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x804f2fc	271	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x804f40c	41	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x805162a	1	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x805162a	1	FUNC	<unknown>	DEFAULT	2
_sigintr			.symtab	0x805b400	128	OBJECT	<unknown>	HIDDEN	11
_start			.symtab	0x8048164	34	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x8051ea4	559	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x804ea4c	97	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x80550e4	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_add_lock			.symtab	0x80550e8	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_dec_use			.symtab	0x8052994	228	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x805938c	4	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_stdio_openlist_del_lock			.symtab	0x8055100	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_use_count			.symtab	0x8059388	4	OBJECT	<unknown>	DEFAULT	11
_stdio_streams			.symtab	0x8055120	240	OBJECT	<unknown>	DEFAULT	10
_stdio_term			.symtab	0x804eac4	136	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x8055118	4	OBJECT	<unknown>	DEFAULT	10
_stdlib_strto_l			.symtab	0x8051128	277	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x80522bc	61	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x8054080	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x80522fc	209	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x804eca0	1448	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x8050b2c	273	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x80510f8	20	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x80510f8	20	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x805b3b4	1	OBJECT	<unknown>	DEFAULT	11
been_there_done_that.2832			.symtab	0x805b3d0	1	OBJECT	<unknown>	DEFAULT	11
brk			.symtab	0x8052df8	54	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x804fe88	175	FUNC	<unknown>	DEFAULT	2
buf.2658			.symtab	0x805b3a4	16	OBJECT	<unknown>	DEFAULT	11
c			.symtab	0x80550b8	4	OBJECT	<unknown>	DEFAULT	10
chdir			.symtab	0x804e334	46	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
client.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
clock_getres			.symtab	0x80519e4	50	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x804e364	46	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x8055044	4	OBJECT	<unknown>	DEFAULT	10
completed.2429			.symtab	0x8055320	1	OBJECT	<unknown>	DEFAULT	11
connect			.symtab	0x804fc98	43	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x8049318	456	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x804e533	25	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x8049cc3	168	FUNC	<unknown>	DEFAULT	2
currentServer			.symtab	0x8055048	4	OBJECT	<unknown>	DEFAULT	10
data_start			.symtab	0x8055028	0	NOTYPE	<unknown>	DEFAULT	10
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x804e394	50	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x805b3c0	4	OBJECT	<unknown>	DEFAULT	11
errno			.symtab	0x805b3d4	4	OBJECT	<unknown>	DEFAULT	11
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execl			.symtab	0x80512a8	105	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x8051a18	54	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x8051240	103	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x8054ea0	156	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x8051ce4	265	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x804e274	87	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x804e2cc	63	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x8048c51	104	FUNC	<unknown>	DEFAULT	2
fdopen			.symtab	0x8051df0	50	FUNC	<unknown>	DEFAULT	2
fdopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fdopen_pids			.symtab	0x8059360	4	OBJECT	<unknown>	DEFAULT	11
fdpclose			.symtab	0x8048aed	356	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x80488f7	502	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x8052a78	321	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x8054e7c	20	OBJECT	<unknown>	DEFAULT	4
fork			.symtab	0x804e3c8	38	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x804f7fc	51	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8048110	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x805096d	412	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x8052e30	27	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x8052e30	27	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x8052e4c	227	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x804f830	116	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBogOs			.symtab	0x8048ea1	439	FUNC	<unknown>	DEFAULT	2
getBuild			.symtab	0x804da85	10	FUNC	<unknown>	DEFAULT	2
getCores			.symtab	0x8049058	172	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x8048e33	59	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x804d87c	521	FUNC	<unknown>	DEFAULT	2
getRandomIP			.symtab	0x8049c93	48	FUNC	<unknown>	DEFAULT	2
getRandomPublicIP			.symtab	0x80499a1	754	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x804e3f0	37	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x8051a50	38	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x8051a78	38	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x8051aa0	38	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x8051ac8	19	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x804e418	38	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x804e440	50	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x804fcc4	43	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x804fcf0	59	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x8051adc	38	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gotlP			.symtab	0x8055344	4	OBJECT	<unknown>	DEFAULT	11
h_errno			.symtab	0x805b3d8	4	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
hextable			.symtab	0x8053380	1024	OBJECT	<unknown>	DEFAULT	4
htonl			.symtab	0x804fbf0	7	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x804fbe4	12	FUNC	<unknown>	DEFAULT	2
i.4252			.symtab	0x80550bc	4	OBJECT	<unknown>	DEFAULT	10
index			.symtab	0x804f904	30	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x804fc70	37	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x8052d38	148	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x804fc5b	21	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x804fc0c	79	FUNC	<unknown>	DEFAULT	2
infectline			.symtab	0x8055040	4	OBJECT	<unknown>	DEFAULT	10
initConnection			.symtab	0x804d747	309	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x8048188	111	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0x8050ced	87	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x8050f16	171	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x804e474	63	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ipState			.symtab	0x8059364	5	OBJECT	<unknown>	DEFAULT	11
isatty			.symtab	0x804fb54	29	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x804e738	17	FUNC	<unknown>	DEFAULT	2
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x804e4b4	50	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/mmap.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x80494e0	268	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x80530a4	95	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x8055350	6	OBJECT	<unknown>	DEFAULT	11
main			.symtab	0x804da8f	1995	FUNC	<unknown>	DEFAULT	2
mainCommSock			.symtab	0x8055340	4	OBJECT	<unknown>	DEFAULT	11
makeIPPacket			.symtab	0x8049e26	126	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x8049104	103	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x804ffc2	1908	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0x8050b09	34	FUNC	<unknown>	DEFAULT	2
matchPrompt			.symtab	0x80496e7	257	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x8052bbc	35	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x804f8a4	39	FUNC	<unknown>	DEFAULT	2
memcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x8052be0	33	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x8052c04	176	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x804f8cc	21	FUNC	<unknown>	DEFAULT	2
memset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mmap			.symtab	0x8051958	27	FUNC	<unknown>	DEFAULT	2
munmap			.symtab	0x8051b04	50	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x805936c	24	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
mylock			.symtab	0x8055228	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x8055240	24	OBJECT	<unknown>	DEFAULT	10
nanosleep			.symtab	0x8051b38	50	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
negotiate			.symtab	0x80495ec	251	FUNC	<unknown>	DEFAULT	2
next_start.1109			.symtab	0x805b3a0	4	OBJECT	<unknown>	DEFAULT	11
ntohl			.symtab	0x804fc03	7	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x804fbf7	12	FUNC	<unknown>	DEFAULT	2
numpids			.symtab	0x8055348	8	OBJECT	<unknown>	DEFAULT	11
object.2482			.symtab	0x8055324	24	OBJECT	<unknown>	DEFAULT	11
open			.symtab	0x804e4e8	75	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x805b3e0	4	OBJECT	<unknown>	DEFAULT	11
p.2427			.symtab	0x8055024	0	OBJECT	<unknown>	DEFAULT	10
parseHex			.symtab	0x8048cb9	68	FUNC	<unknown>	DEFAULT	2
passwords			.symtab	0x8055080	56	OBJECT	<unknown>	DEFAULT	10
pclose			.symtab	0x804e794	190	FUNC	<unknown>	DEFAULT	2
pids			.symtab	0x805b3e8	4	OBJECT	<unknown>	DEFAULT	11
pipe			.symtab	0x804e54c	46	FUNC	<unknown>	DEFAULT	2
pipe.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
popen			.symtab	0x804e852	506	FUNC	<unknown>	DEFAULT	2
popen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
popen_list			.symtab	0x8059384	4	OBJECT	<unknown>	DEFAULT	11
prctl			.symtab	0x804e57c	63	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4202			.symtab	0x8053fd1	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x804859c	584	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x8048366	58	FUNC	<unknown>	DEFAULT	2
printf			.symtab	0x804e774	32	FUNC	<unknown>	DEFAULT	2
printf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
printi			.symtab	0x8048477	293	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x80483a0	215	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x804c691	4278	FUNC	<unknown>	DEFAULT	2
qual_chars.4208			.symtab	0x8053fe4	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x8052dcc	24	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x8050c40	5	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmw			.symtab	0x80481f7	192	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x8050c48	72	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x8054be0	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x8050e21	95	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x8055280	128	OBJECT	<unknown>	DEFAULT	10
rawmemchr			.symtab	0x805300c	99	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x804e5bc	54	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readUntil			.symtab	0x80497e8	441	FUNC	<unknown>	DEFAULT	2
recv			.symtab	0x804fd2c	51	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x804916b	429	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x8051b6c	78	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x805b3e4	4	OBJECT	<unknown>	DEFAULT	11
sclose			.symtab	0x8049ea4	47	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
select			.symtab	0x804e5f4	63	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x804fd60	51	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendCNC			.symtab	0x804b841	162	FUNC	<unknown>	DEFAULT	2
sendHOLD			.symtab	0x804c2a1	1008	FUNC	<unknown>	DEFAULT	2
sendHTTP			.symtab	0x804b8e3	129	FUNC	<unknown>	DEFAULT	2
sendJUNK			.symtab	0x804bef6	939	FUNC	<unknown>	DEFAULT	2
sendTCP			.symtab	0x804b964	1426	FUNC	<unknown>	DEFAULT	2
sendUDP			.symtab	0x804b3e5	1116	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x804fd94	67	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsid			.symtab	0x804e634	38	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x804 added 8	59	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x8050c90	93	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x8050d88	153	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x8051867	217	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x804fe40	42	FUNC	<unknown>	DEFAULT	2
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x804fe6c	25	FUNC	<unknown>	DEFAULT	2
signal			.symtab	0x804fe88	175	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x804e65c	85	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x8051314	393	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x804fe14	43	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sockprintf			.symtab	0x804882a	205	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4207			.symtab	0x8053ff8	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4201			.symtab	0x8053 added	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4204			.symtab	0x8054021	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4203			.symtab	0x8054036	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4206			.symtab	0x8054008	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4205			.symtab	0x8054018	9	OBJECT	<unknown>	DEFAULT	4
srand			.symtab	0x8050d44	67	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x8050d44	67	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x8050e80	150	FUNC	<unknown>	DEFAULT	2
stderr			.symtab	0x80550d8	4	OBJECT	<unknown>	DEFAULT	10
stdin			.symtab	0x80550d0	4	OBJECT	<unknown>	DEFAULT	10
stdout			.symtab	0x80550d4	4	OBJECT	<unknown>	DEFAULT	10
strcat			.symtab	0x804f8e4	31	FUNC	<unknown>	DEFAULT	2
strcat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x804f904	30	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x804f924	27	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x804fa80	183	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x804f940	19	FUNC	<unknown>	DEFAULT	2
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x804f954	38	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x804f97c	25	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x8052d10	39	FUNC	<unknown>	DEFAULT	2
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x8053070	50	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x804f998	198	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x804fb38	25	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x8052cb4	89	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x805110c	26	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sysconf			.symtab	0x80514a0	325	FUNC	<unknown>	DEFAULT	2
sysconf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
system			.symtab	0x8050fc4	305	FUNC	<unknown>	DEFAULT	2
system.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x8048806	36	FUNC	<unknown>	DEFAULT	2
tcgetattr			.symtab	0x804fb74	112	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpsum			.symtab	0x8049d6b	187	FUNC	<unknown>	DEFAULT	2
time			.symtab	0x804e6b4	46	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x804e74c	29	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x80482b7	175	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x805403e	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x8054056	12	OBJECT	<unknown>	DEFAULT	4
unknown.1161			.symtab	0x8054062	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x8055258	28	OBJECT	<unknown>	DEFAULT	10
uppercase			.symtab	0x8048e6e	51	FUNC	<unknown>	DEFAULT	2
usernames			.symtab	0x805504c	24	OBJECT	<unknown>	DEFAULT	10
vfork			.symtab	0x804e25c	21	FUNC	<unknown>	DEFAULT	2
vfprintf			.symtab	0x804eb78	136	FUNC	<unknown>	DEFAULT	2
vfprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x8051bbc	59	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x804e6e4	26	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x8051bf8	68	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x8051c5c	134	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x8051c3c	30	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x8048cfd	310	FUNC	<unknown>	DEFAULT	2
write			.symtab	0x804e700	54	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
zprintf			.symtab	0x80487e4	34	FUNC	<unknown>	DEFAULT	2

Network Behavior

Snort IDS Alerts

Timestamp	Protocol	SID	Message	Source Port	Dest Port	Source IP	Dest IP
192.168.2.2345.95.55.125 7822232840333 05/27/22- 19:51:12.996861	TCP	2840333	ETPRO TROJAN ELF/BASHLITE Variant CnC Activity	57822	23	192.168.2.23	45.95.55.12

TCP Packets	▼
-------------	---

System Behavior

Analysis Process: ftp	PID: 6231, Parent PID: 6122	—
-----------------------	-----------------------------	---

General		—
Start time:	19:51:12	
Start date:	27/05/2022	
Path:	/tmp/ftp	
Arguments:	/tmp/ftp	
File size:	74492 bytes	
MD5 hash:	de4287d3d34ef4007b3324db376be7bf	

File Activities	—
File Read	▼

Analysis Process: ftp	PID: 6232, Parent PID: 6231	—
-----------------------	-----------------------------	---

General		—
Start time:	19:51:12	
Start date:	27/05/2022	
Path:	/tmp/ftp	
Arguments:	n/a	
File size:	74492 bytes	
MD5 hash:	de4287d3d34ef4007b3324db376be7bf	

Analysis Process: ftp	PID: 6233, Parent PID: 6232	—
-----------------------	-----------------------------	---

General		—
Start time:	19:51:12	
Start date:	27/05/2022	
Path:	/tmp/ftp	
Arguments:	n/a	
File size:	74492 bytes	
MD5 hash:	de4287d3d34ef4007b3324db376be7bf	

Analysis Process: ftp	PID: 6234, Parent PID: 6233	—
-----------------------	-----------------------------	---

General		—
Start time:	19:51:12	
Start date:	27/05/2022	
Path:	/tmp/ftp	
Arguments:	n/a	
File size:	74492 bytes	
MD5 hash:	de4287d3d34ef4007b3324db376be7bf	