

JOeSandbox Cloud BASIC



ID: 635352

Sample Name: tftp

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 20:00:48

Date: 27/05/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report tftp	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Warnings	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Snort Signatures	4
Joe Sandbox Signatures	4
AV Detection	4
Spreading	4
Networking	4
Mitre Att&ck Matrix	4
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	5
Initial Sample	5
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	6
Contacted Domains	6
URLs from Memory and Binaries	6
World Map of Contacted IPs	6
Public IPs	6
Joe Sandbox View / Context	9
IPs	9
Domains	9
ASNs	9
JA3 Fingerprints	9
Dropped Files	9
Created / dropped Files	9
Static File Info	10
General	10
Static ELF Info	10
ELF header	10
Sections	10
Program Segments	11
Symbols	11
Network Behavior	29
Snort IDS Alerts	29
TCP Packets	29
System Behavior	29
Analysis Process: tftp PID: 6232, Parent PID: 6122	29
General	29
File Activities	29
File Read	29
Analysis Process: tftp PID: 6234, Parent PID: 6232	29
General	29
Analysis Process: tftp PID: 6236, Parent PID: 6234	29
General	29
Analysis Process: tftp PID: 6239, Parent PID: 6236	30
General	30

Linux Analysis Report

tftp

Overview

General Information

Sample Name:	tftp
Analysis ID:	635352
MD5:	b8724cd89cae5c..
SHA1:	ef35fa64fc9dbcf...
SHA256:	4a6d9163d3d972..
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Score:	68
Range:	0 - 100
Whitelisted:	false

Signatures

Antivirus / Scanner detection for sub...

Multi AV Scanner detection for subm...

Snort IDS alert for network traffic

Opens /proc/net/* files useful for fin...

Sample contains symbols with susp...

Uses the "uname" system call to qu...

Tries to connect to HTTP servers, b...

Classification

Analysis Advice

- Static ELF header machine description suggests that the sample might not execute correctly on this machine.
- All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.
- Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures.

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	635352
Start date and time: 27/05/202220:00:48	2022-05-27 20:00:48 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 6m 37s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	tftp
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal68.spre.lin@0/0@0/0

Warnings

Runtime Messages

Command:	/tmp/tftp
PID:	6232
Exit Code:	0
Exit Code Info:	
Killed:	False

Standard Output:	BUILD DONGS buf: BUILD DONGS buf: PROBUILD DONGS BING buf: PONG buf: PONG
Standard Error:	

Process Tree

▪ system is Inxubuntu20
◦ tftp (PID: 6232, Parent: 6122, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/tftp • tftp New Fork (PID: 6234, Parent: 6232) • tftp New Fork (PID: 6236, Parent: 6234) • tftp New Fork (PID: 6239, Parent: 6236)
▪ cleanup

Yara Signatures

⛔ No yara matches

Snort Signatures

ETPRO TROJAN ELF/BASHLITE Variant CnC Activity - Source IP: 192.168.2.23 - Destination IP: 45.95.55.12	
Timestamp:	192.168.2.2345.95.55.1257822232840333 05/27/22-20:01:34.611182
SID:	2840333
Source Port:	57822
Destination Port:	23
Protocol:	TCP
Classtype:	A Network Trojan was detected

Joe Sandbox Signatures

AV Detection	
Antivirus / Scanner detection for submitted sample	▼
Multi AV Scanner detection for submitted file	▼
Spreading	
Opens /proc/net/* files useful for finding connected devices and routers	▼
Networking	
Snort IDS alert for network traffic	▼

Mitre Att&ck Matrix

Source	Detection	Scanner	Label	Link
tftp	100%	Avira	LINUX/Gafgyt.opn d	

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs

Source	Detection	Scanner	Label	Link
http://45.95.55.12/bins.sh;	0%	Avira URL Cloud	safe	


Domains and IPs

Contacted Domains

No contacted domains info

URLs from Memory and Binaries

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
168.92.30.125	unknown	United States		16399	FIRSTCOMM-AS2US	false
62.12.132.129	unknown	Switzerland		15623	CYBERLINKCyberlinkAGC H	false
115.165.142.94	unknown	Japan		9365	ITSCOMitscommunicationsI ncJP	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
85.164.112.44	unknown	Norway		2119	TELENOR-NEXTELTelenorNorgeASNO	false
87.164.170.161	unknown	Germany		3320	DTAGInternetServiceprovideroperationsDE	false
202.105.114.179	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
116.19.113.163	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
23.125.91.155	unknown	United States		7018	ATT-INTERNET4US	false
126.67.106.10	unknown	Japan		17676	GIGAINFRASoftbankBBCorpJP	false
153.174.172.38	unknown	Japan		4713	OCNNTTCommunicationsCorporationJP	false
110.110.110.110	unknown	China		38341	CNNIC-HCENET-APHEXIEInformationtechnologyCoLtdCN	false
140.185.185.201	unknown	United States		27087	DNIC-ASBLK-27032-27159US	false
72.72.72.72	unknown	United States		701	UUNETUS	false
199.105.180.183	unknown	United States		17229	ATT-CERFNET-BLOCKUS	false
175.76.181.122	unknown	China		9394	CTTNETChinaTieTongTelecommunicationsCorporationCN	false
158.158.158.158	unknown	Singapore		8075	MICROSOFT-CORP-MSN-AS-BLOCKUS	false
144.75.151.32	unknown	United States		14169	VMI-ASNUS	false
155.124.245.198	unknown	United States		35163	BRAUN-ASDE	false
177.108.184.65	unknown	Brazil		26615	TIMSABR	false
134.187.57.62	unknown	United States		1226	CTA-42-AS1226US	false
217.94.93.163	unknown	Germany		3320	DTAGInternetServiceprovideroperationsDE	false
183.183.183.183	unknown	Japan		45684	MIRAINETKyoceraCommunicationSystemsCoLtdJP	false
20.72.80.124	unknown	United States		8075	MICROSOFT-CORP-MSN-AS-BLOCKUS	false
209.162.185.253	unknown	United States		17184	ATL-CBEYONDUS	false
196.193.127.123	unknown	South Africa		23889	MauritiusTelecomMU	false
181.82.187.128	unknown	Argentina		7303	TelecomArgentinaSAAR	false
186.174.227.156	unknown	Chile		3816	COLOMBIA TELECOMUNICACIONESSAESPCO	false
121.123.189.104	unknown	Malaysia		9534	MAXIS-AS1-APBinariangBerhadMY	false
90.96.151.55	unknown	France		28708	ORANGEFR-PORTAL-ASDSimutualizedinternetaccessFR	false
202.213.203.204	unknown	Japan		2527	SO-NETSo-netEntertainmentCorporationJP	false
129.27.47.135	unknown	Austria		1113	TUGNETTechnischeUniversitaetGrazAT	false
137.157.61.137	unknown	Australia		45128	ANSTO-AS-APAustralianNuclearScienceandTechnologyOrganisation	false
129.174.174.190	unknown	United States		11279	GEORGE-MASON-UNIVUS	false
73.171.96.92	unknown	United States		7922	COMCAST-7922US	false
201.108.144.208	unknown	Mexico		8151	UninetSAdeCVMX	false
143.195.87.215	unknown	United States		397112	ILLINOIS-MATH-SCIENCEUS	false
122.25.119.169	unknown	Japan		4713	OCNNTTCommunicationsCorporationJP	false
119.171.179.223	unknown	Japan		9824	JTCL-JP-ASJupiterTelecommunicationCoLtdJP	false
187.218.204.190	unknown	Mexico		8151	UninetSAdeCVMX	false
122.33.51.115	unknown	Korea Republic of		17858	POWERVIS-AS-KRLGPOWERCOMMKR	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
188.238.215.167	unknown	Finland		1759	TSF-IP-CORETeliaFinlandOyjEU	false
79.36.64.48	unknown	Italy		3269	ASN-IBSNAZIT	false
147.157.121.222	unknown	Japan		2907	SINET-ASResearchOrganizationofInformationandSystemsN	false
133.235.143.138	unknown	Japan		7682	HOTNETHOKKAIDOTELECOMMUNICATIONSNETWORKKColncJP	false
107.127.201.195	unknown	United States		7018	ATT-INTERNET4US	false
82.141.152.35	unknown	Hungary		12301	INVITECHHU	false
189.95.170.173	unknown	Brazil		22085	ClaroSABR	false
44.32.85.14	unknown	United States		7377	UCSDUS	false
99.105.160.64	unknown	United States		7018	ATT-INTERNET4US	false
177.183.159.176	unknown	Brazil		28573	CLAROSABR	false
14.85.23.115	unknown	Korea Republic of		4766	KIXS-AS-KRKoreaTelecomKR	false
190.115.215.160	unknown	unknown		52260	TelecommunicationsdeHaitiTelecoHT	false
128.97.218.171	unknown	United States		52	UCLAUS	false
15.122.139.11	unknown	United States		13979	ATT-IPFRUS	false
70.78.68.106	unknown	Canada		6327	SHAWCA	false
78.137.148.31	unknown	Ireland		31122	DIGIWEB-ASIE	false
189.252.239.247	unknown	Mexico		8151	UninetSAdeCVMX	false
86.188.154.218	unknown	United Kingdom		2856	BT-UK-ASBTnetUKRegionalnetworkkGB	false
105.207.173.237	unknown	Egypt		36992	ETISALAT-MISREG	false
100.89.13.123	unknown	Reserved		701	UUNETUS	false
199.92.209.136	unknown	United States		3356	LEVEL3US	false
184.49.107.56	unknown	United States		14654	WAYPORTUS	false
96.66.17.160	unknown	United States		7922	COMCAST-7922US	false
137.44.80.144	unknown	United Kingdom		786	JANETJiscServicesLimitedGB	false
110.173.56.111	unknown	Hong Kong		45753	NETSEC-HKNETSECHK	false
142.163.111.170	unknown	Canada		855	CANET-ASN-4CA	false
220.251.237.223	unknown	China		4837	CHINA169-BACKBONECHINAUNICOMChina169BackboneCN	false
184.146.75.64	unknown	Canada		577	BACOMCA	false
160.53.170.97	unknown	Switzerland		21449	ETATGECH	false
139.127.180.109	unknown	United States		30703	SHSC-1-ASUS	false
58.89.75.61	unknown	Japan		4713	OCNNTTCommunicationsCorporationJP	false
216.170.159.205	unknown	United States		4181	TDS-ASUS	false
133.58.158.103	unknown	Japan		2907	SINET-ASResearchOrganizationofInformationandSystemsN	false
183.160.55.166	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
181.131.251.248	unknown	Colombia		13489	EPMTelecomunicacionesSAESPCO	false
240.197.225.209	unknown	Reserved		unknown	unknown	false
90.140.117.69	unknown	Sweden		1257	TELE2EU	false
143.193.170.122	unknown	United States		7448	CHOICE-HOTELSUS	false
210.108.128.216	unknown	Korea Republic of		10064	SANGNOK-AS-KRGEPSCheonanSagnokresortKR	false
98.106.24.81	unknown	United States		6167	CELLCO-PARTUS	false
90.111.59.118	unknown	France		3215	FranceTelecom-OrangeFR	false
54.89.27.48	unknown	United States		14618	AMAZON-AESUS	false
217.217.217.217	unknown	Spain		12357	COMUNITELSPAINES	false
190.83.200.127	unknown	Trinidad and Tobago		27665	ColumbusCommunicationsTrinidadLimitedTT	false
189.238.117.146	unknown	Mexico		8151	UninetSAdeCVMX	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
215.177.106.95	unknown	United States		721	DNIC-ASBLK-00721-00726US	false
117.148.134.120	unknown	China		56041	CMNET-ZHEJIANG-APChinaMobilecommunicationscorporationC	false
110.161.42.71	unknown	Japan		9605	DOCOMONTTDOCOMOINCJP	false
72.124.132.176	unknown	United States		22394	CELLCOUS	false
158.64.139.142	unknown	Luxembourg		2602	RESTENAREseauTeleinformatiquedelEducationNationaleLU	false
172.110.119.88	unknown	United States		7296	ALCHEMYNETUS	false
205.175.195.165	unknown	United States		3715	THEBOE-3715US	false
219.208.132.242	unknown	Japan		17676	GIGAINFRASoftbankBBCorpJP	false
163.66.75.140	unknown	France		17816	CHINA169-GZChinaUnicomIPnetworkChina169Guangdongprovi	false
157.202.202.218	unknown	United States		1759	TSF-IP-CORETeliaFinlandOyjEU	false
152.119.82.121	unknown	United States		2576	DOT-ASUS	false
178.131.154.222	unknown	Iran (ISLAMIC Republic Of)		50810	MOBINNET-ASAS47823belongstoArvanCloudCDNthatismobinn	false
148.199.80.109	unknown	United States		31382	KAPSCH-ASAT	false
126.80.69.115	unknown	Japan		17676	GIGAINFRASoftbankBBCorpJP	false
218.172.161.207	unknown	Taiwan; Republic of China (ROC)		3462	HINETDataCommunicationBusinessGroupTW	false

Joe Sandbox View / Context

IPs

 No context

Domains

 No context

ASNs

 No context

JA3 Fingerprints

 No context

Dropped Files

 No context

Created / dropped Files

 No created / dropped files found

1

—

File Content .ELF.....(.....4...\.4...(......p<.....<.<.....@...@...@...D...g.....Q.td.....-...L.....G.F.G.F.G.F.G.F

Preview: G.F(G.F0G.F8G.F@G.FHG.FPG.FXG.

—

ELF header	
------------	--

Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	ARM
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x81b0
Flags:	0x4000002
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	4
Section Header Offset:	89108
Section Header Size:	40
Number of Section Headers:	24
Header String Table Index:	21

—

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x80b4	0xb4	0x10	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x80d0	0xd0	0x11fec	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x1a0bc	0x120bc	0x10	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x1a0d0	0x120d0	0x1ba0	0x0	0x2	A	0	0	8
.ARM.extab	PROGBITS	0x1bc70	0x13c70	0x18	0x0	0x2	A	0	0	4
.ARM.exidx	ARM_EXIDX	0x1bc88	0x13c88	0x10	0x0	0x82	AL	2	0	4
.eh_frame	PROGBITS	0x24000	0x14000	0x4	0x0	0x3	WA	0	0	4
.init_array	INIT_ARRAY	0x24004	0x14004	0x4	0x0	0x3	WA	0	0	4
.fini_array	FINI_ARRAY	0x24008	0x14008	0x4	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x2400c	0x1400c	0x4	0x0	0x3	WA	0	0	4
.got	PROGBITS	0x24010	0x14010	0x78	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x24088	0x14088	0x2bc	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x24348	0x14344	0x6498	0x0	0x3	WA	0	0	8
.comment	PROGBITS	0x0	0x14344	0xb0e	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x14e58	0xe0	0x0	0x0		0	0	8
.debug_info	PROGBITS	0x0	0x14f38	0x4b0	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x153e8	0x8c	0x0	0x0		0	0	1

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.debug_line	PROGBITS	0x0	0x15474	0x655	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x15acc	0x58	0x0	0x0		0	0	4
.ARM.attributes	ARM_ATTRIBUTES	0x0	0x15b24	0x10	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x15b34	0xdd	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x15fd4	0x4650	0x10	0x0		23	602	4
.strtab	STRTAB	0x0	0x1a624	0x248d	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
EXIDX	0x13c88	0x1bc88	0x1bc88	0x10	0x10	0.5000	0x4	R	0x4		.ARM.exidx
LOAD	0x0	0x8000	0x8000	0x13c98	0x13c98	3.4272	0x5	R E	0x8000		.init .text .fini .rodata .ARM.extab .ARM.exidx
LOAD	0x14000	0x24000	0x24000	0x344	0x67e0	2.2381	0x6	RW	0x8000		.eh_frame .init_array .fini_array .jcr .got .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x80b4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80d0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x1a0bc	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x1a0d0	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x1bc70	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x1bc88	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x24000	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x24004	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x24008	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x2400c	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x24010	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x24088	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x24348	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	21
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	22
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	23
\$a			.symtab	0x80b4	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1a0bc	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80c0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1a0c8	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x810c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8150	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x82c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8408	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8d14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8e80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9108	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x9290	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x93e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9894	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9980	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9a38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9d28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa144	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa448	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xabd8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xac3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb1c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcbf8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd4b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd634	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdd48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf854	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfa30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfcec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10738	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1084c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10860	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x108a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x108d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10934	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10968	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1097c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x109ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x109ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10a20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10a3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10a7c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10ab0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10ae4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10b10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10b44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10b78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c84	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10cb8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10d0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10d38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10d70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10da4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10dcc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10dfc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e64	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10f9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11260	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x112c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x112fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x113d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11400	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x114e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11ca4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11d44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11d88	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x11f38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11f8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x124fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12534	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x125f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12690	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x126f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12710	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12720	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1281c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x128e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12910	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12934	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x129f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ae0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12af8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12b28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12c28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12c4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12cc8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12d28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12dd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12df8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12e30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12e68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12eac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ee4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12f1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12f5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12fa0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12fd8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ff4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13038	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1304c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13104	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13170	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13b08	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13fa8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13fe8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14110	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14128	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x141cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14284	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14344	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x143e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x144cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1455c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14634	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14718	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14738	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14754	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14914	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x149cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14a78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14bc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1519c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15248	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15308	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x1535c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x153c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1569c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x157f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15860	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15880	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15908	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15914	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15920	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15954	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15988	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x159b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x159c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x159f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15a2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15a40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15a54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ac0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ad4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15b08	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15b3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15b70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15c68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15d38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15de4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15e7c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15f68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1630c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16360	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16384	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16434	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x165e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16624	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16644	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x166f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16a00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16b40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16c10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16c80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16cac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16e08	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x175fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x176d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17794	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1791c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17b28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17c54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17d00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18190	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18280	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x182f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1833c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x183ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x184cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18518	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18568	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1858c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18678	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x186b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x187b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x188e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18c98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18cd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18d1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18d28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18d80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18fb0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18ff0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19134	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19158	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x192a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19300	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x193c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x193f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1948c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x194c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1952c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19670	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19a8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19f28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a068	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8144	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24008	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x819c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24004	0	NOTYPE	<unknown>	DEFAULT	8
\$d			.symtab	0x2408c	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x81e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24090	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x82bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x83fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8d10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8e7c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x90f8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x928c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a30c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x93e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x988c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9978	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9a34	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9d20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa13c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa444	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xabcc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xac38	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb1a4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcbd0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd4ac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd62c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdd1c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf7f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfa24	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfcd8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfd0c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x106fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10dc4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10df4	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x240f4	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x240fc	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x10e10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10e5c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10f80	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11238	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x112c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x112f4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x113bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24138	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x24104	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x1af4c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x114d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11c84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11f34	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11f80	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x124cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24240	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x128e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12ad8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12b20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12c1c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12cc4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12dc8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12e2c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12e64	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12ea8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12ee0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12f18	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12f58	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12f9c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12fd4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x130fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13aec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24244	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x13f8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13fe0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x140fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2425c	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x141b0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14268	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14328	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x143cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24274	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x2430c	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x144c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14558	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14628	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14710	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1bb78	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x1490c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x149ac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24320	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x14a74	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14ba0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15178	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15240	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x152f4	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x15354	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x153b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1565c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24338	0	NOTYPE	<unknown>	DEFAULT	12
\$d			.symtab	0x157e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x158fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x159a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15ab8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15c54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15d30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15de0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1bbf4	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x15f54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2a3f0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x16304	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x165c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x169cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x175dc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1bc28	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x176c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17780	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x178f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17b04	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17c4c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18278	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x183e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x184c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18670	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x187a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x188cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18c7c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18cc4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18d14	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19294	0	NOTYPE	<unknown>	DEFAULT	2
\$t			.symtab	0x80d0	0	NOTYPE	<unknown>	DEFAULT	2
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/landley/work/ab7/build/temp-armv6l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
C.1.3506			.symtab	0x1bbf4	24	OBJECT	<unknown>	DEFAULT	4
Laligned			.symtab	0x126b8	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0x126d4	0	NOTYPE	<unknown>	DEFAULT	2
Q			.symtab	0x24380	16384	OBJECT	<unknown>	DEFAULT	13
StartTheLelz			.symtab	0xafb4	7972	FUNC	<unknown>	DEFAULT	2
_Exit			.symtab	0x10d0c	44	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x24010	0	OBJECT	<unknown>	HIDDEN	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b			.symtab	0x240f4	4	OBJECT	<unknown>	DEFAULT	12
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x1a93c	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x240fc	4	OBJECT	<unknown>	DEFAULT	12
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x1ac3c	768	OBJECT	<unknown>	DEFAULT	4
__EH_FRAME_BEGIN__			.symtab	0x24000	0	OBJECT	<unknown>	DEFAULT	7
__FRAME_END__			.symtab	0x24000	0	OBJECT	<unknown>	DEFAULT	7
__GI__C_ctype_b			.symtab	0x240f4	4	OBJECT	<unknown>	HIDDEN	12
__GI__C_ctype_toupper			.symtab	0x240fc	4	OBJECT	<unknown>	HIDDEN	12
__GI__ctype_b			.symtab	0x240f8	4	OBJECT	<unknown>	HIDDEN	12
__GI__ctype_toupper			.symtab	0x24100	4	OBJECT	<unknown>	HIDDEN	12
__GI__errno_location			.symtab	0x10dfc	28	FUNC	<unknown>	HIDDEN	2
__GI__fcntl_nocancel			.symtab	0x10be4	108	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x17b28	300	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x12ae0	24	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x10b78	108	FUNC	<unknown>	HIDDEN	2
__GI__sigaddset			.symtab	0x13128	36	FUNC	<unknown>	HIDDEN	2
__GI__sigdelset			.symtab	0x1314c	36	FUNC	<unknown>	HIDDEN	2
__GI__sigismember			.symtab	0x13104	36	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x1528c	124	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x1535c	108	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x12b28	256	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x10d0c	44	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x13fe8	296	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0x14718	32	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x18cd0	76	FUNC	<unknown>	HIDDEN	2
__GI__chdir			.symtab	0x10a7c	52	FUNC	<unknown>	HIDDEN	2
__GI__clock_getres			.symtab	0x159c4	52	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0x10d70	52	FUNC	<unknown>	HIDDEN	2
__GI__closedir			.symtab	0x15b70	248	FUNC	<unknown>	HIDDEN	2
__GI__config_close			.symtab	0x16290	52	FUNC	<unknown>	HIDDEN	2
__GI__config_open			.symtab	0x162c4	72	FUNC	<unknown>	HIDDEN	2
__GI__config_read			.symtab	0x15f68	808	FUNC	<unknown>	HIDDEN	2
__GI__connect			.symtab	0x12df8	56	FUNC	<unknown>	HIDDEN	2
__GI__dup2			.symtab	0x108a0	52	FUNC	<unknown>	HIDDEN	2
__GI__errno			.symtab	0x2a3f0	4	OBJECT	<unknown>	HIDDEN	13
__GI__execl			.symtab	0x1519c	172	FUNC	<unknown>	HIDDEN	2
__GI__execve			.symtab	0x15954	52	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x14914	184	FUNC	<unknown>	HIDDEN	2
__GI__fclose			.symtab	0x16434	436	FUNC	<unknown>	HIDDEN	2
__GI__fcntl			.symtab	0x10b78	108	FUNC	<unknown>	HIDDEN	2
__GI__fdopen			.symtab	0x165e8	60	FUNC	<unknown>	HIDDEN	2
__GI__fflush_unlocked			.symtab	0x1791c	524	FUNC	<unknown>	HIDDEN	2
__GI__fgetc			.symtab	0x175fc	220	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x17b28	300	FUNC	<unknown>	HIDDEN	2
__GI__fgets			.symtab	0x176d8	188	FUNC	<unknown>	HIDDEN	2
__GI__fgets_unlocked			.symtab	0x17c54	160	FUNC	<unknown>	HIDDEN	2
__GI__fopen			.symtab	0x16624	32	FUNC	<unknown>	HIDDEN	2
__GI__fork			.symtab	0x109ec	52	FUNC	<unknown>	HIDDEN	2
__GI__fputs_unlocked			.symtab	0x124fc	56	FUNC	<unknown>	HIDDEN	2
__GI__fseek			.symtab	0x19134	36	FUNC	<unknown>	HIDDEN	2
__GI__fseeko64			.symtab	0x19158	336	FUNC	<unknown>	HIDDEN	2
__GI__fstat			.symtab	0x18d28	88	FUNC	<unknown>	HIDDEN	2
__GI__fwrite_unlocked			.symtab	0x12534	176	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_getc_unlocked			.symtab	0x17b28	300	FUNC	<unknown>	HIDDEN	2
__Gl_getdtablesize			.symtab	0x10ae4	44	FUNC	<unknown>	HIDDEN	2
__Gl_getegid			.symtab	0x15a2c	20	FUNC	<unknown>	HIDDEN	2
__Gl_geteuid			.symtab	0x15a40	20	FUNC	<unknown>	HIDDEN	2
__Gl_getgid			.symtab	0x15ac0	20	FUNC	<unknown>	HIDDEN	2
__Gl_getpagesize			.symtab	0x15988	40	FUNC	<unknown>	HIDDEN	2
__Gl_getpid			.symtab	0x10968	20	FUNC	<unknown>	HIDDEN	2
__Gl_getrlimit			.symtab	0x159f8	52	FUNC	<unknown>	HIDDEN	2
__Gl_getsockname			.symtab	0x12e30	56	FUNC	<unknown>	HIDDEN	2
__Gl_gettimeofday			.symtab	0x10b44	52	FUNC	<unknown>	HIDDEN	2
__Gl_getuid			.symtab	0x159b0	20	FUNC	<unknown>	HIDDEN	2
__Gl_h_errno			.symtab	0x2a3f4	4	OBJECT	<unknown>	HIDDEN	13
__Gl_htoni			.symtab	0x12cd8	32	FUNC	<unknown>	HIDDEN	2
__Gl_htons			.symtab	0x12cc8	16	FUNC	<unknown>	HIDDEN	2
__Gl_inet_addr			.symtab	0x12dd0	40	FUNC	<unknown>	HIDDEN	2
__Gl_inet_aton			.symtab	0x186b8	248	FUNC	<unknown>	HIDDEN	2
__Gl_inet_ntoa			.symtab	0x12db4	28	FUNC	<unknown>	HIDDEN	2
__Gl_inet_ntoa_r			.symtab	0x12d28	140	FUNC	<unknown>	HIDDEN	2
__Gl_initstate_r			.symtab	0x14634	228	FUNC	<unknown>	HIDDEN	2
__Gl_ioctl			.symtab	0x10cb8	84	FUNC	<unknown>	HIDDEN	2
__Gl_isatty			.symtab	0x12c28	36	FUNC	<unknown>	HIDDEN	2
__Gl_isspace			.symtab	0x10da4	40	FUNC	<unknown>	HIDDEN	2
__Gl_kill			.symtab	0x10b10	52	FUNC	<unknown>	HIDDEN	2
__Gl_lseek64			.symtab	0x194c8	100	FUNC	<unknown>	HIDDEN	2
__Gl_memchr			.symtab	0x18190	240	FUNC	<unknown>	HIDDEN	2
__Gl_memcpy			.symtab	0x12710	4	FUNC	<unknown>	HIDDEN	2
__Gl_mempcpy			.symtab	0x18568	36	FUNC	<unknown>	HIDDEN	2
__Gl_memrchr			.symtab	0x183ec	224	FUNC	<unknown>	HIDDEN	2
__Gl_memset			.symtab	0x125f0	156	FUNC	<unknown>	HIDDEN	2
__Gl_mmap			.symtab	0x157f8	104	FUNC	<unknown>	HIDDEN	2
__Gl_mremap			.symtab	0x18fb0	64	FUNC	<unknown>	HIDDEN	2
__Gl_munmap			.symtab	0x15ad4	52	FUNC	<unknown>	HIDDEN	2
__Gl_nanosleep			.symtab	0x15b08	52	FUNC	<unknown>	HIDDEN	2
__Gl_ntohl			.symtab	0x12d08	32	FUNC	<unknown>	HIDDEN	2
__Gl_ntohs			.symtab	0x12cf8	16	FUNC	<unknown>	HIDDEN	2
__Gl_open			.symtab	0x108d4	96	FUNC	<unknown>	HIDDEN	2
__Gl_opendir			.symtab	0x15d38	172	FUNC	<unknown>	HIDDEN	2
__Gl_pipe			.symtab	0x10934	52	FUNC	<unknown>	HIDDEN	2
__Gl_printf			.symtab	0x10e18	76	FUNC	<unknown>	HIDDEN	2
__Gl_raise			.symtab	0x12fd8	28	FUNC	<unknown>	HIDDEN	2
__Gl_random			.symtab	0x14128	164	FUNC	<unknown>	HIDDEN	2
__Gl_random_r			.symtab	0x144cc	144	FUNC	<unknown>	HIDDEN	2
__Gl_rawmemchr			.symtab	0x1833c	176	FUNC	<unknown>	HIDDEN	2
__Gl_read			.symtab	0x10ab0	52	FUNC	<unknown>	HIDDEN	2
__Gl_readaddr64			.symtab	0x15e7c	236	FUNC	<unknown>	HIDDEN	2
__Gl_recv			.symtab	0x12eac	56	FUNC	<unknown>	HIDDEN	2
__Gl_sbrk			.symtab	0x15a54	108	FUNC	<unknown>	HIDDEN	2
__Gl_select			.symtab	0x10a3c	64	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0x12ee4	56	FUNC	<unknown>	HIDDEN	2
__Gl_sendto			.symtab	0x12f1c	64	FUNC	<unknown>	HIDDEN	2
__Gl_setsid			.symtab	0x10c84	52	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x12f5c	68	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x143e8	228	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x15880	136	FUNC	<unknown>	HIDDEN	2
__Gl_sigaddset			.symtab	0x12ff4	68	FUNC	<unknown>	HIDDEN	2
__Gl_sigemptyset			.symtab	0x13038	20	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x1304c	184	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x10d38	56	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_sleep			.symtab	0x149cc	172	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0x12fa0	56	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0x1455c	216	FUNC	<unknown>	HIDDEN	2
__GI_strcat			.symtab	0x128e8	40	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0x129f0	240	FUNC	<unknown>	HIDDEN	2
__GI_strchrnul			.symtab	0x1858c	236	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0x126f0	28	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0x126f0	28	FUNC	<unknown>	HIDDEN	2
__GI_strcpy			.symtab	0x12910	36	FUNC	<unknown>	HIDDEN	2
__GI_strcspn			.symtab	0x182f8	68	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0x12690	96	FUNC	<unknown>	HIDDEN	2
__GI_strncpy			.symtab	0x12934	188	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0x1281c	204	FUNC	<unknown>	HIDDEN	2
__GI_strpbrk			.symtab	0x18678	64	FUNC	<unknown>	HIDDEN	2
__GI_strrchr			.symtab	0x18518	80	FUNC	<unknown>	HIDDEN	2
__GI_strspn			.symtab	0x184cc	76	FUNC	<unknown>	HIDDEN	2
__GI_strstr			.symtab	0x12720	252	FUNC	<unknown>	HIDDEN	2
__GI_strtok			.symtab	0x12af8	48	FUNC	<unknown>	HIDDEN	2
__GI_strtok_r			.symtab	0x18280	120	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0x14738	28	FUNC	<unknown>	HIDDEN	2
__GI_sysconf			.symtab	0x14bc4	1496	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0x12c4c	124	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0x1097c	48	FUNC	<unknown>	HIDDEN	2
__GI_toupper			.symtab	0x10dcc	48	FUNC	<unknown>	HIDDEN	2
__GI_vfork			.symtab	0x10860	64	FUNC	<unknown>	HIDDEN	2
__GI_vfprintf			.symtab	0x11400	228	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0x15920	52	FUNC	<unknown>	HIDDEN	2
__GI_waitpid			.symtab	0x10a20	28	FUNC	<unknown>	HIDDEN	2
__GI_wctomb			.symtab	0x1630c	84	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x16384	176	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0x16360	36	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x10c50	52	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x2400c	0	OBJECT	<unknown>	DEFAULT	10
__JCR_LIST__			.symtab	0x2400c	0	OBJECT	<unknown>	DEFAULT	10
__adddf3			.symtab	0x1967c	784	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmpeq			.symtab	0x19fd8	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmpne			.symtab	0x19fd8	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdrcmpne			.symtab	0x19fbc	52	FUNC	<unknown>	HIDDEN	2
__aeabi_d2uiz			.symtab	0x1a068	84	FUNC	<unknown>	HIDDEN	2
__aeabi_dadd			.symtab	0x1967c	784	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpeq			.symtab	0x19ff0	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpgqe			.symtab	0x1a038	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpggt			.symtab	0x1a050	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpne			.symtab	0x1a020	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmplt			.symtab	0x1a008	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ddiv			.symtab	0x19d1c	524	FUNC	<unknown>	HIDDEN	2
__aeabi_dmul			.symtab	0x19a8c	656	FUNC	<unknown>	HIDDEN	2
__aeabi_drsub			.symtab	0x19670	0	FUNC	<unknown>	HIDDEN	2
__aeabi_dsub			.symtab	0x19678	788	FUNC	<unknown>	HIDDEN	2
__aeabi_f2d			.symtab	0x199d8	64	FUNC	<unknown>	HIDDEN	2
__aeabi_i2d			.symtab	0x199b0	40	FUNC	<unknown>	HIDDEN	2
__aeabi_idiv			.symtab	0x1952c	0	FUNC	<unknown>	HIDDEN	2
__aeabi_idivmod			.symtab	0x19658	24	FUNC	<unknown>	HIDDEN	2
__aeabi_l2d			.symtab	0x19a2c	96	FUNC	<unknown>	HIDDEN	2
__aeabi_ui2d			.symtab	0x1998c	36	FUNC	<unknown>	HIDDEN	2
__aeabi_uidiv			.symtab	0x10738	0	FUNC	<unknown>	HIDDEN	2
__aeabi_uidivmod			.symtab	0x10834	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ul2d			.symtab	0x19a18	116	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__aeabi_unwind_cpp_pr0			.symtab	0x18d1c	4	FUNC	<unknown>	DEFAULT	2
__aeabi_unwind_cpp_pr1			.symtab	0x18d20	4	FUNC	<unknown>	DEFAULT	2
__aeabi_unwind_cpp_pr2			.symtab	0x18d24	4	FUNC	<unknown>	DEFAULT	2
__app_fini			.symtab	0x2a3e8	4	OBJECT	<unknown>	HIDDEN	13
__atexit_lock			.symtab	0x24320	24	OBJECT	<unknown>	DEFAULT	12
__bss_end__			.symtab	0x2a7e0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x24344	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x24344	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x15308	84	FUNC	<unknown>	DEFAULT	2
__cmpdf2			.symtab	0x19f38	132	FUNC	<unknown>	HIDDEN	2
__ctype_b			.symtab	0x240f8	4	OBJECT	<unknown>	DEFAULT	12
__ctype_toupper			.symtab	0x24100	4	OBJECT	<unknown>	DEFAULT	12
__curbrk			.symtab	0x2a3f8	4	OBJECT	<unknown>	HIDDEN	13
__data_start			.symtab	0x24088	0	NOTYPE	<unknown>	DEFAULT	12
__default_rt_sa_restorer			.symtab	0x15918	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0x1590c	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__div0			.symtab	0x1084c	20	FUNC	<unknown>	HIDDEN	2
__divdf3			.symtab	0x19d1c	524	FUNC	<unknown>	HIDDEN	2
__divsi3			.symtab	0x1952c	300	FUNC	<unknown>	HIDDEN	2
__do_global_dtors_aux			.symtab	0x810c	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux_fini_array_entry			.symtab	0x24008	0	OBJECT	<unknown>	DEFAULT	9
__dso_handle			.symtab	0x24088	0	OBJECT	<unknown>	HIDDEN	12
__end__			.symtab	0x2a7e0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x2a3e0	4	OBJECT	<unknown>	DEFAULT	13
__eqdf2			.symtab	0x19f38	132	FUNC	<unknown>	HIDDEN	2
__errno_location			.symtab	0x10dfc	28	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__error			.symtab	0x1089c	0	NOTYPE	<unknown>	DEFAULT	2
__exidx_end			.symtab	0x1bc98	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exidx_start			.symtab	0x1bc88	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x2a3d8	4	OBJECT	<unknown>	HIDDEN	13
__extendsfdf2			.symtab	0x199d8	64	FUNC	<unknown>	HIDDEN	2
__fcntl_nocancel			.symtab	0x10be4	108	FUNC	<unknown>	DEFAULT	2
__fgetc_unlocked			.symtab	0x17b28	300	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x2400c	0	NOTYPE	<unknown>	HIDDEN	9
__fini_array_start			.symtab	0x24008	0	NOTYPE	<unknown>	HIDDEN	9
__fixunsdfsi			.symtab	0x1a068	84	FUNC	<unknown>	HIDDEN	2
__floatdidf			.symtab	0x19a2c	96	FUNC	<unknown>	HIDDEN	2
__floatsidf			.symtab	0x199b0	40	FUNC	<unknown>	HIDDEN	2
__floatundidf			.symtab	0x19a18	116	FUNC	<unknown>	HIDDEN	2
__floatunsidf			.symtab	0x1998c	36	FUNC	<unknown>	HIDDEN	2
__frame_dummy_init_array_entry			.symtab	0x24004	0	OBJECT	<unknown>	DEFAULT	8
__gedf2			.symtab	0x19f28	148	FUNC	<unknown>	HIDDEN	2
__getdents64			.symtab	0x18ff0	324	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x15988	40	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x12ae0	24	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gtdf2			.symtab	0x19f28	148	FUNC	<unknown>	HIDDEN	2
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__init_array_end			.symtab	0x24008	0	NOTYPE	<unknown>	HIDDEN	8
__init_array_start			.symtab	0x24004	0	NOTYPE	<unknown>	HIDDEN	8
__ledf2			.symtab	0x19f30	140	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x10d70	52	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x12df8	56	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x10b78	108	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__libc_fork			.symtab	0x109ec	52	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x194c8	100	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x15b08	52	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x108d4	96	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x10ab0	52	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x12eac	56	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x10a3c	64	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x12ee4	56	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x12f1c	64	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x15880	136	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x2a3dc	4	OBJECT	<unknown>	DEFAULT	13
__libc_system			.symtab	0x1569c	348	FUNC	<unknown>	DEFAULT	2
__libc_waitpid			.symtab	0x10a20	28	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x10c50	52	FUNC	<unknown>	DEFAULT	2
__ltdf2			.symtab	0x19f30	140	FUNC	<unknown>	HIDDEN	2
__malloc_consolidate			.symtab	0x13bb8	436	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x13170	120	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x24244	24	OBJECT	<unknown>	DEFAULT	12
__malloc_state			.symtab	0x2a460	888	OBJECT	<unknown>	DEFAULT	13
__malloc_trim			.symtab	0x13b08	176	FUNC	<unknown>	DEFAULT	2
__muldf3			.symtab	0x19a8c	656	FUNC	<unknown>	HIDDEN	2
__nedf2			.symtab	0x19f38	132	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x2a3e4	4	OBJECT	<unknown>	DEFAULT	13
__preinit_array_end			.symtab	0x24004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x24004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__progname			.symtab	0x2433c	4	OBJECT	<unknown>	DEFAULT	12
__progname_full			.symtab	0x24340	4	OBJECT	<unknown>	DEFAULT	12
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x15250	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x15248	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x15248	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x15248	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x15248	8	FUNC	<unknown>	DEFAULT	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__rtd_fini			.symtab	0x2a3ec	4	OBJECT	<unknown>	HIDDEN	13
__sigaddset			.symtab	0x13128	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x1314c	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x13104	36	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x24144	4	OBJECT	<unknown>	DEFAULT	12
__stdio_READ			.symtab	0x192a8	88	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x16644	180	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x19300	196	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x16a00	320	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x112c8	52	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.4636			.symtab	0x1af4c	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x193c4	48	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x1948c	60	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x193f4	152	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x16b40	208	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x113d0	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x24148	4	OBJECT	<unknown>	DEFAULT	12
__subdf3			.symtab	0x19678	788	FUNC	<unknown>	HIDDEN	2
__syscall_error			.symtab	0x15860	32	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x15b3c	52	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__uClibc_fini			.symtab	0x1528c	124	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x1535c	108	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x153c8	724	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x24338	4	OBJECT	<unknown>	HIDDEN	12
__udivsi3			.symtab	0x10738	252	FUNC	<unknown>	HIDDEN	2
__vfork			.symtab	0x10860	64	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0x12b28	256	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__xstat32_conv			.symtab	0x18e4c	172	FUNC	<unknown>	HIDDEN	2
__xstat64_conv			.symtab	0x18d80	204	FUNC	<unknown>	HIDDEN	2
__xstat_conv			.symtab	0x18ef8	184	FUNC	<unknown>	HIDDEN	2
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_bss_custom_printf_spec			.symtab	0x2a3b4	10	OBJECT	<unknown>	DEFAULT	13
_bss_end__			.symtab	0x2a7e0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_call_via_fp			.symtab	0x80fd	4	FUNC	<unknown>	HIDDEN	2
_call_via_ip			.symtab	0x8101	4	FUNC	<unknown>	HIDDEN	2
_call_via_lr			.symtab	0x8109	4	FUNC	<unknown>	HIDDEN	2
_call_via_r0			.symtab	0x80d1	4	FUNC	<unknown>	HIDDEN	2
_call_via_r1			.symtab	0x80d5	4	FUNC	<unknown>	HIDDEN	2
_call_via_r2			.symtab	0x80d9	4	FUNC	<unknown>	HIDDEN	2
_call_via_r3			.symtab	0x80dd	4	FUNC	<unknown>	HIDDEN	2
_call_via_r4			.symtab	0x80e1	4	FUNC	<unknown>	HIDDEN	2
_call_via_r5			.symtab	0x80e5	4	FUNC	<unknown>	HIDDEN	2
_call_via_r6			.symtab	0x80e9	4	FUNC	<unknown>	HIDDEN	2
_call_via_r7			.symtab	0x80ed	4	FUNC	<unknown>	HIDDEN	2
_call_via_r8			.symtab	0x80f1	4	FUNC	<unknown>	HIDDEN	2
_call_via_r9			.symtab	0x80f5	4	FUNC	<unknown>	HIDDEN	2
_call_via_sl			.symtab	0x80f9	4	FUNC	<unknown>	HIDDEN	2
_call_via_sp			.symtab	0x8105	4	FUNC	<unknown>	HIDDEN	2
_charpad			.symtab	0x114e4	84	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_custom_printf_arginfo			.symtab	0x2a408	40	OBJECT	<unknown>	HIDDEN	13
_custom_printf_handler			.symtab	0x2a430	40	OBJECT	<unknown>	HIDDEN	13
_custom_printf_spec			.symtab	0x24240	4	OBJECT	<unknown>	HIDDEN	12
_dl_aux_init			.symtab	0x18c98	56	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x2a7d8	4	OBJECT	<unknown>	DEFAULT	13
_dl_phnum			.symtab	0x2a7dc	4	OBJECT	<unknown>	DEFAULT	13
_edata			.symtab	0x24344	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x2a7e0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x2a3f0	4	OBJECT	<unknown>	DEFAULT	13
_exit			.symtab	0x10d0c	44	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x1a0bc	0	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x283b4	8192	OBJECT	<unknown>	DEFAULT	13
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x11538	132	FUNC	<unknown>	DEFAULT	2
_fpmxtostr			.symtab	0x16e08	2036	FUNC	<unknown>	HIDDEN	2
_fpmxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x2a3f4	4	OBJECT	<unknown>	DEFAULT	13
_init			.symtab	0x80b4	0	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x16c10	112	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_memcpy			.symtab	0x17d00	0	FUNC	<unknown>	HIDDEN	2
_ppfs_init			.symtab	0x11ca4	160	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x11f8c	1392	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x11d44	68	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x11d88	432	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x11f38	84	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x15260	44	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x15258	8	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signintr			.symtab	0x2a458	8	OBJECT	<unknown>	HIDDEN	13
_start			.symtab	0x81b0	0	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x166f8	776	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x11260	104	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x2414c	4	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_add_lock			.symtab	0x24104	24	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_dec_use			.symtab	0x17794	392	FUNC	<unknown>	HIDDEN	2
_stdio_openlist_del_count			.symtab	0x283b0	4	OBJECT	<unknown>	DEFAULT	13
_stdio_openlist_del_lock			.symtab	0x2411c	24	OBJECT	<unknown>	DEFAULT	12
_stdio_openlist_use_count			.symtab	0x283ac	4	OBJECT	<unknown>	DEFAULT	13
_stdio_streams			.symtab	0x24150	240	OBJECT	<unknown>	DEFAULT	12
_stdio_term			.symtab	0x112fc	212	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x24134	4	OBJECT	<unknown>	DEFAULT	12
_stdlib_strto_l			.symtab	0x14754	448	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x16c80	44	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x1b01c	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x16cac	348	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x115bc	1768	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x13fe8	296	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
aeabi_unwind_cpp_pr1.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x14718	32	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x14718	32	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x2a3d4	4	OBJECT	<unknown>	DEFAULT	13
brk			.symtab	0x18cd0	76	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x1304c	184	FUNC	<unknown>	DEFAULT	2
buf.2975			.symtab	0x2a3c4	16	OBJECT	<unknown>	DEFAULT	13
c			.symtab	0x240ec	4	OBJECT	<unknown>	DEFAULT	12
calloc			.symtab	0x187b0	308	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
chdir			.symtab	0x10a7c	52	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
client.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
clock_getres			.symtab	0x159c4	52	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x10d70	52	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
closedir			.symtab	0x15b70	248	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
closedir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x24094	4	OBJECT	<unknown>	DEFAULT	12
completed.4959			.symtab	0x24348	1	OBJECT	<unknown>	DEFAULT	13
connect			.symtab	0x12df8	56	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x9d28	628	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0xac3c	340	FUNC	<unknown>	DEFAULT	2
currentServer			.symtab	0x24098	4	OBJECT	<unknown>	DEFAULT	12
data_start			.symtab	0x2408c	0	NOTYPE	<unknown>	DEFAULT	12
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x108a0	52	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x2a3e0	4	OBJECT	<unknown>	DEFAULT	13
errno			.symtab	0x2a3f0	4	OBJECT	<unknown>	DEFAULT	13
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execl			.symtab	0x1519c	172	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x15954	52	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x14914	184	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x1bc28	72	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x16434	436	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x10b78	108	FUNC	<unknown>	DEFAULT	2
fd_to_DIR			.symtab	0x15c68	208	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x9290	212	FUNC	<unknown>	DEFAULT	2
fdopen			.symtab	0x165e8	60	FUNC	<unknown>	DEFAULT	2
fdopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fdopen_pids			.symtab	0x28380	4	OBJECT	<unknown>	DEFAULT	13
fdopendir			.symtab	0x15de4	152	FUNC	<unknown>	DEFAULT	2
fdpclose			.symtab	0x9108	392	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x8e80	648	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x1791c	524	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc			.symtab	0x175fc	220	FUNC	<unknown>	DEFAULT	2
fgetc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x17b28	300	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x176d8	188	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x17c54	160	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x1bc10	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x16624	32	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x109ec	52	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x124fc	56	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8150	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x13d6c	572	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x19134	36	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x19134	36	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
fseeko64			.symtab	0x19158	336	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fstat			.symtab	0x18d28	88	FUNC	<unknown>	DEFAULT	2
fstat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x12534	176	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBogos			.symtab	0x965c	568	FUNC	<unknown>	DEFAULT	2
getBuild			.symtab	0xfcec	36	FUNC	<unknown>	DEFAULT	2
getCores			.symtab	0x9894	236	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x9594	104	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0xfa30	700	FUNC	<unknown>	DEFAULT	2
getRandomIP			.symtab	0xabd8	100	FUNC	<unknown>	DEFAULT	2
getRandomPublicIP			.symtab	0xa6f0	1256	FUNC	<unknown>	DEFAULT	2
getc			.symtab	0x175fc	220	FUNC	<unknown>	DEFAULT	2
getc_unlocked			.symtab	0x17b28	300	FUNC	<unknown>	DEFAULT	2
getdents64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdtablesize			.symtab	0x10ae4	44	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x15a2c	20	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x15a40	20	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x15ac0	20	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x15988	40	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x10968	20	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x159f8	52	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x12e30	56	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x12e68	68	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gettimeofday			.symtab	0x10b44	52	FUNC	<unknown>	DEFAULT	2
gettimeofday.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x159b0	20	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gotIP			.symtab	0x2436c	4	OBJECT	<unknown>	DEFAULT	13
h_errno			.symtab	0x2a3f4	4	OBJECT	<unknown>	DEFAULT	13
hextable			.symtab	0x1a30c	1024	OBJECT	<unknown>	DEFAULT	4
htonl			.symtab	0x12cd8	32	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x12cc8	16	FUNC	<unknown>	DEFAULT	2
i.4597			.symtab	0x240f0	4	OBJECT	<unknown>	DEFAULT	12
index			.symtab	0x129f0	240	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x12dd0	40	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x186b8	248	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x12db4	28	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x12d28	140	FUNC	<unknown>	DEFAULT	2
infectline			.symtab	0x24090	4	OBJECT	<unknown>	DEFAULT	12
initConnection			.symtab	0xf860	464	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x81ec	216	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0x14284	192	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
initstate_r			.symtab	0x14634	228	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x10cb8	84	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ipState			.symtab	0x28384	5	OBJECT	<unknown>	DEFAULT	13
isatty			.symtab	0x12c28	36	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x10da4	40	FUNC	<unknown>	DEFAULT	2
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x10b10	52	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/_memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/strcmp.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/strlen.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/sigrestorer.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x9f9c	424	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x194c8	100	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x24378	6	OBJECT	<unknown>	DEFAULT	13
main			.symtab	0xfd10	2600	FUNC	<unknown>	DEFAULT	2
mainCommSock			.symtab	0x24368	4	OBJECT	<unknown>	DEFAULT	13
makeIPPacket			.symtab	0xae64	256	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x9980	184	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x131e8	2336	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0x13fa8	64	FUNC	<unknown>	DEFAULT	2
matchPrompt			.symtab	0xa2d4	372	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x18190	240	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x12710	4	FUNC	<unknown>	DEFAULT	2
mempcpy			.symtab	0x18568	36	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x183ec	224	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x125f0	156	FUNC	<unknown>	DEFAULT	2
mmap			.symtab	0x157f8	104	FUNC	<unknown>	DEFAULT	2
mmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mremap			.symtab	0x18fb0	64	FUNC	<unknown>	DEFAULT	2
mremap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
munmap			.symtab	0x15ad4	52	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x28390	24	OBJECT	<unknown>	DEFAULT	13
mylock			.symtab	0x2425c	24	OBJECT	<unknown>	DEFAULT	12
mylock			.symtab	0x24274	24	OBJECT	<unknown>	DEFAULT	12
nanosleep			.symtab	0x15b08	52	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
negotiate			.symtab	0xa144	400	FUNC	<unknown>	DEFAULT	2
next_start.1358			.symtab	0x2a3c0	4	OBJECT	<unknown>	DEFAULT	13
nprocessors_onln			.symtab	0x14a78	332	FUNC	<unknown>	DEFAULT	2
ntohl			.symtab	0x12d08	32	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x12cf8	16	FUNC	<unknown>	DEFAULT	2
numpids			.symtab	0x24370	8	OBJECT	<unknown>	DEFAULT	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
object.4967			.symtab	0x2434c	24	OBJECT	<unknown>	DEFAULT	13
open			.symtab	0x108d4	96	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opendir			.symtab	0x15d38	172	FUNC	<unknown>	DEFAULT	2
opendir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourlP			.symtab	0x2a3fc	4	OBJECT	<unknown>	DEFAULT	13
parseHex			.symtab	0x9364	132	FUNC	<unknown>	DEFAULT	2
parse_config.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
passwords			.symtab	0x240b4	56	OBJECT	<unknown>	DEFAULT	12
pclose			.symtab	0x10e64	312	FUNC	<unknown>	DEFAULT	2
pids			.symtab	0x2a404	4	OBJECT	<unknown>	DEFAULT	13
pipe			.symtab	0x10934	52	FUNC	<unknown>	DEFAULT	2
pipe.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
popen			.symtab	0x10f9c	708	FUNC	<unknown>	DEFAULT	2
popen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
popen_list			.symtab	0x283a8	4	OBJECT	<unknown>	DEFAULT	13
prctl			.symtab	0x109ac	64	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4856			.symtab	0x1af74	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x8920	1012	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x853c	112	FUNC	<unknown>	DEFAULT	2
printf			.symtab	0x10e18	76	FUNC	<unknown>	DEFAULT	2
printf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
printi			.symtab	0x8734	492	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x85ac	392	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0xe7f8	4200	FUNC	<unknown>	DEFAULT	2
program_invocation_name			.symtab	0x24340	4	OBJECT	<unknown>	DEFAULT	12
program_invocation_short_name			.symtab	0x2433c	4	OBJECT	<unknown>	DEFAULT	12
qual_chars.4865			.symtab	0x1af88	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x12fd8	28	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x14110	24	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmw			.symtab	0x82c4	324	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x14128	164	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x1bb78	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x144cc	144	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x2428c	128	OBJECT	<unknown>	DEFAULT	12
rawmemchr			.symtab	0x1833c	176	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x10ab0	52	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readUntil			.symtab	0xa448	680	FUNC	<unknown>	DEFAULT	2
readdir64			.symtab	0x15e7c	236	FUNC	<unknown>	DEFAULT	2
readdir64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0x188e4	948	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x12eac	56	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x9a38	752	FUNC	<unknown>	DEFAULT	2
rindex			.symtab	0x18518	80	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x15a54	108	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x2a400	4	OBJECT	<unknown>	DEFAULT	13
sclose			.symtab	0xaf64	80	FUNC	<unknown>	DEFAULT	2
select			.symtab	0x10a3c	64	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x12ee4	56	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendCNC			.symtab	0xd4b8	208	FUNC	<unknown>	DEFAULT	2
sendHOLD			.symtab	0xe24c	1452	FUNC	<unknown>	DEFAULT	2
sendHTTP			.symtab	0xd588	172	FUNC	<unknown>	DEFAULT	2
sendJUNK			.symtab	0xdd48	1284	FUNC	<unknown>	DEFAULT	2
sendTCP			.symtab	0xd634	1812	FUNC	<unknown>	DEFAULT	2
sendUDP			.symtab	0xcd8	1504	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x12f1c	64	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsid			.symtab	0x10c84	52	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Network Behavior

Snort IDS Alerts

Timestamp	Protocol	SID	Message	Source Port	Dest Port	Source IP	Dest IP
192.168.2.2345.95.55.125 7822232840333 05/27/22- 20:01:34.611182	TCP	2840333	ETPRO TROJAN ELF/BASHLITE Variant CnC Activity	57822	23	192.168.2.23	45.95.55.12

TCP Packets

System Behavior

Analysis Process: tftp PID: 6232, Parent PID: 6122

General

Start time:	20:01:32
Start date:	27/05/2022
Path:	/tmp/tftp
Arguments:	/tmp/tftp
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities

File Read

Analysis Process: tftp PID: 6234, Parent PID: 6232

General

Start time:	20:01:33
Start date:	27/05/2022
Path:	/tmp/tftp
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: tftp PID: 6236, Parent PID: 6234

General

Start time:	20:01:33
-------------	----------

Start date:	27/05/2022
Path:	/tmp/tftp
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: tftp PID: 6239, Parent PID: 6236

General

Start time:	20:01:33
Start date:	27/05/2022
Path:	/tmp/tftp
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1