

JOeSandbox Cloud BASIC



ID: 635357

Sample Name: sshd

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 20:06:14

Date: 27/05/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report sshd	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Warnings	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Snort Signatures	4
Joe Sandbox Signatures	4
AV Detection	4
Spreading	4
Networking	4
Hooking and other Techniques for Hiding and Protection	5
Mitre Att&ck Matrix	5
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	6
Initial Sample	6
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	6
Contacted Domains	6
URLs from Memory and Binaries	7
World Map of Contacted IPs	7
Public IPs	7
Joe Sandbox View / Context	9
IPs	9
Domains	9
ASNs	10
JA3 Fingerprints	10
Dropped Files	10
Created / dropped Files	10
Static File Info	10
General	10
Static ELF Info	10
ELF header	10
Sections	11
Program Segments	11
Symbols	11
Network Behavior	22
Snort IDS Alerts	22
Network Port Distribution	22
TCP Packets	23
System Behavior	23
Analysis Process: sshd PID: 6230, Parent PID: 6122	23
General	23
File Activities	23
File Read	23
Analysis Process: sshd PID: 6232, Parent PID: 6230	23
General	23
Analysis Process: sshd PID: 6234, Parent PID: 6232	23
General	23
Analysis Process: sshd PID: 6237, Parent PID: 6234	23
General	23
Analysis Process: sshd PID: 6293, Parent PID: 6234	23
General	23

Linux Analysis Report

sshd

Overview

General Information

Sample Name:	sshd
Analysis ID:	635357
MD5:	e4a63054530710.
SHA1:	da4be5db609d64.
SHA256:	87f9284961cbd6..
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Score:	72
Range:	0 - 100
Whitelisted:	false

Signatures

Antivirus / Scanner detection for sub...

Multi AV Scanner detection for subm...

Snort IDS alert for network traffic

Uses known network protocols on n...

Opens /proc/net/* files useful for fin...

Sample contains symbols with susp...

Uses the "uname" system call to qu...

Tries to connect to HTTP servers, b...

Classification

Analysis Advice

Static ELF header machine description suggests that the sample might not execute correctly on this machine.
All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.
Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures.

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	635357
Start date and time: 27/05/202220:06:14	2022-05-27 20:06:14 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 6m 37s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	sshd
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal72.spre.troj.lin@0/0@0/0

Warnings

Runtime Messages

Command:	/tmp/sshd
PID:	6230
Exit Code:	0
Exit Code Info:	
Killed:	False

Standard Output:	<pre>BUILD DONGS buf: BUILD DONGS buf: PROBING BUILD DONGS buf: PING buf: PONG buf: PING</pre>
Standard Error:	

Process Tree

- **system is Inxubuntu20**
- **sshd** (PID: 6230, Parent: 6122, MD5: 0d6f61f82cf2f781c6eb0661071d42d9) Arguments: /tmp/sshd
 - **sshd** New Fork (PID: 6232, Parent: 6230)
 - **sshd** New Fork (PID: 6234, Parent: 6232)
 - **sshd** New Fork (PID: 6237, Parent: 6234)
 - **sshd** New Fork (PID: 6293, Parent: 6234)
- **cleanup**

Yara Signatures

 No vara matches

Snort Signatures

ETPRO TROJAN ELF/BASHLITE Variant CnC Activity - Source IP: 192.168.2.23 - Destination IP: 45.95.55.12

Timestamp:	192.168.2.2345.95.55.1257822232840333 05/27/22-20:07:04.437553
SID:	2840333
Source Port:	57822
Destination Port:	23
Protocol:	TCP
Classtype:	A Network Trojan was detected

Joe Sandbox Signatures

AV Detection



Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file

Spreading



Opens /proc/net/* files useful for finding connected devices and routers

Networking



Snort IDS alert for network traffic

Uses known network protocols on non-standard ports



Uses known network protocols on non-standard ports


Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	1 Masquerading	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Encrypted Channel	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	1 Remote System Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Non-Standard Port	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Application Layer Protocol	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

Malware Configuration


No configs have been found

Behavior Graph



URLs from Memory and Binaries

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
212.109.143.174	unknown	Poland		9103	ZIELMAN-EDU-ASMetropolitanNetworkZielMANPL	false
34.4.132.10	unknown	United States		2686	ATGS-MMD-ASUS	false
84.144.134.123	unknown	Germany		3320	DTAGInternetServiceprovideroperationsDE	false
142.88.192.148	unknown	Canada		5769	VIDEOTRONCA	false
130.103.132.143	unknown	United States		24436	UQ-AS-APUniversityofQueenslandAU	false
96.73.46.36	unknown	United States		7922	COMCAST-7922US	false
203.100.134.165	unknown	Japan		24436	UQ-AS-APUniversityofQueenslandAU	false
134.194.184.173	unknown	United States		289	DNIC-AS-00289US	false
85.189.136.135	unknown	United Kingdom		8190	MDNXGB	false
110.110.110.110	unknown	China		38341	CNNIC-HCENET-APHEXIEInformationtechnologyCoLtdCN	false
72.72.72.72	unknown	United States		701	UUNETUS	false
215.70.148.135	unknown	United States		385	AFCONC-BLOCK1-ASUS	false
157.201.154.215	unknown	United States		33281	BRIGHAM-YOUNG-UNIVERSITY-IDAHOUS	false
158.158.158.158	unknown	Singapore		8075	MICROSOFT-CORP-MSN-AS-BLOCKUS	false
102.63.169.138	unknown	Egypt		36992	ETISALAT-MISREG	false
216.123.198.94	unknown	Canada		852	ASN852CA	false
206.211.198.86	unknown	United States		19472	CAROLLO-ENGINEERSUS	false
167.163.213.252	unknown	United States		59447	SAYFANETTR	false
34.117.52.99	unknown	United States		139070	GOOGLE-AS-APGoogleAsiaPacificPteLtdSG	false
209.64.142.129	unknown	United States		13581	SOFTWAREHOUSEUS	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
179.156.153.224	unknown	Brazil		28573	CLAROSABR	false
183.183.183.183	unknown	Japan		45684	MIRAINETKyoceraCommunicationSystemsCoLtdJP	false
41.122.38.133	unknown	South Africa		16637	MTNNS-ASZA	false
100.197.122.131	unknown	United States		21928	T-MOBILE-AS21928US	false
125.136.122.133	unknown	Korea Republic of		4766	KIXS-AS-KRKoreaTelecomKR	false
160.184.214.125	unknown	South Africa		36903	MT-MPLSMA	false
198.209.195.206	unknown	United States		2572	MORENETUS	false
96.177.93.188	unknown	United States		7922	COMCAST-7922US	false
149.75.80.77	unknown	United States		6079	RCN-ASUS	false
197.195.226.225	unknown	Egypt		36992	ETISALAT-MISREG	false
109.169.159.148	unknown	Russian Federation		12389	ROSTELECOM-ASRU	false
98.188.153.209	unknown	United States		22773	ASN-CXA-ALL-CCI-22773-RDCUS	false
99.203.150.149	unknown	United States		10507	SPCSUS	false
180.92.153.208	unknown	Pakistan		55714	APNIC-FIBERLINK-PKFiberlinkPvtLtdPK	false
151.6.84.71	unknown	Italy		1267	ASN-WINDTREIUNETEU	false
155.132.105.95	unknown	France		37532	ZAMRENZM	false
170.168.199.198	unknown	United States		11685	HNBCOL-ASUS	false
210.139.131.133	unknown	Japan		2527	SO-NETSo-netEntertainmentCorporationJP	false
51.55.73.148	unknown	United Kingdom		31655	ASN-GAMMATELECOMGB	false
203.65.124.87	unknown	Taiwan; Republic of China (ROC)		4782	GSNETDataCommunicationBusinessGroupTW	false
128.25.59.90	unknown	United States		786	JANETJiscServicesLimitedGB	false
171.161.208.217	unknown	United States		10794	BANKAMERICAUS	false
202.94.116.132	unknown	Singapore		703	UUNETUS	false
76.180.127.126	unknown	United States		11351	TWC-11351-NORTHEASTUS	false
159.192.132.57	unknown	Thailand		131090	CAT-IDC-4BYTENET-AS-APCATTELECOMPublicCompanyLtdCATT	false
126.138.221.212	unknown	Japan		17676	GIGAINFRASoftbankBBCorporationJP	false
148.59.177.82	unknown	United States		36236	NETACTUATEUS	false
154.124.203.89	unknown	Senegal		8346	SONATEL-ASAutonomousSystemEU	false
99.109.185.216	unknown	United States		7018	ATT-INTERNET4US	false
68.143.95.49	unknown	United States		7029	WINDSTREAMUS	false
146.154.161.81	unknown	United States		270	AS270US	false
101.54.46.149	unknown	China		4847	CNIX-APChinaNetworksInter-ExchangeCN	false
193.200.246.195	unknown	unknown		8793	THINXXDE	false
109.82.111.122	unknown	Saudi Arabia		34400	ASN-ETTIIHADETISALATSA	false
131.206.158.112	unknown	Japan		2907	SINET-ASResearchOrganizationofInformationandSystemsN	false
111.43.178.149	unknown	China		132525	CMNET-HEILONGJIANG-CNHeiLongJiangMobileCommunicationComp	false
67.185.131.125	unknown	United States		7922	COMCAST-7922US	false
107.4.38.69	unknown	United States		7922	COMCAST-7922US	false
202.192.239.248	unknown	China		4538	ERX-CERNET-BKBChinaEducationandResearchNetworkCenter	false
43.41.80.127	unknown	Japan		4249	LILLY-ASUS	false
98.59.151.193	unknown	United States		7922	COMCAST-7922US	false
112.89.86.157	unknown	China		17816	CHINA169-GZChinaUnicomIPnetworkChina169Guangdongprovi	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
133.73.132.54	unknown	Japan		2907	SINET-ASResearchOrganizationofInformationandSystemsN	false
251.177.182.179	unknown	Reserved		unknown	unknown	false
163.184.90.172	unknown	United States		72	SCHLUMBERGER-ASUS	false
217.217.217.217	unknown	Spain		12357	COMUNITELSPAINES	false
193.67.62.148	unknown	Netherlands		1661	ANS-ATLANTAUS	false
251.228.201.191	unknown	Reserved		unknown	unknown	false
92.62.141.27	unknown	Lithuania		15440	BALTNETACustomersASLT	false
209.71.130.93	unknown	United States		46800	INFOLOGCORPUS	false
124.84.169.195	unknown	Japan		4713	OCNNTTCommunicationsCorporationJP	false
63.138.90.44	unknown	United States		7029	WINDSTREAMUS	false
104.128.158.69	unknown	Canada		393653	WIZ1CA	false
253.193.252.174	unknown	Reserved		unknown	unknown	false
109.156.97.175	unknown	United Kingdom		2856	BT-UK-ASBTnetUKRegionalnetworkGB	false
252.157.168.216	unknown	Reserved		unknown	unknown	false
171.91.58.66	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
108.102.112.161	unknown	United States		10507	SPCSUS	false
75.185.107.128	unknown	United States		10796	TWC-10796-MIDWESTUS	false
99.103.154.190	unknown	United States		7018	ATT-INTERNET4US	false
132.139.185.134	unknown	United States		306	DNIC-ASBLK-00306-00371US	false
63.24.116.158	unknown	United States		701	UUNETUS	false
140.113.181.152	unknown	Taiwan; Republic of China (ROC)		9916	NCTU-TWNationalChiaoTungUniversityTW	false
192.186.196.245	unknown	United States		26496	AS-26496-GO-DADDY-COM-LLCUS	false
105.113.120.40	unknown	Nigeria		36873	VNL1-ASNG	false
63.61.100.147	unknown	United States		701	UUNETUS	false
61.174.135.61	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
138.157.79.99	unknown	United States		1540	DNIC-ASBLK-01534-01546US	false
249.200.215.203	unknown	Reserved		unknown	unknown	false
54.52.83.82	unknown	United States		14618	AMAZON-AESUS	false
198.132.128.141	unknown	United States		292	ESNET-WESTUS	false
140.230.195.251	unknown	Canada		8111	DALUNIVCA	false
176.201.210.102	unknown	Italy		16232	ASN-TIMServiceProviderIT	false
191.103.78.187	unknown	Honduras		23383	METROREDSADECVHN	false
254.166.141.250	unknown	Reserved		unknown	unknown	false
196.51.129.116	unknown	South Africa		37518	FIBERGRIDSC	false
204.150.254.210	unknown	United States		701	UUNETUS	false
106.106.205.99	unknown	Taiwan; Republic of China (ROC)		4780	SEEDNETDigitalUnitedIncTW	false
84.61.58.129	unknown	Germany		3209	VODANETInternationalIP-BackboneofVodafoneDE	false
151.202.160.141	unknown	United States		701	UUNETUS	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, MIPS, MIPS-I version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	5.045291526562073
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	sshd
File size:	119167
MD5:	e4a6305453071029694a1f941133261a
SHA1:	da4be5db609d644f7468756f20996c8fe7a17d6e
SHA256:	87f9284961cbd6155b2dd0ce1c241b54f186a036e97ead7d091353c44afeb0ce
SHA512:	8ec824a45c983d82954d98e75e04de18c016512da7970825f48cbe8b08bf2378f444ff48990a47b9b4ff64c36993a42d01fb8a73e1d13631dfced2266f40e44b
SSDEEP:	1536:C6SoeTAPh5Dae/NfexupyzbZ3UH1y6wo7IP84Xz+vg8:C0hfexup4bbqa84D8
TLSH:	25C3945A6761CEB7E85ECE3B069A450110CD9D4A02DD6F2F72B0F61CE3AB88E45D3D44
File Content Preview:	.ELF.....@.4...<.....4. ...{.....p.....@...@.....@...@...Y...Y.....`'E..`E.t...8j.....Q.td.....P.E....<...'!.....<'!... ..

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	MIPS R3000
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x4002a0
Flags:	0x1007
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	4
Section Header Offset:	101180
Section Header Size:	40
Number of Section Headers:	20

ELF header

Header String Table Index: 17

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.reginfo	MIPS_REGINFO	0x4000b4	0xb4	0x18	0x18	0x2	A	0	0	4
.init	PROGBITS	0x4000cc	0xcc	0x8c	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x400160	0x160	0x13b90	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x413cf0	0x13cf0	0x5c	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x413d50	0x13d50	0x1c70	0x0	0x2	A	0	0	16
.eh_frame	PROGBITS	0x4159c0	0x159c0	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x456000	0x16000	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x456008	0x16008	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x456010	0x16010	0x4	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x456020	0x16020	0x440	0x0	0x3	WA	0	0	16
.got	PROGBITS	0x456460	0x16460	0x414	0x4	0x10000003	WA	0	0	16
.sbss	NOBITS	0x456874	0x16874	0x14	0x0	0x10000003	WA	0	0	4
.bss	NOBITS	0x456890	0x16874	0x61a8	0x0	0x3	WA	0	0	16
.comment	PROGBITS	0x0	0x16874	0x936	0x0	0x0		0	0	1
.mdebug.abi32	PROGBITS	0x936	0x171aa	0x0	0x0	0x0		0	0	1
.pdr	PROGBITS	0x0	0x171ac	0x1900	0x0	0x0		0	0	4
.shstrtab	STRTAB	0x0	0x18aac	0x8d	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x18e5c	0x26f0	0x10	0x0		19	253	4
.strtab	STRTAB	0x0	0x1b54c	0x1c33	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
<unknown>	0xb4	0x4000b4	0x4000b4	0x18	0x18	0.6013	0x4	R	0x4		.reginfo
LOAD	0x0	0x400000	0x400000	0x159c4	0x159c4	3.1835	0x5	R E	0x10000		.reginfo .init .text .fini .rodata .eh_frame
LOAD	0x16000	0x456000	0x456000	0x874	0x6a38	2.5741	0x6	RW	0x10000		.ctors .dtors .jcr .data .got .sbss .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x4000b4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x4000cc	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x400160	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x413cf0	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x413d50	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x4159c0	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x456000	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x456008	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x456010	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x456020	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x456460	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x456874	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x456890	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x936	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
Q			.symtab	0x4568c8	16384	OBJECT	<unknown>	DEFAULT	13
StartTheLelz			.symtab	0x404614	8640	FUNC	<unknown>	DEFAULT	3
_GLOBAL_OFFSET_TABLE_			.symtab	0x456460	0	OBJECT	<unknown>	DEFAULT	11
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x456004	0	OBJECT	<unknown>	DEFAULT	7
__CTOR_LIST__			.symtab	0x456000	0	OBJECT	<unknown>	DEFAULT	7
__C_ctype_b			.symtab	0x4560c0	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x4145e0	768	OBJECT	<unknown>	DEFAULT	5
__C_ctype_toupper			.symtab	0x4560d0	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x4148e0	768	OBJECT	<unknown>	DEFAULT	5
__DTOR_END__			.symtab	0x45600c	0	OBJECT	<unknown>	DEFAULT	8
__DTOR_LIST__			.symtab	0x456008	0	OBJECT	<unknown>	DEFAULT	8
__EH_FRAME_BEGIN__			.symtab	0x4159c0	0	OBJECT	<unknown>	DEFAULT	6
__FRAME_END__			.symtab	0x4159c0	0	OBJECT	<unknown>	DEFAULT	6
__Gl__C_ctype_b			.symtab	0x4560c0	4	OBJECT	<unknown>	HIDDEN	10
__Gl__C_ctype_b_data			.symtab	0x4145e0	768	OBJECT	<unknown>	HIDDEN	5
__Gl__C_ctype_toupper			.symtab	0x4560d0	4	OBJECT	<unknown>	HIDDEN	10
__Gl__C_ctype_toupper_data			.symtab	0x4148e0	768	OBJECT	<unknown>	HIDDEN	5
__Gl__ctype_b			.symtab	0x4560c4	4	OBJECT	<unknown>	HIDDEN	10
__Gl__ctype_toupper			.symtab	0x4560d4	4	OBJECT	<unknown>	HIDDEN	10
__Gl__errno_location			.symtab	0x40c770	24	FUNC	<unknown>	HIDDEN	3
__Gl__glibc_strerror_r			.symtab	0x40eaa0	68	FUNC	<unknown>	HIDDEN	3
__Gl__libc_fcntl			.symtab	0x40be50	136	FUNC	<unknown>	HIDDEN	3
__Gl__libc_fcntl64			.symtab	0x40bee0	104	FUNC	<unknown>	HIDDEN	3
__Gl__libc_open			.symtab	0x40c300	124	FUNC	<unknown>	HIDDEN	3
__Gl__uClibc_fini			.symtab	0x410b50	196	FUNC	<unknown>	HIDDEN	3
__Gl__uClibc_init			.symtab	0x410cac	140	FUNC	<unknown>	HIDDEN	3
__Gl__xpg_strerror_r			.symtab	0x40eaf0	392	FUNC	<unknown>	HIDDEN	3
__Gl__exit			.symtab	0x40bf50	80	FUNC	<unknown>	HIDDEN	3
__Gl__abort			.symtab	0x413480	428	FUNC	<unknown>	HIDDEN	3
__Gl__atoi			.symtab	0x4104c0	28	FUNC	<unknown>	HIDDEN	3
__Gl__atol			.symtab	0x4104c0	28	FUNC	<unknown>	HIDDEN	3
__Gl__brk			.symtab	0x413660	112	FUNC	<unknown>	HIDDEN	3
__Gl__chdir			.symtab	0x40bfa0	88	FUNC	<unknown>	HIDDEN	3
__Gl__close			.symtab	0x40c000	84	FUNC	<unknown>	HIDDEN	3
__Gl__connect			.symtab	0x40ef40	84	FUNC	<unknown>	HIDDEN	3
__Gl__dup2			.symtab	0x40c060	84	FUNC	<unknown>	HIDDEN	3
__Gl__errno			.symtab	0x45c970	4	OBJECT	<unknown>	HIDDEN	13
__Gl__execl			.symtab	0x410840	204	FUNC	<unknown>	HIDDEN	3
__Gl__execve			.symtab	0x411240	84	FUNC	<unknown>	HIDDEN	3
__Gl__exit			.symtab	0x410750	236	FUNC	<unknown>	HIDDEN	3
__Gl__fclose			.symtab	0x411710	512	FUNC	<unknown>	HIDDEN	3
__Gl__fcntl			.symtab	0x40be50	136	FUNC	<unknown>	HIDDEN	3
__Gl__fcntl64			.symtab	0x40bee0	104	FUNC	<unknown>	HIDDEN	3
__Gl__fdopen			.symtab	0x411910	128	FUNC	<unknown>	HIDDEN	3
__Gl__fflush_unlocked			.symtab	0x412d60	628	FUNC	<unknown>	HIDDEN	3
__Gl__fork			.symtab	0x40c0c0	84	FUNC	<unknown>	HIDDEN	3
__Gl__fputs_unlocked			.symtab	0x40e210	128	FUNC	<unknown>	HIDDEN	3
__Gl__fseek			.symtab	0x4136d0	68	FUNC	<unknown>	HIDDEN	3
__Gl__fseeko64			.symtab	0x413720	388	FUNC	<unknown>	HIDDEN	3
__Gl__fwrite_unlocked			.symtab	0x40e290	280	FUNC	<unknown>	HIDDEN	3
__Gl__getdtablesize			.symtab	0x40c120	72	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_getegid			.symtab	0x4112a0	88	FUNC	<unknown>	HIDDEN	3
__Gl_geteuid			.symtab	0x411300	88	FUNC	<unknown>	HIDDEN	3
__Gl_getgid			.symtab	0x411360	84	FUNC	<unknown>	HIDDEN	3
__Gl_getpid			.symtab	0x40c170	84	FUNC	<unknown>	HIDDEN	3
__Gl_getrlimit			.symtab	0x40c1d0	84	FUNC	<unknown>	HIDDEN	3
__Gl_getsockname			.symtab	0x40efa0	84	FUNC	<unknown>	HIDDEN	3
__Gl_getuid			.symtab	0x4113c0	84	FUNC	<unknown>	HIDDEN	3
__Gl_h_errno			.symtab	0x45c974	4	OBJECT	<unknown>	HIDDEN	13
__Gl_inet_addr			.symtab	0x40eef0	72	FUNC	<unknown>	HIDDEN	3
__Gl_inet_aton			.symtab	0x413360	280	FUNC	<unknown>	HIDDEN	3
__Gl_inet_ntoa			.symtab	0x40eecc	32	FUNC	<unknown>	HIDDEN	3
__Gl_inet_ntoa_r			.symtab	0x40ee10	188	FUNC	<unknown>	HIDDEN	3
__Gl_initstate_r			.symtab	0x410130	328	FUNC	<unknown>	HIDDEN	3
__Gl_ioctl			.symtab	0x40c230	104	FUNC	<unknown>	HIDDEN	3
__Gl_isatty			.symtab	0x40eca0	60	FUNC	<unknown>	HIDDEN	3
__Gl_kill			.symtab	0x40c2a0	88	FUNC	<unknown>	HIDDEN	3
__Gl_lseek64			.symtab	0x413bd0	164	FUNC	<unknown>	HIDDEN	3
__Gl_memchr			.symtab	0x412fe0	264	FUNC	<unknown>	HIDDEN	3
__Gl_memcpy			.symtab	0x40e3b0	308	FUNC	<unknown>	HIDDEN	3
__Gl_mempcpy			.symtab	0x4130f0	76	FUNC	<unknown>	HIDDEN	3
__Gl_memrchr			.symtab	0x413140	272	FUNC	<unknown>	HIDDEN	3
__Gl_memset			.symtab	0x40e4f0	144	FUNC	<unknown>	HIDDEN	3
__Gl_nanosleep			.symtab	0x411420	84	FUNC	<unknown>	HIDDEN	3
__Gl_open			.symtab	0x40c300	124	FUNC	<unknown>	HIDDEN	3
__Gl_pipe			.symtab	0x40be10	64	FUNC	<unknown>	HIDDEN	3
__Gl_printf			.symtab	0x40c790	92	FUNC	<unknown>	HIDDEN	3
__Gl_raise			.symtab	0x413b80	76	FUNC	<unknown>	HIDDEN	3
__Gl_random			.symtab	0x40fb00	164	FUNC	<unknown>	HIDDEN	3
__Gl_random_r			.symtab	0x40ff0c	176	FUNC	<unknown>	HIDDEN	3
__Gl_rawmemchr			.symtab	0x413a60	200	FUNC	<unknown>	HIDDEN	3
__Gl_read			.symtab	0x40c420	84	FUNC	<unknown>	HIDDEN	3
__Gl_recv			.symtab	0x40f080	84	FUNC	<unknown>	HIDDEN	3
__Gl_sbrk			.symtab	0x411480	144	FUNC	<unknown>	HIDDEN	3
__Gl_select			.symtab	0x40c480	120	FUNC	<unknown>	HIDDEN	3
__Gl_send			.symtab	0x40f0e0	84	FUNC	<unknown>	HIDDEN	3
__Gl_sendto			.symtab	0x40f140	128	FUNC	<unknown>	HIDDEN	3
__Gl_setsid			.symtab	0x40c500	84	FUNC	<unknown>	HIDDEN	3
__Gl_setsockopt			.symtab	0x40f1c0	120	FUNC	<unknown>	HIDDEN	3
__Gl_setstate_r			.symtab	0x40fdd0	316	FUNC	<unknown>	HIDDEN	3
__Gl_sigaction			.symtab	0x4110f0	232	FUNC	<unknown>	HIDDEN	3
__Gl_sigaddset			.symtab	0x40f2a0	104	FUNC	<unknown>	HIDDEN	3
__Gl_sigemptyset			.symtab	0x40f310	60	FUNC	<unknown>	HIDDEN	3
__Gl_signal			.symtab	0x40f350	252	FUNC	<unknown>	HIDDEN	3
__Gl_sigprocmask			.symtab	0x40c560	148	FUNC	<unknown>	HIDDEN	3
__Gl_sleep			.symtab	0x410910	564	FUNC	<unknown>	HIDDEN	3
__Gl_socket			.symtab	0x40f240	84	FUNC	<unknown>	HIDDEN	3
__Gl_srandom_r			.symtab	0x40ffbc	372	FUNC	<unknown>	HIDDEN	3
__Gl_strcat			.symtab	0x40e580	52	FUNC	<unknown>	HIDDEN	3
__Gl_strchr			.symtab	0x40e5c0	256	FUNC	<unknown>	HIDDEN	3
__Gl_strcmp			.symtab	0x40e6c0	44	FUNC	<unknown>	HIDDEN	3
__Gl_strcoll			.symtab	0x40e6c0	44	FUNC	<unknown>	HIDDEN	3
__Gl_strcpy			.symtab	0x40e6f0	36	FUNC	<unknown>	HIDDEN	3
__Gl_strlen			.symtab	0x40e720	184	FUNC	<unknown>	HIDDEN	3
__Gl_strncpy			.symtab	0x40e7e0	188	FUNC	<unknown>	HIDDEN	3
__Gl_strnlen			.symtab	0x40e8a0	256	FUNC	<unknown>	HIDDEN	3
__Gl_strpbrk			.symtab	0x413320	64	FUNC	<unknown>	HIDDEN	3
__Gl_strspn			.symtab	0x413b30	76	FUNC	<unknown>	HIDDEN	3
__Gl_strstr			.symtab	0x40e9a0	256	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_strtok			.symtab	0x40ec80	32	FUNC	<unknown>	HIDDEN	3
__Gl_strtok_r			.symtab	0x413250	204	FUNC	<unknown>	HIDDEN	3
__Gl_strtol			.symtab	0x4104e0	28	FUNC	<unknown>	HIDDEN	3
__Gl_tcgetattr			.symtab	0x40ece0	176	FUNC	<unknown>	HIDDEN	3
__Gl_time			.symtab	0x40c600	84	FUNC	<unknown>	HIDDEN	3
__Gl_toupper			.symtab	0x40c730	60	FUNC	<unknown>	HIDDEN	3
__Gl_vfork			.symtab	0x40c660	28	FUNC	<unknown>	HIDDEN	3
__Gl_vfprintf			.symtab	0x40ce20	260	FUNC	<unknown>	HIDDEN	3
__Gl_wait4			.symtab	0x411510	88	FUNC	<unknown>	HIDDEN	3
__Gl_waitpid			.symtab	0x40c680	28	FUNC	<unknown>	HIDDEN	3
__Gl_wcrtomb			.symtab	0x411570	112	FUNC	<unknown>	HIDDEN	3
__Gl_wcsnrtombs			.symtab	0x411620	228	FUNC	<unknown>	HIDDEN	3
__Gl_wcsrtombs			.symtab	0x4115e0	64	FUNC	<unknown>	HIDDEN	3
__Gl_write			.symtab	0x40c6a0	84	FUNC	<unknown>	HIDDEN	3
__JCR_END__			.symtab	0x456010	0	OBJECT	<unknown>	DEFAULT	9
__JCR_LIST__			.symtab	0x456010	0	OBJECT	<unknown>	DEFAULT	9
__app_fini			.symtab	0x45c95c	4	OBJECT	<unknown>	HIDDEN	13
__atexit_lock			.symtab	0x456410	24	OBJECT	<unknown>	DEFAULT	10
__bsd_signal			.symtab	0x40f350	252	FUNC	<unknown>	HIDDEN	3
__bss_start			.symtab	0x456874	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x410c24	136	FUNC	<unknown>	DEFAULT	3
__ctype_b			.symtab	0x4560c4	4	OBJECT	<unknown>	DEFAULT	10
__ctype_toupper			.symtab	0x4560d4	4	OBJECT	<unknown>	DEFAULT	10
__curbrk			.symtab	0x45c990	4	OBJECT	<unknown>	HIDDEN	13
__data_start			.symtab	0x456040	0	OBJECT	<unknown>	DEFAULT	10
__deregister_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__do_global_ctors_aux			.symtab	0x413c80	0	FUNC	<unknown>	DEFAULT	3
__do_global_dtors_aux			.symtab	0x400160	0	FUNC	<unknown>	DEFAULT	3
__dso_handle			.symtab	0x456020	0	OBJECT	<unknown>	HIDDEN	10
__environ			.symtab	0x45c954	4	OBJECT	<unknown>	DEFAULT	13
__errno_location			.symtab	0x40c770	24	FUNC	<unknown>	DEFAULT	3
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x45c940	4	OBJECT	<unknown>	HIDDEN	13
__fini_array_end			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__glibc_strerror_r			.symtab	0x40eaa0	68	FUNC	<unknown>	DEFAULT	3
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__heap_alloc			.symtab	0x40f860	188	FUNC	<unknown>	DEFAULT	3
__heap_free			.symtab	0x40f968	364	FUNC	<unknown>	DEFAULT	3
__heap_link_free_area			.symtab	0x40f920	44	FUNC	<unknown>	DEFAULT	3
__heap_link_free_area_after			.symtab	0x40f94c	28	FUNC	<unknown>	DEFAULT	3
__init_array_end			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__libc_close			.symtab	0x40c000	84	FUNC	<unknown>	DEFAULT	3
__libc_connect			.symtab	0x40ef40	84	FUNC	<unknown>	DEFAULT	3
__libc_creat			.symtab	0x40c37c	28	FUNC	<unknown>	DEFAULT	3
__libc_fcntl			.symtab	0x40be50	136	FUNC	<unknown>	DEFAULT	3
__libc_fcntl64			.symtab	0x40bee0	104	FUNC	<unknown>	DEFAULT	3
__libc_fork			.symtab	0x40c0c0	84	FUNC	<unknown>	DEFAULT	3
__libc_getpid			.symtab	0x40c170	84	FUNC	<unknown>	DEFAULT	3
__libc_lseek64			.symtab	0x413bd0	164	FUNC	<unknown>	DEFAULT	3
__libc_nanosleep			.symtab	0x411420	84	FUNC	<unknown>	DEFAULT	3
__libc_open			.symtab	0x40c300	124	FUNC	<unknown>	DEFAULT	3
__libc_read			.symtab	0x40c420	84	FUNC	<unknown>	DEFAULT	3
__libc_recv			.symtab	0x40f080	84	FUNC	<unknown>	DEFAULT	3
__libc_select			.symtab	0x40c480	120	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__libc_send			.symtab	0x40f0e0	84	FUNC	<unknown>	DEFAULT	3
__libc_sendto			.symtab	0x40f140	128	FUNC	<unknown>	DEFAULT	3
__libc_sigaction			.symtab	0x4110f0	232	FUNC	<unknown>	DEFAULT	3
__libc_stack_end			.symtab	0x45c950	4	OBJECT	<unknown>	DEFAULT	13
__libc_system			.symtab	0x410280	568	FUNC	<unknown>	DEFAULT	3
__libc_waitpid			.symtab	0x40c680	28	FUNC	<unknown>	DEFAULT	3
__libc_write			.symtab	0x40c6a0	84	FUNC	<unknown>	DEFAULT	3
__malloc_heap			.symtab	0x456340	4	OBJECT	<unknown>	DEFAULT	10
__malloc_heap_lock			.symtab	0x45c920	24	OBJECT	<unknown>	DEFAULT	13
__malloc_sbrk_lock			.symtab	0x45ca20	24	OBJECT	<unknown>	DEFAULT	13
__pagesize			.symtab	0x45c958	4	OBJECT	<unknown>	DEFAULT	13
__preinit_array_end			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x410c14	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_lock			.symtab	0x410c14	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_trylock			.symtab	0x410c14	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_unlock			.symtab	0x410c14	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_0			.symtab	0x410c14	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_void			.symtab	0x410c1c	8	FUNC	<unknown>	DEFAULT	3
__raise			.symtab	0x413b80	76	FUNC	<unknown>	HIDDEN	3
__register_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__rtd_fini			.symtab	0x45c960	4	OBJECT	<unknown>	HIDDEN	13
__sigaddset			.symtab	0x40f478	44	FUNC	<unknown>	DEFAULT	3
__sigdelset			.symtab	0x40f4a4	48	FUNC	<unknown>	DEFAULT	3
__sigismember			.symtab	0x40f450	40	FUNC	<unknown>	DEFAULT	3
__start			.symtab	0x4002a0	100	FUNC	<unknown>	DEFAULT	3
__stdin			.symtab	0x45612c	4	OBJECT	<unknown>	DEFAULT	10
__stdio_WRITE			.symtab	0x411990	280	FUNC	<unknown>	HIDDEN	3
__stdio_adjust_position			.symtab	0x4138b0	320	FUNC	<unknown>	HIDDEN	3
__stdio_fwrite			.symtab	0x411e20	472	FUNC	<unknown>	HIDDEN	3
__stdio_init_mutex			.symtab	0x40cc68	32	FUNC	<unknown>	HIDDEN	3
__stdio_mutex_initializer.3833			.symtab	0x414bf0	24	OBJECT	<unknown>	DEFAULT	5
__stdio_seek			.symtab	0x4139f0	112	FUNC	<unknown>	HIDDEN	3
__stdio_trans2w_o			.symtab	0x412000	308	FUNC	<unknown>	HIDDEN	3
__stdio_wcommit			.symtab	0x40cdb0	100	FUNC	<unknown>	HIDDEN	3
__stdout			.symtab	0x456130	4	OBJECT	<unknown>	DEFAULT	10
__syscall_error			.symtab	0x4110a0	72	FUNC	<unknown>	HIDDEN	3
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x4111e0	84	FUNC	<unknown>	HIDDEN	3
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x410b50	196	FUNC	<unknown>	DEFAULT	3
__uClibc_init			.symtab	0x410cac	140	FUNC	<unknown>	DEFAULT	3
__uClibc_main			.symtab	0x410d38	864	FUNC	<unknown>	DEFAULT	3
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uclibc_progname			.symtab	0x456430	4	OBJECT	<unknown>	HIDDEN	10
__vfork			.symtab	0x40c660	28	FUNC	<unknown>	HIDDEN	3
__xpg_strerror_r			.symtab	0x40eaf0	392	FUNC	<unknown>	DEFAULT	3
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__charpad			.symtab	0x40cf30	128	FUNC	<unknown>	DEFAULT	3
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__dl_aux_init			.symtab	0x413630	44	FUNC	<unknown>	DEFAULT	3
__dl_phdr			.symtab	0x456880	4	OBJECT	<unknown>	DEFAULT	12
__dl_phnum			.symtab	0x456884	4	OBJECT	<unknown>	DEFAULT	12

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_edata			.symtab	0x456874	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x45ca38	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x45c970	4	OBJECT	<unknown>	DEFAULT	13
_exit			.symtab	0x40bf50	80	FUNC	<unknown>	DEFAULT	3
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fbss			.symtab	0x456874	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_fdata			.symtab	0x456020	0	NOTYPE	<unknown>	DEFAULT	10
_fini			.symtab	0x413cf0	28	FUNC	<unknown>	DEFAULT	4
_fixed_buffers			.symtab	0x45a8f8	8192	OBJECT	<unknown>	DEFAULT	13
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x40cfb0	228	FUNC	<unknown>	DEFAULT	3
_fpmaxtostr			.symtab	0x412380	2120	FUNC	<unknown>	HIDDEN	3
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ftext			.symtab	0x400160	0	NOTYPE	<unknown>	DEFAULT	3
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_gp			.symtab	0x45e450	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_gp_disp			.symtab	0x0	0	OBJECT	<unknown>	DEFAULT	SHN_UNDE F
_h_errno			.symtab	0x45c974	4	OBJECT	<unknown>	DEFAULT	13
_init			.symtab	0x4000cc	28	FUNC	<unknown>	DEFAULT	2
_load_inttype			.symtab	0x412140	136	FUNC	<unknown>	HIDDEN	3
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x40d840	220	FUNC	<unknown>	HIDDEN	3
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x40dc1c	1512	FUNC	<unknown>	HIDDEN	3
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x40d920	100	FUNC	<unknown>	HIDDEN	3
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x40d990	544	FUNC	<unknown>	HIDDEN	3
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x40dbb0	108	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_pop_restore			.symtab	0x410c1c	8	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_push_defer			.symtab	0x410c1c	8	FUNC	<unknown>	DEFAULT	3
_sigintr			.symtab	0x45c9a0	128	OBJECT	<unknown>	HIDDEN	13
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x411ab0	880	FUNC	<unknown>	HIDDEN	3
_stdio_init			.symtab	0x40cbb0	184	FUNC	<unknown>	HIDDEN	3
_stdio_openlist			.symtab	0x456134	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_add_lock			.symtab	0x4560e0	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_dec_use			.symtab	0x412bd0	400	FUNC	<unknown>	DEFAULT	3
_stdio_openlist_del_count			.symtab	0x45a8f4	4	OBJECT	<unknown>	DEFAULT	13
_stdio_openlist_del_lock			.symtab	0x4560f8	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_use_count			.symtab	0x45a8f0	4	OBJECT	<unknown>	DEFAULT	13
_stdio_streams			.symtab	0x456138	240	OBJECT	<unknown>	DEFAULT	10
_stdio_term			.symtab	0x40cc88	284	FUNC	<unknown>	HIDDEN	3
_stdio_user_locking			.symtab	0x456110	4	OBJECT	<unknown>	DEFAULT	10
_stdlib_strto_l			.symtab	0x410500	592	FUNC	<unknown>	HIDDEN	3
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x4121d0	68	FUNC	<unknown>	HIDDEN	3
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x414d60	2934	OBJECT	<unknown>	HIDDEN	5
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x412220	340	FUNC	<unknown>	HIDDEN	3
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x40d094	1960	FUNC	<unknown>	HIDDEN	3
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x413480	428	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x4104c0	28	FUNC	<unknown>	DEFAULT	3
atol			.symtab	0x4104c0	28	FUNC	<unknown>	DEFAULT	3
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x45c980	4	OBJECT	<unknown>	DEFAULT	13
been_there_done_that.2792			.symtab	0x45c964	4	OBJECT	<unknown>	DEFAULT	13
brk			.symtab	0x413660	112	FUNC	<unknown>	DEFAULT	3
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x40f350	252	FUNC	<unknown>	DEFAULT	3
buf.2613			.symtab	0x45c910	16	OBJECT	<unknown>	DEFAULT	13
c			.symtab	0x456054	4	OBJECT	<unknown>	DEFAULT	10
chdir			.symtab	0x40bfa0	88	FUNC	<unknown>	DEFAULT	3
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
client.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x40c000	84	FUNC	<unknown>	DEFAULT	3
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x456064	4	OBJECT	<unknown>	DEFAULT	10
completed.2296			.symtab	0x456890	1	OBJECT	<unknown>	DEFAULT	13
connect			.symtab	0x40ef40	84	FUNC	<unknown>	DEFAULT	3
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x402b10	828	FUNC	<unknown>	DEFAULT	3
creat			.symtab	0x40c37c	28	FUNC	<unknown>	DEFAULT	3
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x40413c	460	FUNC	<unknown>	DEFAULT	3
currentServer			.symtab	0x456050	4	OBJECT	<unknown>	DEFAULT	10
data_start			.symtab	0x456040	0	OBJECT	<unknown>	DEFAULT	10
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x40c060	84	FUNC	<unknown>	DEFAULT	3
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x45c954	4	OBJECT	<unknown>	DEFAULT	13
errno			.symtab	0x45c970	4	OBJECT	<unknown>	DEFAULT	13
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
estridx			.symtab	0x414cd0	126	OBJECT	<unknown>	DEFAULT	5
execl			.symtab	0x410840	204	FUNC	<unknown>	DEFAULT	3
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x411240	84	FUNC	<unknown>	DEFAULT	3
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x410750	236	FUNC	<unknown>	DEFAULT	3
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x415978	72	OBJECT	<unknown>	DEFAULT	5
fclose			.symtab	0x411710	512	FUNC	<unknown>	DEFAULT	3
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x40be50	136	FUNC	<unknown>	DEFAULT	3
fcntl64			.symtab	0x40bee0	104	FUNC	<unknown>	DEFAULT	3
fdgets			.symtab	0x401c7c	292	FUNC	<unknown>	DEFAULT	3
fdopen			.symtab	0x411910	128	FUNC	<unknown>	DEFAULT	3
fdopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fdopen_pids			.symtab	0x45a8c8	4	OBJECT	<unknown>	DEFAULT	13
fdpclose			.symtab	0x401a00	636	FUNC	<unknown>	DEFAULT	3
fdpopen			.symtab	0x40158c	1140	FUNC	<unknown>	DEFAULT	3
fflush_unlocked			.symtab	0x412d60	628	FUNC	<unknown>	DEFAULT	3
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x415960	20	OBJECT	<unknown>	DEFAULT	5
fork			.symtab	0x40c0c0	84	FUNC	<unknown>	DEFAULT	3
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x40e210	128	FUNC	<unknown>	DEFAULT	3
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
frame_dummy			.symtab	0x40021c	0	FUNC	<unknown>	DEFAULT	3
free			.symtab	0x40f6d0	396	FUNC	<unknown>	DEFAULT	3
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x4136d0	68	FUNC	<unknown>	DEFAULT	3
fseeko			.symtab	0x4136d0	68	FUNC	<unknown>	DEFAULT	3
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x413720	388	FUNC	<unknown>	DEFAULT	3
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x40e290	280	FUNC	<unknown>	DEFAULT	3
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBogos			.symtab	0x402224	772	FUNC	<unknown>	DEFAULT	3
getBuild			.symtab	0x40aef4	56	FUNC	<unknown>	DEFAULT	3
getCores			.symtab	0x402528	316	FUNC	<unknown>	DEFAULT	3
getHost			.symtab	0x4020e0	160	FUNC	<unknown>	DEFAULT	3
getOurIP			.symtab	0x40ab74	896	FUNC	<unknown>	DEFAULT	3
getRandomIP			.symtab	0x404090	172	FUNC	<unknown>	DEFAULT	3
getRandomPublicIP			.symtab	0x403878	2072	FUNC	<unknown>	DEFAULT	3
getdtablesize			.symtab	0x40c120	72	FUNC	<unknown>	DEFAULT	3
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x4112a0	88	FUNC	<unknown>	DEFAULT	3
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x411300	88	FUNC	<unknown>	DEFAULT	3
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x411360	84	FUNC	<unknown>	DEFAULT	3
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x40c170	84	FUNC	<unknown>	DEFAULT	3
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x40c1d0	84	FUNC	<unknown>	DEFAULT	3
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x40efa0	84	FUNC	<unknown>	DEFAULT	3
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x40f000	120	FUNC	<unknown>	DEFAULT	3
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x4113c0	84	FUNC	<unknown>	DEFAULT	3
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gotIP			.symtab	0x4568b4	4	OBJECT	<unknown>	DEFAULT	13
h_errno			.symtab	0x45c974	4	OBJECT	<unknown>	DEFAULT	13
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
hextable			.symtab	0x413f8c	1024	OBJECT	<unknown>	DEFAULT	5
hlt			.symtab	0x4002fc	0	NOTYPE	<unknown>	DEFAULT	3
htonl			.symtab	0x40edd0	40	FUNC	<unknown>	DEFAULT	3
htons			.symtab	0x40edf8	24	FUNC	<unknown>	DEFAULT	3
i.4135			.symtab	0x456058	4	OBJECT	<unknown>	DEFAULT	10
index			.symtab	0x40e5c0	256	FUNC	<unknown>	DEFAULT	3
inet_addr			.symtab	0x40eef0	72	FUNC	<unknown>	DEFAULT	3
inet_aton			.symtab	0x413360	280	FUNC	<unknown>	DEFAULT	3
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x40eecc	32	FUNC	<unknown>	DEFAULT	3
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x40ee10	188	FUNC	<unknown>	DEFAULT	3
infectline			.symtab	0x456060	4	OBJECT	<unknown>	DEFAULT	10
initConnection			.symtab	0x40a924	592	FUNC	<unknown>	DEFAULT	3
init_rand			.symtab	0x400310	300	FUNC	<unknown>	DEFAULT	3
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x456230	264	OBJECT	<unknown>	DEFAULT	10

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
initstate			.symtab	0x40fc54	208	FUNC	<unknown>	DEFAULT	3
initstate_r			.symtab	0x410130	328	FUNC	<unknown>	DEFAULT	3
ioctl			.symtab	0x40c230	104	FUNC	<unknown>	DEFAULT	3
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ipState			.symtab	0x45a8cc	5	OBJECT	<unknown>	DEFAULT	13
isatty			.symtab	0x40eca0	60	FUNC	<unknown>	DEFAULT	3
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x40c700	44	FUNC	<unknown>	DEFAULT	3
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x40c2a0	88	FUNC	<unknown>	DEFAULT	3
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/pipe.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x402e4c	632	FUNC	<unknown>	DEFAULT	3
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x413bd0	164	FUNC	<unknown>	DEFAULT	3
macAddress			.symtab	0x4568c0	6	OBJECT	<unknown>	DEFAULT	13
main			.symtab	0x40af2c	3800	FUNC	<unknown>	DEFAULT	3
mainCommSock			.symtab	0x4568b0	4	OBJECT	<unknown>	DEFAULT	13
makeIPPacket			.symtab	0x40446c	296	FUNC	<unknown>	DEFAULT	3
makeRandomStr			.symtab	0x402664	268	FUNC	<unknown>	DEFAULT	3
malloc			.symtab	0x40f4e0	492	FUNC	<unknown>	DEFAULT	3
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
matchPrompt			.symtab	0x4032fc	536	FUNC	<unknown>	DEFAULT	3
memchr			.symtab	0x412fe0	264	FUNC	<unknown>	DEFAULT	3
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x40e3b0	308	FUNC	<unknown>	DEFAULT	3
mempcpy			.symtab	0x4130f0	76	FUNC	<unknown>	DEFAULT	3
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x413140	272	FUNC	<unknown>	DEFAULT	3
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x40e4f0	144	FUNC	<unknown>	DEFAULT	3
mylock			.symtab	0x456350	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x456440	24	OBJECT	<unknown>	DEFAULT	10
nanosleep			.symtab	0x411420	84	FUNC	<unknown>	DEFAULT	3
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
negotiate			.symtab	0x4030c4	568	FUNC	<unknown>	DEFAULT	3
next_start.1065			.symtab	0x45c900	4	OBJECT	<unknown>	DEFAULT	13
ntohl			.symtab	0x40ed90	40	FUNC	<unknown>	DEFAULT	3
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x40edb8	24	FUNC	<unknown>	DEFAULT	3
numpids			.symtab	0x4568b8	8	OBJECT	<unknown>	DEFAULT	13
object.2349			.symtab	0x456894	24	OBJECT	<unknown>	DEFAULT	13
open			.symtab	0x40c300	124	FUNC	<unknown>	DEFAULT	3
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x456874	4	OBJECT	<unknown>	DEFAULT	12
p.2294			.symtab	0x456030	0	OBJECT	<unknown>	DEFAULT	10
parseHex			.symtab	0x401da0	176	FUNC	<unknown>	DEFAULT	3
passwords			.symtab	0x456080	56	OBJECT	<unknown>	DEFAULT	10
pclose			.symtab	0x40c7f0	324	FUNC	<unknown>	DEFAULT	3
pids			.symtab	0x45687c	4	OBJECT	<unknown>	DEFAULT	12
pipe			.symtab	0x40be10	64	FUNC	<unknown>	DEFAULT	3
popen			.symtab	0x40c934	636	FUNC	<unknown>	DEFAULT	3
popen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
popen_list			.symtab	0x45a8e0	4	OBJECT	<unknown>	DEFAULT	13
prctl			.symtab	0x40c3a0	120	FUNC	<unknown>	DEFAULT	3
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4045			.symtab	0x414c20	12	OBJECT	<unknown>	DEFAULT	5
print			.symtab	0x400d6c	1456	FUNC	<unknown>	DEFAULT	3
printchar			.symtab	0x4007e0	184	FUNC	<unknown>	DEFAULT	3
printf			.symtab	0x40c790	92	FUNC	<unknown>	DEFAULT	3
printf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
printi			.symtab	0x400ad4	664	FUNC	<unknown>	DEFAULT	3
prints			.symtab	0x400898	572	FUNC	<unknown>	DEFAULT	3
processCmd			.symtab	0x408c6c	7352	FUNC	<unknown>	DEFAULT	3
qual_chars.4050			.symtab	0x414c40	20	OBJECT	<unknown>	DEFAULT	5
raise			.symtab	0x413b80	76	FUNC	<unknown>	DEFAULT	3
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x40fae0	28	FUNC	<unknown>	DEFAULT	3
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmw			.symtab	0x40043c	472	FUNC	<unknown>	DEFAULT	3
random			.symtab	0x40fb00	164	FUNC	<unknown>	DEFAULT	3
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x4158e0	40	OBJECT	<unknown>	DEFAULT	5
random_r			.symtab	0x40ff0c	176	FUNC	<unknown>	DEFAULT	3
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x456368	128	OBJECT	<unknown>	DEFAULT	10
rawmemchr			.symtab	0x413a60	200	FUNC	<unknown>	DEFAULT	3
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x40c420	84	FUNC	<unknown>	DEFAULT	3
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readUntil			.symtab	0x403514	868	FUNC	<unknown>	DEFAULT	3
recv			.symtab	0x40f080	84	FUNC	<unknown>	DEFAULT	3
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x402770	928	FUNC	<unknown>	DEFAULT	3
sbrk			.symtab	0x411480	144	FUNC	<unknown>	DEFAULT	3
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x456878	4	OBJECT	<unknown>	DEFAULT	12
sclose			.symtab	0x404594	128	FUNC	<unknown>	DEFAULT	3
select			.symtab	0x40c480	120	FUNC	<unknown>	DEFAULT	3
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x40f0e0	84	FUNC	<unknown>	DEFAULT	3
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendCNC			.symtab	0x407104	372	FUNC	<unknown>	DEFAULT	3
sendHOLD			.symtab	0x4084a8	1988	FUNC	<unknown>	DEFAULT	3
sendHTTP			.symtab	0x407278	320	FUNC	<unknown>	DEFAULT	3
sendJUNK			.symtab	0x407d74	1844	FUNC	<unknown>	DEFAULT	3
sendTCP			.symtab	0x4073b8	2492	FUNC	<unknown>	DEFAULT	3
sendUDP			.symtab	0x4067d4	2352	FUNC	<unknown>	DEFAULT	3
sendto			.symtab	0x40f140	128	FUNC	<unknown>	DEFAULT	3
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsid			.symtab	0x40c500	84	FUNC	<unknown>	DEFAULT	3
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x40f1c0	120	FUNC	<unknown>	DEFAULT	3
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x40fba4	176	FUNC	<unknown>	DEFAULT	3
setstate_r			.symtab	0x40fdd0	316	FUNC	<unknown>	DEFAULT	3
sigaction			.symtab	0x4110f0	232	FUNC	<unknown>	DEFAULT	3
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x40f2a0	104	FUNC	<unknown>	DEFAULT	3
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
sigemptyset			.symtab	0x40f310	60	FUNC	<unknown>	DEFAULT	3
signal			.symtab	0x40f350	252	FUNC	<unknown>	DEFAULT	3
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x40c560	148	FUNC	<unknown>	DEFAULT	3
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x410910	564	FUNC	<unknown>	DEFAULT	3
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x40f240	84	FUNC	<unknown>	DEFAULT	3
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sockprintf			.symtab	0x40140c	384	FUNC	<unknown>	DEFAULT	3
spec_and_mask.4049			.symtab	0x414c54	16	OBJECT	<unknown>	DEFAULT	5
spec_base.4044			.symtab	0x414c2c	7	OBJECT	<unknown>	DEFAULT	5
spec_chars.4046			.symtab	0x414c80	21	OBJECT	<unknown>	DEFAULT	5
spec_flags.4045			.symtab	0x414c98	8	OBJECT	<unknown>	DEFAULT	5
spec_or_mask.4048			.symtab	0x414c64	16	OBJECT	<unknown>	DEFAULT	5
spec_ranges.4047			.symtab	0x414c74	9	OBJECT	<unknown>	DEFAULT	5
srand			.symtab	0x40fd24	172	FUNC	<unknown>	DEFAULT	3
srandom			.symtab	0x40fd24	172	FUNC	<unknown>	DEFAULT	3
srandom_r			.symtab	0x40ffbc	372	FUNC	<unknown>	DEFAULT	3
stderr			.symtab	0x456128	4	OBJECT	<unknown>	DEFAULT	10
stdin			.symtab	0x456120	4	OBJECT	<unknown>	DEFAULT	10
stdout			.symtab	0x456124	4	OBJECT	<unknown>	DEFAULT	10
strcat			.symtab	0x40e580	52	FUNC	<unknown>	DEFAULT	3
strcat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x40e5c0	256	FUNC	<unknown>	DEFAULT	3
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x40e6c0	44	FUNC	<unknown>	DEFAULT	3
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x40e6c0	44	FUNC	<unknown>	DEFAULT	3
strcpy			.symtab	0x40e6f0	36	FUNC	<unknown>	DEFAULT	3
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x40eaf0	392	FUNC	<unknown>	DEFAULT	3
strlen			.symtab	0x40e720	184	FUNC	<unknown>	DEFAULT	3
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x40e7e0	188	FUNC	<unknown>	DEFAULT	3
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x40e8a0	256	FUNC	<unknown>	DEFAULT	3
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x413320	64	FUNC	<unknown>	DEFAULT	3
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x413b30	76	FUNC	<unknown>	DEFAULT	3
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x40e9a0	256	FUNC	<unknown>	DEFAULT	3
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x40ec80	32	FUNC	<unknown>	DEFAULT	3
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x413250	204	FUNC	<unknown>	DEFAULT	3
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x4104e0	28	FUNC	<unknown>	DEFAULT	3
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
system			.symtab	0x410280	568	FUNC	<unknown>	DEFAULT	3
system.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x401394	120	FUNC	<unknown>	DEFAULT	3
tcgetattr			.symtab	0x40ece0	176	FUNC	<unknown>	DEFAULT	3
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpcsum			.symtab	0x404308	356	FUNC	<unknown>	DEFAULT	3
time			.symtab	0x40c600	84	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x40c730	60	FUNC	<unknown>	DEFAULT	3
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x400614	460	FUNC	<unknown>	DEFAULT	3
type_codes			.symtab	0x414ca0	24	OBJECT	<unknown>	DEFAULT	5
type_sizes			.symtab	0x414cb8	12	OBJECT	<unknown>	DEFAULT	5
unknown.1088			.symtab	0x414d50	14	OBJECT	<unknown>	DEFAULT	5
unsafe_state			.symtab	0x4563f0	28	OBJECT	<unknown>	DEFAULT	10
uppercase			.symtab	0x402180	164	FUNC	<unknown>	DEFAULT	3
usernames			.symtab	0x456068	24	OBJECT	<unknown>	DEFAULT	10
vfork			.symtab	0x40c660	28	FUNC	<unknown>	DEFAULT	3
vfork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
vfprintf			.symtab	0x40ce20	260	FUNC	<unknown>	DEFAULT	3
vfprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x411510	88	FUNC	<unknown>	DEFAULT	3
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x40c680	28	FUNC	<unknown>	DEFAULT	3
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x411570	112	FUNC	<unknown>	DEFAULT	3
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x411620	228	FUNC	<unknown>	DEFAULT	3
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x4115e0	64	FUNC	<unknown>	DEFAULT	3
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x401e50	656	FUNC	<unknown>	DEFAULT	3
write			.symtab	0x40c6a0	84	FUNC	<unknown>	DEFAULT	3
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
zprintf			.symtab	0x40131c	120	FUNC	<unknown>	DEFAULT	3

Network Behavior

Snort IDS Alerts

Timestamp	Protocol	SID	Message	Source Port	Dest Port	Source IP	Dest IP
192.168.2.2345.95.55.125 7822232840333 05/27/22- 20:07:04.437553	TCP	2840333	ETPRO TROJAN ELF/BASHLITE Variant CnC Activity	57822	23	192.168.2.23	45.95.55.12





System Behavior

Analysis Process: sshd PID: 6230, Parent PID: 6122**General**

Start time:	20:07:02
Start date:	27/05/2022
Path:	/tmp/sshd
Arguments:	/tmp/sshd
File size:	5773336 bytes
MD5 hash:	0d6f61f82cf2f781c6eb0661071d42d9

File Activities**File Read****Analysis Process: sshd** PID: 6232, Parent PID: 6230**General**

Start time:	20:07:03
Start date:	27/05/2022
Path:	/tmp/sshd
Arguments:	n/a
File size:	5773336 bytes
MD5 hash:	0d6f61f82cf2f781c6eb0661071d42d9

Analysis Process: sshd PID: 6234, Parent PID: 6232**General**

Start time:	20:07:03
Start date:	27/05/2022
Path:	/tmp/sshd
Arguments:	n/a
File size:	5773336 bytes
MD5 hash:	0d6f61f82cf2f781c6eb0661071d42d9

Analysis Process: sshd PID: 6237, Parent PID: 6234**General**

Start time:	20:07:03
Start date:	27/05/2022
Path:	/tmp/sshd
Arguments:	n/a
File size:	5773336 bytes
MD5 hash:	0d6f61f82cf2f781c6eb0661071d42d9

Analysis Process: sshd PID: 6293, Parent PID: 6234**General**

Start time:	20:08:43
Start date:	27/05/2022
Path:	/tmp/sshd
Arguments:	n/a
File size:	5773336 bytes
MD5 hash:	0d6f61f82cf2f781c6eb0661071d42d9