

JOeSandbox Cloud BASIC



ID: 635359

Sample Name: ntpd

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 20:11:45

Date: 27/05/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report ntpd	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Snort Signatures	4
Joe Sandbox Signatures	4
AV Detection	4
Spreading	4
Mitre Att&ck Matrix	4
Malware Configuration	4
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	5
Initial Sample	5
Dropped Files	5
Domains	5
URLs	5
Domains and IPs	6
Contacted Domains	6
URLs from Memory and Binaries	6
World Map of Contacted IPs	6
Joe Sandbox View / Context	6
IPs	6
Domains	6
ASNs	6
JA3 Fingerprints	6
Dropped Files	6
Created / dropped Files	6
/tmp/qemu-open.xqNPAW (deleted)	6
Static File Info	6
General	6
Static ELF Info	7
ELF header	7
Sections	7
Program Segments	7
Symbols	7
Network Behavior	18
System Behavior	18
Analysis Process: ntpd PID: 6226, Parent PID: 6124	19
General	19
File Activities	19
File Deleted	19
File Read	19
File Written	19
Analysis Process: ntpd PID: 6228, Parent PID: 6226	19
General	19
Analysis Process: ntpd PID: 6230, Parent PID: 6228	19
General	19
Analysis Process: ntpd PID: 6232, Parent PID: 6230	19
General	19
Analysis Process: ntpd PID: 6256, Parent PID: 6230	19
General	19
Analysis Process: ntpd PID: 6291, Parent PID: 6230	19
General	19

Linux Analysis Report

ntpd

Overview

General Information

Sample Name:	ntpd
Analysis ID:	635359
MD5:	bc8137a7fddaa5..
SHA1:	d2133f4ed24115..
SHA256:	9e512c9f31a19b..
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN


UNKNOWN

Score:	60
Range:	0 - 100
Whitelisted:	false

Signatures

- Antivirus / Scanner detection for sub...
- Multi AV Scanner detection for subm...
- Opens /proc/net/* files useful for fin...
- Sample contains symbols with susp...
- Uses the "uname" system call to qu...

Classification



Analysis Advice

- Static ELF header machine description suggests that the sample might not execute correctly on this machine.
- Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures.

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	635359
Start date and time: 27/05/202220:11:45	2022-05-27 20:11:45 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 6m 21s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	ntpd
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal60.spre.lin@0/1@0/0

Runtime Messages

Command:	/tmp/ntpd
PID:	6226
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	BUILD DONGS BUILD DONGS
Standard Error:	

Process Tree

- system is Inxubuntu20
 - ntpd (PID: 6226, Parent: 6124, MD5: 0083f1f0e77be34ad27f849842bbb00c) Arguments: /tmp/ntpd
 - ntpd New Fork (PID: 6228, Parent: 6226)
 - ntpd New Fork (PID: 6230, Parent: 6228)
 - ntpd New Fork (PID: 6232, Parent: 6230)
 - ntpd New Fork (PID: 6256, Parent: 6230)
 - ntpd New Fork (PID: 6291, Parent: 6230)
- cleanup

Yara Signatures

No yara matches

Snort Signatures

No Snort rule has matched

Joe Sandbox Signatures

AV Detection



Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file

Spreading



Opens /proc/net/* files useful for finding connected devices and routers

Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	1 Masquerading	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	1 Remote System Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	Junk Data	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout

Malware Configuration

No configs have been found

—

—

—

—

—

—

—

—

—

—

Domains and IPs

Contacted Domains

No contacted domains info

URLs from Memory and Binaries

World Map of Contacted IPs

No contacted IP infos

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

/tmp/qemu-open.xqNPAW (deleted)

Static File Info

General

File type:	ELF 32-bit MSB executable, MIPS, MIPS-I version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	5.043135616657196
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	ntpd
File size:	119167
MD5:	bc8137a7fddaa5ae9b9e38ac8fa4a92d
SHA1:	d2133f4ed241159bf1d9ce02a702a9b61f424680
SHA256:	9e512c9f31a19bb2efc1e772d210602b3f383d55cb758bdfc408e80801256f5
SHA512:	feeb43226d2bdb6e6a760074ed6db8bad8140bbf0e306f12161def13dae36d2031f64170df13544bba0b65bbabc6d4ec59094a847d773a63991f363416687387
SSDEEP:	1536:/V/Ny7KEv/VdKnJV/IsER/NdhkFGXYQ7/2rKoPFnXoOleEeFIBEDvA075e+vg8:q3yiz4XoOle7BMnl8
TLSH:	7EC3766A3E61BBBEE5A8873107F35F70C395299226A1D781E26CFA185F7128C1C5F350
File Content Preview:	.ELF.....@....4...<....4. ... (...p.....@...@.....@...@....YD..YD.....`..E`..E`....t.j8.....dt.Q.....E.P<...'.!'.<...'.!...

Static ELF Info	
ELF header	
Class:	ELF32
Data:	2's complement, big endian
Version:	1 (current)
Machine:	MIPS R3000
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x4002a0
Flags:	0x1007
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	4
Section Header Offset:	101180
Section Header Size:	40
Number of Section Headers:	20
Header String Table Index:	17

Sections										
Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.reginfo	MIPS_REGINFO	0x4000b4	0xb4	0x18	0x18	0x2	A	0	0	4
.init	PROGBITS	0x4000cc	0xcc	0x8c	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x400160	0x160	0x13b10	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x413c70	0x13c70	0x5c	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x413cd0	0x13cd0	0x1c70	0x0	0x2	A	0	0	16
.eh_frame	PROGBITS	0x415940	0x15940	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x456000	0x16000	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x456008	0x16008	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x456010	0x16010	0x4	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x456020	0x16020	0x440	0x0	0x3	WA	0	0	16
.got	PROGBITS	0x456460	0x16460	0x414	0x4	0x10000003	WA	0	0	16
.sbss	NOBITS	0x456874	0x16874	0x14	0x0	0x10000003	WA	0	0	4
.bss	NOBITS	0x456890	0x16874	0x61a8	0x0	0x3	WA	0	0	16
.comment	PROGBITS	0x0	0x16874	0x936	0x0	0x0		0	0	1
.mdebug.abi32	PROGBITS	0x936	0x171aa	0x0	0x0	0x0		0	0	1
.pdr	PROGBITS	0x0	0x171ac	0x1900	0x0	0x0		0	0	4
.shstrtab	STRTAB	0x0	0x18aac	0x8d	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x18e5c	0x26f0	0x10	0x0		19	253	4
.strtab	STRTAB	0x0	0x1b54c	0x1c33	0x0	0x0		0	0	1

Program Segments											
Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
<unknown>	0xb4	0x4000b4	0x4000b4	0x18	0x18	0.6013	0x4	R	0x4		.reginfo
LOAD	0x0	0x400000	0x400000	0x15944	0x15944	3.1814	0x5	R E	0x10000		.reginfo .init .text .fini .rodata .eh_frame
LOAD	0x16000	0x456000	0x456000	0x874	0x6a38	2.5145	0x6	RW	0x10000		.ctors .dtors .jcr .data .got .sbss .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x4000b4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x4000cc	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x400160	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x413c70	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x413cd0	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x415940	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x456000	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x456008	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x456010	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x456020	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x456460	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x456874	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x456890	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x936	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
Q			.symtab	0x4568c8	16384	OBJECT	<unknown>	DEFAULT	13
StartTheLelz			.symtab	0x404624	8640	FUNC	<unknown>	DEFAULT	3
_GLOBAL_OFFSET_TABLE_			.symtab	0x456460	0	OBJECT	<unknown>	DEFAULT	11
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x456004	0	OBJECT	<unknown>	DEFAULT	7
__CTOR_LIST__			.symtab	0x456000	0	OBJECT	<unknown>	DEFAULT	7
__C_ctype_b			.symtab	0x4560c0	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x414560	768	OBJECT	<unknown>	DEFAULT	5
__C_ctype_toupper			.symtab	0x4560d0	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x414860	768	OBJECT	<unknown>	DEFAULT	5
__DTOR_END__			.symtab	0x45600c	0	OBJECT	<unknown>	DEFAULT	8
__DTOR_LIST__			.symtab	0x456008	0	OBJECT	<unknown>	DEFAULT	8
__EH_FRAME_BEGIN__			.symtab	0x415940	0	OBJECT	<unknown>	DEFAULT	6
__FRAME_END__			.symtab	0x415940	0	OBJECT	<unknown>	DEFAULT	6
__GI__C_ctype_b			.symtab	0x4560c0	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_b_data			.symtab	0x414560	768	OBJECT	<unknown>	HIDDEN	5
__GI__C_ctype_toupper			.symtab	0x4560d0	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_toupper_data			.symtab	0x414860	768	OBJECT	<unknown>	HIDDEN	5
__GI__ctype_b			.symtab	0x4560c4	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_toupper			.symtab	0x4560d4	4	OBJECT	<unknown>	HIDDEN	10
__GI__errno_location			.symtab	0x40c780	24	FUNC	<unknown>	HIDDEN	3
__GI__glibc_strerror_r			.symtab	0x40eab0	68	FUNC	<unknown>	HIDDEN	3
__GI__libc_fcntl			.symtab	0x40be60	136	FUNC	<unknown>	HIDDEN	3
__GI__libc_fcntl64			.symtab	0x40bef0	104	FUNC	<unknown>	HIDDEN	3
__GI__libc_open			.symtab	0x40c310	124	FUNC	<unknown>	HIDDEN	3
__GI__uClibc_fini			.symtab	0x410ae0	196	FUNC	<unknown>	HIDDEN	3
__GI__uClibc_init			.symtab	0x410c3c	140	FUNC	<unknown>	HIDDEN	3
__GI__xpg_strerror_r			.symtab	0x40eb00	392	FUNC	<unknown>	HIDDEN	3
__GI__exit			.symtab	0x40bf60	80	FUNC	<unknown>	HIDDEN	3
__GI__abort			.symtab	0x4133f0	428	FUNC	<unknown>	HIDDEN	3
__GI__atoi			.symtab	0x410450	28	FUNC	<unknown>	HIDDEN	3
__GI__atol			.symtab	0x410450	28	FUNC	<unknown>	HIDDEN	3
__GI__brk			.symtab	0x4135d0	112	FUNC	<unknown>	HIDDEN	3
__GI__chdir			.symtab	0x40bfb0	88	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_close			.symtab	0x40c010	84	FUNC	<unknown>	HIDDEN	3
__Gl_connect			.symtab	0x40eed0	84	FUNC	<unknown>	HIDDEN	3
__Gl_dup2			.symtab	0x40c070	84	FUNC	<unknown>	HIDDEN	3
__Gl_errno			.symtab	0x45c970	4	OBJECT	<unknown>	HIDDEN	13
__Gl_execl			.symtab	0x4107d0	204	FUNC	<unknown>	HIDDEN	3
__Gl_execve			.symtab	0x4111d0	84	FUNC	<unknown>	HIDDEN	3
__Gl_exit			.symtab	0x4106e0	236	FUNC	<unknown>	HIDDEN	3
__Gl_fclose			.symtab	0x4116a0	512	FUNC	<unknown>	HIDDEN	3
__Gl_fcntl			.symtab	0x40be60	136	FUNC	<unknown>	HIDDEN	3
__Gl_fcntl64			.symtab	0x40bef0	104	FUNC	<unknown>	HIDDEN	3
__Gl_fdopen			.symtab	0x4118a0	128	FUNC	<unknown>	HIDDEN	3
__Gl_fflush_unlocked			.symtab	0x412cf0	628	FUNC	<unknown>	HIDDEN	3
__Gl_fork			.symtab	0x40c0d0	84	FUNC	<unknown>	HIDDEN	3
__Gl_fputs_unlocked			.symtab	0x40e220	128	FUNC	<unknown>	HIDDEN	3
__Gl_fseek			.symtab	0x413640	68	FUNC	<unknown>	HIDDEN	3
__Gl_fseeko64			.symtab	0x413690	388	FUNC	<unknown>	HIDDEN	3
__Gl_fwrite_unlocked			.symtab	0x40e2a0	280	FUNC	<unknown>	HIDDEN	3
__Gl_getdtablesize			.symtab	0x40c130	72	FUNC	<unknown>	HIDDEN	3
__Gl_getegid			.symtab	0x411230	88	FUNC	<unknown>	HIDDEN	3
__Gl_geteuid			.symtab	0x411290	88	FUNC	<unknown>	HIDDEN	3
__Gl_getgid			.symtab	0x4112f0	84	FUNC	<unknown>	HIDDEN	3
__Gl_getpid			.symtab	0x40c180	84	FUNC	<unknown>	HIDDEN	3
__Gl_getrlimit			.symtab	0x40c1e0	84	FUNC	<unknown>	HIDDEN	3
__Gl_getsockname			.symtab	0x40ef30	84	FUNC	<unknown>	HIDDEN	3
__Gl_getuid			.symtab	0x411350	84	FUNC	<unknown>	HIDDEN	3
__Gl_h_errno			.symtab	0x45c974	4	OBJECT	<unknown>	HIDDEN	13
__Gl_inet_addr			.symtab	0x40ee80	72	FUNC	<unknown>	HIDDEN	3
__Gl_inet_aton			.symtab	0x4132f0	244	FUNC	<unknown>	HIDDEN	3
__Gl_inet_ntoa			.symtab	0x40ee5c	32	FUNC	<unknown>	HIDDEN	3
__Gl_inet_ntoa_r			.symtab	0x40edc0	156	FUNC	<unknown>	HIDDEN	3
__Gl_initstate_r			.symtab	0x4100c0	328	FUNC	<unknown>	HIDDEN	3
__Gl_ioctl			.symtab	0x40c240	104	FUNC	<unknown>	HIDDEN	3
__Gl_isatty			.symtab	0x40ecb0	60	FUNC	<unknown>	HIDDEN	3
__Gl_kill			.symtab	0x40c2b0	88	FUNC	<unknown>	HIDDEN	3
__Gl_lseek64			.symtab	0x413b50	168	FUNC	<unknown>	HIDDEN	3
__Gl_memchr			.symtab	0x412f70	264	FUNC	<unknown>	HIDDEN	3
__Gl_memcpy			.symtab	0x40e3c0	308	FUNC	<unknown>	HIDDEN	3
__Gl_mempcpy			.symtab	0x413080	76	FUNC	<unknown>	HIDDEN	3
__Gl_memrchr			.symtab	0x4130d0	272	FUNC	<unknown>	HIDDEN	3
__Gl_memset			.symtab	0x40e500	144	FUNC	<unknown>	HIDDEN	3
__Gl_nanosleep			.symtab	0x4113b0	84	FUNC	<unknown>	HIDDEN	3
__Gl_open			.symtab	0x40c310	124	FUNC	<unknown>	HIDDEN	3
__Gl_pipe			.symtab	0x40be20	64	FUNC	<unknown>	HIDDEN	3
__Gl_printf			.symtab	0x40c7a0	92	FUNC	<unknown>	HIDDEN	3
__Gl_raise			.symtab	0x413b00	76	FUNC	<unknown>	HIDDEN	3
__Gl_random			.symtab	0x40fa90	164	FUNC	<unknown>	HIDDEN	3
__Gl_random_r			.symtab	0x40fe9c	176	FUNC	<unknown>	HIDDEN	3
__Gl_rawmemchr			.symtab	0x4139e0	200	FUNC	<unknown>	HIDDEN	3
__Gl_read			.symtab	0x40c430	84	FUNC	<unknown>	HIDDEN	3
__Gl_recv			.symtab	0x40f010	84	FUNC	<unknown>	HIDDEN	3
__Gl_sbrk			.symtab	0x411410	144	FUNC	<unknown>	HIDDEN	3
__Gl_select			.symtab	0x40c490	120	FUNC	<unknown>	HIDDEN	3
__Gl_send			.symtab	0x40f070	84	FUNC	<unknown>	HIDDEN	3
__Gl_sendto			.symtab	0x40f0d0	128	FUNC	<unknown>	HIDDEN	3
__Gl_setsid			.symtab	0x40c510	84	FUNC	<unknown>	HIDDEN	3
__Gl_setsockopt			.symtab	0x40f150	120	FUNC	<unknown>	HIDDEN	3
__Gl_setstate_r			.symtab	0x40fd60	316	FUNC	<unknown>	HIDDEN	3
__Gl_sigaction			.symtab	0x411080	232	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_sigaddset			.symtab	0x40f230	104	FUNC	<unknown>	HIDDEN	3
__Gl_sigemptyset			.symtab	0x40f2a0	60	FUNC	<unknown>	HIDDEN	3
__Gl_signal			.symtab	0x40f2e0	252	FUNC	<unknown>	HIDDEN	3
__Gl_sigprocmask			.symtab	0x40c570	148	FUNC	<unknown>	HIDDEN	3
__Gl_sleep			.symtab	0x4108a0	564	FUNC	<unknown>	HIDDEN	3
__Gl_socket			.symtab	0x40f1d0	84	FUNC	<unknown>	HIDDEN	3
__Gl_srandom_r			.symtab	0x40ff4c	372	FUNC	<unknown>	HIDDEN	3
__Gl_strcat			.symtab	0x40e590	52	FUNC	<unknown>	HIDDEN	3
__Gl_strchr			.symtab	0x40e5d0	256	FUNC	<unknown>	HIDDEN	3
__Gl_strcmp			.symtab	0x40e6d0	44	FUNC	<unknown>	HIDDEN	3
__Gl_strcoll			.symtab	0x40e6d0	44	FUNC	<unknown>	HIDDEN	3
__Gl_strcpy			.symtab	0x40e700	36	FUNC	<unknown>	HIDDEN	3
__Gl_strlen			.symtab	0x40e730	184	FUNC	<unknown>	HIDDEN	3
__Gl_strncpy			.symtab	0x40e7f0	188	FUNC	<unknown>	HIDDEN	3
__Gl_strnlen			.symtab	0x40e8b0	256	FUNC	<unknown>	HIDDEN	3
__Gl_strpbrk			.symtab	0x4132b0	64	FUNC	<unknown>	HIDDEN	3
__Gl_strspn			.symtab	0x413ab0	76	FUNC	<unknown>	HIDDEN	3
__Gl_strstr			.symtab	0x40e9b0	256	FUNC	<unknown>	HIDDEN	3
__Gl_strtok			.symtab	0x40ec90	32	FUNC	<unknown>	HIDDEN	3
__Gl_strtok_r			.symtab	0x4131e0	204	FUNC	<unknown>	HIDDEN	3
__Gl_strtol			.symtab	0x410470	28	FUNC	<unknown>	HIDDEN	3
__Gl_tcgetattr			.symtab	0x40ecf0	176	FUNC	<unknown>	HIDDEN	3
__Gl_time			.symtab	0x40c610	84	FUNC	<unknown>	HIDDEN	3
__Gl_toupper			.symtab	0x40c740	60	FUNC	<unknown>	HIDDEN	3
__Gl_vfork			.symtab	0x40c670	28	FUNC	<unknown>	HIDDEN	3
__Gl_vfprintf			.symtab	0x40ce30	260	FUNC	<unknown>	HIDDEN	3
__Gl_wait4			.symtab	0x4114a0	88	FUNC	<unknown>	HIDDEN	3
__Gl_waitpid			.symtab	0x40c690	28	FUNC	<unknown>	HIDDEN	3
__Gl_wcrtomb			.symtab	0x411500	112	FUNC	<unknown>	HIDDEN	3
__Gl_wcsnrtombs			.symtab	0x4115b0	228	FUNC	<unknown>	HIDDEN	3
__Gl_wcsrtombs			.symtab	0x411570	64	FUNC	<unknown>	HIDDEN	3
__Gl_write			.symtab	0x40c6b0	84	FUNC	<unknown>	HIDDEN	3
__JCR_END__			.symtab	0x456010	0	OBJECT	<unknown>	DEFAULT	9
__JCR_LIST__			.symtab	0x456010	0	OBJECT	<unknown>	DEFAULT	9
__app_fini			.symtab	0x45c95c	4	OBJECT	<unknown>	HIDDEN	13
__atexit_lock			.symtab	0x456410	24	OBJECT	<unknown>	DEFAULT	10
__bsd_signal			.symtab	0x40f2e0	252	FUNC	<unknown>	HIDDEN	3
__bss_start			.symtab	0x456874	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x410bb4	136	FUNC	<unknown>	DEFAULT	3
__ctype_b			.symtab	0x4560c4	4	OBJECT	<unknown>	DEFAULT	10
__ctype_toupper			.symtab	0x4560d4	4	OBJECT	<unknown>	DEFAULT	10
__curbrk			.symtab	0x45c990	4	OBJECT	<unknown>	HIDDEN	13
__data_start			.symtab	0x456040	0	OBJECT	<unknown>	DEFAULT	10
__deregister_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDE F
__do_global_ctors_aux			.symtab	0x413c00	0	FUNC	<unknown>	DEFAULT	3
__do_global_dtors_aux			.symtab	0x400160	0	FUNC	<unknown>	DEFAULT	3
__dso_handle			.symtab	0x456020	0	OBJECT	<unknown>	HIDDEN	10
__environ			.symtab	0x45c954	4	OBJECT	<unknown>	DEFAULT	13
__errno_location			.symtab	0x40c780	24	FUNC	<unknown>	DEFAULT	3
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x45c940	4	OBJECT	<unknown>	HIDDEN	13
__fini_array_end			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__glibc_strerror_r			.symtab	0x40eab0	68	FUNC	<unknown>	DEFAULT	3
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDE F
__heap_alloc			.symtab	0x40f7f0	188	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__heap_free			.symtab	0x40f8f8	364	FUNC	<unknown>	DEFAULT	3
__heap_link_free_area			.symtab	0x40f8b0	44	FUNC	<unknown>	DEFAULT	3
__heap_link_free_area_after			.symtab	0x40f8dc	28	FUNC	<unknown>	DEFAULT	3
__init_array_end			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__libc_close			.symtab	0x40c010	84	FUNC	<unknown>	DEFAULT	3
__libc_connect			.symtab	0x40eed0	84	FUNC	<unknown>	DEFAULT	3
__libc_creat			.symtab	0x40c38c	28	FUNC	<unknown>	DEFAULT	3
__libc_fcntl			.symtab	0x40be60	136	FUNC	<unknown>	DEFAULT	3
__libc_fcntl64			.symtab	0x40bef0	104	FUNC	<unknown>	DEFAULT	3
__libc_fork			.symtab	0x40c0d0	84	FUNC	<unknown>	DEFAULT	3
__libc_getpid			.symtab	0x40c180	84	FUNC	<unknown>	DEFAULT	3
__libc_lseek64			.symtab	0x413b50	168	FUNC	<unknown>	DEFAULT	3
__libc_nanosleep			.symtab	0x4113b0	84	FUNC	<unknown>	DEFAULT	3
__libc_open			.symtab	0x40c310	124	FUNC	<unknown>	DEFAULT	3
__libc_read			.symtab	0x40c430	84	FUNC	<unknown>	DEFAULT	3
__libc_recv			.symtab	0x40f010	84	FUNC	<unknown>	DEFAULT	3
__libc_select			.symtab	0x40c490	120	FUNC	<unknown>	DEFAULT	3
__libc_send			.symtab	0x40f070	84	FUNC	<unknown>	DEFAULT	3
__libc_sendto			.symtab	0x40f0d0	128	FUNC	<unknown>	DEFAULT	3
__libc_sigaction			.symtab	0x411080	232	FUNC	<unknown>	DEFAULT	3
__libc_stack_end			.symtab	0x45c950	4	OBJECT	<unknown>	DEFAULT	13
__libc_system			.symtab	0x410210	568	FUNC	<unknown>	DEFAULT	3
__libc_waitpid			.symtab	0x40c690	28	FUNC	<unknown>	DEFAULT	3
__libc_write			.symtab	0x40c6b0	84	FUNC	<unknown>	DEFAULT	3
__malloc_heap			.symtab	0x456340	4	OBJECT	<unknown>	DEFAULT	10
__malloc_heap_lock			.symtab	0x45c920	24	OBJECT	<unknown>	DEFAULT	13
__malloc_sbrk_lock			.symtab	0x45ca20	24	OBJECT	<unknown>	DEFAULT	13
__pagesize			.symtab	0x45c958	4	OBJECT	<unknown>	DEFAULT	13
__preinit_array_end			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x456000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x410ba4	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_lock			.symtab	0x410ba4	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_trylock			.symtab	0x410ba4	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_unlock			.symtab	0x410ba4	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_0			.symtab	0x410ba4	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_void			.symtab	0x410bac	8	FUNC	<unknown>	DEFAULT	3
__raise			.symtab	0x413b00	76	FUNC	<unknown>	HIDDEN	3
__register_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__rtld_fini			.symtab	0x45c960	4	OBJECT	<unknown>	HIDDEN	13
__sigaddset			.symtab	0x40f408	44	FUNC	<unknown>	DEFAULT	3
__sigdelset			.symtab	0x40f434	48	FUNC	<unknown>	DEFAULT	3
__sigismember			.symtab	0x40f3e0	40	FUNC	<unknown>	DEFAULT	3
__start			.symtab	0x4002a0	100	FUNC	<unknown>	DEFAULT	3
__stdin			.symtab	0x45612c	4	OBJECT	<unknown>	DEFAULT	10
__stdio_WRITE			.symtab	0x411920	280	FUNC	<unknown>	HIDDEN	3
__stdio_adjust_position			.symtab	0x413820	324	FUNC	<unknown>	HIDDEN	3
__stdio_fwrit			.symtab	0x411db0	472	FUNC	<unknown>	HIDDEN	3
__stdio_init_mutex			.symtab	0x40cc78	32	FUNC	<unknown>	HIDDEN	3
__stdio_mutex_initializer.3833			.symtab	0x414b70	24	OBJECT	<unknown>	DEFAULT	5
__stdio_seek			.symtab	0x413970	112	FUNC	<unknown>	HIDDEN	3
__stdio_trans2w_o			.symtab	0x411f90	308	FUNC	<unknown>	HIDDEN	3
__stdio_wcommit			.symtab	0x40cdc0	100	FUNC	<unknown>	HIDDEN	3
__stdout			.symtab	0x456130	4	OBJECT	<unknown>	DEFAULT	10
__syscall_error			.symtab	0x411030	72	FUNC	<unknown>	HIDDEN	3
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x411170	84	FUNC	<unknown>	HIDDEN	3
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_fini			.symtab	0x410ae0	196	FUNC	<unknown>	DEFAULT	3
_uClibc_init			.symtab	0x410c3c	140	FUNC	<unknown>	DEFAULT	3
_uClibc_main			.symtab	0x410cc8	864	FUNC	<unknown>	DEFAULT	3
_uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_progname			.symtab	0x456430	4	OBJECT	<unknown>	HIDDEN	10
_vfork			.symtab	0x40c670	28	FUNC	<unknown>	HIDDEN	3
_xpg_strerror_r			.symtab	0x40eb00	392	FUNC	<unknown>	DEFAULT	3
_xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0x40cf40	128	FUNC	<unknown>	DEFAULT	3
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x4135a0	44	FUNC	<unknown>	DEFAULT	3
_dl_phdr			.symtab	0x456880	4	OBJECT	<unknown>	DEFAULT	12
_dl_phnum			.symtab	0x456884	4	OBJECT	<unknown>	DEFAULT	12
_edata			.symtab	0x456874	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x45ca38	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x45c970	4	OBJECT	<unknown>	DEFAULT	13
_exit			.symtab	0x40bf60	80	FUNC	<unknown>	DEFAULT	3
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fbss			.symtab	0x456874	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_fdata			.symtab	0x456020	0	NOTYPE	<unknown>	DEFAULT	10
_fini			.symtab	0x413c70	28	FUNC	<unknown>	DEFAULT	4
_fixed_buffers			.symtab	0x45a8f8	8192	OBJECT	<unknown>	DEFAULT	13
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x40cfc0	228	FUNC	<unknown>	DEFAULT	3
_fpmaxtostr			.symtab	0x412310	2120	FUNC	<unknown>	HIDDEN	3
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ftext			.symtab	0x400160	0	NOTYPE	<unknown>	DEFAULT	3
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_gp			.symtab	0x45e450	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_gp_disp			.symtab	0x0	0	OBJECT	<unknown>	DEFAULT	SHN_UNDEF
_h_errno			.symtab	0x45c974	4	OBJECT	<unknown>	DEFAULT	13
_init			.symtab	0x4000cc	28	FUNC	<unknown>	DEFAULT	2
_load_inttype			.symtab	0x4120d0	136	FUNC	<unknown>	HIDDEN	3
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x40d850	220	FUNC	<unknown>	HIDDEN	3
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x40dc2c	1512	FUNC	<unknown>	HIDDEN	3
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x40d930	100	FUNC	<unknown>	HIDDEN	3
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x40d9a0	540	FUNC	<unknown>	HIDDEN	3
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x40dbc0	108	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_pop_restore			.symtab	0x410bac	8	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_push_defer			.symtab	0x410bac	8	FUNC	<unknown>	DEFAULT	3
_sigintr			.symtab	0x45c9a0	128	OBJECT	<unknown>	HIDDEN	13
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x411a40	880	FUNC	<unknown>	HIDDEN	3
_stdio_init			.symtab	0x40cbc0	184	FUNC	<unknown>	HIDDEN	3
_stdio_openlist			.symtab	0x456134	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_add_lock			.symtab	0x4560e0	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_dec_use			.symtab	0x412b60	400	FUNC	<unknown>	DEFAULT	3
_stdio_openlist_del_count			.symtab	0x45a8f4	4	OBJECT	<unknown>	DEFAULT	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_stdio_openlist_del_lock			.symtab	0x4560f8	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_use_count			.symtab	0x45a8f0	4	OBJECT	<unknown>	DEFAULT	13
_stdio_streams			.symtab	0x456138	240	OBJECT	<unknown>	DEFAULT	10
_stdio_term			.symtab	0x40cc98	284	FUNC	<unknown>	HIDDEN	3
_stdio_user_locking			.symtab	0x456110	4	OBJECT	<unknown>	DEFAULT	10
_stdlib_strto_l			.symtab	0x410490	592	FUNC	<unknown>	HIDDEN	3
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x412160	68	FUNC	<unknown>	HIDDEN	3
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x414ce0	2934	OBJECT	<unknown>	HIDDEN	5
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x4121b0	340	FUNC	<unknown>	HIDDEN	3
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x40d0a4	1960	FUNC	<unknown>	HIDDEN	3
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x4133f0	428	FUNC	<unknown>	DEFAULT	3
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x410450	28	FUNC	<unknown>	DEFAULT	3
atol			.symtab	0x410450	28	FUNC	<unknown>	DEFAULT	3
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x45c980	4	OBJECT	<unknown>	DEFAULT	13
been_there_done_that.2792			.symtab	0x45c964	4	OBJECT	<unknown>	DEFAULT	13
brk			.symtab	0x4135d0	112	FUNC	<unknown>	DEFAULT	3
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x40f2e0	252	FUNC	<unknown>	DEFAULT	3
buf.2601			.symtab	0x45c910	16	OBJECT	<unknown>	DEFAULT	13
c			.symtab	0x456054	4	OBJECT	<unknown>	DEFAULT	10
chdir			.symtab	0x40bfb0	88	FUNC	<unknown>	DEFAULT	3
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
client.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x40c010	84	FUNC	<unknown>	DEFAULT	3
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x456064	4	OBJECT	<unknown>	DEFAULT	10
completed.2296			.symtab	0x456890	1	OBJECT	<unknown>	DEFAULT	13
connect			.symtab	0x40eed0	84	FUNC	<unknown>	DEFAULT	3
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x402b0c	828	FUNC	<unknown>	DEFAULT	3
creat			.symtab	0x40c38c	28	FUNC	<unknown>	DEFAULT	3
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x40413c	460	FUNC	<unknown>	DEFAULT	3
currentServer			.symtab	0x456050	4	OBJECT	<unknown>	DEFAULT	10
data_start			.symtab	0x456040	0	OBJECT	<unknown>	DEFAULT	10
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x40c070	84	FUNC	<unknown>	DEFAULT	3
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x45c954	4	OBJECT	<unknown>	DEFAULT	13
errno			.symtab	0x45c970	4	OBJECT	<unknown>	DEFAULT	13
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
estridx			.symtab	0x414c50	126	OBJECT	<unknown>	DEFAULT	5
execl			.symtab	0x4107d0	204	FUNC	<unknown>	DEFAULT	3
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x4111d0	84	FUNC	<unknown>	DEFAULT	3
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x4106e0	236	FUNC	<unknown>	DEFAULT	3
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
exp10_table			.symtab	0x4158f8	72	OBJECT	<unknown>	DEFAULT	5
fclose			.symtab	0x4116a0	512	FUNC	<unknown>	DEFAULT	3
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x40be60	136	FUNC	<unknown>	DEFAULT	3
fcntl64			.symtab	0x40bef0	104	FUNC	<unknown>	DEFAULT	3
fdgets			.symtab	0x401c78	292	FUNC	<unknown>	DEFAULT	3
fdopen			.symtab	0x4118a0	128	FUNC	<unknown>	DEFAULT	3
fdopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fdopen_pids			.symtab	0x45a8c8	4	OBJECT	<unknown>	DEFAULT	13
fdpclose			.symtab	0x4019fc	636	FUNC	<unknown>	DEFAULT	3
fdpopen			.symtab	0x401588	1140	FUNC	<unknown>	DEFAULT	3
fflush_unlocked			.symtab	0x412cf0	628	FUNC	<unknown>	DEFAULT	3
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x4158e0	20	OBJECT	<unknown>	DEFAULT	5
fork			.symtab	0x40c0d0	84	FUNC	<unknown>	DEFAULT	3
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x40e220	128	FUNC	<unknown>	DEFAULT	3
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x40021c	0	FUNC	<unknown>	DEFAULT	3
free			.symtab	0x40f660	396	FUNC	<unknown>	DEFAULT	3
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x413640	68	FUNC	<unknown>	DEFAULT	3
fseeko			.symtab	0x413640	68	FUNC	<unknown>	DEFAULT	3
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x413690	388	FUNC	<unknown>	DEFAULT	3
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x40e2a0	280	FUNC	<unknown>	DEFAULT	3
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBogOs			.symtab	0x402220	772	FUNC	<unknown>	DEFAULT	3
getBuild			.symtab	0x40af0c	56	FUNC	<unknown>	DEFAULT	3
getCores			.symtab	0x402524	316	FUNC	<unknown>	DEFAULT	3
getHost			.symtab	0x4020dc	160	FUNC	<unknown>	DEFAULT	3
getOurIP			.symtab	0x40ab8c	896	FUNC	<unknown>	DEFAULT	3
getRandomIP			.symtab	0x404090	172	FUNC	<unknown>	DEFAULT	3
getRandomPublicIP			.symtab	0x403878	2072	FUNC	<unknown>	DEFAULT	3
getdtablesize			.symtab	0x40c130	72	FUNC	<unknown>	DEFAULT	3
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x411230	88	FUNC	<unknown>	DEFAULT	3
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x411290	88	FUNC	<unknown>	DEFAULT	3
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x4112f0	84	FUNC	<unknown>	DEFAULT	3
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x40c180	84	FUNC	<unknown>	DEFAULT	3
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x40c1e0	84	FUNC	<unknown>	DEFAULT	3
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x40ef30	84	FUNC	<unknown>	DEFAULT	3
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x40ef90	120	FUNC	<unknown>	DEFAULT	3
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x411350	84	FUNC	<unknown>	DEFAULT	3
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gotIP			.symtab	0x4568b4	4	OBJECT	<unknown>	DEFAULT	13
h_errno			.symtab	0x45c974	4	OBJECT	<unknown>	DEFAULT	13
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
hextable			.symtab	0x413f0c	1024	OBJECT	<unknown>	DEFAULT	5

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
hlt			.symtab	0x4002fc	0	NOTYPE	<unknown>	DEFAULT	3
htonl			.symtab	0x40edb0	8	FUNC	<unknown>	DEFAULT	3
htons			.symtab	0x40edb8	8	FUNC	<unknown>	DEFAULT	3
i.4135			.symtab	0x456058	4	OBJECT	<unknown>	DEFAULT	10
index			.symtab	0x40e5d0	256	FUNC	<unknown>	DEFAULT	3
inet_addr			.symtab	0x40ee80	72	FUNC	<unknown>	DEFAULT	3
inet_aton			.symtab	0x4132f0	244	FUNC	<unknown>	DEFAULT	3
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x40ee5c	32	FUNC	<unknown>	DEFAULT	3
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x40edc0	156	FUNC	<unknown>	DEFAULT	3
infectline			.symtab	0x456060	4	OBJECT	<unknown>	DEFAULT	10
initConnection			.symtab	0x40a93c	592	FUNC	<unknown>	DEFAULT	3
init_rand			.symtab	0x400310	300	FUNC	<unknown>	DEFAULT	3
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x456230	264	OBJECT	<unknown>	DEFAULT	10
initstate			.symtab	0x40fbe4	208	FUNC	<unknown>	DEFAULT	3
initstate_r			.symtab	0x4100c0	328	FUNC	<unknown>	DEFAULT	3
ioctl			.symtab	0x40c240	104	FUNC	<unknown>	DEFAULT	3
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ipState			.symtab	0x45a8cc	5	OBJECT	<unknown>	DEFAULT	13
isatty			.symtab	0x40ecb0	60	FUNC	<unknown>	DEFAULT	3
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x40c710	44	FUNC	<unknown>	DEFAULT	3
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x40c2b0	88	FUNC	<unknown>	DEFAULT	3
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/pipe.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x402e48	636	FUNC	<unknown>	DEFAULT	3
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x413b50	168	FUNC	<unknown>	DEFAULT	3
macAddress			.symtab	0x4568c0	6	OBJECT	<unknown>	DEFAULT	13
main			.symtab	0x40af44	3804	FUNC	<unknown>	DEFAULT	3
mainCommSock			.symtab	0x4568b0	4	OBJECT	<unknown>	DEFAULT	13
makeIPPacket			.symtab	0x40446c	312	FUNC	<unknown>	DEFAULT	3
makeRandomStr			.symtab	0x402660	268	FUNC	<unknown>	DEFAULT	3
malloc			.symtab	0x40f470	492	FUNC	<unknown>	DEFAULT	3
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
matchPrompt			.symtab	0x4032fc	536	FUNC	<unknown>	DEFAULT	3
memchr			.symtab	0x412f70	264	FUNC	<unknown>	DEFAULT	3
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x40e3c0	308	FUNC	<unknown>	DEFAULT	3
mempcpy			.symtab	0x413080	76	FUNC	<unknown>	DEFAULT	3
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x4130d0	272	FUNC	<unknown>	DEFAULT	3
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x40e500	144	FUNC	<unknown>	DEFAULT	3
mylock			.symtab	0x456350	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x456440	24	OBJECT	<unknown>	DEFAULT	10
nanosleep			.symtab	0x4113b0	84	FUNC	<unknown>	DEFAULT	3
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
negotiate			.symtab	0x4030c4	568	FUNC	<unknown>	DEFAULT	3
next_start.1065			.symtab	0x45c900	4	OBJECT	<unknown>	DEFAULT	13
ntohl			.symtab	0x40eda0	8	FUNC	<unknown>	DEFAULT	3
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x40eda8	8	FUNC	<unknown>	DEFAULT	3
numpids			.symtab	0x4568b8	8	OBJECT	<unknown>	DEFAULT	13
object.2349			.symtab	0x456894	24	OBJECT	<unknown>	DEFAULT	13
open			.symtab	0x40c310	124	FUNC	<unknown>	DEFAULT	3
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourlP			.symtab	0x456874	4	OBJECT	<unknown>	DEFAULT	12
p.2294			.symtab	0x456030	0	OBJECT	<unknown>	DEFAULT	10
parseHex			.symtab	0x401d9c	176	FUNC	<unknown>	DEFAULT	3
passwords			.symtab	0x456080	56	OBJECT	<unknown>	DEFAULT	10
pclose			.symtab	0x40c800	324	FUNC	<unknown>	DEFAULT	3
pids			.symtab	0x45687c	4	OBJECT	<unknown>	DEFAULT	12
pipe			.symtab	0x40be20	64	FUNC	<unknown>	DEFAULT	3
popen			.symtab	0x40c944	636	FUNC	<unknown>	DEFAULT	3
popen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
popen_list			.symtab	0x45a8e0	4	OBJECT	<unknown>	DEFAULT	13
prctl			.symtab	0x40c3b0	120	FUNC	<unknown>	DEFAULT	3
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4045			.symtab	0x414ba0	12	OBJECT	<unknown>	DEFAULT	5
print			.symtab	0x400d68	1456	FUNC	<unknown>	DEFAULT	3
printchar			.symtab	0x4007dc	184	FUNC	<unknown>	DEFAULT	3
printf			.symtab	0x40c7a0	92	FUNC	<unknown>	DEFAULT	3
printf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
printi			.symtab	0x400ad0	664	FUNC	<unknown>	DEFAULT	3
prints			.symtab	0x400894	572	FUNC	<unknown>	DEFAULT	3
processCmd			.symtab	0x408c84	7352	FUNC	<unknown>	DEFAULT	3
qual_chars.4050			.symtab	0x414bc0	20	OBJECT	<unknown>	DEFAULT	5
raise			.symtab	0x413b00	76	FUNC	<unknown>	DEFAULT	3
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x40fa70	28	FUNC	<unknown>	DEFAULT	3
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmwC			.symtab	0x40043c	468	FUNC	<unknown>	DEFAULT	3
random			.symtab	0x40fa90	164	FUNC	<unknown>	DEFAULT	3
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x415860	40	OBJECT	<unknown>	DEFAULT	5
random_r			.symtab	0x40fe9c	176	FUNC	<unknown>	DEFAULT	3
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x456368	128	OBJECT	<unknown>	DEFAULT	10
rawmemchr			.symtab	0x4139e0	200	FUNC	<unknown>	DEFAULT	3
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x40c430	84	FUNC	<unknown>	DEFAULT	3
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readUntil			.symtab	0x403514	868	FUNC	<unknown>	DEFAULT	3
recv			.symtab	0x40f010	84	FUNC	<unknown>	DEFAULT	3
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x40276c	928	FUNC	<unknown>	DEFAULT	3
sbrk			.symtab	0x411410	144	FUNC	<unknown>	DEFAULT	3
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x456878	4	OBJECT	<unknown>	DEFAULT	12
sclose			.symtab	0x4045a4	128	FUNC	<unknown>	DEFAULT	3
select			.symtab	0x40c490	120	FUNC	<unknown>	DEFAULT	3
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x40f070	84	FUNC	<unknown>	DEFAULT	3
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendCNC			.symtab	0x407114	372	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
sendHOLD			.symtab	0x4084c0	1988	FUNC	<unknown>	DEFAULT	3
sendHTTP			.symtab	0x407288	320	FUNC	<unknown>	DEFAULT	3
sendJUNK			.symtab	0x407d8c	1844	FUNC	<unknown>	DEFAULT	3
sendTCP			.symtab	0x4073c8	2500	FUNC	<unknown>	DEFAULT	3
sendUDP			.symtab	0x4067e4	2352	FUNC	<unknown>	DEFAULT	3
sendto			.symtab	0x40f0d0	128	FUNC	<unknown>	DEFAULT	3
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsid			.symtab	0x40c510	84	FUNC	<unknown>	DEFAULT	3
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x40f150	120	FUNC	<unknown>	DEFAULT	3
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x40fb34	176	FUNC	<unknown>	DEFAULT	3
setstate_r			.symtab	0x40fd60	316	FUNC	<unknown>	DEFAULT	3
sigaction			.symtab	0x411080	232	FUNC	<unknown>	DEFAULT	3
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x40f230	104	FUNC	<unknown>	DEFAULT	3
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x40f2a0	60	FUNC	<unknown>	DEFAULT	3
signal			.symtab	0x40f2e0	252	FUNC	<unknown>	DEFAULT	3
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x40c570	148	FUNC	<unknown>	DEFAULT	3
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x4108a0	564	FUNC	<unknown>	DEFAULT	3
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x40f1d0	84	FUNC	<unknown>	DEFAULT	3
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sockprintf			.symtab	0x401408	384	FUNC	<unknown>	DEFAULT	3
spec_and_mask.4049			.symtab	0x414bd4	16	OBJECT	<unknown>	DEFAULT	5
spec_base.4044			.symtab	0x414bac	7	OBJECT	<unknown>	DEFAULT	5
spec_chars.4046			.symtab	0x414c00	21	OBJECT	<unknown>	DEFAULT	5
spec_flags.4045			.symtab	0x414c18	8	OBJECT	<unknown>	DEFAULT	5
spec_or_mask.4048			.symtab	0x414be4	16	OBJECT	<unknown>	DEFAULT	5
spec_ranges.4047			.symtab	0x414bf4	9	OBJECT	<unknown>	DEFAULT	5
srand			.symtab	0x40fcb4	172	FUNC	<unknown>	DEFAULT	3
srandom			.symtab	0x40fcb4	172	FUNC	<unknown>	DEFAULT	3
srandom_r			.symtab	0x40ff4c	372	FUNC	<unknown>	DEFAULT	3
stderr			.symtab	0x456128	4	OBJECT	<unknown>	DEFAULT	10
stdin			.symtab	0x456120	4	OBJECT	<unknown>	DEFAULT	10
stdout			.symtab	0x456124	4	OBJECT	<unknown>	DEFAULT	10
strcat			.symtab	0x40e590	52	FUNC	<unknown>	DEFAULT	3
strcat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x40e5d0	256	FUNC	<unknown>	DEFAULT	3
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x40e6d0	44	FUNC	<unknown>	DEFAULT	3
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x40e6d0	44	FUNC	<unknown>	DEFAULT	3
strcpy			.symtab	0x40e700	36	FUNC	<unknown>	DEFAULT	3
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x40eb00	392	FUNC	<unknown>	DEFAULT	3
strlen			.symtab	0x40e730	184	FUNC	<unknown>	DEFAULT	3
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x40e7f0	188	FUNC	<unknown>	DEFAULT	3
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x40e8b0	256	FUNC	<unknown>	DEFAULT	3
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x4132b0	64	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x413ab0	76	FUNC	<unknown>	DEFAULT	3
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x40e9b0	256	FUNC	<unknown>	DEFAULT	3
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x40ec90	32	FUNC	<unknown>	DEFAULT	3
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x4131e0	204	FUNC	<unknown>	DEFAULT	3
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x410470	28	FUNC	<unknown>	DEFAULT	3
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
system			.symtab	0x410210	568	FUNC	<unknown>	DEFAULT	3
system.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x401390	120	FUNC	<unknown>	DEFAULT	3
tcgetattr			.symtab	0x40ecf0	176	FUNC	<unknown>	DEFAULT	3
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpsum			.symtab	0x404308	356	FUNC	<unknown>	DEFAULT	3
time			.symtab	0x40c610	84	FUNC	<unknown>	DEFAULT	3
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x40c740	60	FUNC	<unknown>	DEFAULT	3
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x400610	460	FUNC	<unknown>	DEFAULT	3
type_codes			.symtab	0x414c20	24	OBJECT	<unknown>	DEFAULT	5
type_sizes			.symtab	0x414c38	12	OBJECT	<unknown>	DEFAULT	5
unknown.1088			.symtab	0x414cd0	14	OBJECT	<unknown>	DEFAULT	5
unsafe_state			.symtab	0x4563f0	28	OBJECT	<unknown>	DEFAULT	10
uppercase			.symtab	0x40217c	164	FUNC	<unknown>	DEFAULT	3
usernames			.symtab	0x456068	24	OBJECT	<unknown>	DEFAULT	10
vfork			.symtab	0x40c670	28	FUNC	<unknown>	DEFAULT	3
vfork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
vfprintf			.symtab	0x40ce30	260	FUNC	<unknown>	DEFAULT	3
vfprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x4114a0	88	FUNC	<unknown>	DEFAULT	3
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x40c690	28	FUNC	<unknown>	DEFAULT	3
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x411500	112	FUNC	<unknown>	DEFAULT	3
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x4115b0	228	FUNC	<unknown>	DEFAULT	3
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x411570	64	FUNC	<unknown>	DEFAULT	3
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x401e4c	656	FUNC	<unknown>	DEFAULT	3
write			.symtab	0x40c6b0	84	FUNC	<unknown>	DEFAULT	3
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
zprintf			.symtab	0x401318	120	FUNC	<unknown>	DEFAULT	3

Network Behavior

 No network behavior found

System Behavior

Analysis Process: ntpd PID: 6226, Parent PID: 6124		—
General		—
Start time:	20:12:31	
Start date:	27/05/2022	
Path:	/tmp/ntpd	
Arguments:	/tmp/ntpd	
File size:	5777432 bytes	
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c	

File Activities		—
File Deleted		▼
File Read		▼
File Written		▼

Analysis Process: ntpd PID: 6228, Parent PID: 6226		—
General		—
Start time:	20:12:31	
Start date:	27/05/2022	
Path:	/tmp/ntpd	
Arguments:	n/a	
File size:	5777432 bytes	
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c	

Analysis Process: ntpd PID: 6230, Parent PID: 6228		—
General		—
Start time:	20:12:31	
Start date:	27/05/2022	
Path:	/tmp/ntpd	
Arguments:	n/a	
File size:	5777432 bytes	
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c	

Analysis Process: ntpd PID: 6232, Parent PID: 6230		—
General		—
Start time:	20:12:31	
Start date:	27/05/2022	
Path:	/tmp/ntpd	
Arguments:	n/a	
File size:	5777432 bytes	
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c	

Analysis Process: ntpd PID: 6256, Parent PID: 6230		—
General		—
Start time:	20:13:14	
Start date:	27/05/2022	
Path:	/tmp/ntpd	
Arguments:	n/a	
File size:	5777432 bytes	
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c	

Analysis Process: ntpd PID: 6291, Parent PID: 6230		—
General		—
Start time:	20:14:14	
Start date:	27/05/2022	

Path:	/tmp/ntpd
Arguments:	n/a
File size:	5777432 bytes
MD5 hash:	0083f1f0e77be34ad27f849842bbb00c