

JOeSandbox Cloud BASIC



ID: 635360

Sample Name: bash

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 20:17:25

Date: 27/05/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report bash	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Snort Signatures	4
Joe Sandbox Signatures	4
AV Detection	4
Spreading	4
Networking	4
Mitre Att&ck Matrix	5
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	5
Initial Sample	5
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	6
Contacted Domains	6
URLs from Memory and Binaries	6
World Map of Contacted IPs	6
Public IPs	6
Joe Sandbox View / Context	9
IPs	9
Domains	9
ASNs	9
JA3 Fingerprints	9
Dropped Files	9
Created / dropped Files	9
Static File Info	9
General	10
Static ELF Info	10
ELF header	10
Sections	10
Program Segments	10
Symbols	11
Network Behavior	22
Snort IDS Alerts	22
Network Port Distribution	22
TCP Packets	22
ICMP Packets	22
System Behavior	22
Analysis Process: bash PID: 6227, Parent PID: 6125	22
General	22
File Activities	22
File Read	22
Analysis Process: bash PID: 6228, Parent PID: 6227	22
General	22
Analysis Process: bash PID: 6229, Parent PID: 6228	22
General	23
Analysis Process: bash PID: 6230, Parent PID: 6229	23
General	23

Linux Analysis Report

bash

Overview

General Information

Sample Name:	bash
Analysis ID:	635360
MD5:	e64c10e496d39e..
SHA1:	25d85c14f468ae..
SHA256:	a4ea9b6e8713da..
Infos:	


Detection

Score:	72
Range:	0 - 100
Whitelisted:	false

Signatures

- Antivirus / Scanner detection for sub...
- Multi AV Scanner detection for subm...
- Snort IDS alert for network traffic
- Opens /proc/net/* files useful for fin...
- Machine Learning detection for sam...
- Sample contains symbols with susp...
- Tries to connect to HTTP servers, b...

Classification



Analysis Advice

All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.

General Information	
Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	635360
Start date and time: 27/05/202220:17:25	2022-05-27 20:17:25 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 6m 21s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	bash
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal72.spre.lin@0/0@0/0

Runtime Messages	
Command:	/tmp/bash
PID:	6227
Exit Code:	0
Exit Code Info:	
Killed:	False

Standard Output:	BUILD DONGS BUILD DONGS buf: BUILD DONGS buf: PROBING buf: PING buf: PONG buf: PING
Standard Error:	

Process Tree

▪ system is Inxubuntu20
◦ bash (PID: 6227, Parent: 6125, MD5: e64c10e496d39e9d20786ff0df2f7d59) Arguments: /tmp/bash
• bash New Fork (PID: 6228, Parent: 6227)
• bash New Fork (PID: 6229, Parent: 6228)
• bash New Fork (PID: 6230, Parent: 6229)
▪ cleanup

Yara Signatures

⛔ No yara matches

Snort Signatures

ETPRO TROJAN ELF/BASHLITE Variant CnC Activity - Source IP: 192.168.2.23 - Destination IP: 45.95.55.12	
Timestamp:	192.168.2.2345.95.55.1257822232840333 05/27/22-20:18:13.150637
SID:	2840333
Source Port:	57822
Destination Port:	23
Protocol:	TCP
Classtype:	A Network Trojan was detected

Joe Sandbox Signatures

AV Detection

Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file

Machine Learning detection for sample

Spreading

Opens /proc/net/* files useful for finding connected devices and routers

Networking

Snort IDS alert for network traffic


Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	1 Masquerading	OS Credential Dumping	1 Remote System Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Encrypted Channel	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Application Layer Protocol	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout

Malware Configuration

No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
bash	64%	Virustotal		Browse
bash	75%	ReversingLabs	Linux.Trojan.Gafgyt	
bash	100%	Avira	LINUX/Gafgyt.vka	
bash	100%	Joe Sandbox ML		

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs

Source	Detection	Scanner	Label	Link
http://45.95.55.12/bins.sh;	0%	Avira URL Cloud	safe	


Domains and IPs

Contacted Domains

No contacted domains info

URLs from Memory and Binaries

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
109.109.109.109	unknown	Netherlands		30925	SPEEDXS-ASNL	false
192.177.189.95	unknown	United States		18779	EGIHOSTINGUS	false
194.130.207.176	unknown	United Kingdom		702	UUNETUS	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
155.202.56.76	unknown	United Kingdom		8698	NationwideBuildingSociety GB	false
207.207.207.207	unknown	United States		10823	NETCARRIERUS	false
168.215.69.89	unknown	United States		10753	LVL-T-10753US	false
191.127.204.173	unknown	Chile		7418	TELEFONICACHILESACL	false
122.122.122.122	unknown	Taiwan; Republic of China (ROC)		3462	HINETDataCommunication BusinessGroupTW	false
118.165.19.39	unknown	Taiwan; Republic of China (ROC)		3462	HINETDataCommunication BusinessGroupTW	false
155.90.193.199	unknown	United States		4010	DNIC-AS-04010US	false
129.64.167.173	unknown	United States		10561	BRANDEISUS	false
59.59.59.59	unknown	China		4134	CHINANET-BACKBONeNo31Jin-rongStreetCN	false
146.146.146.146	unknown	United States		197938	TRAVIANGAMESDE	false
220.220.220.220	unknown	Japan		4713	OCNNTTCommunicationsC orporationJP	false
110.110.110.110	unknown	China		38341	CNNIC-HCENET-APHEXIEInformationtechno logyCoLtdCN	false
181.116.219.225	unknown	Argentina		11664	TechtelLMDSComunicacion esInteractivasSAAR	false
138.73.176.182	unknown	Canada		611	NECN-1-611CA	false
8.8.8.8	unknown	United States		15169	GOOGLEUS	false
120.167.21.41	unknown	Indonesia		4761	INDOSAT-INP-APINDOSATInternetNetwor kProviderID	false
72.72.72.72	unknown	United States		701	UUNETUS	false
158.158.158.158	unknown	Singapore		8075	MICROSOFT-CORP-MSN-AS-BLOCKUS	false
171.171.171.171	unknown	United States		9874	STARHUB-MOBILEStarHubLtdSG	false
188.235.89.109	unknown	Russian Federation		50498	LIPETSK-ASRU	false
91.27.104.73	unknown	Germany		3320	DTAGInternetServiceprovid eroperationsDE	false
152.199.53.73	unknown	United States		15133	EDGECASTUS	false
147.82.185.191	unknown	Saudi Arabia		1761	TDIR-CAPNETUS	false
183.183.183.183	unknown	Japan		45684	MIRAINETKycoceraCommun icationSystemsCoLtdJP	false
200.135.238.244	unknown	Brazil		10715	UniversidadeFederaldeSant aCatarinaBR	false
134.119.131.37	unknown	Germany		8972	GD-EMEA-DC-SXB1DE	false
168.153.165.71	unknown	Australia		2764	AAPTAAPTILimitedAU	false
50.50.50.50	unknown	United States		7011	FRONTIER-AND-CITIZENSUS	false
130.115.127.33	unknown	Netherlands		1103	SURFNET-NLSURFnetTheNetherlands NL	false
174.221.75.95	unknown	United States		22394	CELLCOUS	false
119.54.157.163	unknown	China		4837	CHINA169-BACKBONECHINAUNICO MChina169BackboneCN	false
137.72.175.181	unknown	United States		37440	Airtel-MW	false
145.80.183.189	unknown	Netherlands		1103	SURFNET-NLSURFnetTheNetherlands NL	false
169.104.207.213	unknown	United States		37611	AfrihostZA	false
176.112.189.158	unknown	Slovakia (SLOVAK Republic)		58044	ASFREEZONASK	false
122.107.119.25	unknown	Australia		4804	MPX-ASMicroplexPTYLTDAU	false
135.120.132.38	unknown	United States		10455	LUCENT-CIOUS	false
139.124.136.42	unknown	France		2457	FR-RAIMU-2ReseaudecollectedesUniv ersitesdAixMarseill	false
248.233.245.151	unknown	Reserved		unknown	unknown	false
87.87.87.87	unknown	United Kingdom		4589	EASYNETEasyNetGlobalSe rvicesEU	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
170.217.71.91	unknown	United States		8103	STATE-OF-FLAUS	false
128.63.166.172	unknown	United States		13	DNIC-AS-00013US	false
37.37.37.37	unknown	Kuwait		42961	GPRS-ASZAINKW	false
199.246.100.120	unknown	Canada		23251	BFRCUS	false
164.100.177.146	unknown	India		4758	NICNET-VSNL-BOARDER-APNationalInformaticsCenterIN	false
192.239.93.113	unknown	United States		36143	IW-AWI-ASNUS	false
146.81.184.190	unknown	Finland		41648	RUUKKIFI	false
15.15.15.15	unknown	United States		13979	ATT-IPFRUS	false
219.219.219.219	unknown	China		4538	ERX-CERNET-BKBCChinaEducationandResearchNetworkCenter	false
185.185.185.185	unknown	Netherlands		52165	BALTSPORT-ASRU	false
83.18.121.127	unknown	Poland		5617	TPNETPL	false
173.173.173.173	unknown	United States		11427	TWC-11427-TEXASUS	false
246.231.243.149	unknown	Reserved		unknown	unknown	false
92.27.130.136	unknown	United Kingdom		13285	OPALTELECOM-ASTalkTalkCommunicationSLimitedGB	false
243.228.240.146	unknown	Reserved		unknown	unknown	false
143.190.44.64	unknown	United States		17477	MCT-SYDNEYMacquarieTelecomAU	false
200.136.213.182	unknown	Brazil		52888	UNIVERSIDADEFEDERALDESAOCARLOSBR	false
203.188.200.106	unknown	Taiwan; Republic of China (ROC)		24506	YAHOO-TP2YAHOOTAIWANTW	false
106.42.119.88	unknown	China		4134	CHINANET-BACKBONENo31Jin-rongStreetCN	false
206.191.203.109	unknown	United States		53340	FIBERHUBUS	false
139.74.177.183	unknown	Finland		1759	TSF-IP-CORETeliaFinlandOyjEU	false
222.222.222.222	unknown	China		4134	CHINANET-BACKBONENo31Jin-rongStreetCN	false
250.235.247.153	unknown	Reserved		unknown	unknown	false
151.136.148.54	unknown	Germany		205881	MANDE	false
112.112.112.112	unknown	China		4134	CHINANET-BACKBONENo31Jin-rongStreetCN	false
197.197.197.197	unknown	Egypt		36992	ETISALAT-MISREG	false
208.193.205.111	unknown	United States		701	UUNETUS	false
99.34.137.143	unknown	United States		7018	ATT-INTERNET4US	false
119.119.119.119	unknown	China		4837	CHINA169-BACKBONECHINAUNICOMChina169BackboneCN	false
137.184.38.58	unknown	United States		11003	PANDGUS	false
217.217.217.217	unknown	Spain		12357	COMUNITELSPAINES	false
210.210.210.210	unknown	Korea Republic of		9756	CHEONANVITSEN-AS-KRTbroadChungbuBroadcastingCoKR	false
71.71.71.71	unknown	United States		11426	TWC-11426-CAROLINASUS	false
107.107.107.107	unknown	United States		20057	ATT-MOBILITY-LLC-AS20057US	false
100.100.100.100	unknown	Reserved		701	UUNETUS	false
191.126.229.235	unknown	Chile		7418	TELEFONICACHILESACL	false
82.17.120.126	unknown	United Kingdom		5089	NTLGB	false
163.148.160.66	unknown	Japan		2907	SINET-ASResearchOrganizationofInformationandSystemsN	false
210.195.207.113	unknown	Malaysia		4788	TMNET-AS-APTMMNetInternetServiceProviderMY	false
94.94.94.94	unknown	Italy		3269	ASN-IBSNAZIT	false
148.83.186.192	unknown	Norway		2116	ASN-CATCHCOMNO	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
149.84.187.193	unknown	United States		13513	ALFRED-UNIVERSITYUS	false
168.168.168.168	unknown	United States		38027	MOST-AS-APInformationCenterMinistryofSciandTechCN	false
190.237.91.111	unknown	Peru		6147	TelefonicadelPeruSAAPE	false
98.33.136.142	unknown	United States		7922	COMCAST-7922US	false
144.191.45.65	unknown	United States		19773	MOTOROLAUS	false
189.174.186.92	unknown	Mexico		8151	UninetSadeCVMX	false
93.93.93.93	unknown	Russian Federation		34879	CCT-ASNGENIXRU	false
210.145.248.254	unknown	Japan		4713	OCNNTTCommunicationsCorporationJP	false
161.161.161.161	unknown	United States		263740	CorporacionLaceibanetsocietyHN	false
205.205.205.205	unknown	United States		701	UUNETUS	false
124.171.25.45	unknown	Australia		7545	TPG-INTERNET-APTPGTelecomLimitedAU	false
89.24.127.133	unknown	Czech Republic		5588	GTSCEGTSCentralEuropeAntelGermanyCZ	false
36.36.36.36	unknown	China		17962	TOPWAY-NETShenZhenTopwayVideoCommunicationCoLtdCN	false
73.73.73.73	unknown	United States		7922	COMCAST-7922US	false
112.47.150.156	unknown	China		9808	CMNET-GDGuangdongMobileCommunicationCoLtdCN	false
116.51.154.160	unknown	Singapore		17645	NTT-SG-APASN-NTTSINGAPORETELTDSG	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

File type:	ELF 64-bit LSB executable, x86-64, version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	5.822909214549378
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	bash
File size:	88523
MD5:	e64c10e496d39e9d20786ff0df2f7d59
SHA1:	25d85c14f468ae6875c33934d57c12f1d3c3d8ce
SHA256:	a4ea9b6e8713da4804c10f4869208a1cada3122b906581358fc1bb2cce92ddca
SHA512:	690dcc666f367124bc44544f8dd424b51cacaaa7b21256007fd517e805abf835cc3fe35438832426c9c1560c8336a19edd0b43a5c6c519a6fb008466068857ef
SSDEEP:	1536:q6u1g3LMtD2qtAoaEeo6GJ+NPYJax67m4fkr66dnjtWOUelpnKJRU:q71gBq2Ljo6hPyo67zCbdnjtWOFlp
TLSH:	0983082B9251C1BEC08346B52ADB9961AC73FC390B3662067395BE6C3F36CDC5D99342
File Content Preview:	.ELF.....>.....@.....@.....p.....@.8...@.....@.....@.....P.....P.....P.....Hn.....Q.td.....H... _.....H.....

Static ELF Info

ELF header

Class:	ELF64
Data:	2's complement, little endian
Version:	1 (current)
Machine:	Advanced Micro Devices X86-64
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x400194
Flags:	0x0
ELF Header Size:	64
Program Header Offset:	64
Program Header Size:	56
Number of Program Headers:	3
Section Header Offset:	65136
Section Header Size:	64
Number of Section Headers:	15
Header String Table Index:	12

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x4000e8	0xe8	0x13	0x0	0x6	AX	0	0	1
.text	PROGBITS	0x400100	0x100	0xc6f8	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x40c7f8	0xc7f8	0xe	0x0	0x6	AX	0	0	1
.rodata	PROGBITS	0x40c820	0xc820	0x24b0	0x0	0x2	A	0	0	32
.eh_frame	PROGBITS	0x40ecd0	0xecd0	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x50f000	0xf000	0x10	0x0	0x3	WA	0	0	8
.dtors	PROGBITS	0x50f010	0xf010	0x10	0x0	0x3	WA	0	0	8
.jcr	PROGBITS	0x50f020	0xf020	0x8	0x0	0x3	WA	0	0	8
.data	PROGBITS	0x50f040	0xf040	0x510	0x0	0x3	WA	0	0	32
.bss	NOBITS	0x50f560	0xf550	0x68e8	0x0	0x3	WA	0	0	32
.comment	PROGBITS	0x0	0xf550	0x8b8	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0xfe08	0x66	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x10230	0x3a98	0x18	0x0		14	219	8
.strtab	STRTAB	0x0	0x13cc8	0x1d03	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
------	--------	-----------------	------------------	-----------	-------------	---------	-------	-------------------	-------	------------------	------------------

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x400000	0x400000	0xecd4	0xecd4	3.2826	0x5	R E	0x100000		.init .text .fini .rodata .eh_frame
LOAD	0xf000	0x50f000	0x50f000	0x550	0x6e48	1.3178	0x6	RW	0x100000		.ctors .dtors .jcr .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x8		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x4000e8	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x400100	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x40c7f8	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x40c820	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x40ecd0	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x50f000	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x50f010	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x50f020	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x50f040	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x50f560	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
Q			.symtab	0x50f5e0	16384	OBJECT	<unknown>	DEFAULT	10
StartTheLelz			.symtab	0x402699	5079	FUNC	<unknown>	DEFAULT	2
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x50f008	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x50f000	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x50f138	8	OBJECT	<unknown>	DEFAULT	9
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x40d460	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x50f148	8	OBJECT	<unknown>	DEFAULT	9
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x40d760	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x50f018	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x50f010	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x40ecd0	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x40ecd0	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x50f138	8	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_b_data			.symtab	0x40d460	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x50f148	8	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_toupper_data			.symtab	0x40d760	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x50f140	8	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_toupper			.symtab	0x50f150	8	OBJECT	<unknown>	HIDDEN	9
__GI__errno_location			.symtab	0x4070f8	6	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x408cf4	14	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x406c88	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_lseek			.symtab	0x40c790	45	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x406ec8	106	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x40aab0	70	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x40ab2f	67	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x408d04	194	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x406cec	42	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x409e74	276	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0x40a4a8	18	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x40c3f4	43	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_chdir			.symtab	0x406d18	38	FUNC	<unknown>	HIDDEN	2
__GI_clock_getres			.symtab	0x40aea4	41	FUNC	<unknown>	HIDDEN	2
__GI_close			.symtab	0x406d40	41	FUNC	<unknown>	HIDDEN	2
__GI_connect			.symtab	0x408ef0	43	FUNC	<unknown>	HIDDEN	2
__GI_dup2			.symtab	0x406d6c	44	FUNC	<unknown>	HIDDEN	2
__GI_erno			.symtab	0x5156bc	4	OBJECT	<unknown>	HIDDEN	10
__GI_execl			.symtab	0x40a690	287	FUNC	<unknown>	HIDDEN	2
__GI_execve			.symtab	0x40aed0	38	FUNC	<unknown>	HIDDEN	2
__GI_exit			.symtab	0x40a634	92	FUNC	<unknown>	HIDDEN	2
__GI_fclose			.symtab	0x40b158	259	FUNC	<unknown>	HIDDEN	2
__GI_fcntl			.symtab	0x406c88	100	FUNC	<unknown>	HIDDEN	2
__GI_fcntl64			.symtab	0x406c88	100	FUNC	<unknown>	HIDDEN	2
__GI_fdopen			.symtab	0x40b25c	54	FUNC	<unknown>	HIDDEN	2
__GI_fflush_unlocked			.symtab	0x40bf4c	329	FUNC	<unknown>	HIDDEN	2
__GI_fork			.symtab	0x406d98	38	FUNC	<unknown>	HIDDEN	2
__GI_fputs_unlocked			.symtab	0x4083a8	56	FUNC	<unknown>	HIDDEN	2
__GI_fseek			.symtab	0x40c420	5	FUNC	<unknown>	HIDDEN	2
__GI_fseeko64			.symtab	0x40c428	218	FUNC	<unknown>	HIDDEN	2
__GI_fwrite_unlocked			.symtab	0x4083e0	134	FUNC	<unknown>	HIDDEN	2
__GI_getdtablesize			.symtab	0x406dc0	35	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0x40aef8	38	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0x40af20	38	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0x40af48	38	FUNC	<unknown>	HIDDEN	2
__GI_getpagesize			.symtab	0x40af70	19	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0x406de4	38	FUNC	<unknown>	HIDDEN	2
__GI_getrlimit			.symtab	0x406e0c	40	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0x408f1c	41	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x40af84	38	FUNC	<unknown>	HIDDEN	2
__GI_h_errno			.symtab	0x5156c0	4	OBJECT	<unknown>	HIDDEN	10
__GI_inet_addr			.symtab	0x408ed4	28	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x40c33c	137	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa			.symtab	0x408ec9	10	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntoa_r			.symtab	0x408e7c	77	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0x40a29f	185	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0x406e34	104	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x408dd4	25	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0x406e9c	44	FUNC	<unknown>	HIDDEN	2
__GI_lseek			.symtab	0x40c790	45	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x40c788	5	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x40c0fc	240	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x408470	102	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x40c0a0	90	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x40c1ec	237	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0x4084e0	210	FUNC	<unknown>	HIDDEN	2
__GI_mmap			.symtab	0x40ae74	48	FUNC	<unknown>	HIDDEN	2
__GI_munmap			.symtab	0x40afac	38	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x40afd4	38	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x406ec8	106	FUNC	<unknown>	HIDDEN	2
__GI_pipe			.symtab	0x406f40	38	FUNC	<unknown>	HIDDEN	2
__GI_printf			.symtab	0x407100	157	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x40c3c8	18	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0x409f94	72	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x40a19c	90	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x40c6c8	190	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x406f94	39	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0x408f7c	11	FUNC	<unknown>	HIDDEN	2
__GI_recvfrom			.symtab	0x408f88	45	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x40affc	74	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_select			.symtab	0x406fbc	44	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0x408fb8	11	FUNC	<unknown>	HIDDEN	2
__Gl_sendto			.symtab	0x408fc4	48	FUNC	<unknown>	HIDDEN	2
__Gl_setsid			.symtab	0x406fe8	38	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x408ff4	53	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x40a0f4	168	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x40ad65	247	FUNC	<unknown>	HIDDEN	2
__Gl_sigaddset			.symtab	0x40905c	35	FUNC	<unknown>	HIDDEN	2
__Gl_sigemptyset			.symtab	0x409080	20	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x409094	168	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x407010	85	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0x40a7b0	415	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0x40902c	47	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0x40a1f6	169	FUNC	<unknown>	HIDDEN	2
__Gl_strcat			.symtab	0x4085c0	428	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x408770	417	FUNC	<unknown>	HIDDEN	2
__Gl_strcpy			.symtab	0x408920	213	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x408a00	225	FUNC	<unknown>	HIDDEN	2
__Gl_strncpy			.symtab	0x408ae4	131	FUNC	<unknown>	HIDDEN	2
__Gl_strnlen			.symtab	0x408b68	206	FUNC	<unknown>	HIDDEN	2
__Gl_strpbrk			.symtab	0x40c5b0	140	FUNC	<unknown>	HIDDEN	2
__Gl_strspn			.symtab	0x40c640	135	FUNC	<unknown>	HIDDEN	2
__Gl_strstr			.symtab	0x408c38	187	FUNC	<unknown>	HIDDEN	2
__Gl_strtok			.symtab	0x408dc8	10	FUNC	<unknown>	HIDDEN	2
__Gl_strtok_r			.symtab	0x40c2dc	94	FUNC	<unknown>	HIDDEN	2
__Gl_strtol			.symtab	0x40a4bc	10	FUNC	<unknown>	HIDDEN	2
__Gl_strtoll			.symtab	0x40a4bc	10	FUNC	<unknown>	HIDDEN	2
__Gl_sysconf			.symtab	0x40a950	351	FUNC	<unknown>	HIDDEN	2
__Gl_tcgetattr			.symtab	0x408df0	110	FUNC	<unknown>	HIDDEN	2
__Gl_time			.symtab	0x407068	39	FUNC	<unknown>	HIDDEN	2
__Gl_toupper			.symtab	0x4070d8	30	FUNC	<unknown>	HIDDEN	2
__Gl_vfork			.symtab	0x406c70	21	FUNC	<unknown>	HIDDEN	2
__Gl_vfprintf			.symtab	0x407570	143	FUNC	<unknown>	HIDDEN	2
__Gl_wait4			.symtab	0x40b048	47	FUNC	<unknown>	HIDDEN	2
__Gl_waitpid			.symtab	0x407090	7	FUNC	<unknown>	HIDDEN	2
__Gl_wcrtomb			.symtab	0x40b078	68	FUNC	<unknown>	HIDDEN	2
__Gl_wcsnrtombs			.symtab	0x40b0cc	140	FUNC	<unknown>	HIDDEN	2
__Gl_wcsrtombs			.symtab	0x40b0bc	15	FUNC	<unknown>	HIDDEN	2
__Gl_write			.symtab	0x407098	42	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x50f020	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x50f020	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x5156a8	8	OBJECT	<unknown>	HIDDEN	10
__atexit_lock			.symtab	0x50f520	40	OBJECT	<unknown>	DEFAULT	9
__bsd_signal			.symtab	0x409094	168	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x50f550	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x40aafa	53	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x50f140	8	OBJECT	<unknown>	DEFAULT	9
__ctype_toupper			.symtab	0x50f150	8	OBJECT	<unknown>	DEFAULT	9
__curbrk			.symtab	0x5156c8	8	OBJECT	<unknown>	HIDDEN	10
__data_start			.symtab	0x50f050	0	NOTYPE	<unknown>	DEFAULT	9
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__do_global_ctors_aux			.symtab	0x40c7c0	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x400100	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x50f040	0	OBJECT	<unknown>	HIDDEN	9
__environ			.symtab	0x515698	8	OBJECT	<unknown>	DEFAULT	10
__errno_location			.symtab	0x4070f8	6	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x515688	8	OBJECT	<unknown>	HIDDEN	10

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__fini_array_end			.symtab	0x50f000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x50f000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__getpagesize			.symtab	0x40af70	19	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x408cf4	14	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__init_array_end			.symtab	0x50f000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x50f000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__libc_close			.symtab	0x406d40	41	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x408ef0	43	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x406f32	14	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x406c88	100	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x406c88	100	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x406d98	38	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x406de4	38	FUNC	<unknown>	DEFAULT	2
__libc_lseek			.symtab	0x40c790	45	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x40c788	5	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x40afd4	38	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x406ec8	106	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x406f94	39	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x408f7c	11	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0x408f88	45	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x406fbc	44	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x408fb8	11	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x408fc4	48	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x40ad65	247	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x515690	8	OBJECT	<unknown>	DEFAULT	10
__libc_system			.symtab	0x40a358	335	FUNC	<unknown>	DEFAULT	2
__libc_waitpid			.symtab	0x407090	7	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x407098	42	FUNC	<unknown>	DEFAULT	2
__malloc_consolidate			.symtab	0x409af9	410	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x409198	96	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x50f3a0	40	OBJECT	<unknown>	DEFAULT	9
__malloc_state			.symtab	0x515760	1752	OBJECT	<unknown>	DEFAULT	10
__malloc_trim			.symtab	0x409a60	153	FUNC	<unknown>	DEFAULT	2
__pagesize			.symtab	0x5156a0	8	OBJECT	<unknown>	DEFAULT	10
__preinit_array_end			.symtab	0x50f000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x50f000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x40aaf6	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x40aaf6	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x40aaf6	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x40aaf6	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x40aaf6	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x40aaf9	1	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x40c3c8	18	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__restore_rt			.symtab	0x40ad5c	0	NOTYPE	<unknown>	DEFAULT	2
__rtld_fini			.symtab	0x5156b0	8	OBJECT	<unknown>	HIDDEN	10
__sigaddset			.symtab	0x40915c	28	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x409178	30	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x40913c	32	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x50f178	8	OBJECT	<unknown>	DEFAULT	9
__stdio_WRITE			.symtab	0x40b294	147	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x40c504	133	FUNC	<unknown>	HIDDEN	2
__stdio_fwrit			.symtab	0x40b550	259	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__stdio_init_mutex			.symtab	0x4074af	15	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.4280			.symtab	0x40da80	40	OBJECT	<unknown>	DEFAULT	4
__stdio_seek			.symtab	0x40c58c	31	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x40b654	148	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x407548	39	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x50f180	8	OBJECT	<unknown>	DEFAULT	9
__syscall_error			.symtab	0x40ae5c	22	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_fini			.symtab	0x40aab0	70	FUNC	<unknown>	DEFAULT	2
_uClibc_init			.symtab	0x40ab2f	67	FUNC	<unknown>	DEFAULT	2
_uClibc_main			.symtab	0x40ab72	489	FUNC	<unknown>	DEFAULT	2
_uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uclibc_progname			.symtab	0x50f548	8	OBJECT	<unknown>	HIDDEN	9
__vfork			.symtab	0x406c70	21	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0x408d04	194	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0x407600	68	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x40c3dc	23	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x515e38	8	OBJECT	<unknown>	DEFAULT	10
_dl_phnum			.symtab	0x515e40	8	OBJECT	<unknown>	DEFAULT	10
_edata			.symtab	0x50f550	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x515e48	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x5156bc	4	OBJECT	<unknown>	DEFAULT	10
_exit			.symtab	0x406cec	42	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x40c7f8	5	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x513660	8192	OBJECT	<unknown>	DEFAULT	10
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x407644	120	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x40b82c	1608	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x5156c0	4	OBJECT	<unknown>	DEFAULT	10
_init			.symtab	0x4000e8	5	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x40b6e8	85	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x407cf8	114	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x407faa	1022	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x407d6c	67	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x407db0	457	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x407f7c	46	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x40aaf9	1	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x40aaf9	1	FUNC	<unknown>	DEFAULT	2
_sigintr			.symtab	0x5156e0	128	OBJECT	<unknown>	HIDDEN	10
_start			.symtab	0x400194	42	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x40b328	551	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x407444	107	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x50f188	8	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_add_lock			.symtab	0x50f1a0	40	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_dec_use			.symtab	0x40be74	216	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_stdio_openlist_del_count			.symtab	0x513644	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_del_lock			.symtab	0x50f1e0	40	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_use_count			.symtab	0x513640	4	OBJECT	<unknown>	DEFAULT	10
_stdio_streams			.symtab	0x50f220	384	OBJECT	<unknown>	DEFAULT	9
_stdio_term			.symtab	0x4074be	135	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x50f208	4	OBJECT	<unknown>	DEFAULT	9
_stdlib_strto_l			.symtab	0x40a4c8	362	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x40b740	46	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x40db80	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x40b770	187	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x4076bc	1595	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x409e74	276	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x40a4a8	18	FUNC	<unknown>	DEFAULT	2
atoi.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x515680	4	OBJECT	<unknown>	DEFAULT	10
been_there_done_that.3160			.symtab	0x5156b8	4	OBJECT	<unknown>	DEFAULT	10
brk			.symtab	0x40c3f4	43	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x409094	168	FUNC	<unknown>	DEFAULT	2
buf.2989			.symtab	0x515670	16	OBJECT	<unknown>	DEFAULT	10
c			.symtab	0x50f130	4	OBJECT	<unknown>	DEFAULT	9
chdir			.symtab	0x406d18	38	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
client.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
clock_getres			.symtab	0x40aea4	41	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x406d40	41	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x50f068	8	OBJECT	<unknown>	DEFAULT	9
completed.2761			.symtab	0x50f560	1	OBJECT	<unknown>	DEFAULT	10
connect			.symtab	0x408ef0	43	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x4018ed	572	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x406f32	14	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x4024a0	115	FUNC	<unknown>	DEFAULT	2
currentServer			.symtab	0x50f070	4	OBJECT	<unknown>	DEFAULT	9
data_start			.symtab	0x50f050	0	NOTYPE	<unknown>	DEFAULT	9
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x406d6c	44	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x515698	8	OBJECT	<unknown>	DEFAULT	10
errno			.symtab	0x5156bc	4	OBJECT	<unknown>	DEFAULT	10
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execl			.symtab	0x40a690	287	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x40aed0	38	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x40a634	92	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x40ec00	208	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x40b158	259	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x406c88	100	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x406c88	100	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x40113e	128	FUNC	<unknown>	DEFAULT	2
fdopen			.symtab	0x40b25c	54	FUNC	<unknown>	DEFAULT	2
fdopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fdopen_pids			.symtab	0x5135e0	8	OBJECT	<unknown>	DEFAULT	10
fdpclose			.symtab	0x400fce	368	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x400df2	476	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x40bf4c	329	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x40ebe0	20	OBJECT	<unknown>	DEFAULT	4
fork			.symtab	0x406d98	38	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x4083a8	56	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x400150	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x409c93	452	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x40c420	5	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x40c420	5	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x40c428	218	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x4083e0	134	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBogos			.symtab	0x4013c2	470	FUNC	<unknown>	DEFAULT	2
getBuild			.symtab	0x4064de	11	FUNC	<unknown>	DEFAULT	2
getCores			.symtab	0x401598	153	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x401346	65	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x4062fa	484	FUNC	<unknown>	DEFAULT	2
getRandomIP			.symtab	0x402471	47	FUNC	<unknown>	DEFAULT	2
getRandomPublicIP			.symtab	0x4020b3	958	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x406dc0	35	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x40aef8	38	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x40af20	38	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x40af48	38	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x40af70	19	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x406de4	38	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x406e0c	40	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit64			.symtab	0x406e0c	40	FUNC	<unknown>	DEFAULT	2
getsockname			.symtab	0x408f1c	41	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x408f48	50	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x40af84	38	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gotIP			.symtab	0x50f5c4	4	OBJECT	<unknown>	DEFAULT	10

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
h_errno			.symtab	0x5156c0	4	OBJECT	<unknown>	DEFAULT	10
hextable			.symtab	0x40ca40	2048	OBJECT	<unknown>	DEFAULT	4
htonl			.symtab	0x408e68	5	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x408e60	8	FUNC	<unknown>	DEFAULT	2
i.4537			.symtab	0x50f134	4	OBJECT	<unknown>	DEFAULT	9
index			.symtab	0x408770	417	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x408ed4	28	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x40c33c	137	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x408ec9	10	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x408e7c	77	FUNC	<unknown>	DEFAULT	2
infectline			.symtab	0x50f060	8	OBJECT	<unknown>	DEFAULT	9
initConnection			.symtab	0x4061d0	298	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x4001c0	125	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0x40a03e	110	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x40a29f	185	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x406e34	104	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ipState			.symtab	0x5135e8	5	OBJECT	<unknown>	DEFAULT	10
isatty			.symtab	0x408dd4	25	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x4070c4	18	FUNC	<unknown>	DEFAULT	2
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x406e9c	44	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strcat.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strchr.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strlen.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strpbrk.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strspn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x401b29	201	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek			.symtab	0x40c790	45	FUNC	<unknown>	DEFAULT	2
lseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x40c788	5	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x50f5d0	6	OBJECT	<unknown>	DEFAULT	10
main			.symtab	0x4064e9	1926	FUNC	<unknown>	DEFAULT	2
mainCommSock			.symtab	0x50f5c0	4	OBJECT	<unknown>	DEFAULT	10
makeIPPacket			.symtab	0x4025d2	153	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x401631	109	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x4091f8	2149	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0x409e57	28	FUNC	<unknown>	DEFAULT	2
matchPrompt			.symtab	0x401d10	345	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x40c0fc	240	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x408470	102	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
mempcpy			.symtab	0x40c0a0	90	FUNC	<unknown>	DEFAULT	2
memrchr			.symtab	0x40c1ec	237	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x4084e0	210	FUNC	<unknown>	DEFAULT	2
mmap			.symtab	0x40ae74	48	FUNC	<unknown>	DEFAULT	2
mmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
munmap			.symtab	0x40afac	38	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x513600	40	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x50f3e0	40	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x50f420	40	OBJECT	<unknown>	DEFAULT	9
nanosleep			.symtab	0x40afd4	38	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
negotiate			.symtab	0x401bf2	286	FUNC	<unknown>	DEFAULT	2
next_start.1440			.symtab	0x515660	8	OBJECT	<unknown>	DEFAULT	10
ntohl			.symtab	0x408e75	5	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x408e6d	8	FUNC	<unknown>	DEFAULT	2
numpids			.symtab	0x50f5c8	8	OBJECT	<unknown>	DEFAULT	10
object.2814			.symtab	0x50f580	48	OBJECT	<unknown>	DEFAULT	10
open			.symtab	0x406ec8	106	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x5156d0	4	OBJECT	<unknown>	DEFAULT	10
p.2759			.symtab	0x50f048	0	OBJECT	<unknown>	DEFAULT	9
parseHex			.symtab	0x4011be	84	FUNC	<unknown>	DEFAULT	2
passwords			.symtab	0x50f0c0	112	OBJECT	<unknown>	DEFAULT	9
pclose			.symtab	0x4071a0	190	FUNC	<unknown>	DEFAULT	2
pids			.symtab	0x5156d8	8	OBJECT	<unknown>	DEFAULT	10
pipe			.symtab	0x406f40	38	FUNC	<unknown>	DEFAULT	2
pipe.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
popen			.symtab	0x40725e	485	FUNC	<unknown>	DEFAULT	2
popen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
popen_list			.symtab	0x513628	8	OBJECT	<unknown>	DEFAULT	10
prctl			.symtab	0x406f68	44	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4494			.symtab	0x40dab5	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x400627	1085	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x4003bd	75	FUNC	<unknown>	DEFAULT	2
printf			.symtab	0x407100	157	FUNC	<unknown>	DEFAULT	2
printf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
printi			.symtab	0x4004e7	320	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x400408	223	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x404fc7	4617	FUNC	<unknown>	DEFAULT	2
qual_chars.4498			.symtab	0x40dad0	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x40c3c8	18	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x409f88	11	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmw			.symtab	0x40023d	179	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x409f94	72	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x40e6e0	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x40a19c	90	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x50f4a0	128	OBJECT	<unknown>	DEFAULT	9
rawmemchr			.symtab	0x40c6c8	190	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x406f94	39	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readUntil			.symtab	0x401e69	586	FUNC	<unknown>	DEFAULT	2
recv			.symtab	0x408f7c	11	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x40169e	591	FUNC	<unknown>	DEFAULT	2
recvfrom			.symtab	0x408f88	45	FUNC	<unknown>	DEFAULT	2
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sbrk			.symtab	0x40affc	74	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x5156d4	4	OBJECT	<unknown>	DEFAULT	10
sclose			.symtab	0x40266b	46	FUNC	<unknown>	DEFAULT	2
select			.symtab	0x406fbc	44	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x408fb8	11	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendCNC			.symtab	0x403f4f	161	FUNC	<unknown>	DEFAULT	2
sendHOLD			.symtab	0x404b24	1187	FUNC	<unknown>	DEFAULT	2
sendHTTP			.symtab	0x403ff0	191	FUNC	<unknown>	DEFAULT	2
sendJUNK			.symtab	0x404706	1054	FUNC	<unknown>	DEFAULT	2
sendTCP			.symtab	0x4040af	1623	FUNC	<unknown>	DEFAULT	2
sendUDP			.symtab	0x403a70	1247	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x408fc4	48	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsid			.symtab	0x406fe8	38	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x408ff4	53	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x409fdc	98	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x40a0f4	168	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x40ad65	247	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x40905c	35	FUNC	<unknown>	DEFAULT	2
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x409080	20	FUNC	<unknown>	DEFAULT	2
signal			.symtab	0x409094	168	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x407010	85	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x40a7b0	415	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x40902c	47	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sockprintf			.symtab	0x400c2c	454	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4497			.symtab	0x40daf0	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4493			.symtab	0x40dac1	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4494			.symtab	0x40db20	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4493			.symtab	0x40db35	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4496			.symtab	0x40db00	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4495			.symtab	0x40db10	9	OBJECT	<unknown>	DEFAULT	4
srand			.symtab	0x40a0ac	72	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x40a0ac	72	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x40a1f6	169	FUNC	<unknown>	DEFAULT	2
stderr			.symtab	0x50f170	8	OBJECT	<unknown>	DEFAULT	9
stdin			.symtab	0x50f160	8	OBJECT	<unknown>	DEFAULT	9
stdout			.symtab	0x50f168	8	OBJECT	<unknown>	DEFAULT	9
strcat			.symtab	0x4085c0	428	FUNC	<unknown>	DEFAULT	2


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strchr			.symtab	0x408770	417	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x408920	213	FUNC	<unknown>	DEFAULT	2
strerror_r			.symtab	0x408d04	194	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x408a00	225	FUNC	<unknown>	DEFAULT	2
strncpy			.symtab	0x408ae4	131	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x408b68	206	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x40c5b0	140	FUNC	<unknown>	DEFAULT	2
strspn			.symtab	0x40c640	135	FUNC	<unknown>	DEFAULT	2
strstr			.symtab	0x408c38	187	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtoimax			.symtab	0x40a4bc	10	FUNC	<unknown>	DEFAULT	2
strtok			.symtab	0x408dc8	10	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x40c2dc	94	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x40a4bc	10	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtoll			.symtab	0x40a4bc	10	FUNC	<unknown>	DEFAULT	2
sysconf			.symtab	0x40a950	351	FUNC	<unknown>	DEFAULT	2
sysconf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
system			.symtab	0x40a358	335	FUNC	<unknown>	DEFAULT	2
system.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x400b47	229	FUNC	<unknown>	DEFAULT	2
tcgetattr			.symtab	0x408df0	110	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpsum			.symtab	0x402513	191	FUNC	<unknown>	DEFAULT	2
time			.symtab	0x407068	39	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x4070d8	30	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x4002f0	205	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x40db40	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x40db58	12	OBJECT	<unknown>	DEFAULT	4
unknown.2050			.symtab	0x40db64	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x50f460	48	OBJECT	<unknown>	DEFAULT	9
uppercase			.symtab	0x401387	59	FUNC	<unknown>	DEFAULT	2
usernames			.symtab	0x50f080	48	OBJECT	<unknown>	DEFAULT	9
vfork			.symtab	0x406c70	21	FUNC	<unknown>	DEFAULT	2
vfprintf			.symtab	0x407570	143	FUNC	<unknown>	DEFAULT	2
vfprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x40b048	47	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x407090	7	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x40b078	68	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x40b0cc	140	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x40b0bc	15	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x401212	308	FUNC	<unknown>	DEFAULT	2
write			.symtab	0x407098	42	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
zprintf			.symtab	0x400a64	227	FUNC	<unknown>	DEFAULT	2

Network Behavior

Snort IDS Alerts

Timestamp	Protocol	SID	Message	Source Port	Dest Port	Source IP	Dest IP
192.168.2.2345.95.55.125 7822232840333 05/27/22- 20:18:13.150637	TCP	284033 3	ETPRO TROJAN ELF/BASHLITE Variant CnC Activity	57822	23	192.168.2.23	45.95.55.12

Network Port Distribution



Total Packets: 97

- 23 (Telnet)
- 80 (HTTP)
- 443 (HTTPS)

TCP Packets

ICMP Packets

System Behavior

Analysis Process: bash PID: 6227, Parent PID: 6125

General

Start time:	20:18:12
Start date:	27/05/2022
Path:	/tmp/bash
Arguments:	/tmp/bash
File size:	88523 bytes
MD5 hash:	e64c10e496d39e9d20786ff0df2f7d59

File Activities

File Read

Analysis Process: bash PID: 6228, Parent PID: 6227

General

Start time:	20:18:12
Start date:	27/05/2022
Path:	/tmp/bash
Arguments:	n/a
File size:	88523 bytes
MD5 hash:	e64c10e496d39e9d20786ff0df2f7d59

Analysis Process: bash PID: 6229, Parent PID: 6228

General	
Start time:	20:18:12
Start date:	27/05/2022
Path:	/tmp/bash
Arguments:	n/a
File size:	88523 bytes
MD5 hash:	e64c10e496d39e9d20786ff0df2f7d59

Analysis Process: bash PID: 6230, Parent PID: 6229	
General	
Start time:	20:18:12
Start date:	27/05/2022
Path:	/tmp/bash
Arguments:	n/a
File size:	88523 bytes
MD5 hash:	e64c10e496d39e9d20786ff0df2f7d59