

JOeSandbox Cloud BASIC



ID: 635364

Sample Name: [cpu]

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 20:22:51

Date: 27/05/2022

Version: 34.0.0 Boulder Opal

Table of Contents

Table of Contents	2
Linux Analysis Report [cpu]	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Warnings	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Snort Signatures	4
Joe Sandbox Signatures	4
AV Detection	4
Spreading	4
Networking	4
Mitre Att&ck Matrix	5
Malware Configuration	5
Behavior Graph	5
Antivirus, Machine Learning and Genetic Malware Detection	5
Initial Sample	5
Dropped Files	6
Domains	6
URLs	6
Domains and IPs	6
Contacted Domains	6
URLs from Memory and Binaries	6
World Map of Contacted IPs	6
Public IPs	6
Joe Sandbox View / Context	9
IPs	9
Domains	9
ASNs	9
JA3 Fingerprints	9
Dropped Files	9
Created / dropped Files	9
Static File Info	10
General	10
Static ELF Info	10
ELF header	10
Sections	10
Program Segments	11
Symbols	11
Network Behavior	28
Snort IDS Alerts	28
TCP Packets	28
System Behavior	28
Analysis Process: [cpu] PID: 6221, Parent PID: 6121	28
General	28
File Activities	28
File Read	28
Analysis Process: [cpu] PID: 6225, Parent PID: 6221	28
General	28
Analysis Process: [cpu] PID: 6227, Parent PID: 6225	29
General	29
Analysis Process: [cpu] PID: 6230, Parent PID: 6227	29
General	29

Linux Analysis Report

[cpu]

Overview

General Information

Sample Name:	[cpu]
Analysis ID:	635364
MD5:	85f4d82e56d3f21..
SHA1:	8430f832533bc7..
SHA256:	c381706c96b8c6..
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Score:	68
Range:	0 - 100
Whitelisted:	false

Signatures

Antivirus / Scanner detection for sub...

Multi AV Scanner detection for subm...

Snort IDS alert for network traffic

Opens /proc/net/* files useful for fin...

Sample contains symbols with susp...

Uses the "uname" system call to qu...

Tries to connect to HTTP servers, b...

Classification

Analysis Advice

- Static ELF header machine description suggests that the sample might not execute correctly on this machine.
- All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.
- Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures.

General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	635364
Start date and time: 27/05/202220:22:51	2022-05-27 20:22:51 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 6m 31s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	[cpu]
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal68.spre.lin@0/0@0/0

Warnings

Runtime Messages

Command:	/tmp/[cpu]
PID:	6221
Exit Code:	0
Exit Code Info:	
Killed:	False

Standard Output:	<pre>BUILD DONGS buf: BUILD DONGS buf: PROBING BUILD DONGS buf: PONG buf: PING buf: REPORT 183.155.201.145:root:root buf: PONG</pre>
Standard Error:	

Process Tree

- **system is Inxubuntu20**
- **[cpu]** (PID: 6221, Parent: 6121, MD5: 5ebfcae4fe2471fcc5695c2394773f1) Arguments: /tmp/[cpu]
 - **[cpu]** New Fork (PID: 6225, Parent: 6221)
 - **[cpu]** New Fork (PID: 6227, Parent: 6225)
 - **[cpu]** New Fork (PID: 6230, Parent: 6227)
- **cleanup**

Yara Signatures

 No yara matches

Snort Signatures

ETPRO TROJAN ELF/BASHLITE Variant CnC Activity - Source IP: 192.168.2.23 - Destination IP: 45.95.55.12

Timestamp:	192.168.2.2345.95.55.1257822232840333 05/27/22-20:23:36.428207
SID:	2840333
Source Port:	57822
Destination Port:	23
Protocol:	TCP
Classtype:	A Network Trojan was detected

Joe Sandbox Signatures

AV Detection



Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file

Spreading



Opens /proc/net/* files useful for finding connected devices and routers

Networking



Snort IDS alert for network traffic


Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	1 Masquerading	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Encrypted Channel	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	1 Remote System Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Application Layer Protocol	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout

Malware Configuration

No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
[cpu]	59%	Virustotal		Browse
[cpu]	72%	ReversingLabs	Linux.Trojan.Gafgyt	
[cpu]	100%	Avira	LINUX/Gafgyt.opnd	

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs

Source	Detection	Scanner	Label	Link
http://45.95.55.12/bins.sh;	0%	Avira URL Cloud	safe	


Domains and IPs

Contacted Domains

No contacted domains info

URLs from Memory and Binaries

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
200.108.193.169	unknown	Uruguay		20255	TecnowindSAUY	false
213.173.138.197	unknown	Finland		1759	TSF-IP-CORETeliaFinlandOyjEU	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
177.188.94.123	unknown	Brazil		27699	TELEFONICABRASILSABR	false
187.208.161.182	unknown	Mexico		8151	UninetSadeCVMX	false
122.75.126.116	unknown	China		9394	CTTNETChinaTieTongTelecommunicationsCorporationCN	false
121.128.177.103	unknown	Korea Republic of		4766	KIXS-AS-KRKoreaTelecomKR	false
115.226.125.173	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
126.147.176.153	unknown	Japan		17676	GIGAINFRASoftbankBBCorpJP	false
137.45.130.106	unknown	United States		13783	RADFORD-UNIV-ASUS	false
57.168.67.115	unknown	Belgium		2686	ATGS-MMD-ASUS	false
110.110.110.110	unknown	China		38341	CNNIC-HCENET-APHEXIEInformationtechnologyCoLtdCN	false
142.223.129.229	unknown	Canada		812	ROGERS-COMMUNICATIONSCA	false
133.93.58.117	unknown	Japan		58647	KAGAWAU-ASKagawaUniversityJP	false
179.89.229.220	unknown	Brazil		26599	TELEFONICABRASILSABR	false
193.142.199.202	unknown	Italy		44939	SAILWEB-SRLIT	false
137.91.38.142	unknown	United States		33350	APS---ARIZONA-PUBLIC-SERVICE-CORPORATIONUS	false
191.116.170.122	unknown	Chile		27995	CLAROCHILESACL	false
72.72.72.72	unknown	United States		701	UUNETUS	false
161.109.116.97	unknown	United States		17327	TSTC-ASUS	false
158.158.158.158	unknown	Singapore		8075	MICROSOFT-CORP-MSN-AS-BLOCKUS	false
143.51.136.112	unknown	Finland		16086	DNAFI	false
87.165.103.103	unknown	Germany		3320	DTAGInternetServiceprovideroperationsDE	false
116.153.195.115	unknown	China		4837	CHINA169-BACKBONECHINAUNICOMChina169BackboneCN	false
68.149.55.155	unknown	Canada		6327	SHAWCA	false
116.69.120.110	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
178.126.133.114	unknown	Belarus		6697	BELPAK-ASBELPAKBY	false
183.183.183.183	unknown	Japan		45684	MIRAINETKyoceraCommunicationSystemsCoLtdJP	false
182.142.107.166	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
120.175.153.209	unknown	Indonesia		4761	INDOSAT-INP-APIINDOSATInternetNetworkProviderID	false
133.82.139.142	unknown	Japan		2907	SINET-ASResearchOrganizationofInformationandSystemsN	false
131.73.187.71	unknown	United States		28075	ARLINKSAAR	false
220.241.194.215	unknown	Hong Kong		4515	ERX-STARHKTLimitedHK	false
129.123.43.116	unknown	United States		26046	USU-EDUUS	false
152.73.59.174	unknown	Denmark		15687	AS15687DK	false
117.82.103.50	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
155.75.34.135	unknown	United States		4010	DNIC-AS-04010US	false
169.188.220.247	unknown	United States		37611	AfrihostZA	false
188.109.95.210	unknown	Germany		3209	VODANETInternationalIP-BackboneofVodafoneDE	false
168.84.103.130	unknown	United States		57717	FBX-ASNL	false
48.121.148.77	unknown	United States		2686	ATGS-MMD-ASUS	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
109.164.142.198	unknown	Switzerland		3303	SWISSCOMSwisscomSwitz erlandLtdCH	false
108.84.166.127	unknown	United States		7018	ATT-INTERNET4US	false
166.194.111.149	unknown	United States		20057	ATT-MOBILITY-LLC- AS20057US	false
40.77.119.39	unknown	United States		8075	MICROSOFT-CORP-MSN- AS-BLOCKUS	false
101.38.51.150	unknown	China		4808	CHINA169- BJChinaUnicomBeijingProvi nceNetworkCN	false
164.185.138.159	unknown	United States		37717	EL-KhawarizmiTN	false
196.233.113.222	unknown	Tunisia		37492	ORANGE-TN	false
161.103.181.79	unknown	United States		7582	UMAC-AS- APUniversityofMacauMO	false
174.90.109.136	unknown	Canada		577	BACOMCA	false
192.224.134.189	unknown	United States		1659	ERX-TANET- ASN1TaiwanAcademicNetw orkTANetInformationC	false
184.77.135.103	unknown	United States		16509	AMAZON-02US	false
140.251.150.198	unknown	United States		395139	NYP-INTERNETUS	false
129.89.84.149	unknown	United States		7050	UW-MILWAUKEE-AS1US	false
201.173.217.80	unknown	Mexico		11888	TelevisionInternacionalSAd eCVMX	false
99.180.86.186	unknown	United States		7018	ATT-INTERNET4US	false
197.238.244.219	unknown	unknown		37705	TOPNETTN	false
154.175.204.181	unknown	Ghana		30986	SCANCOMGH	false
167.132.153.100	unknown	United States		10405	UPRR-ASN-01US	false
129.32.111.130	unknown	United States		3778	TEMPLEUS	false
48.109.61.88	unknown	United States		2686	ATGS-MMD-ASUS	false
131.67.91.174	unknown	United States		138	DNIC-AS-00138US	false
46.83.125.45	unknown	Germany		3320	DTAGInternetServiceprovid eroperationsDE	false
177.108.172.91	unknown	Brazil		26615	TIMSABR	false
145.174.126.54	unknown	Netherlands		59524	KPN-IAASNL	false
70.175.147.69	unknown	United States		22773	ASN-CXA-ALL-CCI-22773- RDCUS	false
242.195.246.236	unknown	Reserved		unknown	unknown	false
159.208.243.147	unknown	Canada		131090	CAT-IDC-4BYTENET-AS- APCATTELECOMPublicCo mpanyLtdCATT	false
198.232.124.120	unknown	United States		1828	UNITASUS	false
114.134.118.118	unknown	Japan		4721	JCNJupiterTelecommunicati onsCoLtdJP	false
168.185.122.253	unknown	United States		2386	INS-ASUS	false
83.102.134.161	unknown	Russian Federation		3216	SOVAM-ASRU	false
22.100.38.38	unknown	United States		8075	MICROSOFT-CORP-MSN- AS-BLOCKUS	false
152.124.170.114	unknown	United States		29992	VA-TMP-COREUS	false
77.195.178.66	unknown	France		15557	LDCOMNETFR	false
104.132.49.87	unknown	United States		36384	GOOGLE-ITUS	false
80.198.181.69	unknown	Denmark		3292	TDCTDCASDK	false
107.118.24.53	unknown	United States		20057	ATT-MOBILITY-LLC- AS20057US	false
162.111.168.171	unknown	United States		13325	STOMIUS	false
217.217.217.217	unknown	Spain		12357	COMUNITELSPAINES	false
96.45.102.105	unknown	United States		19635	SANDHILL-ASUS	false
111.52.84.156	unknown	China		56042	CMNET-SHANXI- APChinaMobilecommunicati onscorporationCN	false
160.80.39.140	unknown	Italy		137	ASGARRConsortiumGARR EU	false
168.141.84.84	unknown	United States		53585	NYSIFUS	false
116.50.89.104	unknown	India		38529	RELIANCE-RIL-AS- APRelianceIndustriesLimite dWANBackbone	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
153.197.191.94	unknown	Japan		4713	OCNNTTCommunicationsCorporationJP	false
183.137.84.188	unknown	China		4134	CHINANET-BACKBONENo31Jin-rongStreetCN	false
219.150.214.133	unknown	China		4134	CHINANET-BACKBONENo31Jin-rongStreetCN	false
158.100.178.76	unknown	United States		1226	CTA-42-AS1226US	false
72.153.59.159	unknown	United States		8075	MICROSOFT-CORP-MSN-AS-BLOCKUS	false
201.188.254.129	unknown	Chile		16629	CTCCORPSATELEFONICAEMPRESASCL	false
209.157.164.145	unknown	United States		2914	NTT-COMMUNICATIONS-2914US	false
99.51.93.157	unknown	United States		26306	THE-KARCHER-GROUPUS	false
161.97.121.204	unknown	United States		51167	CONTABODE	false
77.100.68.196	unknown	United Kingdom		5089	NTLGB	false
93.121.218.212	unknown	France		21351	CANALPLUSTELECOMFR	false
192.53.138.193	unknown	United States		553	BELWUEBeWue-KoordinationEU	false
192.123.187.106	unknown	United States		393825	BOZZ-275-CTUS	false
84.157.184.113	unknown	Germany		3320	DTAGInternetServiceprovideroptionsDE	false
150.122.168.112	unknown	China		4152	USDA-1US	false
36.154.137.25	unknown	China		56046	CMNET-JIANGSU-APChinaMobilecommunicationscorporationCN	false

Joe Sandbox View / Context

IPs

 No context

Domains

 No context

ASNs

 No context

JA3 Fingerprints

 No context

Dropped Files

 No context

Created / dropped Files

 No created / dropped files found

Static File Info	
General	
File type:	ELF 32-bit LSB executable, ARM, version 1 (ARM), statically linked, with debug_info, not stripped
Entropy (8bit):	5.86426700792885
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	[cpu]
File size:	102051
MD5:	85f4d82e56d3f216724c475b4b4cc17e
SHA1:	8430f832533bc71db049b7160fbc62c9e1e7f0d
SHA256:	c381706c96b8c6e5e9ddf8e86400a2bc16a94401c25388d5edb459b686971f5c
SHA512:	1eef23e993c2ac20ca8a164bb8f9d481e22e8da29d9fce94d822ef6ac1eeafe73ff110783b2e4b1fafce85ec2deab6395c4cf9e60640b885b45613d45b803cb2
SSDEEP:	3072:rwBRuW1i4sB9xQMOvA9dHB1WoAggFhQQaH8kmlB4OrunluWMnoe:ADkmbOrunyoe
TLSH:	C6A3E604ED505737C2D23BFAF79A42CE77351F986B97334196283AF41BE5B982A39120
File Content Preview:	.ELF...a.....(.....4...4. ...(.....0e.....Q.td.....~...L."....<.....0@-.\P...0....S.0...P@...0... ..R.....0...0.....0... ..R..... 0....S

Static ELF Info	
ELF header	
Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	ARM
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	ARM - ABI
ABI Version:	0
Entry Point Address:	0x8190
Flags:	0x202
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	3
Section Header Offset:	77436
Section Header Size:	40
Number of Section Headers:	20
Header String Table Index:	17

Sections										
Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x8094	0x94	0x18	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x80b0	0xb0	0xf290	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x17340	0xf340	0x14	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x17354	0xf354	0x1b3c	0x0	0x2	A	0	0	4
.eh_frame	PROGBITS	0x18e90	0x10e90	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x21000	0x11000	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x21008	0x11008	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x21010	0x11010	0x4	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x21014	0x11014	0x3b4	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x213c8	0x113c8	0x6168	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0x113c8	0x95e	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x11d28	0x120	0x0	0x0		0	0	8
.debug_info	PROGBITS	0x0	0x11e48	0x578	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x123c0	0xb4	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x12474	0x8bd	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x12d34	0xa0	0x0	0x0		0	0	4
.shstrtab	STRTAB	0x0	0x12dd4	0xa8	0x0	0x0		0	0	1

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.symtab	SYMTAB	0x0	0x1319c	0x3d50	0x10	0x0		19	533	4
.strtab	STRTAB	0x0	0x16eec	0x1fb7	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x8000	0x8000	0x10e94	0x10e94	3.4181	0x5	R E	0x8000		.init .text .fini .rodata .eh_frame
LOAD	0x11000	0x21000	0x21000	0x3c8	0x6530	2.0209	0x6	RW	0x8000		.ctors .dtors .jcr .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x8094	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80b0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x17340	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x17354	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x18e90	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x21000	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x21008	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x21010	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x21014	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x213c8	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
\$a			.symtab	0x8094	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x17340	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8128	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1734c	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x8188	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x80a0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x17304	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17338	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x80a4	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x80a8	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x17350	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x8190	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x82a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x83d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8cd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8e30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x90b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x923c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x938c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9830	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9918	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9c8c	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xa0a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa3a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xaa74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xaad4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb0c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcb78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd4b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd654	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdd18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf84c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfa20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfd20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1073c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1084c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10918	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x109fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10a00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10a50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10a80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10af4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10b44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10b6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10b98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10bc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10bf0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10cec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10d18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10d84	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10db0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10de0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10ebc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10ee8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10ef0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10f1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10f34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10f68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10f74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10fb0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x110b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x112f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11368	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11378	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11430	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11460	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1151c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11be0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11c78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11cb0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e98	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x1235c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12390	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12440	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12450	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x124f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12510	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12570	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12598	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x126a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x126bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12774	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12854	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1294c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12960	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12a48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12a54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12a74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ae0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12b50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12bdc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12c00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12c2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12c58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12c88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12cb4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ce0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12d14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12d44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12d70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12da0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12db8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12e70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12edc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13030	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13120	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x131b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x132dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13424	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13428	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x134a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13530	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x135c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13644	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13704	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13794	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13860	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13928	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13a60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13a6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13a74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13c0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13ca0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13d34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13ed8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13f44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13f88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13fe4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14230	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x14314	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14330	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14338	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14364	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14390	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x143bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x143e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14414	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14440	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1446c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x144c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x144f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14540	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14560	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1461c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1479c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x147d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14890	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14b88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14cc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14dc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14e34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14e68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14fb8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x157ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x158ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ad0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15f60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1605c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16074	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16160	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x161d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16214	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16300	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16318	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1633c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16378	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16384	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x164b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16580	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x165b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16668	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x166b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1671c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1685c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16c5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17188	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x172b0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21000	0	NOTYPE	<unknown>	DEFAULT	6
\$d			.symtab	0x21008	0	NOTYPE	<unknown>	DEFAULT	7
\$d			.symtab	0x2101c	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x8118	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8174	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17334	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21020	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x81c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21024	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x8298	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x83cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8ccc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8e2c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x90a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9238	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17590	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x9388	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9828	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9910	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9c84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa09c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa39c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xaa6c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xaad0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb0a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcb50	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd4ac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd64c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdcec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf7e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfa14	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfc0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfd1c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10700	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10d80	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10f30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10f64	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21088	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x21090	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x10f70	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10fac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11098	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x112d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11364	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11374	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11420	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21098	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x181d0	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x1150c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11bcc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e48	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12338	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12698	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1284c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12a40	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12a50	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12adc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12bd8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12e6c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13018	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x211d4	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x13108	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13414	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x212dc	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x1348c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13518	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x135b0	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x1362c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x212f4	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x13700	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13790	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13854	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13924	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18dfc	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x13a54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13c08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13c84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x213a8	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x13d30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13ed4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13f34	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13f84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13fd4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x141fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x213c0	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x1430c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x144c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x27478	0	NOTYPE	<unknown>	DEFAULT	10
\$d			.symtab	0x14780	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14b58	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15784	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18e48	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x158c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15aac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16054	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16158	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x162fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16334	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16374	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x164a4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16660	0	NOTYPE	<unknown>	DEFAULT	2
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
Laligned			.symtab	0x12538	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0x12554	0	NOTYPE	<unknown>	DEFAULT	2
Q			.symtab	0x213fc	16384	OBJECT	<unknown>	DEFAULT	10

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
StartTheLelz			.symtab	0xae9c	8124	FUNC	<unknown>	DEFAULT	2
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x21004	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x21000	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x21088	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x17bc0	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x21090	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x17ec0	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x2100c	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x21008	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x18e90	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x18e90	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x21088	4	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_b_data			.symtab	0x17bc0	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x21090	4	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_toupper_data			.symtab	0x17ec0	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x2108c	4	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_toupper			.symtab	0x21094	4	OBJECT	<unknown>	HIDDEN	9
__GI__errno_location			.symtab	0x10f68	12	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x1294c	20	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x10a80	116	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl64			.symtab	0x10af4	80	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x10d18	92	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x13ed8	108	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x13f88	92	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x12960	232	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x10b44	40	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x132dc	328	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0x13a60	12	FUNC	<unknown>	HIDDEN	2
__GI__atol			.symtab	0x13a60	12	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x1633c	60	FUNC	<unknown>	HIDDEN	2
__GI__chdir			.symtab	0x10b6c	44	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0x10b98	44	FUNC	<unknown>	HIDDEN	2
__GI__connect			.symtab	0x12c00	44	FUNC	<unknown>	HIDDEN	2
__GI__dup2			.symtab	0x10bc4	44	FUNC	<unknown>	HIDDEN	2
__GI__errno			.symtab	0x27478	4	OBJECT	<unknown>	HIDDEN	10
__GI__exec1			.symtab	0x13ca0	148	FUNC	<unknown>	HIDDEN	2
__GI__execve			.symtab	0x14364	44	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x13c0c	148	FUNC	<unknown>	HIDDEN	2
__GI__fclose			.symtab	0x1461c	384	FUNC	<unknown>	HIDDEN	2
__GI__fcntl			.symtab	0x10a80	116	FUNC	<unknown>	HIDDEN	2
__GI__fcntl64			.symtab	0x10af4	80	FUNC	<unknown>	HIDDEN	2
__GI__fdopen			.symtab	0x1479c	56	FUNC	<unknown>	HIDDEN	2
__GI__fflush_unlocked			.symtab	0x158ec	484	FUNC	<unknown>	HIDDEN	2
__GI__fork			.symtab	0x10bf0	44	FUNC	<unknown>	HIDDEN	2
__GI__fputs_unlocked			.symtab	0x1235c	52	FUNC	<unknown>	HIDDEN	2
__GI__fseek			.symtab	0x16378	12	FUNC	<unknown>	HIDDEN	2
__GI__fseeko64			.symtab	0x16384	304	FUNC	<unknown>	HIDDEN	2
__GI__fwrite_unlocked			.symtab	0x12390	172	FUNC	<unknown>	HIDDEN	2
__GI__getdtablesize			.symtab	0x10c1c	40	FUNC	<unknown>	HIDDEN	2
__GI__getegid			.symtab	0x14390	44	FUNC	<unknown>	HIDDEN	2
__GI__geteuid			.symtab	0x143bc	44	FUNC	<unknown>	HIDDEN	2
__GI__getgid			.symtab	0x143e8	44	FUNC	<unknown>	HIDDEN	2
__GI__getpid			.symtab	0x10c44	44	FUNC	<unknown>	HIDDEN	2
__GI__getrlimit			.symtab	0x10c70	44	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_getsockname			.symtab	0x12c2c	44	FUNC	<unknown>	HIDDEN	2
__Gl_getuid			.symtab	0x14414	44	FUNC	<unknown>	HIDDEN	2
__Gl_h_errno			.symtab	0x2747c	4	OBJECT	<unknown>	HIDDEN	10
__Gl_inet_addr			.symtab	0x12bdc	36	FUNC	<unknown>	HIDDEN	2
__Gl_inet_aton			.symtab	0x16214	236	FUNC	<unknown>	HIDDEN	2
__Gl_inet_ntoa			.symtab	0x12bd0	12	FUNC	<unknown>	HIDDEN	2
__Gl_inet_ntoa_r			.symtab	0x12b50	128	FUNC	<unknown>	HIDDEN	2
__Gl_initstate_r			.symtab	0x13860	200	FUNC	<unknown>	HIDDEN	2
__Gl_ioctl			.symtab	0x10c9c	80	FUNC	<unknown>	HIDDEN	2
__Gl_isatty			.symtab	0x12a54	32	FUNC	<unknown>	HIDDEN	2
__Gl_kill			.symtab	0x10cec	44	FUNC	<unknown>	HIDDEN	2
__Gl_lseek64			.symtab	0x166b8	100	FUNC	<unknown>	HIDDEN	2
__Gl_memchr			.symtab	0x15f60	252	FUNC	<unknown>	HIDDEN	2
__Gl_memcpy			.symtab	0x12440	4	FUNC	<unknown>	HIDDEN	2
__Gl_mempcpy			.symtab	0x1605c	24	FUNC	<unknown>	HIDDEN	2
__Gl_memrchr			.symtab	0x16074	236	FUNC	<unknown>	HIDDEN	2
__Gl_memset			.symtab	0x12450	156	FUNC	<unknown>	HIDDEN	2
__Gl_nanosleep			.symtab	0x14440	44	FUNC	<unknown>	HIDDEN	2
__Gl_open			.symtab	0x10d18	92	FUNC	<unknown>	HIDDEN	2
__Gl_pipe			.symtab	0x10d84	44	FUNC	<unknown>	HIDDEN	2
__Gl_printf			.symtab	0x10f74	60	FUNC	<unknown>	HIDDEN	2
__Gl_raise			.symtab	0x16300	24	FUNC	<unknown>	HIDDEN	2
__Gl_random			.symtab	0x13428	124	FUNC	<unknown>	HIDDEN	2
__Gl_random_r			.symtab	0x13704	144	FUNC	<unknown>	HIDDEN	2
__Gl_rawmemchr			.symtab	0x165b0	184	FUNC	<unknown>	HIDDEN	2
__Gl_read			.symtab	0x10de0	44	FUNC	<unknown>	HIDDEN	2
__Gl_recv			.symtab	0x12c88	44	FUNC	<unknown>	HIDDEN	2
__Gl_sbrk			.symtab	0x1446c	88	FUNC	<unknown>	HIDDEN	2
__Gl_select			.symtab	0x10e0c	48	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0x12cb4	44	FUNC	<unknown>	HIDDEN	2
__Gl_sendto			.symtab	0x12ce0	52	FUNC	<unknown>	HIDDEN	2
__Gl_setsid			.symtab	0x10e3c	44	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x12d14	48	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x13644	192	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x14230	228	FUNC	<unknown>	HIDDEN	2
__Gl_sigaddset			.symtab	0x12d70	48	FUNC	<unknown>	HIDDEN	2
__Gl_sigemptyset			.symtab	0x12da0	24	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x12db8	184	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x10e68	84	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0x13d34	420	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0x12d44	44	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0x13794	204	FUNC	<unknown>	HIDDEN	2
__Gl_strcat			.symtab	0x12570	40	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x12598	264	FUNC	<unknown>	HIDDEN	2
__Gl_strcmp			.symtab	0x124f0	28	FUNC	<unknown>	HIDDEN	2
__Gl_strcoll			.symtab	0x124f0	28	FUNC	<unknown>	HIDDEN	2
__Gl_strcpy			.symtab	0x126a0	28	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x12510	96	FUNC	<unknown>	HIDDEN	2
__Gl_strncpy			.symtab	0x126bc	184	FUNC	<unknown>	HIDDEN	2
__Gl_strnlen			.symtab	0x12774	224	FUNC	<unknown>	HIDDEN	2
__Gl_strpbrk			.symtab	0x161d4	64	FUNC	<unknown>	HIDDEN	2
__Gl_strspn			.symtab	0x16668	80	FUNC	<unknown>	HIDDEN	2
__Gl_strstr			.symtab	0x12854	248	FUNC	<unknown>	HIDDEN	2
__Gl_strtok			.symtab	0x12a48	12	FUNC	<unknown>	HIDDEN	2
__Gl_strtok_r			.symtab	0x16160	116	FUNC	<unknown>	HIDDEN	2
__Gl_strtol			.symtab	0x13a6c	8	FUNC	<unknown>	HIDDEN	2
__Gl_tcgetattr			.symtab	0x12a74	108	FUNC	<unknown>	HIDDEN	2
__Gl_time			.symtab	0x10ebc	44	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_toupper			.symtab	0x10f34	52	FUNC	<unknown>	HIDDEN	2
__GI_vfork			.symtab	0x10a50	40	FUNC	<unknown>	HIDDEN	2
__GI_vfprintf			.symtab	0x11460	188	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0x144c4	44	FUNC	<unknown>	HIDDEN	2
__GI_waitpid			.symtab	0x10ee8	8	FUNC	<unknown>	HIDDEN	2
__GI_wctomb			.symtab	0x144f0	80	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x14560	188	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0x14540	32	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x10ef0	44	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x21010	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x21010	0	OBJECT	<unknown>	DEFAULT	8
__adddf3			.symtab	0x16868	736	FUNC	<unknown>	DEFAULT	2
__aeabi_cdcmpeq			.symtab	0x17238	20	FUNC	<unknown>	DEFAULT	2
__aeabi_cdcmple			.symtab	0x17238	20	FUNC	<unknown>	DEFAULT	2
__aeabi_cdrcmple			.symtab	0x1721c	48	FUNC	<unknown>	DEFAULT	2
__aeabi_d2uiz			.symtab	0x172b0	84	FUNC	<unknown>	DEFAULT	2
__aeabi_dadd			.symtab	0x16868	736	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmpeq			.symtab	0x1724c	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmpge			.symtab	0x17288	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmpgt			.symtab	0x1729c	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmple			.symtab	0x17274	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmplt			.symtab	0x17260	20	FUNC	<unknown>	DEFAULT	2
__aeabi_ddiv			.symtab	0x16f84	516	FUNC	<unknown>	DEFAULT	2
__aeabi_dmul			.symtab	0x16c5c	808	FUNC	<unknown>	DEFAULT	2
__aeabi_dsub			.symtab	0x1685c	0	FUNC	<unknown>	DEFAULT	2
__aeabi_dsub			.symtab	0x16864	740	FUNC	<unknown>	DEFAULT	2
__aeabi_f2d			.symtab	0x16b9c	64	FUNC	<unknown>	DEFAULT	2
__aeabi_i2d			.symtab	0x16b70	44	FUNC	<unknown>	DEFAULT	2
__aeabi_idiv			.symtab	0x1671c	0	FUNC	<unknown>	DEFAULT	2
__aeabi_idiv0			.symtab	0x109fc	4	FUNC	<unknown>	DEFAULT	2
__aeabi_idivmod			.symtab	0x16844	24	FUNC	<unknown>	DEFAULT	2
__aeabi_l2d			.symtab	0x16bf0	108	FUNC	<unknown>	DEFAULT	2
__aeabi_ldiv0			.symtab	0x109fc	4	FUNC	<unknown>	DEFAULT	2
__aeabi_ui2d			.symtab	0x16b48	40	FUNC	<unknown>	DEFAULT	2
__aeabi_uidiv			.symtab	0x1073c	0	FUNC	<unknown>	DEFAULT	2
__aeabi_uidivmod			.symtab	0x10834	24	FUNC	<unknown>	DEFAULT	2
__aeabi_ul2d			.symtab	0x16bdc	128	FUNC	<unknown>	DEFAULT	2
__app_fini			.symtab	0x2746c	4	OBJECT	<unknown>	HIDDEN	10
__atexit_lock			.symtab	0x213a8	24	OBJECT	<unknown>	DEFAULT	9
__bsd_signal			.symtab	0x12db8	184	FUNC	<unknown>	HIDDEN	2
__bss_end__			.symtab	0x27530	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x213c8	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x213c8	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x13f50	56	FUNC	<unknown>	DEFAULT	2
__cmpdf2			.symtab	0x17198	132	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x2108c	4	OBJECT	<unknown>	DEFAULT	9
__ctype_toupper			.symtab	0x21094	4	OBJECT	<unknown>	DEFAULT	9
__curbrk			.symtab	0x27480	4	OBJECT	<unknown>	HIDDEN	10
__data_start			.symtab	0x21014	0	NOTYPE	<unknown>	DEFAULT	9
__default_rt_sa_restorer			.symtab	0x14334	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0x14330	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__div0			.symtab	0x109fc	4	FUNC	<unknown>	DEFAULT	2
__divdf3			.symtab	0x16f84	516	FUNC	<unknown>	DEFAULT	2
__divsi3			.symtab	0x1671c	296	FUNC	<unknown>	DEFAULT	2
__do_global_ctors_aux			.symtab	0x17304	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x80b0	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x21018	0	OBJECT	<unknown>	HIDDEN	9

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__end__			.symtab	0x27530	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x27464	4	OBJECT	<unknown>	DEFAULT	10
__eqdf2			.symtab	0x17198	132	FUNC	<unknown>	DEFAULT	2
__errno_location			.symtab	0x10f68	12	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__error			.symtab	0x10a74	0	NOTYPE	<unknown>	DEFAULT	2
__exit_cleanup			.symtab	0x2745c	4	OBJECT	<unknown>	HIDDEN	10
__extendsfdf2			.symtab	0x16b9c	64	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fixunsdfsi			.symtab	0x172b0	84	FUNC	<unknown>	DEFAULT	2
__floatdidf			.symtab	0x16bf0	108	FUNC	<unknown>	DEFAULT	2
__floatsidf			.symtab	0x16b70	44	FUNC	<unknown>	DEFAULT	2
__floatundidf			.symtab	0x16bdc	128	FUNC	<unknown>	DEFAULT	2
__floatunsidf			.symtab	0x16b48	40	FUNC	<unknown>	DEFAULT	2
__gedf2			.symtab	0x17188	148	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x1294c	20	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gtdf2			.symtab	0x17188	148	FUNC	<unknown>	DEFAULT	2
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__heap_alloc			.symtab	0x13120	148	FUNC	<unknown>	DEFAULT	2
__heap_free			.symtab	0x131e8	244	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area			.symtab	0x131b4	32	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area_after			.symtab	0x131d4	20	FUNC	<unknown>	DEFAULT	2
__init_array_end			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__ledf2			.symtab	0x17190	140	FUNC	<unknown>	DEFAULT	2
__libc_close			.symtab	0x10b98	44	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x12c00	44	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x10d74	16	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x10a80	116	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x10af4	80	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x10bf0	44	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x10c44	44	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x166b8	100	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x14440	44	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x10d18	92	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x10de0	44	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x12c88	44	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x10e0c	48	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x12cb4	44	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x12ce0	52	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x14230	228	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x27460	4	OBJECT	<unknown>	DEFAULT	10
__libc_system			.symtab	0x13928	312	FUNC	<unknown>	DEFAULT	2
__libc_waitpid			.symtab	0x10ee8	8	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x10ef0	44	FUNC	<unknown>	DEFAULT	2
__ltdf2			.symtab	0x17190	140	FUNC	<unknown>	DEFAULT	2
__malloc_heap			.symtab	0x211d4	4	OBJECT	<unknown>	DEFAULT	9
__malloc_heap_lock			.symtab	0x27440	24	OBJECT	<unknown>	DEFAULT	10
__malloc_sbrk_lock			.symtab	0x27510	24	OBJECT	<unknown>	DEFAULT	10
__modsi3			.symtab	0x10918	228	FUNC	<unknown>	DEFAULT	2
__muldf3			.symtab	0x16c5c	808	FUNC	<unknown>	DEFAULT	2
__muldi3			.symtab	0x10a00	80	FUNC	<unknown>	DEFAULT	2
__nedf2			.symtab	0x17198	132	FUNC	<unknown>	DEFAULT	2
__pagesize			.symtab	0x27468	4	OBJECT	<unknown>	DEFAULT	10
__preinit_array_end			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x21000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x13f44	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x13f44	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x13f44	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x13f44	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x13f44	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x13f4c	4	FUNC	<unknown>	DEFAULT	2
_raise			.symtab	0x16300	24	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__rtd_fini			.symtab	0x27470	4	OBJECT	<unknown>	HIDDEN	10
__sigaddset			.symtab	0x12e94	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x12eb8	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x12e70	36	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x210a4	4	OBJECT	<unknown>	DEFAULT	9
__stdio_WRITE			.symtab	0x147d4	188	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x164b4	204	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x14b88	312	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x11368	16	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.3929			.symtab	0x181d0	24	OBJECT	<unknown>	DEFAULT	4
__stdio_seek			.symtab	0x16580	48	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x14cc0	260	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x11430	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x210a8	4	OBJECT	<unknown>	DEFAULT	9
__subdf3			.symtab	0x16864	740	FUNC	<unknown>	DEFAULT	2
__syscall_error			.symtab	0x14314	28	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x14338	44	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x13ed8	108	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x13f88	92	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x13fe4	588	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uclibc_progname			.symtab	0x213c0	4	OBJECT	<unknown>	HIDDEN	9
__udivsi3			.symtab	0x1073c	248	FUNC	<unknown>	DEFAULT	2
__umodsi3			.symtab	0x1084c	204	FUNC	<unknown>	DEFAULT	2
_vfork			.symtab	0x10a50	40	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0x12960	232	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_bss_end__			.symtab	0x27530	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0x1151c	76	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x16318	36	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x27528	4	OBJECT	<unknown>	DEFAULT	10
_dl_phnum			.symtab	0x2752c	4	OBJECT	<unknown>	DEFAULT	10
_edata			.symtab	0x213c8	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x27530	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x27478	4	OBJECT	<unknown>	DEFAULT	10
_exit			.symtab	0x10b44	40	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x17340	4	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x2542c	8192	OBJECT	<unknown>	DEFAULT	10
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x11568	132	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x14fb8	2036	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x2747c	4	OBJECT	<unknown>	DEFAULT	10
_init			.symtab	0x8094	4	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x14dc4	112	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_memcpy			.symtab	0x15ad0	0	FUNC	<unknown>	HIDDEN	2
_ppfs_init			.symtab	0x11be0	152	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x11e98	1220	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x11c78	56	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x11cb0	412	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x11e4c	76	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x13f4c	4	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x13f4c	4	FUNC	<unknown>	DEFAULT	2
_sigintr			.symtab	0x27490	128	OBJECT	<unknown>	HIDDEN	10
_start			.symtab	0x8190	0	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x14890	760	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x112f8	112	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x210ac	4	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_add_lock			.symtab	0x210b0	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_dec_use			.symtab	0x157ac	320	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x25428	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_del_lock			.symtab	0x210c8	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_use_count			.symtab	0x25424	4	OBJECT	<unknown>	DEFAULT	10
_stdio_streams			.symtab	0x210e4	240	OBJECT	<unknown>	DEFAULT	9
_stdio_term			.symtab	0x11378	184	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x210e0	4	OBJECT	<unknown>	DEFAULT	9
_stdlib_strto_l			.symtab	0x13a74	408	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x14e34	52	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x182a0	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x14e68	336	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x115ec	1524	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x132dc	328	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x13a60	12	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x13a60	12	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x27458	4	OBJECT	<unknown>	DEFAULT	10
been_there_done_that.2789			.symtab	0x27474	4	OBJECT	<unknown>	DEFAULT	10
brk			.symtab	0x1633c	60	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x12db8	184	FUNC	<unknown>	DEFAULT	2
buf.2613			.symtab	0x27430	16	OBJECT	<unknown>	DEFAULT	10
c			.symtab	0x21080	4	OBJECT	<unknown>	DEFAULT	9
call__do_global_ctors_aux			.symtab	0x17338	0	FUNC	<unknown>	DEFAULT	2
call__do_global_dtors_aux			.symtab	0x8128	0	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
call_frame_dummy			.symtab	0x8188	0	FUNC	<unknown>	DEFAULT	2
chdir			.symtab	0x10b6c	44	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
client.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x10b98	44	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x21028	4	OBJECT	<unknown>	DEFAULT	9
completed.2555			.symtab	0x213c8	1	OBJECT	<unknown>	DEFAULT	10
connect			.symtab	0x12c00	44	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x9c8c	640	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x10d74	16	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0xaad4	344	FUNC	<unknown>	DEFAULT	2
currentServer			.symtab	0x2102c	4	OBJECT	<unknown>	DEFAULT	9
data_start			.symtab	0x21020	0	NOTYPE	<unknown>	DEFAULT	9
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x10bc4	44	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x27464	4	OBJECT	<unknown>	DEFAULT	10
errno			.symtab	0x27478	4	OBJECT	<unknown>	DEFAULT	10
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execl			.symtab	0x13ca0	148	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x14364	44	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x13c0c	148	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x18e48	72	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x1461c	384	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x10a80	116	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x10af4	80	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x923c	208	FUNC	<unknown>	DEFAULT	2
fdopen			.symtab	0x1479c	56	FUNC	<unknown>	DEFAULT	2
fdopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fdopen_pids			.symtab	0x253fc	4	OBJECT	<unknown>	DEFAULT	10
fdpclose			.symtab	0x90b8	388	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x8e30	648	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x158ec	484	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x18e34	20	OBJECT	<unknown>	DEFAULT	4
force_to_data			.symtab	0x21014	0	OBJECT	<unknown>	DEFAULT	9
force_to_data			.symtab	0x213c4	0	OBJECT	<unknown>	DEFAULT	9
fork			.symtab	0x10bf0	44	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x1235c	52	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8130	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x13030	240	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x16378	12	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x16378	12	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x16384	304	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x12390	172	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBogos			.symtab	0x95f0	576	FUNC	<unknown>	DEFAULT	2
getBuild			.symtab	0xfd04	28	FUNC	<unknown>	DEFAULT	2
getCores			.symtab	0x9830	232	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x9534	100	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0xfa20	740	FUNC	<unknown>	DEFAULT	2
getRandomIP			.symtab	0xaa74	96	FUNC	<unknown>	DEFAULT	2
getRandomPublicIP			.symtab	0xa644	1072	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x10c1c	40	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x14390	44	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x143bc	44	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x143e8	44	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x10c44	44	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x10c70	44	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x12c2c	44	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x12c58	48	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x14414	44	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gotIP			.symtab	0x213e8	4	OBJECT	<unknown>	DEFAULT	10
h_errno			.symtab	0x2747c	4	OBJECT	<unknown>	DEFAULT	10
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
hextable			.symtab	0x17590	1024	OBJECT	<unknown>	DEFAULT	4
htonl			.symtab	0x12b18	36	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x12b3c	20	FUNC	<unknown>	DEFAULT	2
i.4135			.symtab	0x21084	4	OBJECT	<unknown>	DEFAULT	9
index			.symtab	0x12598	264	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x12bdc	36	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x16214	236	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x12bd0	12	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x12b50	128	FUNC	<unknown>	DEFAULT	2
infectline			.symtab	0x21024	4	OBJECT	<unknown>	DEFAULT	9
initConnection			.symtab	0xf854	460	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x81cc	212	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x211d8	260	OBJECT	<unknown>	DEFAULT	9
initstate			.symtab	0x13530	152	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x13860	200	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x10c9c	80	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ipState			.symtab	0x25400	5	OBJECT	<unknown>	DEFAULT	10
isatty			.symtab	0x12a54	32	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x10f1c	24	FUNC	<unknown>	DEFAULT	2
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x10cec	44	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/_memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/strcmp.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/strlen.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/sigrestorer.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libgcc2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x9f0c	408	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x166b8	100	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x213f4	6	OBJECT	<unknown>	DEFAULT	10
main			.symtab	0xfd20	2588	FUNC	<unknown>	DEFAULT	2
mainCommSock			.symtab	0x213e4	4	OBJECT	<unknown>	DEFAULT	10
makeIPPacket			.symtab	0xad3c	276	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x9918	136	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x12edc	340	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
matchPrompt			.symtab	0xa230	368	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x15f60	252	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x12440	4	FUNC	<unknown>	DEFAULT	2
mempcpy			.symtab	0x1605c	24	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x16074	236	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x12450	156	FUNC	<unknown>	DEFAULT	2
mylock			.symtab	0x25408	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x212dc	24	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x212f4	24	OBJECT	<unknown>	DEFAULT	9
nanosleep			.symtab	0x14440	44	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
negotiate			.symtab	0xa0a4	396	FUNC	<unknown>	DEFAULT	2
next_start.1066			.symtab	0x2742c	4	OBJECT	<unknown>	DEFAULT	10
ntohl			.symtab	0x12ae0	36	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x12b04	20	FUNC	<unknown>	DEFAULT	2
numpids			.symtab	0x213ec	8	OBJECT	<unknown>	DEFAULT	10
object.2636			.symtab	0x213cc	24	OBJECT	<unknown>	DEFAULT	10
open			.symtab	0x10d18	92	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x27484	4	OBJECT	<unknown>	DEFAULT	10
p.2553			.symtab	0x2101c	0	OBJECT	<unknown>	DEFAULT	9
parseHex			.symtab	0x930c	128	FUNC	<unknown>	DEFAULT	2
passwords			.symtab	0x21048	56	OBJECT	<unknown>	DEFAULT	9
pclose			.symtab	0x10fb0	256	FUNC	<unknown>	DEFAULT	2
pids			.symtab	0x2748c	4	OBJECT	<unknown>	DEFAULT	10
pipe			.symtab	0x10d84	44	FUNC	<unknown>	DEFAULT	2
pipe.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
popen			.symtab	0x110b0	584	FUNC	<unknown>	DEFAULT	2
popen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
popen_list			.symtab	0x25420	4	OBJECT	<unknown>	DEFAULT	10
prctl			.symtab	0x10db0	48	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
prefix.4141			.symtab	0x181f8	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x88e0	1008	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x8508	108	FUNC	<unknown>	DEFAULT	2
printf			.symtab	0x10f74	60	FUNC	<unknown>	DEFAULT	2
printf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
printi			.symtab	0x86f8	488	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x8574	388	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0xe7f0	4196	FUNC	<unknown>	DEFAULT	2
qual_chars.4147			.symtab	0x1820c	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x16300	24	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x13424	4	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_cmw			.symtab	0x82a0	312	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x13428	124	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x18dfc	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x13704	144	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x21328	128	OBJECT	<unknown>	DEFAULT	9
rawmemchr			.symtab	0x165b0	184	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x10de0	44	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readUntil			.symtab	0xa3a0	676	FUNC	<unknown>	DEFAULT	2
recv			.symtab	0x12c88	44	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x99a0	748	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x1446c	88	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x27488	4	OBJECT	<unknown>	DEFAULT	10
sclose			.symtab	0xae50	76	FUNC	<unknown>	DEFAULT	2
select			.symtab	0x10e0c	48	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x12cb4	44	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendCNC			.symtab	0xd4b8	220	FUNC	<unknown>	DEFAULT	2
sendHOLD			.symtab	0xe230	1472	FUNC	<unknown>	DEFAULT	2
sendHTTP			.symtab	0xd594	192	FUNC	<unknown>	DEFAULT	2
sendJUNK			.symtab	0xdd18	1304	FUNC	<unknown>	DEFAULT	2
sendTCP			.symtab	0xd654	1732	FUNC	<unknown>	DEFAULT	2
sendUDP			.symtab	0xce58	1632	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x12ce0	52	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsid			.symtab	0x10e3c	44	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x12d14	48	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x134a4	140	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x13644	192	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x14230	228	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x12d70	48	FUNC	<unknown>	DEFAULT	2
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x12da0	24	FUNC	<unknown>	DEFAULT	2
signal			.symtab	0x12db8	184	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
sigprocmask			.symtab	0x10e68	84	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x13d34	420	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x12d44	44	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sockprintf			.symtab	0x8d54	220	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4146			.symtab	0x18220	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4140			.symtab	0x18204	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4143			.symtab	0x1824c	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4142			.symtab	0x18264	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4145			.symtab	0x18230	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4144			.symtab	0x18240	9	OBJECT	<unknown>	DEFAULT	4
srand			.symtab	0x135c8	124	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x135c8	124	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x13794	204	FUNC	<unknown>	DEFAULT	2
stderr			.symtab	0x210a0	4	OBJECT	<unknown>	DEFAULT	9
stdin			.symtab	0x21098	4	OBJECT	<unknown>	DEFAULT	9
stdout			.symtab	0x2109c	4	OBJECT	<unknown>	DEFAULT	9
strcat			.symtab	0x12570	40	FUNC	<unknown>	DEFAULT	2
strcat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x12598	264	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x124f0	28	FUNC	<unknown>	DEFAULT	2
strcoll			.symtab	0x124f0	28	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x126a0	28	FUNC	<unknown>	DEFAULT	2
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x12960	232	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x12510	96	FUNC	<unknown>	DEFAULT	2
strncpy			.symtab	0x126bc	184	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x12774	224	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x161d4	64	FUNC	<unknown>	DEFAULT	2
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x16668	80	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x12854	248	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x12a48	12	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x16160	116	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x13a6c	8	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
system			.symtab	0x13928	312	FUNC	<unknown>	DEFAULT	2
system.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x8d10	68	FUNC	<unknown>	DEFAULT	2
tcgetattr			.symtab	0x12a74	108	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpcsum			.symtab	0xac2c	272	FUNC	<unknown>	DEFAULT	2
time			.symtab	0x10ebc	44	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x10f34	52	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x83d8	304	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x1826c	24	OBJECT	<unknown>	DEFAULT	4

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
type_sizes			.symtab	0x18284	12	OBJECT	<unknown>	DEFAULT	4
unknown.1088			.symtab	0x18290	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x2130c	28	OBJECT	<unknown>	DEFAULT	9
uppercase			.symtab	0x9598	88	FUNC	<unknown>	DEFAULT	2
usernames			.symtab	0x21030	24	OBJECT	<unknown>	DEFAULT	9
vfork			.symtab	0x10a50	40	FUNC	<unknown>	DEFAULT	2
vfprintf			.symtab	0x11460	188	FUNC	<unknown>	DEFAULT	2
vfprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x144c4	44	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x10ee8	8	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x144f0	80	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x14560	188	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x14540	32	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x938c	424	FUNC	<unknown>	DEFAULT	2
write			.symtab	0x10ef0	44	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
zprintf			.symtab	0x8cd0	64	FUNC	<unknown>	DEFAULT	2

Network Behavior

Snort IDS Alerts

Timestamp	Protocol	SID	Message	Source Port	Dest Port	Source IP	Dest IP
192.168.2.2345.95.55.125 7822232840333 05/27/22- 20:23:36.428207	TCP	2840333	ETPRO TROJAN ELF/BASHLITE Variant CnC Activity	57822	23	192.168.2.23	45.95.55.12

TCP Packets

System Behavior

Analysis Process: [cpu] PID: 6221, Parent PID: 6121

General

Start time:20:23:35

Start date:27/05/2022

Path:/tmp/[cpu]

Arguments:/tmp/[cpu]

File size:4956856 bytes

MD5 hash:5ebfcae4fe2471fcc5695c2394773ff1

File Activities

File Read

Analysis Process: [cpu] PID: 6225, Parent PID: 6221

General

Start time:20:23:35

Start date:27/05/2022

Path:	/tmp/[cpu]
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: [cpu] PID: 6227, Parent PID: 6225

General

Start time:	20:23:35
Start date:	27/05/2022
Path:	/tmp/[cpu]
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: [cpu] PID: 6230, Parent PID: 6227

General

Start time:	20:23:35
Start date:	27/05/2022
Path:	/tmp/[cpu]
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1