

JOeSandbox Cloud BASIC



ID: 679558

Sample Name: x-3.2-.SNOOPY

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 01:52:11

Date: 06/08/2022

Version: 35.0.0 Citrine

Table of Contents

Table of Contents	2
Linux Analysis Report x-3.2-.SNOOPY	4
Overview	4
General Information	4
Detection	4
Signatures	4
Classification	4
Analysis Advice	4
General Information	4
Runtime Messages	4
Process Tree	5
Yara Signatures	5
Initial Sample	5
Memory Dumps	5
Snort Signatures	5
Joe Sandbox Signatures	6
AV Detection	6
Spreading	6
Networking	6
System Summary	6
Mitre Att&ck Matrix	6
Malware Configuration	6
Behavior Graph	7
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	7
Domains	7
URLs	7
Domains and IPs	8
Contacted Domains	8
URLs from Memory and Binaries	8
World Map of Contacted IPs	8
Public IPs	8
Joe Sandbox View / Context	8
IPs	8
Domains	8
ASNs	8
JA3 Fingerprints	8
Dropped Files	9
Created / dropped Files	9
/tmp/tmp.1y2FR6QFox	9
/tmp/tmp.hDXKGVsUIR	9
/var/cache/motd-news	9
Static File Info	9
General	9
Static ELF Info	9
ELF header	9
Sections	9
Program Segments	10
Symbols	10
Network Behavior	22
Snort IDS Alerts	22
Network Port Distribution	22
TCP Packets	22
System Behavior	22
Analysis Process: logrotate PID: 6264, Parent PID: 6186	22
General	22
Analysis Process: sh PID: 6264, Parent PID: 6186	22
General	23
Analysis Process: sh PID: 6265, Parent PID: 6264	23
General	23
Analysis Process: rsyslog-rotate PID: 6265, Parent PID: 6264	23
General	23
File Activities	23
File Read	23
Analysis Process: rsyslog-rotate PID: 6266, Parent PID: 6265	23
General	23
Analysis Process: systemctl PID: 6266, Parent PID: 6265	23
General	23
File Activities	23
File Read	23
Analysis Process: python3.8 PID: 6269, Parent PID: 6218	23
General	23
Analysis Process: uname PID: 6269, Parent PID: 6218	24
General	24
File Activities	24

File Read	24
Analysis Process: dash PID: 6272, Parent PID: 6271	24
General	24
Analysis Process: cut PID: 6272, Parent PID: 6271	24
General	24
File Activities	24
File Read	24
Analysis Process: dash PID: 6273, Parent PID: 6271	24
General	24
Analysis Process: tr PID: 6273, Parent PID: 6271	24
General	24
File Activities	25
File Read	25
Analysis Process: dash PID: 6276, Parent PID: 6184	25
General	25
Analysis Process: wget PID: 6276, Parent PID: 6184	25
General	25
File Activities	25
File Read	25
File Written	25
Analysis Process: dash PID: 6278, Parent PID: 6184	25
General	25
Analysis Process: cat PID: 6278, Parent PID: 6184	25
General	25
File Activities	25
File Read	25
Analysis Process: dash PID: 6279, Parent PID: 6184	25
General	25
Analysis Process: head PID: 6279, Parent PID: 6184	26
General	26
File Activities	26
File Read	26
Analysis Process: dash PID: 6280, Parent PID: 6184	26
General	26
Analysis Process: tr PID: 6280, Parent PID: 6184	26
General	26
File Activities	26
File Read	26
Analysis Process: dash PID: 6281, Parent PID: 6184	26
General	26
Analysis Process: cut PID: 6281, Parent PID: 6184	26
General	26
File Activities	26
File Read	26
Analysis Process: dash PID: 6282, Parent PID: 6184	27
General	27
Analysis Process: cat PID: 6282, Parent PID: 6184	27
General	27
File Activities	27
File Read	27
Analysis Process: dash PID: 6283, Parent PID: 6184	27
General	27
Analysis Process: head PID: 6283, Parent PID: 6184	27
General	27
File Activities	27
File Read	27
Analysis Process: dash PID: 6284, Parent PID: 6184	27
General	27
Analysis Process: tr PID: 6284, Parent PID: 6184	27
General	27
File Activities	28
File Read	28
Analysis Process: dash PID: 6285, Parent PID: 6184	28
General	28
Analysis Process: cut PID: 6285, Parent PID: 6184	28
General	28
File Activities	28
File Read	28
File Written	28
Analysis Process: dash PID: 6286, Parent PID: 6184	28
General	28
Analysis Process: rm PID: 6286, Parent PID: 6184	28
General	28
File Activities	28
File Deleted	28
File Read	28
Analysis Process: x-3.2-.SNOOPY PID: 6319, Parent PID: 6126	28
General	28
File Activities	29
File Read	29
Analysis Process: x-3.2-.SNOOPY PID: 6322, Parent PID: 6319	29
General	29
Analysis Process: x-3.2-.SNOOPY PID: 6323, Parent PID: 6322	29
General	29

Linux Analysis Report

x-3.2-.SNOOPY

Overview

General Information

Sample Name:	x-3.2-.SNOOPY
Analysis ID:	679558
MD5:	ca34f09d0fe8bd0..
SHA1:	da043d55a48b11..
SHA256:	3d4c4cc860a146..
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Score:	76
Range:	0 - 100
Whitelisted:	false

Signatures

Malicious sample detected (through...

Multi AV Scanner detection for subm...

Snort IDS alert for network traffic

Contains symbols with names comm...

Opens /proc/net/* files useful for fin...

Machine Learning detection for sam...

Yara signature match

Executes the "wget" command typic...

Sample contains strings that are us...

Executes the "uname" command us...

Executes commands using a shell c...

Classification

Analysis Advice

All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.

General Information

Joe Sandbox Version:	35.0.0 Citrine
Analysis ID:	679558
Start date and time: 06/08/202201:52:11	2022-08-06 01:52:11 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 34s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	x-3.2-.SNOOPY
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal76.spre.linSNOOPY@0/3@0/0

Runtime Messages

Command:	/tmp/x-3.2-.SNOOPY
PID:	6319
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	
Standard Error:	

Process Tree

■ system is Inxubuntu20

● logrotate New Fork (PID: 6264, Parent: 6186)

○ sh (PID: 6264, Parent: 6186, MD5: 1e6b1c887c59a315edb7eb9a315fc84c) Arguments: sh -c /usr/lib/rsyslog/rsyslog-rotate logrotate_script /var/log/syslog

- sh New Fork (PID: 6265, Parent: 6264)
- rsyslog-rotate (PID: 6265, Parent: 6264, MD5: 1e6b1c887c59a315edb7eb9a315fc84c) Arguments: /usr/lib/rsyslog/rsyslog-rotate
 - rsyslog-rotate New Fork (PID: 6266, Parent: 6265)
 - systemctl (PID: 6266, Parent: 6265, MD5: 4deddfb6741481f68aeac522cc26ff4b) Arguments: systemctl kill -s HUP rsyslog.service

● python3.8 New Fork (PID: 6269, Parent: 6218)

○ uname (PID: 6269, Parent: 6218, MD5: 4ac7c634c5bec95753c480e9d421dcc2) Arguments: uname -p

● dash New Fork (PID: 6272, Parent: 6271)

○ cut (PID: 6272, Parent: 6271, MD5: d8ed0ea8f22c0de0f8692d4d9f1759d3) Arguments: cut -c -40 /tmp/tmp.5piRJmkiY5

● dash New Fork (PID: 6273, Parent: 6271)

○ tr (PID: 6273, Parent: 6271, MD5: fbd1402dd9f72d8ebfff00ce7c3a7bb5) Arguments: tr -c -d [:alnum:]

● dash New Fork (PID: 6276, Parent: 6184)

○ wget (PID: 6276, Parent: 6184, MD5: 996940118df7bb2aaa718589d4e95c08) Arguments: wget --timeout 60 -U "wget/1.20.3-1ubuntu1 Ubuntu/20.04.2/LTS GNU/Linux/5.4.0-72-generic/x86_64 Intel(R)/Xeon(R)/Silver/4210/CPU/@/2.20GHz cloud_id/none" -O- --content-on-error https://motd.ubuntu.com

● dash New Fork (PID: 6278, Parent: 6184)

○ cat (PID: 6278, Parent: 6184, MD5: 7e9d213e404ad3bb82e4ebb2e1f2c1b3) Arguments: cat /tmp/tmp.hDXKGVsUIR

● dash New Fork (PID: 6279, Parent: 6184)

○ head (PID: 6279, Parent: 6184, MD5: fd96a67145172477dd57131396fc9608) Arguments: head -n 10

● dash New Fork (PID: 6280, Parent: 6184)

○ tr (PID: 6280, Parent: 6184, MD5: fbd1402dd9f72d8ebfff00ce7c3a7bb5) Arguments: tr -d \000-\011\013\014\016-\037

● dash New Fork (PID: 6281, Parent: 6184)

○ cut (PID: 6281, Parent: 6184, MD5: d8ed0ea8f22c0de0f8692d4d9f1759d3) Arguments: cut -c -80

● dash New Fork (PID: 6282, Parent: 6184)

○ cat (PID: 6282, Parent: 6184, MD5: 7e9d213e404ad3bb82e4ebb2e1f2c1b3) Arguments: cat /tmp/tmp.hDXKGVsUIR

● dash New Fork (PID: 6283, Parent: 6184)

○ head (PID: 6283, Parent: 6184, MD5: fd96a67145172477dd57131396fc9608) Arguments: head -n 10

● dash New Fork (PID: 6284, Parent: 6184)

○ tr (PID: 6284, Parent: 6184, MD5: fbd1402dd9f72d8ebfff00ce7c3a7bb5) Arguments: tr -d \000-\011\013\014\016-\037

● dash New Fork (PID: 6285, Parent: 6184)

○ cut (PID: 6285, Parent: 6184, MD5: d8ed0ea8f22c0de0f8692d4d9f1759d3) Arguments: cut -c -80

● dash New Fork (PID: 6286, Parent: 6184)

○ rm (PID: 6286, Parent: 6184, MD5: aa2b5496fdbfd88e38791ab81f90b95b) Arguments: rm -f /tmp/tmp.hDXKGVsUIR /tmp/tmp.1y2FR6QFox /tmp/tmp.5piRJmkiY5

○ x-3.2-.SNOOPY (PID: 6319, Parent: 6126, MD5: ca34f09d0fe8bd0ddddd1443e401781d7) Arguments: /tmp/x-3.2-.SNOOPY

- x-3.2-.SNOOPY New Fork (PID: 6322, Parent: 6319)
- x-3.2-.SNOOPY New Fork (PID: 6323, Parent: 6322)

■ cleanup

Yara Signatures

Initial Sample

Source	Rule	Description	Author	Strings
x-3.2-.SNOOPY	Linux_Trojan_Gafg_yt_6122acdf	unknown	unknown	● 0x591:\$a: E8 B0 00 FC 8B 7D E8 F2 AE 89 C8 F7 D0 48 48 89 45 F8 EB 03 FF
x-3.2-.SNOOPY	Linux_Trojan_Gafg_yt_1b2e2a3a	unknown	unknown	● 0x81e:\$a: 83 7D 18 00 74 25 8B 45 1C 83 E0 02 85 C0 7 4 1B C7 44 24 04 2D 00
x-3.2-.SNOOPY	Linux_Trojan_Gafg_yt_9127f7be	unknown	unknown	● 0xc7b:\$a: E4 F7 E1 89 D0 C1 E8 03 89 45 E8 8B 45 E8 0 1 C0 03 45 E8 C1

Memory Dumps

Source	Rule	Description	Author	Strings
6322.1.0000000008048000.0000000008055000.r-x.sdm	Linux_Trojan_Gafg_yt_6122acdf	unknown	unknown	● 0x591:\$a: E8 B0 00 FC 8B 7D E8 F2 AE 89 C8 F7 D0 48 48 89 45 F8 EB 03 FF
6322.1.0000000008048000.0000000008055000.r-x.sdm	Linux_Trojan_Gafg_yt_1b2e2a3a	unknown	unknown	● 0x81e:\$a: 83 7D 18 00 74 25 8B 45 1C 83 E0 02 85 C0 7 4 1B C7 44 24 04 2D 00
6322.1.0000000008048000.0000000008055000.r-x.sdm	Linux_Trojan_Gafg_yt_9127f7be	unknown	unknown	● 0xc7b:\$a: E4 F7 E1 89 D0 C1 E8 03 89 45 E8 8B 45 E8 0 1 C0 03 45 E8 C1
6319.1.0000000008048000.0000000008055000.r-x.sdm	Linux_Trojan_Gafg_yt_6122acdf	unknown	unknown	● 0x591:\$a: E8 B0 00 FC 8B 7D E8 F2 AE 89 C8 F7 D0 48 48 89 45 F8 EB 03 FF
6319.1.0000000008048000.0000000008055000.r-x.sdm	Linux_Trojan_Gafg_yt_1b2e2a3a	unknown	unknown	● 0x81e:\$a: 83 7D 18 00 74 25 8B 45 1C 83 E0 02 85 C0 7 4 1B C7 44 24 04 2D 00
Click to see the 1 entries				

Snort Signatures

ETPRO TROJAN ELF/Mirai Variant CnC Checkin - Source IP: 192.168.2.23 - Destination IP: 163.123.143.81

Copyright Joe Security LLC 2022

Page 5 of 29

Timestamp:	192.168.2.23163.123.143.81399068392841335 08/06/22-01:53:00.671113
SID:	2841335
Source Port:	39906
Destination Port:	839
Protocol:	TCP
Classtype:	A Network Trojan was detected

Joe Sandbox Signatures

AV Detection



Multi AV Scanner detection for submitted file

Machine Learning detection for sample

Spreading



Opens /proc/net/* files useful for finding connected devices and routers

Networking



Snort IDS alert for network traffic

System Summary



Malicious sample detected (through community Yara rule)

Contains symbols with names commonly found in malware


Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	1 Scripting	1 Systemd Service	1 Systemd Service	1 Scripting	OS Credential Dumping	1 System Information Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	1 File Deletion	LSASS Memory	1 Remote System Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Non-Standard Port	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data
Local Accounts	At (Windows)	Logon Script (Mac)	Logon Script (Mac)	Binary Padding	NTDS	System Network Configuration Discovery	Distributed Component Object Model	Input Capture	Scheduled Transfer	1 1 Application Layer Protocol	SIM Card Swap		Carrier Billing Fraud

Malware Configuration

No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
x-3.2-.SNOOPY	57%	Virustotal		Browse
x-3.2-.SNOOPY	59%	ReversingLabs	Linux.Trojan.Gafgyt	
x-3.2-.SNOOPY	100%	Joe Sandbox ML		

Dropped Files

No Antivirus matches

Domains

No Antivirus matches


URLs

No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
163.123.143.81	unknown	Reserved		1767	ILIGHT-NETUS	true
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files
 No context

Created / dropped Files
/tmp/tmp.1y2FR6QFox
/tmp/tmp.hDXKGVsUIR
/var/cache/motd-news

Static File Info	
General	
File type:	ELF 32-bit LSB executable, Intel 80386, version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	6.390591865594507
TrID:	- ELF Executable and Linkable format (Linux) (4029/14) 50.16% - ELF Executable and Linkable format (generic) (4004/1) 49.84%
File name:	x-3.2-..SNOOPY
File size:	74024
MD5:	ca34f09d0fe8bd0ddd1443e401781d7
SHA1:	da043d55a48b11f1c0b47b38bd2bb279454a3ac4
SHA256:	3d4c4cc860a146597b5830fa4e4c5ab9a5eb32304bd88a9e6256452740998727
SHA512:	de5af8be9508268a2c25efb73f0841b068224c80b492f67e271a0e808ae9b15a98e4d22c844fce2b69701db5ff94474e710377b008b71447d23b3489e20a1d2f
SSDEEP:	1536:nm+c5osQWiKLoxKF6pD+OTxzMvMmLI2VOCjXUfJrk:45omr0xKF6J+OkMmU2VOCbUfJrk
TLSH:	49733A02E652CAB3C8930BB602AB9B664631FD2A1E2B9F59F31C7DF49F124C87117355
File Content Preview:	.ELF.....h...4.....4. ...(.....U...U.....i.....Q.td.....U..S.....h..... []...\$.....U.....=X...t.1.....U.....U.....u.....t...\$E.....X

Static ELF Info	
ELF header	
Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	Intel 80386
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x8048168
Flags:	0x0
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	3
Section Header Offset:	54280
Section Header Size:	40
Number of Section Headers:	16
Header String Table Index:	13

Sections										
Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.init	PROGBITS	0x8048094	0x94	0x1c	0x0	0x6	AX	0	0	1
.text	PROGBITS	0x80480b0	0xb0	0xa3c4	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x8052474	0xa474	0x17	0x0	0x6	AX	0	0	1
.rodata	PROGBITS	0x80524a0	0xa4a0	0x2100	0x0	0x2	A	0	0	32
.eh_frame	PROGBITS	0x80545a0	0xc5a0	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x80555a4	0xc5a4	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x80555ac	0xc5ac	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x80555b4	0xc5b4	0x4	0x0	0x3	WA	0	0	4
.got.plt	PROGBITS	0x80555b8	0xc5b8	0xc	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x80555e0	0xc5e0	0x2c0	0x0	0x3	WA	0	0	32
.bss	NOBITS	0x80558a0	0xc8a0	0x66e4	0x0	0x3	WA	0	0	32
.comment	PROGBITS	0x0	0xc8a0	0xaf8	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0xd398	0x6f	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0xd688	0x2a60	0x10	0x0		15	248	4
.strtab	STRTAB	0x0	0x100e8	0x2040	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x8048000	0x8048000	0xc5a4	0xc5a4	6.5577	0x5	R E	0x1000		.init .text .fini .rodata .eh_frame
LOAD	0xc5a4	0x80555a4	0x80555a4	0x2fc	0x69e0	3.3835	0x6	RW	0x1000		.ctors .dtors .jcr .got.plt .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
			.symtab	0x8048094	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80480b0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x8052474	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x80524a0	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x80545a0	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x80555a4	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x80555ac	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x80555b4	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x80555b8	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x80555e0	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x80558a0	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
Q			.symtab	0x80558e0	16384	OBJECT	<unknown>	DEFAULT	11
SendHTTPHex			.symtab	0x804a3d1	431	FUNC	<unknown>	DEFAULT	2
SendSTDHEX			.symtab	0x8049c33	306	FUNC	<unknown>	DEFAULT	2
SendUDP			.symtab	0x8049362	850	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x80555b8	0	OBJECT	<unknown>	HIDDEN	9
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x80555a8	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x80555a4	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x8055618	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x8052c60	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x8055898	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__C_ctype_tolower_data			.symtab	0x80542a0	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x8055620	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x8052f60	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x80555b0	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x80555ac	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x80545a0	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x80545a0	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x8055618	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_b_data			.symtab	0x8052c60	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_tolower			.symtab	0x8055898	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_tolower_data			.symtab	0x80542a0	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x8055620	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_toupper_data			.symtab	0x8052f60	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x805561c	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_tolower			.symtab	0x805589c	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_toupper			.symtab	0x8055624	4	OBJECT	<unknown>	HIDDEN	10
__GI__errno_location			.symtab	0x804c06c	6	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x8052094	220	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x804d0b4	29	FUNC	<unknown>	HIDDEN	2
__GI__h_errno_location			.symtab	0x804f4b4	6	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x804bc98	87	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl64			.symtab	0x804bcf0	63	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x804beb0	75	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x804ee38	63	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x804eeaf	64	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x804d0d4	182	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x804bd30	40	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x804e4e0	273	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0x804e978	20	FUNC	<unknown>	HIDDEN	2
__GI__atol			.symtab	0x804e978	20	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x8050b24	54	FUNC	<unknown>	HIDDEN	2
__GI__chdir			.symtab	0x804bd8c	46	FUNC	<unknown>	HIDDEN	2
__GI__clock_getres			.symtab	0x804f224	50	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0x804bdbc	46	FUNC	<unknown>	HIDDEN	2
__GI__connect			.symtab	0x804d668	43	FUNC	<unknown>	HIDDEN	2
__GI__errno			.symtab	0x805bb20	4	OBJECT	<unknown>	HIDDEN	11
__GI__exit			.symtab	0x804eacc	103	FUNC	<unknown>	HIDDEN	2
__GI__fclose			.symtab	0x8050bac	271	FUNC	<unknown>	HIDDEN	2
__GI__fcntl			.symtab	0x804bc98	87	FUNC	<unknown>	HIDDEN	2
__GI__fcntl64			.symtab	0x804bcf0	63	FUNC	<unknown>	HIDDEN	2
__GI__fflush_unlocked			.symtab	0x805123c	333	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x8052094	220	FUNC	<unknown>	HIDDEN	2
__GI__fgets			.symtab	0x80510f4	98	FUNC	<unknown>	HIDDEN	2
__GI__fgets_unlocked			.symtab	0x805138c	105	FUNC	<unknown>	HIDDEN	2
__GI__fopen			.symtab	0x8050cbc	24	FUNC	<unknown>	HIDDEN	2
__GI__fork			.symtab	0x804bdec	38	FUNC	<unknown>	HIDDEN	2
__GI__fputs_unlocked			.symtab	0x804ce8c	49	FUNC	<unknown>	HIDDEN	2
__GI__fseek			.symtab	0x8050cd4	27	FUNC	<unknown>	HIDDEN	2
__GI__fseeko64			.symtab	0x8050cf0	231	FUNC	<unknown>	HIDDEN	2
__GI__fwrite_unlocked			.symtab	0x804cec0	120	FUNC	<unknown>	HIDDEN	2
__GI__getc_unlocked			.symtab	0x8052094	220	FUNC	<unknown>	HIDDEN	2
__GI__getdtablesize			.symtab	0x804f258	37	FUNC	<unknown>	HIDDEN	2
__GI__getegid			.symtab	0x804f280	38	FUNC	<unknown>	HIDDEN	2
__GI__geteuid			.symtab	0x804f2a8	38	FUNC	<unknown>	HIDDEN	2
__GI__getgid			.symtab	0x804f2d0	38	FUNC	<unknown>	HIDDEN	2
__GI__gethostbyname			.symtab	0x804d304	48	FUNC	<unknown>	HIDDEN	2
__GI__gethostbyname_r			.symtab	0x804d334	818	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_getpagesize			.symtab	0x804f2f8	17	FUNC	<unknown>	HIDDEN	2
__Gl_getpid			.symtab	0x804be14	38	FUNC	<unknown>	HIDDEN	2
__Gl_getrlimit			.symtab	0x804f30c	50	FUNC	<unknown>	HIDDEN	2
__Gl_getsockname			.symtab	0x804d694	43	FUNC	<unknown>	HIDDEN	2
__Gl_getuid			.symtab	0x804f340	38	FUNC	<unknown>	HIDDEN	2
__Gl_h_errno			.symtab	0x805bb24	4	OBJECT	<unknown>	HIDDEN	11
__Gl_inet_addr			.symtab	0x804d2dc	37	FUNC	<unknown>	HIDDEN	2
__Gl_inet_aton			.symtab	0x80500a0	148	FUNC	<unknown>	HIDDEN	2
__Gl_inet_ntoa			.symtab	0x804d2c7	21	FUNC	<unknown>	HIDDEN	2
__Gl_inet_ntoa_r			.symtab	0x804d278	79	FUNC	<unknown>	HIDDEN	2
__Gl_inet_ntop			.symtab	0x8051879	465	FUNC	<unknown>	HIDDEN	2
__Gl_inet_pton			.symtab	0x805159e	458	FUNC	<unknown>	HIDDEN	2
__Gl_initstate_r			.symtab	0x804e8cd	171	FUNC	<unknown>	HIDDEN	2
__Gl_ioctl			.symtab	0x804be3c	63	FUNC	<unknown>	HIDDEN	2
__Gl_isatty			.symtab	0x804d1c0	29	FUNC	<unknown>	HIDDEN	2
__Gl_kill			.symtab	0x804be7c	50	FUNC	<unknown>	HIDDEN	2
__Gl_lseek64			.symtab	0x805201c	86	FUNC	<unknown>	HIDDEN	2
__Gl_memchr			.symtab	0x804fed4	35	FUNC	<unknown>	HIDDEN	2
__Gl_memcpy			.symtab	0x804cf38	39	FUNC	<unknown>	HIDDEN	2
__Gl_mempmove			.symtab	0x804fef8	39	FUNC	<unknown>	HIDDEN	2
__Gl_mempcpy			.symtab	0x804ff48	33	FUNC	<unknown>	HIDDEN	2
__Gl_memrchr			.symtab	0x804ff6c	176	FUNC	<unknown>	HIDDEN	2
__Gl_memset			.symtab	0x804cf60	21	FUNC	<unknown>	HIDDEN	2
__Gl_mmap			.symtab	0x804f198	27	FUNC	<unknown>	HIDDEN	2
__Gl_munmap			.symtab	0x804f368	50	FUNC	<unknown>	HIDDEN	2
__Gl_nanosleep			.symtab	0x804f39c	50	FUNC	<unknown>	HIDDEN	2
__Gl_open			.symtab	0x804beb0	75	FUNC	<unknown>	HIDDEN	2
__Gl_poll			.symtab	0x8050b74	54	FUNC	<unknown>	HIDDEN	2
__Gl_raise			.symtab	0x8050af8	24	FUNC	<unknown>	HIDDEN	2
__Gl_random			.symtab	0x804e5fc	72	FUNC	<unknown>	HIDDEN	2
__Gl_random_r			.symtab	0x804e7d5	94	FUNC	<unknown>	HIDDEN	2
__Gl_rawmemchr			.symtab	0x8051448	99	FUNC	<unknown>	HIDDEN	2
__Gl_read			.symtab	0x804bf14	54	FUNC	<unknown>	HIDDEN	2
__Gl_recv			.symtab	0x804d6fc	51	FUNC	<unknown>	HIDDEN	2
__Gl_sbrk			.symtab	0x804f3d0	78	FUNC	<unknown>	HIDDEN	2
__Gl_select			.symtab	0x804bf4c	63	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0x804d730	51	FUNC	<unknown>	HIDDEN	2
__Gl_sendto			.symtab	0x804d764	67	FUNC	<unknown>	HIDDEN	2
__Gl_setsid			.symtab	0x804bf8c	38	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x804d7a8	59	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x804e73c	153	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x804f0bb	218	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x804d810	175	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x804f420	85	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0x804eb34	393	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0x804d7e4	43	FUNC	<unknown>	HIDDEN	2
__Gl_sprintf			.symtab	0x804c074	31	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0x804e833	154	FUNC	<unknown>	HIDDEN	2
__Gl_strcasecmp			.symtab	0x8052170	54	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x804cf78	30	FUNC	<unknown>	HIDDEN	2
__Gl_strcmp			.symtab	0x80513f8	29	FUNC	<unknown>	HIDDEN	2
__Gl_strcoll			.symtab	0x80513f8	29	FUNC	<unknown>	HIDDEN	2
__Gl_strcpy			.symtab	0x804cf98	27	FUNC	<unknown>	HIDDEN	2
__Gl_strdup			.symtab	0x80514e0	54	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x804cfb4	19	FUNC	<unknown>	HIDDEN	2
__Gl_strncat			.symtab	0x8051418	46	FUNC	<unknown>	HIDDEN	2
__Gl_strncpy			.symtab	0x804ff20	38	FUNC	<unknown>	HIDDEN	2
__Gl_strnlen			.symtab	0x804cfc8	25	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_strprbk			.symtab	0x8050078	39	FUNC	<unknown>	HIDDEN	2
__Gl_strspn			.symtab	0x80514ac	50	FUNC	<unknown>	HIDDEN	2
__Gl_strstr			.symtab	0x804cfe4	206	FUNC	<unknown>	HIDDEN	2
__Gl_strtok			.symtab	0x804d1a4	25	FUNC	<unknown>	HIDDEN	2
__Gl_strtok_r			.symtab	0x805001c	89	FUNC	<unknown>	HIDDEN	2
__Gl_strtol			.symtab	0x804e98c	26	FUNC	<unknown>	HIDDEN	2
__Gl_sysconf			.symtab	0x804ecc0	325	FUNC	<unknown>	HIDDEN	2
__Gl_tcgetattr			.symtab	0x804d1e0	112	FUNC	<unknown>	HIDDEN	2
__Gl_time			.symtab	0x804bfb4	46	FUNC	<unknown>	HIDDEN	2
__Gl_tolower			.symtab	0x8052074	29	FUNC	<unknown>	HIDDEN	2
__Gl_toupper			.symtab	0x804c04c	29	FUNC	<unknown>	HIDDEN	2
__Gl_vsnprintf			.symtab	0x804c094	176	FUNC	<unknown>	HIDDEN	2
__Gl_wait4			.symtab	0x804f478	59	FUNC	<unknown>	HIDDEN	2
__Gl_waitpid			.symtab	0x804bfe4	26	FUNC	<unknown>	HIDDEN	2
__Gl_wctomb			.symtab	0x804f4bc	69	FUNC	<unknown>	HIDDEN	2
__Gl_wcsnrtombs			.symtab	0x804f524	133	FUNC	<unknown>	HIDDEN	2
__Gl_wcsrtombs			.symtab	0x804f504	30	FUNC	<unknown>	HIDDEN	2
__Gl_write			.symtab	0x804c000	54	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x80555b4	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x80555b4	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x8055b14	4	OBJECT	<unknown>	HIDDEN	11
__atexit_lock			.symtab	0x8055860	24	OBJECT	<unknown>	DEFAULT	10
__bsd_signal			.symtab	0x804d810	175	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x80558a0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x804ee7b	52	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x805561c	4	OBJECT	<unknown>	DEFAULT	10
__ctype_tolower			.symtab	0x805589c	4	OBJECT	<unknown>	DEFAULT	10
__ctype_toupper			.symtab	0x8055624	4	OBJECT	<unknown>	DEFAULT	10
__curbrk			.symtab	0x8055b44	4	OBJECT	<unknown>	HIDDEN	11
__data_start			.symtab	0x80555e8	0	NOTYPE	<unknown>	DEFAULT	10
__decode_answer			.symtab	0x8051c18	249	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x8052238	217	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x8051afc	171	FUNC	<unknown>	HIDDEN	2
__deregister_frame_info_bases			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__dns_lookup			.symtab	0x8050134	1876	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x8052440	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x80480c0	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x80555e0	0	OBJECT	<unknown>	HIDDEN	10
__encode_dotted			.symtab	0x80521a8	144	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x8051a4c	175	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x8051ba8	83	FUNC	<unknown>	HIDDEN	2
__environ			.symtab	0x8055b0c	4	OBJECT	<unknown>	DEFAULT	11
__errno_location			.symtab	0x804c06c	6	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x8055b04	4	OBJECT	<unknown>	HIDDEN	11
__fgetc_unlocked			.symtab	0x8052094	220	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x8050acc	44	FUNC	<unknown>	HIDDEN	2
__get_pc_thunk_bx			.symtab	0x80480b0	0	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x804f2f8	17	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x804d0b4	29	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x804f4b4	6	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__init_array_end			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x8052314	65	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__length_question			.symtab	0x8051bfc	28	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x804bdbc	46	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x804d668	43	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x804befb	25	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x804bc98	87	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x804bcf0	63	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x804bdec	38	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x804be14	38	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x805201c	86	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x804f39c	50	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x804beb0	75	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x8050b74	54	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x804bf14	54	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x804d6fc	51	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x804bf4c	63	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x804d730	51	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x804d764	67	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x804f0bb	218	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x805bb08	4	OBJECT	<unknown>	DEFAULT	11
__libc_waitpid			.symtab	0x804bfe4	26	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x804c000	54	FUNC	<unknown>	DEFAULT	2
__malloc Consolidate			.symtab	0x804e179	424	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x804d924	38	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x8055770	24	OBJECT	<unknown>	DEFAULT	10
__malloc_state			.symtab	0x805bbe0	888	OBJECT	<unknown>	DEFAULT	11
__malloc_trim			.symtab	0x804e0ec	141	FUNC	<unknown>	DEFAULT	2
__nameserver			.symtab	0x805bf68	12	OBJECT	<unknown>	HIDDEN	11
__nameservers			.symtab	0x805bf74	4	OBJECT	<unknown>	HIDDEN	11
__open_etc_hosts			.symtab	0x8051d14	49	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x8050888	579	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x805bb10	4	OBJECT	<unknown>	DEFAULT	11
__preinit_array_end			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x80555a4	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x804ee77	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x804ee77	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x804ee77	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x804ee77	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x804ee77	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x804ee7a	1	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x8050af8	24	FUNC	<unknown>	HIDDEN	2
__read_etc_hosts_r			.symtab	0x8051d45	724	FUNC	<unknown>	HIDDEN	2
__register_frame_info_bases			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x8055880	24	OBJECT	<unknown>	DEFAULT	10
__restore			.symtab	0x804f0b3	0	NOTYPE	<unknown>	DEFAULT	2
__restore_rt			.symtab	0x804f0ac	0	NOTYPE	<unknown>	DEFAULT	2
__rtd_fini			.symtab	0x805bb18	4	OBJECT	<unknown>	HIDDEN	11
__searchdomain			.symtab	0x805bf58	16	OBJECT	<unknown>	HIDDEN	11
__searchdomains			.symtab	0x805bf78	4	OBJECT	<unknown>	HIDDEN	11
__sigaddset			.symtab	0x804d8e4	32	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x804d904	32	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x804d8c0	36	FUNC	<unknown>	DEFAULT	2
__socketcall			.symtab	0x804f1b4	50	FUNC	<unknown>	HIDDEN	2
__socketcall.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__stdin			.symtab	0x8055634	4	OBJECT	<unknown>	DEFAULT	10
__stdio_READ			.symtab	0x8052358	79	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x804f5ac	128	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__stdio_adjust_position			.symtab	0x8050dd8	164	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x804f62c	234	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x804c1a7	23	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.4160			.symtab	0x8053260	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x80523a8	40	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x80510c0	51	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x80523d0	110	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x804f718	167	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x804c248	43	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x8055638	4	OBJECT	<unknown>	DEFAULT	10
__syscall_error			.symtab	0x8050b5c	21	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x804f1e8	59	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x804ee38	63	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x804eeaf	64	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x804eeef	443	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x8055878	4	OBJECT	<unknown>	HIDDEN	10
__xpg_strerror_r			.symtab	0x804d0d4	182	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0x804c274	54	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x8050b10	18	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x805bf7c	4	OBJECT	<unknown>	DEFAULT	11
_dl_phnum			.symtab	0x805bf80	4	OBJECT	<unknown>	DEFAULT	11
_edata			.symtab	0x80558a0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x805bf84	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x805bb20	4	OBJECT	<unknown>	DEFAULT	11
_exit			.symtab	0x804bd30	40	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x8052474	3	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x8059900	8192	OBJECT	<unknown>	DEFAULT	11
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x804c2aa	106	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x804f928	1449	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x805bb24	4	OBJECT	<unknown>	DEFAULT	11
_init			.symtab	0x8048094	3	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x804f7c0	86	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x804c8cc	111	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x804cabd	975	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x804c93c	66	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x804c980	273	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x804ca94	41	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x804ee7a	1	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x804ee7a	1	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signintr			.symtab	0x805bb60	128	OBJECT	<unknown>	HIDDEN	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_start			.symtab	0x8048168	34	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x8050e7c	579	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x804c144	99	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x805563c	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_add_lock			.symtab	0x8055640	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_dec_use			.symtab	0x8051158	228	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x80598e4	4	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_del_lock			.symtab	0x8055658	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_use_count			.symtab	0x80598e0	4	OBJECT	<unknown>	DEFAULT	11
_stdio_streams			.symtab	0x8055680	240	OBJECT	<unknown>	DEFAULT	10
_stdio_term			.symtab	0x804c1be	136	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x8055670	4	OBJECT	<unknown>	DEFAULT	10
_stdlib_strto_l			.symtab	0x804e9a8	289	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x804f818	61	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x8053340	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x804f858	207	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x804c314	1464	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x804e4e0	273	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
access			.symtab	0x804bd58	50	FUNC	<unknown>	DEFAULT	2
access.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
atoi			.symtab	0x804e978	20	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x804e978	20	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bcopy			.symtab	0x804d18c	21	FUNC	<unknown>	DEFAULT	2
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x805bb00	1	OBJECT	<unknown>	DEFAULT	11
been_there_done_that.3001			.symtab	0x805bb1c	1	OBJECT	<unknown>	DEFAULT	11
bot_snoopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x8050b24	54	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x804d810	175	FUNC	<unknown>	DEFAULT	2
buf.2827			.symtab	0x805b904	16	OBJECT	<unknown>	DEFAULT	11
buf.5162			.symtab	0x805b920	460	OBJECT	<unknown>	DEFAULT	11
c			.symtab	0x8055610	4	OBJECT	<unknown>	DEFAULT	10
chdir			.symtab	0x804bd8c	46	FUNC	<unknown>	DEFAULT	2
chdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
clock_getres			.symtab	0x804f224	50	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x804bdbc	46	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
commServer			.symtab	0x80555ec	4	OBJECT	<unknown>	DEFAULT	10
completed.2429			.symtab	0x80558a0	1	OBJECT	<unknown>	DEFAULT	11
connect			.symtab	0x804d668	43	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x8048e77	523	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x804befb	25	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
csum			.symtab	0x8049187	159	FUNC	<unknown>	DEFAULT	2
currentServer			.symtab	0x805560c	4	OBJECT	<unknown>	DEFAULT	10
data_start			.symtab	0x80555e8	0	NOTYPE	<unknown>	DEFAULT	10
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x805bb0c	4	OBJECT	<unknown>	DEFAULT	11
errno			.symtab	0x805bb20	4	OBJECT	<unknown>	DEFAULT	11
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x804eacc	103	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x8054160	156	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x8050bac	271	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x804bc98	87	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x804bcf0	63	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x80482e7	111	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x805123c	333	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x8052094	220	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x80510f4	98	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x805138c	105	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fmt			.symtab	0x805413c	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x8050cbc	24	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x804bdec	38	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x804ce8c	49	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8048110	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x804e321	412	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x8050cd4	27	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x8050cd4	27	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x8050cf0	231	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ftcp			.symtab	0x80496b4	1407	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked			.symtab	0x804cec0	120	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getArch			.symtab	0x804a72f	10	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x8048c15	55	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x8048356	547	FUNC	<unknown>	DEFAULT	2
getPortz			.symtab	0x804a739	154	FUNC	<unknown>	DEFAULT	2
getRandomIP			.symtab	0x80482bb	44	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x8052094	220	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x804f258	37	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x804f280	38	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x804f2a8	38	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x804f2d0	38	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x804d304	48	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x804d334	818	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x804f2f8	17	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x804be14	38	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x804f30c	50	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x804d694	43	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x804d6c0	59	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x804f340	38	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gotIP			.symtab	0x80558c4	4	OBJECT	<unknown>	DEFAULT	11
h.5161			.symtab	0x805baec	20	OBJECT	<unknown>	DEFAULT	11
h_errno			.symtab	0x805bb24	4	OBJECT	<unknown>	DEFAULT	11
htonl			.symtab	0x804d25d	7	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x804d250	13	FUNC	<unknown>	DEFAULT	2
i.4243			.symtab	0x8055614	4	OBJECT	<unknown>	DEFAULT	10
index			.symtab	0x804cf78	30	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x804d2dc	37	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x80500a0	148	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x804d2c7	21	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x804d278	79	FUNC	<unknown>	DEFAULT	2
inet_ntop			.symtab	0x8051879	465	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x8051768	273	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x805159e	458	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x8051518	134	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0x804b566	334	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x804818c	111	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0x804e6a1	87	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x804e8cd	171	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x804be3c	63	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x804d1c0	29	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isspace			.symtab	0x804c038	17	FUNC	<unknown>	DEFAULT	2
isspace.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x804be7c	50	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/mmap.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
listFork			.symtab	0x8049082	261	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x805201c	86	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x80558d0	6	OBJECT	<unknown>	DEFAULT	11
main			.symtab	0x804b6b4	1507	FUNC	<unknown>	DEFAULT	2
mainCommSock			.symtab	0x80558c0	4	OBJECT	<unknown>	DEFAULT	11
makeIPPacket			.symtab	0x80492de	132	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x8048c4c	106	FUNC	<unknown>	DEFAULT	2
makevsepacket			.symtab	0x8049e63	151	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x804d94a	1954	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0x804e4bd	34	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x804fed4	35	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x804cf38	39	FUNC	<unknown>	DEFAULT	2
memcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memmove			.symtab	0x804fef8	39	FUNC	<unknown>	DEFAULT	2
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x804ff48	33	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x804ff6c	176	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x804cf60	21	FUNC	<unknown>	DEFAULT	2
memset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mmap			.symtab	0x804f198	27	FUNC	<unknown>	DEFAULT	2
munmap			.symtab	0x804f368	50	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x8055788	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x80557a0	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x805bb28	24	OBJECT	<unknown>	DEFAULT	11
nanosleep			.symtab	0x804f39c	50	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1278			.symtab	0x805b900	4	OBJECT	<unknown>	DEFAULT	11
ntohl			.symtab	0x804d271	7	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x804d264	13	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x80558c8	8	OBJECT	<unknown>	DEFAULT	11
object.2482			.symtab	0x80558a4	24	OBJECT	<unknown>	DEFAULT	11
open			.symtab	0x804beb0	75	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x805bb48	4	OBJECT	<unknown>	DEFAULT	11
p.2427			.symtab	0x80555e4	0	OBJECT	<unknown>	DEFAULT	10
pids			.symtab	0x805bb4c	4	OBJECT	<unknown>	DEFAULT	11
poll			.symtab	0x8050b74	54	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4371			.symtab	0x8053285	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x804887f	722	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x8048624	66	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x8048740	319	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x8048666	218	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x804a7d3	3475	FUNC	<unknown>	DEFAULT	2
qual_chars.4377			.symtab	0x8053298	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x8050af8	24	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x804e5f4	5	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
rand_cmw			.symtab	0x80481fb	192	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x804e5fc	72	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x8053ea0	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x804e7d5	94	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x80557e0	128	OBJECT	<unknown>	DEFAULT	10
rawmemchr			.symtab	0x8051448	99	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x804bf14	54	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x804d6fc	51	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x8048cb6	449	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x804f3d0	78	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
select			.symtab	0x804bf4c	63	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x804d730	51	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendHTTPtwo			.symtab	0x804a580	431	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x804d764	67	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsid			.symtab	0x804bf8c	38	FUNC	<unknown>	DEFAULT	2
setsid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x804d7a8	59	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x804e644	93	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x804e73c	153	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x804f0bb	218	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0x804d810	175	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x804f420	85	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x804eb34	393	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x804d7e4	43	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x8049d65	254	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x8048b51	196	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4376			.symtab	0x80532ac	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4370			.symtab	0x8053291	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4373			.symtab	0x80532d5	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4372			.symtab	0x80532ea	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4375			.symtab	0x80532bc	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4374			.symtab	0x80532cc	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x804c074	31	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x804e6f8	67	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x804e6f8	67	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x804e833	154	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x805587c	2	OBJECT	<unknown>	DEFAULT	10
static_ns			.symtab	0x805bb40	4	OBJECT	<unknown>	DEFAULT	11
stderr			.symtab	0x8055630	4	OBJECT	<unknown>	DEFAULT	10
stdin			.symtab	0x8055628	4	OBJECT	<unknown>	DEFAULT	10


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
stdout			.symtab	0x805562c	4	OBJECT	<unknown>	DEFAULT	10
strcasecmp			.symtab	0x8052170	54	FUNC	<unknown>	DEFAULT	2
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x804cf78	30	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x80513f8	29	FUNC	<unknown>	DEFAULT	2
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x80513f8	29	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x804cf98	27	FUNC	<unknown>	DEFAULT	2
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strdup			.symtab	0x80514e0	54	FUNC	<unknown>	DEFAULT	2
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x804d0d4	182	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x804cfb4	19	FUNC	<unknown>	DEFAULT	2
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncat			.symtab	0x8051418	46	FUNC	<unknown>	DEFAULT	2
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x804ff20	38	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x804cfc8	25	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x8050078	39	FUNC	<unknown>	DEFAULT	2
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x80514ac	50	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x804cfe4	206	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x804d1a4	25	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x805001c	89	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x804e98c	26	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sysconf			.symtab	0x804ecc0	325	FUNC	<unknown>	DEFAULT	2
sysconf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcgetattr			.symtab	0x804d1e0	112	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpcsum			.symtab	0x8049226	184	FUNC	<unknown>	DEFAULT	2
time			.symtab	0x804bfb4	46	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tolower			.symtab	0x8052074	29	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x804c04c	29	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x8048579	171	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x80532f2	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x805330a	12	OBJECT	<unknown>	DEFAULT	4
unknown.1330			.symtab	0x8053316	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x80557b8	28	OBJECT	<unknown>	DEFAULT	10
useragents			.symtab	0x80555f0	28	OBJECT	<unknown>	DEFAULT	10
usleep			.symtab	0x804ee08	48	FUNC	<unknown>	DEFAULT	2
usleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
vseattack			.symtab	0x8049efa	1239	FUNC	<unknown>	DEFAULT	2
vsnprintf			.symtab	0x804c094	176	FUNC	<unknown>	DEFAULT	2
vsnprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wait4			.symtab	0x804f478	59	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x804bfe4	26	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcrtomb			.symtab	0x804f4bc	69	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x804f524	133	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x804f504	30	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
write			.symtab	0x804c000	54	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
xdigits.3285			.symtab	0x8054254	17	OBJECT	<unknown>	DEFAULT	4

Network Behavior

Snort IDS Alerts

Timestamp	Protocol	SID	Message	Source Port	Dest Port	Source IP	Dest IP
192.168.2.23163.123.143.8139906839284133508/06/22-01:53:00.671113	TCP	2841335	ETPRO TROJAN ELF/Mirai Variant CnC Checkin	39906	839	192.168.2.23	163.123.143.81



TCP Packets

System Behavior

Analysis Process: logrotate PID: 6264, Parent PID: 6186

General

Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/sbin/logrotate
Arguments:	n/a
File size:	84056 bytes
MD5 hash:	ff9f6831debb63e53a31ff8057143af6

Analysis Process: sh PID: 6264, Parent PID: 6186

General	
Start time:	01:52:44
Start date:	06/08/2022
Path:	/bin/sh
Arguments:	sh -c /usr/lib/rsyslog/rsyslog-rotate logrotate_script /var/log/syslog
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: sh PID: 6265, Parent PID: 6264

General	
Start time:	01:52:44
Start date:	06/08/2022
Path:	/bin/sh
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: rsyslog-rotate PID: 6265, Parent PID: 6264

General	
Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/lib/rsyslog/rsyslog-rotate
Arguments:	/usr/lib/rsyslog/rsyslog-rotate
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

File Activities

File Read

Analysis Process: rsyslog-rotate PID: 6266, Parent PID: 6265

General	
Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/lib/rsyslog/rsyslog-rotate
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: systemctl PID: 6266, Parent PID: 6265

General	
Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/bin/systemctl
Arguments:	systemctl kill -s HUP rsyslog.service
File size:	996584 bytes
MD5 hash:	4deddfb6741481f68aead522cc26ff4b

File Activities

File Read

Analysis Process: python3.8 PID: 6269, Parent PID: 6218

General	
Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/bin/python3.8

Arguments:	n/a
File size:	5490352 bytes
MD5 hash:	69f442c3e33b5f9a66b722c29ad89435

Analysis Process: uname PID: 6269, Parent PID: 6218

General

Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/bin/uname
Arguments:	uname -p
File size:	39288 bytes
MD5 hash:	4ac7c634c5bec95753c480e9d421dcc2

File Activities

File Read

Analysis Process: dash PID: 6272, Parent PID: 6271

General

Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cut PID: 6272, Parent PID: 6271

General

Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/bin/cut
Arguments:	cut -c -40 /tmp/tmp.5piRJmkiY5
File size:	47480 bytes
MD5 hash:	d8ed0ea8f22c0de0f8692d4d9f1759d3

File Activities

File Read

Analysis Process: dash PID: 6273, Parent PID: 6271

General

Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: tr PID: 6273, Parent PID: 6271

General

Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/bin/tr
Arguments:	tr -c -d [:alnum:]
File size:	51544 bytes
MD5 hash:	fbd1402dd9f72d8ebfff00ce7c3a7bb5

File Activities	—
File Read	▼

Analysis Process: dash PID: 6276, Parent PID: 6184 —

General	—
Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: wget PID: 6276, Parent PID: 6184 —

General	—
Start time:	01:52:44
Start date:	06/08/2022
Path:	/usr/bin/wget
Arguments:	wget --timeout 60 -U "wget/1.20.3-1ubuntu1 Ubuntu/20.04.2/LTS GNU/Linux/5.4.0-72-generic/x86_64 Intel(R)/Xeon(R)/Silver/4210/CPU/@/2.20GHz cloud_id/none" -O- --content-on-error https://motd.ubuntu.com
File size:	548568 bytes
MD5 hash:	996940118df7bb2aaa718589d4e95c08

File Activities	—
File Read	▼
File Written	▼

Analysis Process: dash PID: 6278, Parent PID: 6184 —

General	—
Start time:	01:52:45
Start date:	06/08/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cat PID: 6278, Parent PID: 6184 —

General	—
Start time:	01:52:45
Start date:	06/08/2022
Path:	/usr/bin/cat
Arguments:	cat /tmp/tmp.hDXKGVsUIR
File size:	43416 bytes
MD5 hash:	7e9d213e404ad3bb82e4ebb2e1f2c1b3

File Activities	—
File Read	▼

Analysis Process: dash PID: 6279, Parent PID: 6184 —

General	—
Start time:	01:52:45
Start date:	06/08/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: head PID: 6279, Parent PID: 6184		—
General		—
Start time:	01:52:45	
Start date:	06/08/2022	
Path:	/usr/bin/head	
Arguments:	head -n 10	
File size:	47480 bytes	
MD5 hash:	fd96a67145172477dd57131396fc9608	
File Activities		—
File Read		▼
Analysis Process: dash PID: 6280, Parent PID: 6184		—
General		—
Start time:	01:52:45	
Start date:	06/08/2022	
Path:	/usr/bin/dash	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	
Analysis Process: tr PID: 6280, Parent PID: 6184		—
General		—
Start time:	01:52:45	
Start date:	06/08/2022	
Path:	/usr/bin/tr	
Arguments:	tr -d \\000-\\011\\013\\014\\016-\\037	
File size:	51544 bytes	
MD5 hash:	fbd1402dd9f72d8ebfff00ce7c3a7bb5	
File Activities		—
File Read		▼
Analysis Process: dash PID: 6281, Parent PID: 6184		—
General		—
Start time:	01:52:45	
Start date:	06/08/2022	
Path:	/usr/bin/dash	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	
Analysis Process: cut PID: 6281, Parent PID: 6184		—
General		—
Start time:	01:52:45	
Start date:	06/08/2022	
Path:	/usr/bin/cut	
Arguments:	cut -c -80	
File size:	47480 bytes	
MD5 hash:	d8ed0ea8f22c0de0f8692d4d9f1759d3	
File Activities		—
File Read		▼

Analysis Process: dash PID: 6282, Parent PID: 6184		—
General		—
Start time:	01:52:45	
Start date:	06/08/2022	
Path:	/usr/bin/dash	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	

Analysis Process: cat PID: 6282, Parent PID: 6184		—
General		—
Start time:	01:52:45	
Start date:	06/08/2022	
Path:	/usr/bin/cat	
Arguments:	cat /tmp/tmp.hDXKGVsUIR	
File size:	43416 bytes	
MD5 hash:	7e9d213e404ad3bb82e4ebb2e1f2c1b3	

File Activities		—
File Read		▼

Analysis Process: dash PID: 6283, Parent PID: 6184		—
General		—
Start time:	01:52:45	
Start date:	06/08/2022	
Path:	/usr/bin/dash	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	

Analysis Process: head PID: 6283, Parent PID: 6184		—
General		—
Start time:	01:52:45	
Start date:	06/08/2022	
Path:	/usr/bin/head	
Arguments:	head -n 10	
File size:	47480 bytes	
MD5 hash:	fd96a67145172477dd57131396fc9608	

File Activities		—
File Read		▼

Analysis Process: dash PID: 6284, Parent PID: 6184		—
General		—
Start time:	01:52:45	
Start date:	06/08/2022	
Path:	/usr/bin/dash	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	

Analysis Process: tr PID: 6284, Parent PID: 6184		—
General		—
Start time:	01:52:45	

Start date:	06/08/2022
Path:	/usr/bin/tr
Arguments:	tr -d \\000-\\011\\013\\014\\016-\\037
File size:	51544 bytes
MD5 hash:	fbd1402dd9f72d8ebfff00ce7c3a7bb5

File Activities

File Read

Analysis Process: dash PID: 6285, Parent PID: 6184

General

Start time:	01:52:45
Start date:	06/08/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: cut PID: 6285, Parent PID: 6184

General

Start time:	01:52:45
Start date:	06/08/2022
Path:	/usr/bin/cut
Arguments:	cut -c -80
File size:	47480 bytes
MD5 hash:	d8ed0ea8f22c0de0f8692d4d9f1759d3

File Activities

File Read

File Written

Analysis Process: dash PID: 6286, Parent PID: 6184

General

Start time:	01:52:45
Start date:	06/08/2022
Path:	/usr/bin/dash
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: rm PID: 6286, Parent PID: 6184

General

Start time:	01:52:45
Start date:	06/08/2022
Path:	/usr/bin/rm
Arguments:	rm -f /tmp/tmp.hDXKGVsUIR /tmp/tmp.1y2FR6QFox /tmp/tmp.5piRJmkiY5
File size:	72056 bytes
MD5 hash:	aa2b5496fdbfd88e38791ab81f90b95b

File Activities

File Deleted

File Read

Analysis Process: x-3.2-.SNOOPY PID: 6319, Parent PID: 6126

General

Start time:	01:52:59
Start date:	06/08/2022
Path:	/tmp/x-3.2-..SNOOPY
Arguments:	/tmp/x-3.2-..SNOOPY
File size:	74024 bytes
MD5 hash:	ca34f09d0fe8bd0ddd1443e401781d7

File Activities

File Read

Analysis Process: x-3.2-..SNOOPY PID: 6322, Parent PID: 6319

General

Start time:	01:52:59
Start date:	06/08/2022
Path:	/tmp/x-3.2-..SNOOPY
Arguments:	n/a
File size:	74024 bytes
MD5 hash:	ca34f09d0fe8bd0ddd1443e401781d7

Analysis Process: x-3.2-..SNOOPY PID: 6323, Parent PID: 6322

General

Start time:	01:52:59
Start date:	06/08/2022
Path:	/tmp/x-3.2-..SNOOPY
Arguments:	n/a
File size:	74024 bytes
MD5 hash:	ca34f09d0fe8bd0ddd1443e401781d7