

JOeSandbox Cloud BASIC



ID: 679610

Sample Name: Z8xEavXrld

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 05:13:31

Date: 06/08/2022

Version: 35.0.0 Citrine

Table of Contents

Table of Contents	2
Linux Analysis Report Z8xEavXrld	4
Overview	4
General Information	4
Detection	4
Signatures	4
Classification	4
Analysis Advice	4
General Information	4
Runtime Messages	4
Process Tree	5
Yara Signatures	5
Initial Sample	5
Memory Dumps	5
Snort Signatures	5
Joe Sandbox Signatures	5
AV Detection	5
Persistence and Installation Behavior	5
Stealing of Sensitive Information	5
Remote Access Functionality	6
Mitre Att&ck Matrix	6
Malware Configuration	6
Behavior Graph	6
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	7
Domains	7
URLs	7
Domains and IPs	7
Contacted Domains	7
URLs from Memory and Binaries	8
World Map of Contacted IPs	8
Joe Sandbox View / Context	8
IPs	8
Domains	8
ASNs	8
JA3 Fingerprints	8
Dropped Files	8
Created / dropped Files	8
Static File Info	8
General	8
Static ELF Info	8
ELF header	8
Sections	9
Program Segments	9
Symbols	9
Network Behavior	27
System Behavior	27
Analysis Process: Z8xEavXrld PID: 6231, Parent PID: 6128	28
General	28
File Activities	28
File Read	28
Analysis Process: Z8xEavXrld PID: 6233, Parent PID: 6231	28
General	28
Analysis Process: Z8xEavXrld PID: 6235, Parent PID: 6233	28
General	28
Analysis Process: Z8xEavXrld PID: 6238, Parent PID: 6235	28
General	28
Analysis Process: sh PID: 6238, Parent PID: 6235	28
General	28
File Activities	28
File Read	28
Analysis Process: sh PID: 6241, Parent PID: 6238	28
General	28
Analysis Process: mkdir PID: 6241, Parent PID: 6238	29
General	29
File Activities	29
File Read	29
Directory Created	29
Analysis Process: Z8xEavXrld PID: 6242, Parent PID: 6235	29
General	29
Analysis Process: sh PID: 6242, Parent PID: 6235	29
General	29
File Activities	29
File Read	29
Analysis Process: sh PID: 6244, Parent PID: 6242	29
General	29

Analysis Process: mv PID: 6244, Parent PID: 6242	29
General	29
File Activities	30
File Read	30
File Moved	30
Analysis Process: sh PID: 6245, Parent PID: 6242	30
General	30
Analysis Process: chmod PID: 6245, Parent PID: 6242	30
General	30
File Activities	30
File Read	30
Permission Modified	30
Analysis Process: Z8xEavXrld PID: 6246, Parent PID: 6235	30
General	30
File Activities	30
File Read	30
Directory Enumerated	30
Analysis Process: Z8xEavXrld PID: 6247, Parent PID: 6235	30
General	30
File Activities	30
Directory Enumerated	30
Analysis Process: Z8xEavXrld PID: 6250, Parent PID: 6235	30
General	31
Analysis Process: Z8xEavXrld PID: 6252, Parent PID: 6235	31
General	31

Linux Analysis Report

Z8xEavXrld

Overview

General Information

Sample Name:	Z8xEavXrld
Analysis ID:	679610
MD5:	a88fe5d28e2f429..
SHA1:	8ec9d983a5fe33..
SHA256:	4c58714e73e90a..
Tags:	32armelfgafgyt
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Mirai

Score:	60
Range:	0 - 100
Whitelisted:	false

Signatures

Yara detected Mirai

Multi AV Scanner detection for subm...

Sets full permissions to files and/or ...

Sample contains strings that are po...

Executes the "mkdir" command use...

Sample tries to set the executable f...

Uses the "uname" system call to qu...


Executes the "chmod" command us...

Enumerates processes within the "p...

Executes commands using a shell c...

Sample and/or dropped files contain...

Classification



Analysis Advice

Static ELF header machine description suggests that the sample might not execute correctly on this machine.
Non-zero exit code suggests an error during the execution. Lookup the error code for hints.
Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures.

General Information

Joe Sandbox Version:	35.0.0 Citrine
Analysis ID:	679610
Start date and time: 06/08/202205:13:31	2022-08-06 05:13:31 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 4m 52s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	Z8xEavXrld
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal60.troj.lin@0/0@0/0

Runtime Messages

Command:	/tmp/Z8xEavXrld
PID:	6231
Exit Code:	1
Exit Code Info:	
Killed:	False
Standard Output:	hello friend :)
Standard Error:	

Process Tree

- system is Inxubuntu20
 - Z8xEavXrld (PID: 6231, Parent: 6128, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/Z8xEavXrld
 - Z8xEavXrld New Fork (PID: 6233, Parent: 6231)
 - Z8xEavXrld New Fork (PID: 6235, Parent: 6233)
 - Z8xEavXrld New Fork (PID: 6238, Parent: 6235)
 - sh (PID: 6238, Parent: 6235, MD5: 1e6b1c887c59a315edb7eb9a315fc84c) Arguments: sh -c "mkdir /rx05a34hf0/ && >/rx05a34hf0/rx05a34hf0 && cd /rx05a34hf0/>/dev/null"
 - sh New Fork (PID: 6241, Parent: 6238)
 - mkdir (PID: 6241, Parent: 6238, MD5: 088c9d1df5a28ed16c726eca15964cb7) Arguments: mkdir /rx05a34hf0/
 - Z8xEavXrld New Fork (PID: 6242, Parent: 6235)
 - sh (PID: 6242, Parent: 6235, MD5: 1e6b1c887c59a315edb7eb9a315fc84c) Arguments: sh -c "mv /tmp/Z8xEavXrld /rx05a34hf0/rx05a34hf0 && chmod 777 /rx05a34hf0/rx05a34hf0 >/dev/null"
 - sh New Fork (PID: 6244, Parent: 6242)
 - mv (PID: 6244, Parent: 6242, MD5: 504f0590fa482d4da070a702260e3716) Arguments: mv /tmp/Z8xEavXrld /rx05a34hf0/rx05a34hf0
 - sh New Fork (PID: 6245, Parent: 6242)
 - chmod (PID: 6245, Parent: 6242, MD5: 739483b900c045ae1374d6f53a86a279) Arguments: chmod 777 /rx05a34hf0/rx05a34hf0
 - Z8xEavXrld New Fork (PID: 6246, Parent: 6235)
 - Z8xEavXrld New Fork (PID: 6247, Parent: 6235)
 - Z8xEavXrld New Fork (PID: 6250, Parent: 6235)
 - Z8xEavXrld New Fork (PID: 6252, Parent: 6235)
 - cleanup

Yara Signatures

Initial Sample

Source	Rule	Description	Author	Strings
Z8xEavXrld	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

Memory Dumps

Source	Rule	Description	Author	Strings
6233.1.00007fe4e8017000.00007fe4e8033000.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
6231.1.00007fe4e8017000.00007fe4e8033000.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

Snort Signatures

🚫 No Snort rule has matched

Joe Sandbox Signatures

AV Detection



Multi AV Scanner detection for submitted file

Persistence and Installation Behavior



Sets full permissions to files and/or directories

Stealing of Sensitive Information



Yara detected Mirai



Yara detected Mirai

Mitre Att&ck Matrix													
Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	1 Command and Scripting Interpreter	Path Interception	Path Interception	1 Masquerading	1 OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	1 Scripting	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	2 File and Directory Permissions Modification	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	Junk Data	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	1 Scripting	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	Steganography	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

Malware Configuration

No configs have been found

Behavior Graph

URLs from Memory and Binaries

World Map of Contacted IPs

No contacted IP infos

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, ARM, version 1 (ARM), statically linked, with debug_info, not stripped
Entropy (8bit):	6.102446034377879
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	Z8xEavXrld
File size:	146762
MD5:	a88fe5d28e2f429c1a9f3f6962d791dc
SHA1:	8ec9d983a5fe3331d828e21a5016e2012ef7a1ba
SHA256:	4c58714e73e90af2e481dca0e772c18d38878934c6c9de747d9de4997b227ad6
SHA512:	16b40c938d58f44ec6208960f7202d2f716eb2700edea7c802d8f991fc23def309c910d62757332c3c33aa08fdded1c12b8b816ca4536cbe357c599e29244b724
SSDEEP:	3072:QQWK7q4d3HcKMLASEyzKYvdrAFwwztgiQv9VvzeUTUDT01wfm8S8lDngh/aJN:nWhUnFwT1Mbzt4v9VvzeUy4Gfm+tnBz
TLSH:	59E3E707F9518A53C5D157BAF69F06883726B764C3DB33039988AF702F4E5982E6E2D0
File Content Preview:	.ELF...a.....(.....4.....4. ... (.....3.....Q.td.....-...L." ...W.....0@~.lP...0...S.0...P@...0... ..R.....0...0.....0... ..R..... 0....S

Static ELF Info

ELF header

Class: ELF32

ELF header	
Data:	2's complement, little endian
Version:	1 (current)
Machine:	ARM
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	ARM - ABI
ABI Version:	0
Entry Point Address:	0x8190
Flags:	0x202
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	3
Section Header Offset:	119852
Section Header Size:	40
Number of Section Headers:	20
Header String Table Index:	17

Sections										
Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x8094	0x94	0x18	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x80b0	0xb0	0x15f6c	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x1e01c	0x1601c	0x14	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x1e030	0x16030	0x4fd0	0x0	0x2	A	0	0	4
.eh_frame	PROGBITS	0x23000	0x1b000	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x2b004	0x1b004	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x2b00c	0x1b00c	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x2b014	0x1b014	0x4	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x2b018	0x1b018	0x908	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x2b920	0x1b920	0x29e8	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0x1b920	0x9b8	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x1c2d8	0x120	0x0	0x0		0	0	8
.debug_info	PROGBITS	0x0	0x1c3f8	0x578	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x1c970	0xb4	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x1ca24	0x8bd	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x1d2e4	0xa0	0x0	0x0		0	0	4
.shstrtab	STRTAB	0x0	0x1d384	0xa8	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x1d74c	0x43d0	0x10	0x0		19	627	4
.strtab	STRTAB	0x0	0x21b1c	0x222e	0x0	0x0		0	0	1

Program Segments											
Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x8000	0x8000	0x1b004	0x1b004	6.1632	0x5	R E	0x8000		.init .text .fini .rodata .eh_frame
LOAD	0x1b004	0x2b004	0x2b004	0x91c	0x3304	4.6377	0x6	RW	0x8000		.ctors .dtors .jcr .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols										
Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx	
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF	
			.symtab	0x8094	0	SECTION	<unknown>	DEFAULT	1	
			.symtab	0x80b0	0	SECTION	<unknown>	DEFAULT	2	
			.symtab	0x1e01c	0	SECTION	<unknown>	DEFAULT	3	
			.symtab	0x1e030	0	SECTION	<unknown>	DEFAULT	4	

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x23000	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x2b004	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x2b00c	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x2b014	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x2b018	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x2b920	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
\$a			.symtab	0x8094	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1e01c	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8128	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1e028	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x8188	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x80a0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1dfe0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1e014	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x80a4	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x80a8	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1e02c	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x8190	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8228	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x82d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x831c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x844c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x85a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8604	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x866c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8740	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8930	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8a3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8c58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8e78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x95d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9d38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa49c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xabfc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb360	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbac0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbb9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbc78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbcbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc854	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc868	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcb70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcbe8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xed68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf874	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf9c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10200	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x10258	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x102b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1034c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x103ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1058c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10628	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10788	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10978	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10ac0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11630	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11c8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ba8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12bbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12d00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ebc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13074	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13130	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1347c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13648	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13730	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13900	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x139e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13bcc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14498	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14c58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x155e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15708	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15964	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16784	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16f18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16f40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16f74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16fdc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17030	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17054	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1706c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17090	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x170f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17224	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x172ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17310	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1739c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17508	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1751c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1762c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x176f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x177dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x177e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17854	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x178a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x178d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x178fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17924	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17950	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1797c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x179a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x179d4	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x17a24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17a50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17abc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17aec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17b18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17b44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17b74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17ba0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17bcc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17c80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17d7c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17e4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17e58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17e8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17ebc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17ef0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17fa0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18010	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18020	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x180d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18108	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x187cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18864	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1889c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18a38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18a84	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18f48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18f7c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19030	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19040	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19050	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x190f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19150	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19178	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19258	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19350	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19364	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1944c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1946c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x194d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19564	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19588	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x195b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x195e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1960c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1963c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19668	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1969c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x196c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x196fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1972c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19758	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19810	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1987c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x199d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19a28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19b18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19c30	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x19cc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19d50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19e78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19fc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19fc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a040	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a0cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a164	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a1e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a2a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a330	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a3fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a4c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a5fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a608	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a610	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a7a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a83c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a8d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1aa74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1acdc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ae24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ae90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1aed4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1af30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b17c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b260	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b290	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b298	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b2c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b2ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b318	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b344	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b394	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b428	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b58c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b5b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b5e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b610	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b628	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b68c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b6b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b710	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b764	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b790	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b7bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bb98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bbe8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bc08	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bcc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bd80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1beb8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bfbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c02c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c060	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c1b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c9b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ce40	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x1cf3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1cf54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d040	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d12c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d144	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d168	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d1a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d1c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d1cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d2fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d3c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d3f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d538	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d938	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1de64	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1df8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2b004	0	NOTYPE	<unknown>	DEFAULT	6
\$d			.symtab	0x2b00c	0	NOTYPE	<unknown>	DEFAULT	7
\$d			.symtab	0x2b020	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x8118	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8174	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1e010	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x81c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8448	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8714	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x95d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9d34	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa498	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xabf8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb35c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbabc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbb98	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbc74	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbcb8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc7b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc864	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcb6c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcbc0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xed2c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf9b4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x101d8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2b024	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x10248	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x102a4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10338	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10588	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10774	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10960	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10ab0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10c20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11604	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11bc0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2b050	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2b08c	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2b0ac	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2b0b4	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2b0d8	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2b114	0	NOTYPE	<unknown>	DEFAULT	9

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x2b130	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2b134	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2b138	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x12bb8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12eb0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13024	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1312c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13420	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13644	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x138f4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x139dc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13bc4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1446c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14bc8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15700	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15924	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x166fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2b4b0	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2b4ec	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2b52c	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x17300	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17398	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x174fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17518	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17ab8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17c70	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17d78	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17e3c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17e54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17e88	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1800c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1801c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x180c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2b5ec	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2203c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x187b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18a34	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18a78	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18f24	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19250	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19444	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x194d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19560	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1980c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x199b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2b728	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x19b00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19c20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19fb0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2b830	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x1a028	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a0b4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a14c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a1c8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2b848	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x1a29c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a32c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a3f0	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x1a4c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x22c60	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x1a5f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a7a4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a820	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2b8fc	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x1a8cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1aa70	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1aa84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1ae14	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1ae80	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1aed0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1af20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b148	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2b914	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x1b258	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b624	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b70c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c97c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x22fb8	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x1cf34	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d038	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d128	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d160	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d1a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d2ec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2b918	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x2e224	0	NOTYPE	<unknown>	DEFAULT	10
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
/home/firmware/build/temp-armv4l/gcc-core/gcc/config/arm/lib1funcs.asm			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
C.38.4915			.symtab	0x1f1e5	3	OBJECT	<unknown>	DEFAULT	4
C.39.4916			.symtab	0x1f1dc	9	OBJECT	<unknown>	DEFAULT	4
C.6.4896			.symtab	0x2202d	3	OBJECT	<unknown>	DEFAULT	4
C.7.4897			.symtab	0x22024	9	OBJECT	<unknown>	DEFAULT	4
LOCAL_ADDRESS			.symtab	0x2e230	4	OBJECT	<unknown>	DEFAULT	10
Laligned			.symtab	0x19118	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0x19134	0	NOTYPE	<unknown>	DEFAULT	2
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__CTOR_END__			.symtab	0x2b008	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x2b004	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x2b918	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x22ca4	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x2b010	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x2b00c	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x23000	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x23000	0	OBJECT	<unknown>	DEFAULT	5
__Gl__C_ctype_b			.symtab	0x2b918	4	OBJECT	<unknown>	HIDDEN	9
__Gl__C_ctype_b_data			.symtab	0x22ca4	768	OBJECT	<unknown>	HIDDEN	4
__Gl__ctype_b			.symtab	0x2b91c	4	OBJECT	<unknown>	HIDDEN	9
__Gl__errno_location			.symtab	0x17e4c	12	FUNC	<unknown>	HIDDEN	2
__Gl__glibc_strerror_r			.symtab	0x19350	20	FUNC	<unknown>	HIDDEN	2
__Gl__libc_fcntl			.symtab	0x177e0	116	FUNC	<unknown>	HIDDEN	2
__Gl__libc_fcntl64			.symtab	0x17854	80	FUNC	<unknown>	HIDDEN	2
__Gl__libc_open			.symtab	0x17a50	92	FUNC	<unknown>	HIDDEN	2
__Gl__uClibc_fini			.symtab	0x1ae24	108	FUNC	<unknown>	HIDDEN	2
__Gl__uClibc_init			.symtab	0x1aed4	92	FUNC	<unknown>	HIDDEN	2
__Gl__xpg_strerror_r			.symtab	0x19364	232	FUNC	<unknown>	HIDDEN	2
__Gl__exit			.symtab	0x1b2c4	40	FUNC	<unknown>	HIDDEN	2
__Gl__abort			.symtab	0x19e78	328	FUNC	<unknown>	HIDDEN	2
__Gl__atoi			.symtab	0x1a5fc	12	FUNC	<unknown>	HIDDEN	2
__Gl__atol			.symtab	0x1a5fc	12	FUNC	<unknown>	HIDDEN	2
__Gl__bind			.symtab	0x19588	44	FUNC	<unknown>	HIDDEN	2
__Gl__brk			.symtab	0x1d168	60	FUNC	<unknown>	HIDDEN	2
__Gl__clock_getres			.symtab	0x1b2ec	44	FUNC	<unknown>	HIDDEN	2
__Gl__close			.symtab	0x178a4	44	FUNC	<unknown>	HIDDEN	2
__Gl__closedir			.symtab	0x17bcc	180	FUNC	<unknown>	HIDDEN	2
__Gl__connect			.symtab	0x195b4	44	FUNC	<unknown>	HIDDEN	2
__Gl__errno			.symtab	0x2e224	4	OBJECT	<unknown>	HIDDEN	10
__Gl__execl			.symtab	0x1a83c	148	FUNC	<unknown>	HIDDEN	2
__Gl__execve			.symtab	0x1b318	44	FUNC	<unknown>	HIDDEN	2
__Gl__exit			.symtab	0x1a7a8	148	FUNC	<unknown>	HIDDEN	2
__Gl__fcntl			.symtab	0x177e0	116	FUNC	<unknown>	HIDDEN	2
__Gl__fcntl64			.symtab	0x17854	80	FUNC	<unknown>	HIDDEN	2
__Gl__fork			.symtab	0x178d0	44	FUNC	<unknown>	HIDDEN	2
__Gl__fputs_unlocked			.symtab	0x18f48	52	FUNC	<unknown>	HIDDEN	2
__Gl__fseek			.symtab	0x1d1c0	12	FUNC	<unknown>	HIDDEN	2
__Gl__fseeko64			.symtab	0x1d1cc	304	FUNC	<unknown>	HIDDEN	2
__Gl__fstat			.symtab	0x1b344	80	FUNC	<unknown>	HIDDEN	2
__Gl__fwrite_unlocked			.symtab	0x18f7c	172	FUNC	<unknown>	HIDDEN	2
__Gl__getdtablesize			.symtab	0x178fc	40	FUNC	<unknown>	HIDDEN	2
__Gl__getegid			.symtab	0x1b58c	44	FUNC	<unknown>	HIDDEN	2
__Gl__geteuid			.symtab	0x1b5b8	44	FUNC	<unknown>	HIDDEN	2
__Gl__getgid			.symtab	0x1b5e4	44	FUNC	<unknown>	HIDDEN	2
__Gl__getpagesize			.symtab	0x1b610	24	FUNC	<unknown>	HIDDEN	2
__Gl__getpid			.symtab	0x17924	44	FUNC	<unknown>	HIDDEN	2
__Gl__getrlimit			.symtab	0x1797c	44	FUNC	<unknown>	HIDDEN	2
__Gl__getsockname			.symtab	0x195e0	44	FUNC	<unknown>	HIDDEN	2
__Gl__getuid			.symtab	0x179a8	44	FUNC	<unknown>	HIDDEN	2
__Gl__h_errno			.symtab	0x2e228	4	OBJECT	<unknown>	HIDDEN	10
__Gl__inet_addr			.symtab	0x19564	36	FUNC	<unknown>	HIDDEN	2
__Gl__inet_aton			.symtab	0x1d040	236	FUNC	<unknown>	HIDDEN	2
__Gl__inet_ntoa			.symtab	0x19558	12	FUNC	<unknown>	HIDDEN	2
__Gl__inet_ntoa_r			.symtab	0x194d8	128	FUNC	<unknown>	HIDDEN	2
__Gl__initstate_r			.symtab	0x1a3fc	200	FUNC	<unknown>	HIDDEN	2
__Gl__ioctl			.symtab	0x179d4	80	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_isatty			.symtab	0x1944c	32	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0x17a24	44	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x1b628	100	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x1ce40	252	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x19030	4	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0x19040	4	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x1cf3c	24	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x1cf54	236	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0x19050	156	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x1b68c	44	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x17a50	92	FUNC	<unknown>	HIDDEN	2
__GI_opendir			.symtab	0x17c80	252	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x1d12c	24	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0x19fc4	124	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x1a2a0	144	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x17aec	44	FUNC	<unknown>	HIDDEN	2
__GI_readdir			.symtab	0x17d7c	208	FUNC	<unknown>	HIDDEN	2
__GI_readlink			.symtab	0x17b18	44	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0x1963c	44	FUNC	<unknown>	HIDDEN	2
__GI_recvfrom			.symtab	0x19668	52	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x1b6b8	88	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0x17b44	48	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0x1969c	44	FUNC	<unknown>	HIDDEN	2
__GI_sendto			.symtab	0x196c8	52	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0x196fc	48	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0x1a1e0	192	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0x1b17c	228	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0x19758	184	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0x1b710	84	FUNC	<unknown>	HIDDEN	2
__GI_sleep			.symtab	0x1a8d0	420	FUNC	<unknown>	HIDDEN	2
__GI_snprintf			.symtab	0x17e8c	48	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0x1972c	44	FUNC	<unknown>	HIDDEN	2
__GI_sprintf			.symtab	0x17ebc	52	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0x1a330	204	FUNC	<unknown>	HIDDEN	2
__GI_strcat			.symtab	0x19150	40	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0x190f0	96	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0x19178	224	FUNC	<unknown>	HIDDEN	2
__GI_strstr			.symtab	0x19258	248	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0x1a608	8	FUNC	<unknown>	HIDDEN	2
__GI_sysconf			.symtab	0x1aa74	944	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0x1946c	108	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0x17b74	44	FUNC	<unknown>	HIDDEN	2
__GI_times			.symtab	0x1b764	44	FUNC	<unknown>	HIDDEN	2
__GI_vfork			.symtab	0x1b260	40	FUNC	<unknown>	HIDDEN	2
__GI_vsnprintf			.symtab	0x17ef0	176	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0x1b790	44	FUNC	<unknown>	HIDDEN	2
__GI_wctomb			.symtab	0x1bb98	80	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x1bc08	188	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0x1bbe8	32	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x17ba0	44	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x2b014	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x2b014	0	OBJECT	<unknown>	DEFAULT	8
__adddf3			.symtab	0x1d544	736	FUNC	<unknown>	DEFAULT	2
__aeabi_cdcmpeq			.symtab	0x1df14	20	FUNC	<unknown>	DEFAULT	2
__aeabi_cdcmpne			.symtab	0x1df14	20	FUNC	<unknown>	DEFAULT	2
__aeabi_cdrcmpne			.symtab	0x1def8	48	FUNC	<unknown>	DEFAULT	2
__aeabi_d2uiz			.symtab	0x1df8c	84	FUNC	<unknown>	DEFAULT	2
__aeabi_dadd			.symtab	0x1d544	736	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__aeabi_dcmpeq			.symtab	0x1df28	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmpgqe			.symtab	0x1df64	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmpggt			.symtab	0x1df78	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmple			.symtab	0x1df50	20	FUNC	<unknown>	DEFAULT	2
__aeabi_dcmplt			.symtab	0x1df3c	20	FUNC	<unknown>	DEFAULT	2
__aeabi_ddiv			.symtab	0x1dc60	516	FUNC	<unknown>	DEFAULT	2
__aeabi_dmul			.symtab	0x1d938	808	FUNC	<unknown>	DEFAULT	2
__aeabi_drsb			.symtab	0x1d538	0	FUNC	<unknown>	DEFAULT	2
__aeabi_dsub			.symtab	0x1d540	740	FUNC	<unknown>	DEFAULT	2
__aeabi_f2d			.symtab	0x1d878	64	FUNC	<unknown>	DEFAULT	2
__aeabi_i2d			.symtab	0x1d84c	44	FUNC	<unknown>	DEFAULT	2
__aeabi_idiv			.symtab	0x1d3f8	0	FUNC	<unknown>	DEFAULT	2
__aeabi_idiv0			.symtab	0x177dc	4	FUNC	<unknown>	DEFAULT	2
__aeabi_idivmod			.symtab	0x1d520	24	FUNC	<unknown>	DEFAULT	2
__aeabi_l2d			.symtab	0x1d8cc	108	FUNC	<unknown>	DEFAULT	2
__aeabi_ldiv0			.symtab	0x177dc	4	FUNC	<unknown>	DEFAULT	2
__aeabi_ui2d			.symtab	0x1d824	40	FUNC	<unknown>	DEFAULT	2
__aeabi_uidiv			.symtab	0x1751c	0	FUNC	<unknown>	DEFAULT	2
__aeabi_uidivmod			.symtab	0x17614	24	FUNC	<unknown>	DEFAULT	2
__aeabi_ul2d			.symtab	0x1d8b8	128	FUNC	<unknown>	DEFAULT	2
__app_fini			.symtab	0x2e218	4	OBJECT	<unknown>	HIDDEN	10
__atexit_lock			.symtab	0x2b8fc	24	OBJECT	<unknown>	DEFAULT	9
__bsd_signal			.symtab	0x19758	184	FUNC	<unknown>	HIDDEN	2
__bss_end__			.symtab	0x2e308	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x2b920	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x2b920	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x1ae9c	56	FUNC	<unknown>	DEFAULT	2
__cmpdf2			.symtab	0x1de74	132	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x2b91c	4	OBJECT	<unknown>	DEFAULT	9
__curbrk			.symtab	0x2e22c	4	OBJECT	<unknown>	HIDDEN	10
__data_start			.symtab	0x2b018	0	NOTYPE	<unknown>	DEFAULT	9
__default_rt_sa_restorer			.symtab	0x1b294	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0x1b290	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__div0			.symtab	0x177dc	4	FUNC	<unknown>	DEFAULT	2
__divdf3			.symtab	0x1dc60	516	FUNC	<unknown>	DEFAULT	2
__divsi3			.symtab	0x1d3f8	296	FUNC	<unknown>	DEFAULT	2
__do_global_ctors_aux			.symtab	0x1dfe0	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x80b0	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x2b01c	0	OBJECT	<unknown>	HIDDEN	9
__end__			.symtab	0x2e308	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x2e210	4	OBJECT	<unknown>	DEFAULT	10
__eqdf2			.symtab	0x1de74	132	FUNC	<unknown>	DEFAULT	2
__errno_location			.symtab	0x17e4c	12	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__error			.symtab	0x1b284	0	NOTYPE	<unknown>	DEFAULT	2
__exit_cleanup			.symtab	0x2e208	4	OBJECT	<unknown>	HIDDEN	10
__extendsfdf2			.symtab	0x1d878	64	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x2b004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x2b004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fixunsdfsi			.symtab	0x1df8c	84	FUNC	<unknown>	DEFAULT	2
__floatdidf			.symtab	0x1d8cc	108	FUNC	<unknown>	DEFAULT	2
__floatsidf			.symtab	0x1d84c	44	FUNC	<unknown>	DEFAULT	2
__floatundidf			.symtab	0x1d8b8	128	FUNC	<unknown>	DEFAULT	2
__floatunsidf			.symtab	0x1d824	40	FUNC	<unknown>	DEFAULT	2
__gedf2			.symtab	0x1de64	148	FUNC	<unknown>	DEFAULT	2
__getdents			.symtab	0x1b394	148	FUNC	<unknown>	HIDDEN	2
__getdents64			.symtab	0x1b428	356	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__getpagesize			.symtab	0x1b610	24	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x19350	20	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gtdf2			.symtab	0x1de64	148	FUNC	<unknown>	DEFAULT	2
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__heap_alloc			.symtab	0x19c30	148	FUNC	<unknown>	DEFAULT	2
__heap_alloc_at			.symtab	0x19cc4	140	FUNC	<unknown>	DEFAULT	2
__heap_free			.symtab	0x19d84	244	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area			.symtab	0x19d50	32	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area_after			.symtab	0x19d70	20	FUNC	<unknown>	DEFAULT	2
__init_array_end			.symtab	0x2b004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x2b004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__ledf2			.symtab	0x1de6c	140	FUNC	<unknown>	DEFAULT	2
__libc_close			.symtab	0x178a4	44	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x195b4	44	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x17aac	16	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x177e0	116	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x17854	80	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x178d0	44	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x17924	44	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x1b628	100	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x1b68c	44	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x17a50	92	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x17aec	44	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x1963c	44	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0x19668	52	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x17b44	48	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x1969c	44	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x196c8	52	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x1b17c	228	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x2e20c	4	OBJECT	<unknown>	DEFAULT	10
__libc_system			.symtab	0x1a4c4	312	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x17ba0	44	FUNC	<unknown>	DEFAULT	2
__ltdf2			.symtab	0x1de6c	140	FUNC	<unknown>	DEFAULT	2
__malloc_heap			.symtab	0x2b728	4	OBJECT	<unknown>	DEFAULT	9
__malloc_heap_lock			.symtab	0x2e1ec	24	OBJECT	<unknown>	DEFAULT	10
__malloc_sbrk_lock			.symtab	0x2e2e8	24	OBJECT	<unknown>	DEFAULT	10
__modsi3			.symtab	0x176f8	228	FUNC	<unknown>	DEFAULT	2
__muldf3			.symtab	0x1d938	808	FUNC	<unknown>	DEFAULT	2
__nedf2			.symtab	0x1de74	132	FUNC	<unknown>	DEFAULT	2
__pagesize			.symtab	0x2e214	4	OBJECT	<unknown>	DEFAULT	10
__preinit_array_end			.symtab	0x2b004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x2b004	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__pthread_mutex_init			.symtab	0x1ae90	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x1ae90	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x1ae90	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x1ae90	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x1ae90	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x1ae98	4	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x1d12c	24	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__rtd_fini			.symtab	0x2e21c	4	OBJECT	<unknown>	HIDDEN	10
__sigaddset			.symtab	0x19834	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x19858	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x19810	36	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__stdin			.symtab	0x2b5f8	4	OBJECT	<unknown>	DEFAULT	9
__stdio_WRITE			.symtab	0x1bcc4	188	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x1d2fc	204	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x1bd80	312	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x18010	16	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.3929			.symtab	0x2203c	24	OBJECT	<unknown>	DEFAULT	4
__stdio_seek			.symtab	0x1d3c8	48	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x1beb8	260	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x180d8	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x2b5fc	4	OBJECT	<unknown>	DEFAULT	9
__subdf3			.symtab	0x1d540	740	FUNC	<unknown>	DEFAULT	2
__syscall_error			.symtab	0x1d1a4	28	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x1b298	44	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_fini			.symtab	0x1ae24	108	FUNC	<unknown>	DEFAULT	2
_uClibc_init			.symtab	0x1aed4	92	FUNC	<unknown>	DEFAULT	2
_uClibc_main			.symtab	0x1af30	588	FUNC	<unknown>	DEFAULT	2
_uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_progname			.symtab	0x2b914	4	OBJECT	<unknown>	HIDDEN	9
_udivsi3			.symtab	0x1751c	248	FUNC	<unknown>	DEFAULT	2
_umodsi3			.symtab	0x1762c	204	FUNC	<unknown>	DEFAULT	2
_vfork			.symtab	0x1b260	40	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0x19364	232	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_xstat64_conv			.symtab	0x1b7bc	784	FUNC	<unknown>	HIDDEN	2
_xstat_conv			.symtab	0x1bacc	204	FUNC	<unknown>	HIDDEN	2
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_bss_end__			.symtab	0x2e308	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0x18108	76	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x1d144	36	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x2e300	4	OBJECT	<unknown>	DEFAULT	10
_dl_phnum			.symtab	0x2e304	4	OBJECT	<unknown>	DEFAULT	10
_edata			.symtab	0x2b920	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x2e308	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x2e224	4	OBJECT	<unknown>	DEFAULT	10
_exit			.symtab	0x1b2c4	40	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x1e01c	4	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x2c1dc	8192	OBJECT	<unknown>	DEFAULT	10
_fp_out_narrow			.symtab	0x18154	132	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x1c1b0	2036	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x2e228	4	OBJECT	<unknown>	DEFAULT	10
_init			.symtab	0x8094	4	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x1bfbc	112	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_memcpy			.symtab	0x1c9b0	0	FUNC	<unknown>	HIDDEN	2
_ppfs_init			.symtab	0x187cc	152	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x18a84	1220	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x18864	56	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_ppfs_setargs			.symtab	0x1889c	412	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x18a38	76	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x1ae98	4	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x1ae98	4	FUNC	<unknown>	DEFAULT	2
_sigintr			.symtab	0x2e268	128	OBJECT	<unknown>	HIDDEN	10
_start			.symtab	0x8190	0	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_init			.symtab	0x17fa0	112	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x2b600	4	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_add_lock			.symtab	0x2b604	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_del_count			.symtab	0x2c1d8	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_del_lock			.symtab	0x2b61c	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_use_count			.symtab	0x2c1d4	4	OBJECT	<unknown>	DEFAULT	10
_stdio_streams			.symtab	0x2b638	240	OBJECT	<unknown>	DEFAULT	9
_stdio_term			.symtab	0x18020	184	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x2b634	4	OBJECT	<unknown>	DEFAULT	9
_stdlib_strto_l			.symtab	0x1a610	408	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x1c02c	52	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x22104	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x1c060	336	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x181d8	1524	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x19e78	328	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
arm_bins			.symtab	0x2b4b0	60	OBJECT	<unknown>	DEFAULT	9
atoi			.symtab	0x1a5fc	12	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x1a5fc	12	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x2e204	4	OBJECT	<unknown>	DEFAULT	10
been_there_done_that.2789			.symtab	0x2e220	4	OBJECT	<unknown>	DEFAULT	10
bind			.symtab	0x19588	44	FUNC	<unknown>	DEFAULT	2
bind.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x1d168	60	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x19758	184	FUNC	<unknown>	DEFAULT	2
buf.2613			.symtab	0x2e1dc	16	OBJECT	<unknown>	DEFAULT	10
c			.symtab	0x2c1d0	4	OBJECT	<unknown>	DEFAULT	10
call__do_global_ctors_aux			.symtab	0x1e014	0	FUNC	<unknown>	DEFAULT	2
call__do_global_dtors_aux			.symtab	0x8128	0	FUNC	<unknown>	DEFAULT	2
call_frame_dummy			.symtab	0x8188	0	FUNC	<unknown>	DEFAULT	2
calloc			.symtab	0x199d0	88	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
check_maps_for_match			.symtab	0xc868	776	FUNC	<unknown>	DEFAULT	2
check_sum.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
check_sum_generic			.symtab	0x81cc	92	FUNC	<unknown>	DEFAULT	2
check_sum_tcp_udp			.symtab	0x8228	176	FUNC	<unknown>	DEFAULT	2
check_timeout			.symtab	0x155e8	288	FUNC	<unknown>	DEFAULT	2
cipher_box			.symtab	0x10788	496	FUNC	<unknown>	DEFAULT	2
cipher_shuffle			.symtab	0x10628	352	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0x17e58	52	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
clock_getres			.symtab	0x1b2ec	44	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x178a4	44	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
closedir			.symtab	0x17bcc	180	FUNC	<unknown>	DEFAULT	2
closedir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
command.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
command_flood			.symtab	0x831c	304	FUNC	<unknown>	DEFAULT	2
command_list			.symtab	0x2e234	48	OBJECT	<unknown>	DEFAULT	10
command_parse			.symtab	0x844c	348	FUNC	<unknown>	DEFAULT	2
commands.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
compare_telnet_prompts			.symtab	0x13730	464	FUNC	<unknown>	DEFAULT	2
completed.2555			.symtab	0x2b920	1	OBJECT	<unknown>	DEFAULT	10
conn_table			.symtab	0x2e264	4	OBJECT	<unknown>	DEFAULT	10
connect			.symtab	0x195b4	44	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connected			.symtab	0x2b960	1	OBJECT	<unknown>	DEFAULT	10
creat			.symtab	0x17aac	16	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
current			.symtab	0x2b948	4	OBJECT	<unknown>	DEFAULT	10
current			.symtab	0x2c1c8	4	OBJECT	<unknown>	DEFAULT	10
current			.symtab	0x2b940	4	OBJECT	<unknown>	DEFAULT	10
datum			.symtab	0x2b160	848	OBJECT	<unknown>	DEFAULT	9
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encrypt_t			.symtab	0x10ac0	368	FUNC	<unknown>	DEFAULT	2
entry.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x2e210	4	OBJECT	<unknown>	DEFAULT	10
errno			.symtab	0x2e224	4	OBJECT	<unknown>	DEFAULT	10
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
establish_connection			.symtab	0x1058c	156	FUNC	<unknown>	DEFAULT	2
execl			.symtab	0x1a83c	148	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x1b318	44	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x1a7a8	148	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x22fb8	72	OBJECT	<unknown>	DEFAULT	4
fail_or_success_prompts			.symtab	0x2b0b4	36	OBJECT	<unknown>	DEFAULT	9
fail_or_success_size			.symtab	0x2b984	4	OBJECT	<unknown>	DEFAULT	10
failed_prompts			.symtab	0x2b08c	32	OBJECT	<unknown>	DEFAULT	9
failed_prompts_size			.symtab	0x2b97c	4	OBJECT	<unknown>	DEFAULT	10
fake_time			.symtab	0x2c1bc	4	OBJECT	<unknown>	DEFAULT	10
fcntl			.symtab	0x177e0	116	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x17854	80	FUNC	<unknown>	DEFAULT	2
fd			.symtab	0x2b024	4	OBJECT	<unknown>	DEFAULT	9
find_watchdog_driver			.symtab	0x1739c	364	FUNC	<unknown>	DEFAULT	2
flood_tcp_ack			.symtab	0x8e78	1888	FUNC	<unknown>	DEFAULT	2
flood_tcp_gack			.symtab	0xabfc	1892	FUNC	<unknown>	DEFAULT	2
flood_tcp_gsyn			.symtab	0x9d38	1892	FUNC	<unknown>	DEFAULT	2
flood_tcp_sack			.symtab	0x95d8	1888	FUNC	<unknown>	DEFAULT	2
flood_tcp_socket			.symtab	0x8930	268	FUNC	<unknown>	DEFAULT	2
flood_tcp_stomp			.symtab	0xa49c	1888	FUNC	<unknown>	DEFAULT	2
flood_tcp_syn			.symtab	0xb360	1888	FUNC	<unknown>	DEFAULT	2
flood_udp_bypass			.symtab	0x8740	496	FUNC	<unknown>	DEFAULT	2
flood_udp_classic			.symtab	0x8c58	544	FUNC	<unknown>	DEFAULT	2
flood_udp_plain			.symtab	0x8a3c	540	FUNC	<unknown>	DEFAULT	2
fmt			.symtab	0x22fa4	20	OBJECT	<unknown>	DEFAULT	4

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
force_to_data			.symtab	0x2b018	0	OBJECT	<unknown>	DEFAULT	9
fork			.symtab	0x178d0	44	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x18f48	52	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8130	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x19a28	240	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x1d1c0	12	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x1d1c0	12	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x1d1cc	304	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fstat			.symtab	0x1b344	80	FUNC	<unknown>	DEFAULT	2
fstat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x18f7c	172	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
get_random_ip			.symtab	0x12bbc	324	FUNC	<unknown>	DEFAULT	2
getdents.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdents64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getdtablesize			.symtab	0x178fc	40	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x1b58c	44	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x1b5b8	44	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x1b5e4	44	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x1b610	24	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x17924	44	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0x17950	44	FUNC	<unknown>	DEFAULT	2
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x1797c	44	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x195e0	44	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x1960c	48	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x179a8	44	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h_errno			.symtab	0x2e228	4	OBJECT	<unknown>	DEFAULT	10
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_alloc_at.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
hide_maps_proc			.symtab	0xf874	336	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x19564	36	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x1d040	236	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa			.symtab	0x19558	12	FUNC	<unknown>	DEFAULT	2
inet_ntoa.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntoa_r			.symtab	0x194d8	128	FUNC	<unknown>	DEFAULT	2
init_cipher_state			.symtab	0x10978	328	FUNC	<unknown>	DEFAULT	2
init_commands			.symtab	0x866c	212	FUNC	<unknown>	DEFAULT	2
init_entrys			.symtab	0xbcbc	2968	FUNC	<unknown>	DEFAULT	2
init_logins			.symtab	0x12ebc	440	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
init_prompts			.symtab	0x13130	844	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x10258	92	FUNC	<unknown>	DEFAULT	2
init_scan			.symtab	0x10c30	8056	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x2b72c	260	OBJECT	<unknown>	DEFAULT	9
initstate			.symtab	0x1a0cc	152	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x1a3fc	200	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x179d4	80	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x1944c	32	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x17a24	44	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill_bad_processes			.symtab	0xcb70	11524	FUNC	<unknown>	DEFAULT	2
kill_killer			.symtab	0xc854	20	FUNC	<unknown>	DEFAULT	2
kill_scanners			.symtab	0x12ba8	20	FUNC	<unknown>	DEFAULT	2
kill_watchdog_maintainer			.symtab	0x17508	20	FUNC	<unknown>	DEFAULT	2
killer.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer_pid			.symtab	0x2b958	4	OBJECT	<unknown>	DEFAULT	10
libc/string/arm/_memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memmove.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/arm/strlen.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/sigrestorer.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/arm/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
load_login			.symtab	0x12d00	444	FUNC	<unknown>	DEFAULT	2
load_prompt			.symtab	0x13074	188	FUNC	<unknown>	DEFAULT	2
lock_entry			.symtab	0xbb9c	220	FUNC	<unknown>	DEFAULT	2
login_prompts			.symtab	0x2b050	60	OBJECT	<unknown>	DEFAULT	9
login_prompts_size			.symtab	0x2b978	4	OBJECT	<unknown>	DEFAULT	10
lseek64			.symtab	0x1b628	100	FUNC	<unknown>	DEFAULT	2
main			.symtab	0xf9c4	2108	FUNC	<unknown>	DEFAULT	2
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
main_pid1			.symtab	0x2b94c	4	OBJECT	<unknown>	DEFAULT	10
main_pid2			.symtab	0x2b950	4	OBJECT	<unknown>	DEFAULT	10
malloc			.symtab	0x1987c	340	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
max_credentials			.symtab	0x2c1c0	2	OBJECT	<unknown>	DEFAULT	10
max_weight			.symtab	0x2c1b8	2	OBJECT	<unknown>	DEFAULT	10
memchr			.symtab	0x1ce40	252	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x19030	4	FUNC	<unknown>	DEFAULT	2
memmove			.symtab	0x19040	4	FUNC	<unknown>	DEFAULT	2
mempcpy			.symtab	0x1cf3c	24	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x1cf54	236	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x19050	156	FUNC	<unknown>	DEFAULT	2
multiple_read_until			.symtab	0x139e0	492	FUNC	<unknown>	DEFAULT	2
mylock			.symtab	0x2b830	24	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x2b848	24	OBJECT	<unknown>	DEFAULT	9
nanosleep			.symtab	0x1b68c	44	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
object.2636			.symtab	0x2b924	24	OBJECT	<unknown>	DEFAULT	10
open			.symtab	0x17a50	92	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opendir			.symtab	0x17c80	252	FUNC	<unknown>	DEFAULT	2
opendir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
p.2553			.symtab	0x2b020	0	OBJECT	<unknown>	DEFAULT	9
password_size			.symtab	0x2b988	4	OBJECT	<unknown>	DEFAULT	10
passwords			.symtab	0x2b114	28	OBJECT	<unknown>	DEFAULT	9
prctl			.symtab	0x17abc	48	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4141			.symtab	0x2205c	12	OBJECT	<unknown>	DEFAULT	4
process_retrieve_lines			.symtab	0x1347c	460	FUNC	<unknown>	DEFAULT	2
psk			.symtab	0x2b130	4	OBJECT	<unknown>	DEFAULT	9
qual_chars.4147			.symtab	0x22070	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x1d12c	24	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x19fc0	4	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand_new			.symtab	0x10200	88	FUNC	<unknown>	DEFAULT	2
rand_string			.symtab	0x102b4	152	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x19fc4	124	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x22c60	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x1a2a0	144	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x2b87c	128	OBJECT	<unknown>	DEFAULT	9
read			.symtab	0x17aec	44	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readdir			.symtab	0x17d7c	208	FUNC	<unknown>	DEFAULT	2
readdir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
readlink			.symtab	0x17b18	44	FUNC	<unknown>	DEFAULT	2
readlink.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0x19b18	280	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x1963c	44	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvfrom			.symtab	0x19668	52	FUNC	<unknown>	DEFAULT	2
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
report_working			.symtab	0x103ac	480	FUNC	<unknown>	DEFAULT	2
retr_bins			.symtab	0x2b52c	192	OBJECT	<unknown>	DEFAULT	9
retr_binzz			.symtab	0x2b138	40	OBJECT	<unknown>	DEFAULT	9
retrbin_c0unt			.symtab	0x2b134	4	OBJECT	<unknown>	DEFAULT	9
retrbin_count			.symtab	0x2b528	1	OBJECT	<unknown>	DEFAULT	9
retrieve_entry			.symtab	0xbc78	68	FUNC	<unknown>	DEFAULT	2
retrieve_opt_ipv4			.symtab	0x85a8	92	FUNC	<unknown>	DEFAULT	2
retrieve_opt_num			.symtab	0x8604	104	FUNC	<unknown>	DEFAULT	2
retrieve_opt_str			.symtab	0x82d8	68	FUNC	<unknown>	DEFAULT	2
rsck			.symtab	0x2c18c	4	OBJECT	<unknown>	DEFAULT	10
s			.symtab	0x2c1cc	4	OBJECT	<unknown>	DEFAULT	10
sbrk			.symtab	0x1b6b8	88	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scan.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scan_pid			.symtab	0x2b974	4	OBJECT	<unknown>	DEFAULT	10
scanner_raw_buf			.symtab	0x2c190	40	OBJECT	<unknown>	DEFAULT	10
select			.symtab	0x17b44	48	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
send			.symtab	0x1969c	44	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send_str			.symtab	0x1034c	96	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x196c8	52	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
set			.symtab	0x2b028	37	OBJECT	<unknown>	DEFAULT	9
setsockopt			.symtab	0x196fc	48	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x1a040	140	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x1a1e0	192	FUNC	<unknown>	DEFAULT	2
setup_connection			.symtab	0x13900	224	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x1b17c	228	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
signal			.symtab	0x19758	184	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x1b710	84	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
single_read_until			.symtab	0x13648	232	FUNC	<unknown>	DEFAULT	2
sleep			.symtab	0x1a8d0	420	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
snprintf			.symtab	0x17e8c	48	FUNC	<unknown>	DEFAULT	2
snprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x1972c	44	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
spec_and_mask.4146			.symtab	0x22084	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4140			.symtab	0x22068	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4143			.symtab	0x220b0	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4142			.symtab	0x220c8	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4145			.symtab	0x22094	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4144			.symtab	0x220a4	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x17ebc	52	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x1a164	124	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x1a164	124	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x1a330	204	FUNC	<unknown>	DEFAULT	2
start			.symtab	0x2b944	4	OBJECT	<unknown>	DEFAULT	10
start			.symtab	0x2c1c4	4	OBJECT	<unknown>	DEFAULT	10
start			.symtab	0x2b93c	4	OBJECT	<unknown>	DEFAULT	10
state			.symtab	0x2b98c	2048	OBJECT	<unknown>	DEFAULT	10
stderr			.symtab	0x2b5f4	4	OBJECT	<unknown>	DEFAULT	9
stdin			.symtab	0x2b5ec	4	OBJECT	<unknown>	DEFAULT	9
stdout			.symtab	0x2b5f0	4	OBJECT	<unknown>	DEFAULT	9
strcat			.symtab	0x19150	40	FUNC	<unknown>	DEFAULT	2
strcat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x19364	232	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x190f0	96	FUNC	<unknown>	DEFAULT	2

Network Behavior

 No network behavior found

System Behavior

Analysis Process: Z8xEavXrld PID: 6231, Parent PID: 6128	
General	
Start time:	05:14:18
Start date:	06/08/2022
Path:	/tmp/Z8xEavXrld
Arguments:	/tmp/Z8xEavXrld
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

File Activities	
File Read	

Analysis Process: Z8xEavXrld PID: 6233, Parent PID: 6231	
General	
Start time:	05:14:18
Start date:	06/08/2022
Path:	/tmp/Z8xEavXrld
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: Z8xEavXrld PID: 6235, Parent PID: 6233	
General	
Start time:	05:14:18
Start date:	06/08/2022
Path:	/tmp/Z8xEavXrld
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: Z8xEavXrld PID: 6238, Parent PID: 6235	
General	
Start time:	05:14:18
Start date:	06/08/2022
Path:	/tmp/Z8xEavXrld
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: sh PID: 6238, Parent PID: 6235	
General	
Start time:	05:14:19
Start date:	06/08/2022
Path:	/bin/sh
Arguments:	sh -c "mkdir /rx05a34hf0/ && >/rx05a34hf0/rx05a34hf0 && cd /rx05a34hf0/ >/dev/null"
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

File Activities	
File Read	

Analysis Process: sh PID: 6241, Parent PID: 6238	
General	
Start time:	05:14:19

Start date:	06/08/2022
Path:	/bin/sh
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: mkdir PID: 6241, Parent PID: 6238

General

Start time:	05:14:19
Start date:	06/08/2022
Path:	/usr/bin/mkdir
Arguments:	mkdir /rx05a34hf0/
File size:	88408 bytes
MD5 hash:	088c9d1df5a28ed16c726eca15964cb7

File Activities

File Read

Directory Created

Analysis Process: Z8xEavXrld PID: 6242, Parent PID: 6235

General

Start time:	05:14:19
Start date:	06/08/2022
Path:	/tmp/Z8xEavXrld
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: sh PID: 6242, Parent PID: 6235

General

Start time:	05:14:19
Start date:	06/08/2022
Path:	/bin/sh
Arguments:	sh -c "mv /tmp/Z8xEavXrld /rx05a34hf0/rx05a34hf0 && chmod 777 /rx05a34hf0/rx05a34hf0 >/dev/null"
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

File Activities

File Read

Analysis Process: sh PID: 6244, Parent PID: 6242

General

Start time:	05:14:19
Start date:	06/08/2022
Path:	/bin/sh
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: mv PID: 6244, Parent PID: 6242

General

Start time:	05:14:19
Start date:	06/08/2022
Path:	/usr/bin/mv
Arguments:	mv /tmp/Z8xEavXrld /rx05a34hf0/rx05a34hf0

File size:	149888 bytes
MD5 hash:	504f0590fa482d4da070a702260e3716

File Activities	—
File Read	▼
File Moved	▼

Analysis Process: sh PID: 6245, Parent PID: 6242		—
General		—
Start time:	05:14:19	
Start date:	06/08/2022	
Path:	/bin/sh	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	

Analysis Process: chmod PID: 6245, Parent PID: 6242		—
General		—
Start time:	05:14:19	
Start date:	06/08/2022	
Path:	/usr/bin/chmod	
Arguments:	chmod 777 /rx05a34hf0/rx05a34hf0	
File size:	63864 bytes	
MD5 hash:	739483b900c045ae1374d6f53a86a279	

File Activities	—
File Read	▼
Permission Modified	▼

Analysis Process: Z8xEavXrld PID: 6246, Parent PID: 6235		—
General		—
Start time:	05:14:19	
Start date:	06/08/2022	
Path:	/tmp/Z8xEavXrld	
Arguments:	n/a	
File size:	4956856 bytes	
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1	

File Activities	—
File Read	▼
Directory Enumerated	▼

Analysis Process: Z8xEavXrld PID: 6247, Parent PID: 6235		—
General		—
Start time:	05:14:19	
Start date:	06/08/2022	
Path:	/tmp/Z8xEavXrld	
Arguments:	n/a	
File size:	4956856 bytes	
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1	

File Activities	—
Directory Enumerated	▼

Analysis Process: Z8xEavXrld PID: 6250, Parent PID: 6235		—
---	--	---

General	
Start time:	05:14:19
Start date:	06/08/2022
Path:	/tmp/Z8xEavXrld
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: Z8xEavXrld PID: 6252, Parent PID: 6235	
General	
Start time:	05:14:19
Start date:	06/08/2022
Path:	/tmp/Z8xEavXrld
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1