

JOeSandbox Cloud BASIC



ID: 680601

Sample Name: W9BzYpUe5X

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 21:39:29

Date: 08/08/2022

Version: 35.0.0 Citrine

Table of Contents

Table of Contents	2
Linux Analysis Report W9BzYpUe5X	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Initial Sample	4
Memory Dumps	4
Snort Signatures	6
Joe Sandbox Signatures	6
AV Detection	6
Spreading	6
System Summary	6
Stealing of Sensitive Information	6
Remote Access Functionality	6
Mitre Att&ck Matrix	6
Malware Configuration	7
Behavior Graph	7
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	7
Domains	8
URLs	8
Domains and IPs	8
Contacted Domains	8
World Map of Contacted IPs	8
Public IPs	8
Joe Sandbox View / Context	8
IPs	8
Domains	9
ASNs	9
JA3 Fingerprints	9
Dropped Files	9
Created / dropped Files	9
/tmp/qemu-open.Tylk59 (deleted)	9
Static File Info	9
General	9
Static ELF Info	9
ELF header	9
Sections	10
Program Segments	10
Symbols	10
Network Behavior	24
Network Port Distribution	24
TCP Packets	24
System Behavior	24
Analysis Process: W9BzYpUe5X PID: 6228, Parent PID: 6127	24
General	24
File Activities	24
File Deleted	24
File Read	24
File Written	24
Analysis Process: W9BzYpUe5X PID: 6230, Parent PID: 6228	24
General	24
Analysis Process: W9BzYpUe5X PID: 6231, Parent PID: 6228	25
General	25
Analysis Process: W9BzYpUe5X PID: 6234, Parent PID: 6231	25
General	25

Linux Analysis Report

W9BzYpUe5X

Overview

General Information

Sample Name:	W9BzYpUe5X
Analysis ID:	680601
MD5:	3104c4d8cc3582..
SHA1:	335c7a4bc0d3d4..
SHA256:	a91de25239447a..
Tags:	32elfgafgytsparc
Infos:	Yara

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Mirai

Score:	80
Range:	0 - 100
Whitelisted:	false

Signatures

Malicious sample detected (through...

Antivirus / Scanner detection for sub...

Yara detected Mirai

Multi AV Scanner detection for subm...

Contains symbols with names comm...

Opens /proc/net/* files useful for fin...

Yara signature match

Sample contains strings that are us...

Uses the "uname" system call to qu...

Tries to connect to HTTP servers, b...

Detected TCP or UDP traffic on non...

Classification

Analysis Advice

Static ELF header machine description suggests that the sample might not execute correctly on this machine.
All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.

General Information

Joe Sandbox Version:	35.0.0 Citrine
Analysis ID:	680601
Start date and time: 08/08/202221:39:29	2022-08-08 21:39:29 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 33s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	W9BzYpUe5X
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal80.spre.troj.lin@0/1@0/0

Runtime Messages

Command:	/tmp/W9BzYpUe5X
PID:	6228
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	gosh that chinese family at the other table sure ate alot
Standard Error:	

Process Tree

- system is Inxubuntu20
 - W9BzYpUe5X (PID: 6228, Parent: 6127, MD5: 7dc1c0e23cd5e102bb12e5c29403410e) Arguments: /tmp/W9BzYpUe5X
 - W9BzYpUe5X New Fork (PID: 6230, Parent: 6228)
 - W9BzYpUe5X New Fork (PID: 6231, Parent: 6228)
 - W9BzYpUe5X New Fork (PID: 6234, Parent: 6231)
 - cleanup

Yara Signatures

Initial Sample

Source	Rule	Description	Author	Strings
W9BzYpUe5X	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
W9BzYpUe5X	Linux_Trojan_Gafg yt_28a2fe0c	unknown	unknown	● 0x157d8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x157ec:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x15800:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x15814:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x15828:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x1583c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x15850:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x15864:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x15878:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x1588c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x158a0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x158b4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x158c8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x158dc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x158f0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x15904:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x15918:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x1592c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x15940:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x15954:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x15968:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F

Memory Dumps

Source	Rule	Description	Author	Strings
6231.1.00007fdff8011000.00007fdff802a000.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

Source	Rule	Description	Author	Strings
6228.1.00007fdff8011000.00007fdff802a000.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
Click to see the 4 entries				

Snort Signatures

No Snort rule has matched

Joe Sandbox Signatures

AV Detection



Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file

Spreading



Opens /proc/net/* files useful for finding connected devices and routers

System Summary



Malicious sample detected (through community Yara rule)

Contains symbols with names commonly found in malware

Stealing of Sensitive Information



Yara detected Mirai

Remote Access Functionality



Yara detected Mirai

Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	1 Remote System Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Non-Standard Port	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

No Antivirus matches

Domains

No Antivirus matches

URLs


No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
109.206.241.200	unknown	Germany		209929	AWMLTNL	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

/tmp/qemu-open.Tylk59 (deleted)

Static File Info

General

File type:	ELF 32-bit MSB executable, SPARC, version 1 (SYSV), statically linked, with debug_info, not stripped
Entropy (8bit):	6.070361683210354
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	W9BzYpUe5X
File size:	129856
MD5:	3104c4d8cc3582f1bf62e9dd0693cd54
SHA1:	335c7a4bc0d3d4215578d48ac0acbe7040add542
SHA256:	a91de25239447ad1c50a66b6fb137acf70fb09b6d253da17e9c3c8b0eab42eaf
SHA512:	b4ff84c0d3ba2885a45fc4261220bdcf77a868ee385dcd7d1dda3d9a39f503811132b44e0a6d5df1eb109a641cc2cf92fe76ff0ade995acbaf4b23a6d4a816d
SSDEEP:	3072:wsrp9xV+GZTZepNPhj+e3fSqP+L7ymm/QMurB1nKGNb:SMQplV+amm/QMurB1nKGNb
TLSH:	35C3C63B67170E23C0CA50B101E34332AE75DE9B34B952D7AAD07D686F36A843856BD9
File Content Preview:	.ELF.....4.....4. ...(.@.....dt.Q.....@..(....@.QW.....#....a ..`.....!..... ..@.....".....`.....\$@.....^

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, big endian
Version:	1 (current)
Machine:	Sparc
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x101a4
Flags:	0x0
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	3
Section Header Offset:	107016
Section Header Size:	40

ELF header	
Number of Section Headers:	24
Header String Table Index:	21

Sections										
Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x10094	0x94	0x1c	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x100b0	0xb0	0x14594	0x0	0x6	AX	0	0	4
.fini	PROGBITS	0x24644	0x14644	0x14	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x24658	0x14658	0x4680	0x0	0x2	A	0	0	8
.eh_frame	PROGBITS	0x28cd8	0x18cd8	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x38cdc	0x18cdc	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x38ce4	0x18ce4	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x38cec	0x18cec	0x4	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x38cf0	0x18cf0	0x42c	0x0	0x3	WA	0	0	8
.bss	NOBITS	0x39120	0x1911c	0x6468	0x0	0x3	WA	0	0	8
.comment	PROGBITS	0x0	0x1911c	0xb2e	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x19c4a	0x20	0x0	0x0		0	0	1
.debug_pubnames	PROGBITS	0x0	0x19c6a	0x1f	0x0	0x0		0	0	1
.debug_info	PROGBITS	0x0	0x19c89	0x16e	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x19df7	0xfb	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x19ef2	0x7c	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x19f70	0x28	0x0	0x0		0	0	4
.debug_str	PROGBITS	0x0	0x19f98	0x10b	0x1	0x30	MS	0	0	1
.debug_loc	PROGBITS	0x0	0x1a0a3	0x6e	0x0	0x0		0	0	1
.debug_ranges	PROGBITS	0x0	0x1a111	0x18	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x1a129	0xdc	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x1a5c8	0x30b0	0x10	0x0		23	287	4
.strtab	STRTAB	0x0	0x1d678	0x24c8	0x0	0x0		0	0	1

Program Segments											
Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x10000	0x10000	0x18cdc	0x18cdc	6.0822	0x5	R E	0x10000		.init .text .fini .rodata .eh_frame
LOAD	0x18cdc	0x38cdc	0x38cdc	0x440	0x68ac	3.0891	0x6	RW	0x10000		.ctors .dtors .jcr .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x4		

Symbols										
Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx	
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF	
			.symtab	0x10094	0	SECTION	<unknown>	DEFAULT	1	
			.symtab	0x100b0	0	SECTION	<unknown>	DEFAULT	2	
			.symtab	0x24644	0	SECTION	<unknown>	DEFAULT	3	
			.symtab	0x24658	0	SECTION	<unknown>	DEFAULT	4	
			.symtab	0x28cd8	0	SECTION	<unknown>	DEFAULT	5	
			.symtab	0x38cdc	0	SECTION	<unknown>	DEFAULT	6	
			.symtab	0x38ce4	0	SECTION	<unknown>	DEFAULT	7	
			.symtab	0x38cec	0	SECTION	<unknown>	DEFAULT	8	
			.symtab	0x38cf0	0	SECTION	<unknown>	DEFAULT	9	
			.symtab	0x39120	0	SECTION	<unknown>	DEFAULT	10	
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	11	
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12	
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13	
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14	

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	21
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	22
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	23
.rem			.symtab	0x1a6c0	44	FUNC	<unknown>	DEFAULT	2
.udiv			.symtab	0x1a6a0	20	FUNC	<unknown>	DEFAULT	2
.umul			.symtab	0x1a6b4	12	FUNC	<unknown>	DEFAULT	2
.urem			.symtab	0x1a680	32	FUNC	<unknown>	DEFAULT	2
C.151.5681			.symtab	0x26af0	40	OBJECT	<unknown>	DEFAULT	4
KHcommSOCK			.symtab	0x39140	4	OBJECT	<unknown>	DEFAULT	10
KHserverHACKER			.symtab	0x38da0	4	OBJECT	<unknown>	DEFAULT	9
LOCAL_ADDR			.symtab	0x3f3c8	4	OBJECT	<unknown>	DEFAULT	10
Q			.symtab	0x39160	16384	OBJECT	<unknown>	DEFAULT	10
UserAgents			.symtab	0x38d10	144	OBJECT	<unknown>	DEFAULT	9
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x38ce0	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x38cdc	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x38db4	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x27568	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x39114	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x289d8	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x38dbc	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x27868	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x38ce8	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x38ce4	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x28cd8	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x28cd8	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x38db4	4	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_b_data			.symtab	0x27568	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_tolower			.symtab	0x39114	4	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_tolower_data			.symtab	0x289d8	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x38dbc	4	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_toupper_data			.symtab	0x27868	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x38db8	4	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_tolower			.symtab	0x39118	4	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_toupper			.symtab	0x38dc0	4	OBJECT	<unknown>	HIDDEN	9
__GI__errno_location			.symtab	0x1ade8	12	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x24170	328	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x1e724	32	FUNC	<unknown>	HIDDEN	2
__GI__h_errno_location			.symtab	0x206c8	12	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x1a6ec	136	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl64			.symtab	0x1a774	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x1aac8	120	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x20094	132	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x2016c	104	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x1e744	284	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x1a7d8	64	FUNC	<unknown>	HIDDEN	2
__GI_abort			.symtab	0x223d8	316	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_atoi			.symtab	0x1fbb0	24	FUNC	<unknown>	HIDDEN	2
__GI_atol			.symtab	0x1fbb0	24	FUNC	<unknown>	HIDDEN	2
__GI_brk			.symtab	0x22530	60	FUNC	<unknown>	HIDDEN	2
__GI_close			.symtab	0x1a860	68	FUNC	<unknown>	HIDDEN	2
__GI_connect			.symtab	0x1ec94	76	FUNC	<unknown>	HIDDEN	2
__GI_dup2			.symtab	0x1a8a4	72	FUNC	<unknown>	HIDDEN	2
__GI_erro			.symtab	0x3f39c	4	OBJECT	<unknown>	HIDDEN	10
__GI_execl			.symtab	0x1fe08	152	FUNC	<unknown>	HIDDEN	2
__GI_execve			.symtab	0x20488	76	FUNC	<unknown>	HIDDEN	2
__GI_exit			.symtab	0x1fd88	128	FUNC	<unknown>	HIDDEN	2
__GI_fclose			.symtab	0x22608	324	FUNC	<unknown>	HIDDEN	2
__GI_fcntl			.symtab	0x1a6ec	136	FUNC	<unknown>	HIDDEN	2
__GI_fcntl64			.symtab	0x1a774	100	FUNC	<unknown>	HIDDEN	2
__GI_fflush_unlocked			.symtab	0x22e1c	420	FUNC	<unknown>	HIDDEN	2
__GI_fgetc_unlocked			.symtab	0x24170	328	FUNC	<unknown>	HIDDEN	2
__GI_fgets			.symtab	0x22ca4	100	FUNC	<unknown>	HIDDEN	2
__GI_fgets_unlocked			.symtab	0x22fc0	192	FUNC	<unknown>	HIDDEN	2
__GI_fopen			.symtab	0x2274c	24	FUNC	<unknown>	HIDDEN	2
__GI_fork			.symtab	0x1a618	52	FUNC	<unknown>	HIDDEN	2
__GI_fputs_unlocked			.symtab	0x1bfe8	60	FUNC	<unknown>	HIDDEN	2
__GI_fseek			.symtab	0x22764	36	FUNC	<unknown>	HIDDEN	2
__GI_fseeko64			.symtab	0x22788	272	FUNC	<unknown>	HIDDEN	2
__GI_fwrite_unlocked			.symtab	0x1c024	176	FUNC	<unknown>	HIDDEN	2
__GI_getc_unlocked			.symtab	0x24170	328	FUNC	<unknown>	HIDDEN	2
__GI_getdtablesize			.symtab	0x1a8ec	40	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0x204d4	64	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0x1a914	64	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0x20514	64	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname			.symtab	0x1e958	60	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname_r			.symtab	0x1e994	768	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0x1a954	64	FUNC	<unknown>	HIDDEN	2
__GI_getrlimit			.symtab	0x1a9d4	72	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0x1ece0	76	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x20554	64	FUNC	<unknown>	HIDDEN	2
__GI_h_errno			.symtab	0x3f3a0	4	OBJECT	<unknown>	HIDDEN	10
__GI_inet_addr			.symtab	0x1e930	40	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x21800	220	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntop			.symtab	0x23764	684	FUNC	<unknown>	HIDDEN	2
__GI_inet_pton			.symtab	0x233a0	544	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0x1facc	228	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0x1aa1c	100	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x1e878	32	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0x1aa80	72	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x240dc	112	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x214ec	280	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x1c700	4212	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0x1c11c	1508	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x21604	32	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x21624	272	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0x1d7a8	416	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x20594	72	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x1aac8	120	FUNC	<unknown>	HIDDEN	2
__GI_pipe			.symtab	0x1ab58	68	FUNC	<unknown>	HIDDEN	2
__GI_poll			.symtab	0x225bc	76	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x240c4	24	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0x1f6cc	80	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x1f94c	156	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x23080	204	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_read			.symtab	0x1abf0	76	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0x1ed80	32	FUNC	<unknown>	HIDDEN	2
__GI_recvfrom			.symtab	0x1eda0	88	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x205dc	84	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0x1ac3c	84	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0x1edf8	32	FUNC	<unknown>	HIDDEN	2
__GI_sendto			.symtab	0x1ee18	88	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0x1ee70	44	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0x1f828	292	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0x22338	160	FUNC	<unknown>	HIDDEN	2
__GI_sigaddset			.symtab	0x1eee8	56	FUNC	<unknown>	HIDDEN	2
__GI_sigemptyset			.symtab	0x1ef20	32	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0x1ef40	188	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0x1ac90	140	FUNC	<unknown>	HIDDEN	2
__GI_sleep			.symtab	0x1fea0	428	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0x1ee9c	76	FUNC	<unknown>	HIDDEN	2
__GI_sprintf			.symtab	0x1ae2c	52	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0x1f9e8	228	FUNC	<unknown>	HIDDEN	2
__GI_strerrorcmp			.symtab	0x242b8	92	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0x1d9bc	524	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0x1dd1c	648	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0x1dd1c	648	FUNC	<unknown>	HIDDEN	2
__GI_strcpy			.symtab	0x1e00c	804	FUNC	<unknown>	HIDDEN	2
__GI_strdup			.symtab	0x2329c	56	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0x1e398	120	FUNC	<unknown>	HIDDEN	2
__GI_strncat			.symtab	0x2314c	224	FUNC	<unknown>	HIDDEN	2
__GI_strncpy			.symtab	0x1e410	248	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0x1e508	252	FUNC	<unknown>	HIDDEN	2
__GI_strpbrk			.symtab	0x217b0	80	FUNC	<unknown>	HIDDEN	2
__GI_strrchr			.symtab	0x1dbc8	192	FUNC	<unknown>	HIDDEN	2
__GI_strspn			.symtab	0x2322c	112	FUNC	<unknown>	HIDDEN	2
__GI_strstr			.symtab	0x1e604	288	FUNC	<unknown>	HIDDEN	2
__GI_strtok			.symtab	0x1e860	24	FUNC	<unknown>	HIDDEN	2
__GI_strtok_r			.symtab	0x21734	124	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0x1fbc8	20	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0x1e898	112	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0x1ad1c	72	FUNC	<unknown>	HIDDEN	2
__GI_times			.symtab	0x20630	72	FUNC	<unknown>	HIDDEN	2
__GI_tolower			.symtab	0x2414c	36	FUNC	<unknown>	HIDDEN	2
__GI_toupper			.symtab	0x1adc4	36	FUNC	<unknown>	HIDDEN	2
__GI_vfork			.symtab	0x1a64c	52	FUNC	<unknown>	HIDDEN	2
__GI_vsnprintf			.symtab	0x1ae60	156	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0x20678	80	FUNC	<unknown>	HIDDEN	2
__GI_waitpid			.symtab	0x1ad64	20	FUNC	<unknown>	HIDDEN	2
__GI_wctomb			.symtab	0x206d4	72	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x20738	188	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0x2071c	28	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x1ad78	76	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x38cec	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x38cec	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x3f390	4	OBJECT	<unknown>	HIDDEN	10
__atexit_lock			.symtab	0x390c4	24	OBJECT	<unknown>	DEFAULT	9
__bsd_signal			.symtab	0x1ef40	188	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x3911c	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x20128	68	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x38db8	4	OBJECT	<unknown>	DEFAULT	9
__ctype_tolower			.symtab	0x39118	4	OBJECT	<unknown>	DEFAULT	9
__ctype_toupper			.symtab	0x38dc0	4	OBJECT	<unknown>	DEFAULT	9

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__curbrk			.symtab	0x3f3c4	4	OBJECT	<unknown>	HIDDEN	10
__data_start			.symtab	0x38cf8	0	NOTYPE	<unknown>	DEFAULT	9
__decode_answer			.symtab	0x23c98	240	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x243b8	196	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x23b2c	208	FUNC	<unknown>	HIDDEN	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__dns_lookup			.symtab	0x218dc	1852	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x245fc	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x100b0	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x38cf0	0	OBJECT	<unknown>	HIDDEN	9
__encode_dotted			.symtab	0x24314	164	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x23a10	284	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x23bfc	120	FUNC	<unknown>	HIDDEN	2
__environ			.symtab	0x3f388	4	OBJECT	<unknown>	DEFAULT	10
__errno_location			.symtab	0x1ade8	12	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x3f380	4	OBJECT	<unknown>	HIDDEN	10
__fgetc_unlocked			.symtab	0x24170	328	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x38cdc	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x38cdc	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x22300	56	FUNC	<unknown>	HIDDEN	2
__glibc_strerror_r			.symtab	0x1e724	32	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x206c8	12	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__heap_alloc			.symtab	0x1f42c	160	FUNC	<unknown>	DEFAULT	2
__heap_alloc_at			.symtab	0x1f4cc	156	FUNC	<unknown>	DEFAULT	2
__heap_free			.symtab	0x1f5b0	268	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area			.symtab	0x1f568	48	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area_after			.symtab	0x1f598	24	FUNC	<unknown>	DEFAULT	2
__init_array_end			.symtab	0x38cdc	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x38cdc	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x2447c	72	FUNC	<unknown>	HIDDEN	2
__length_question			.symtab	0x23c74	36	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x1a860	68	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x1ec94	76	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x1ab40	24	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x1a6ec	136	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x1a774	100	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x1a618	52	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x1a954	64	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x240dc	112	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x20594	72	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x1aac8	120	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x225bc	76	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x1abf0	76	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x1ed80	32	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0x1eda0	88	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x1ac3c	84	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x1edf8	32	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x1ee18	88	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x22338	160	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x3f384	4	OBJECT	<unknown>	DEFAULT	10
__libc_waitpid			.symtab	0x1ad64	20	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x1ad78	76	FUNC	<unknown>	DEFAULT	2
__malloc_heap			.symtab	0x38f00	4	OBJECT	<unknown>	DEFAULT	9
__malloc_heap_lock			.symtab	0x3f368	24	OBJECT	<unknown>	DEFAULT	10
__malloc_sbrk_lock			.symtab	0x3f544	24	OBJECT	<unknown>	DEFAULT	10

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__muldi3			.symtab	0x1a544	212	FUNC	<unknown>	DEFAULT	2
__nameserver			.symtab	0x3f56c	12	OBJECT	<unknown>	HIDDEN	10
__nameservers			.symtab	0x3f578	4	OBJECT	<unknown>	HIDDEN	10
__open_etc_hosts			.symtab	0x23d88	56	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x22018	744	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x3f38c	4	OBJECT	<unknown>	DEFAULT	10
__preinit_array_end			.symtab	0x38cdc	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x38cdc	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x20118	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x20118	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x20118	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x20118	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x20118	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x20120	8	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x240c4	24	FUNC	<unknown>	HIDDEN	2
__read_etc_hosts_r			.symtab	0x23dc0	772	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x390e4	24	OBJECT	<unknown>	DEFAULT	9
__rtld_fini			.symtab	0x3f394	4	OBJECT	<unknown>	HIDDEN	10
__searchdomain			.symtab	0x3f55c	16	OBJECT	<unknown>	HIDDEN	10
__searchdomains			.symtab	0x3f57c	4	OBJECT	<unknown>	HIDDEN	10
__sigaddset			.symtab	0x1f024	44	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x1f050	44	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x1effc	40	FUNC	<unknown>	DEFAULT	2
__socketcall			.symtab	0x20440	72	FUNC	<unknown>	HIDDEN	2
__socketcall.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__stdin			.symtab	0x38dd0	4	OBJECT	<unknown>	DEFAULT	9
__stdio_READ			.symtab	0x244c4	104	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x207f4	196	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x22898	252	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x208b8	320	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x1af5c	28	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.3860			.symtab	0x27b68	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x2452c	56	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x22c70	52	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x24564	152	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x209f8	252	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x1b028	56	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x38dd4	4	OBJECT	<unknown>	DEFAULT	9
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x2256c	80	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x20094	132	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x2016c	104	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x201d4	620	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ubp_memchr			.symtab	0x214ec	280	FUNC	<unknown>	DEFAULT	2
__uclibc_progname			.symtab	0x390dc	4	OBJECT	<unknown>	HIDDEN	9
__vfork			.symtab	0x1a64c	52	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0x1e744	284	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_chrapad			.symtab	0x1b060	60	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x22514	28	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_dl_phdr			.symtab	0x3f580	4	OBJECT	<unknown>	DEFAULT	10
_dl_phnum			.symtab	0x3f584	4	OBJECT	<unknown>	DEFAULT	10
_edata			.symtab	0x3911c	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x3f588	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x3f39c	4	OBJECT	<unknown>	DEFAULT	10
_exit			.symtab	0x1a7d8	64	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x24644	8	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x3d180	8192	OBJECT	<unknown>	DEFAULT	10
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x1b09c	128	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x20cf8	1908	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x3f3a0	4	OBJECT	<unknown>	DEFAULT	10
_init			.symtab	0x10094	8	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x20af4	144	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x1b798	164	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x1baa0	1352	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x1b83c	60	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x1b878	480	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x1ba58	72	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x20120	8	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x20120	8	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_sigintr			.symtab	0x3f4c4	128	OBJECT	<unknown>	HIDDEN	10
_start			.symtab	0x101a4	56	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x22994	732	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x1aefc	96	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x38dd8	4	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_add_lock			.symtab	0x38ddc	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_dec_use			.symtab	0x22d08	276	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x3d17c	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_del_lock			.symtab	0x38df4	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_use_count			.symtab	0x3d178	4	OBJECT	<unknown>	DEFAULT	10
_stdio_streams			.symtab	0x38e10	240	OBJECT	<unknown>	DEFAULT	9
_stdio_term			.symtab	0x1af78	176	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x38e0c	4	OBJECT	<unknown>	DEFAULT	9
_stdlib_strto_l			.symtab	0x1fbdc	428	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x20b84	60	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x27cc8	2934	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x20bc0	312	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x1b11c	1660	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x223d8	316	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
access			.symtab	0x1a818	72	FUNC	<unknown>	DEFAULT	2
access.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
acnc			.symtab	0x148cc	236	FUNC	<unknown>	DEFAULT	2
add_entry			.symtab	0x19374	140	FUNC	<unknown>	DEFAULT	2
atoi			.symtab	0x1fbb0	24	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x1fbb0	24	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
axis_bp			.symtab	0x38d0c	4	OBJECT	<unknown>	DEFAULT	9
bcopy			.symtab	0x1c110	12	FUNC	<unknown>	DEFAULT	2
been_there_done_that			.symtab	0x3f3c0	4	OBJECT	<unknown>	DEFAULT	10
been_there_done_that.2818			.symtab	0x3f398	4	OBJECT	<unknown>	DEFAULT	10
brk			.symtab	0x22530	60	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x1ef40	188	FUNC	<unknown>	DEFAULT	2
buf.4861			.symtab	0x3f188	460	OBJECT	<unknown>	DEFAULT	10
bzero			.symtab	0x1d774	52	FUNC	<unknown>	DEFAULT	2
c			.symtab	0x38da8	4	OBJECT	<unknown>	DEFAULT	9
call__do_global_ctors_aux			.symtab	0x24638	0	FUNC	<unknown>	DEFAULT	2
call__do_global_dtors_aux			.symtab	0x1012c	0	FUNC	<unknown>	DEFAULT	2
call_frame_dummy			.symtab	0x10198	0	FUNC	<unknown>	DEFAULT	2
calloc			.symtab	0x1f1bc	112	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_generic			.symtab	0x101dc	224	FUNC	<unknown>	DEFAULT	2
checksum_tcp_udp			.symtab	0x102bc	468	FUNC	<unknown>	DEFAULT	2
checksum_tcpudp			.symtab	0x10490	468	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0x1adf4	56	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x1a860	68	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.2248			.symtab	0x39120	1	OBJECT	<unknown>	DEFAULT	10
connect			.symtab	0x1ec94	76	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x12400	672	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x1ab40	24	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x128b0	312	FUNC	<unknown>	DEFAULT	2
data_start			.symtab	0x38cf8	0	NOTYPE	<unknown>	DEFAULT	9
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x1a8a4	72	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x3f388	4	OBJECT	<unknown>	DEFAULT	10
errno			.symtab	0x3f39c	4	OBJECT	<unknown>	DEFAULT	10
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
estridx			.symtab	0x27c38	126	OBJECT	<unknown>	DEFAULT	4
execl			.symtab	0x1fe08	152	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x20488	76	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
exit			.symtab	0x1fd88	128	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x288d0	72	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x22608	324	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x1a6ec	136	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x1a774	100	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x11c54	224	FUNC	<unknown>	DEFAULT	2
fdopen_pids			.symtab	0x3d160	4	OBJECT	<unknown>	DEFAULT	10
fdpclose			.symtab	0x11a84	464	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x1174c	824	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x22e1c	420	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x24170	328	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x22ca4	100	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x22fc0	192	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
findRandIP			.symtab	0x12850	96	FUNC	<unknown>	DEFAULT	2
fmt			.symtab	0x288b8	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x2274c	24	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x1a618	52	FUNC	<unknown>	DEFAULT	2
fputs_unlocked			.symtab	0x1bfe8	60	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x10138	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x1f22c	232	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x22764	36	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x22764	36	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x22788	272	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x1c024	176	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBuild			.symtab	0x175a8	16	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x11fc4	100	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x17234	884	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x24170	328	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x1a8ec	40	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x204d4	64	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x1a914	64	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x20514	64	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x1e958	60	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x1e994	768	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x1a954	64	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0x1a994	64	FUNC	<unknown>	DEFAULT	2
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x1a9d4	72	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x1ece0	76	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x1ed2c	84	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x20554	64	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.4860			.symtab	0x3f354	20	OBJECT	<unknown>	DEFAULT	10
h_erno			.symtab	0x3f3a0	4	OBJECT	<unknown>	DEFAULT	10
hacks			.symtab	0x38cfc	4	OBJECT	<unknown>	DEFAULT	9
hacks2			.symtab	0x38d00	4	OBJECT	<unknown>	DEFAULT	9
hacks3			.symtab	0x38d04	4	OBJECT	<unknown>	DEFAULT	9
hacks4			.symtab	0x38d08	4	OBJECT	<unknown>	DEFAULT	9
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_alloc_at.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
hextable			.symtab	0x2539c	1024	OBJECT	<unknown>	DEFAULT	4
htonl			.symtab	0x1e91c	8	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x1e924	12	FUNC	<unknown>	DEFAULT	2
httphex			.symtab	0x14b04	1044	FUNC	<unknown>	DEFAULT	2
i.4436			.symtab	0x38dac	4	OBJECT	<unknown>	DEFAULT	9
index			.symtab	0x1d9bc	524	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x1e930	40	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x21800	220	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntop			.symtab	0x23764	684	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x235c0	420	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x233a0	544	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x232d4	204	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0x16f80	692	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x107ec	228	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x38f08	264	OBJECT	<unknown>	DEFAULT	9
initstate			.symtab	0x1f77c	96	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x1facc	228	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x1aa1c	100	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x1e878	32	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x1aa80	72	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer_status			.symtab	0x39150	4	OBJECT	<unknown>	DEFAULT	10
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/sparc/memchr.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/sparc/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/sparc/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/sparc/strchr.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/sparc/strcmp.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/sparc/strcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/sparc/strlen.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/sparc/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/sparc/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/sparc/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/sparc/fork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/sparc/rem.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
libc/sysdeps/linux/sparc/udiv.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/sparc/umul.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/sparc/urem.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/sparc/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libgcc2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x126a0	432	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x240dc	112	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x39158	6	OBJECT	<unknown>	DEFAULT	10
main			.symtab	0x175b8	2892	FUNC	<unknown>	DEFAULT	2
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
makeIPPacket			.symtab	0x12adc	220	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x12090	128	FUNC	<unknown>	DEFAULT	2
makevsepacket			.symtab	0x14080	244	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x1f07c	320	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memchr			.symtab	0x214ec	280	FUNC	<unknown>	DEFAULT	2
memcpy			.symtab	0x1c700	4212	FUNC	<unknown>	DEFAULT	2
memmove			.symtab	0x1c11c	1508	FUNC	<unknown>	DEFAULT	2
mempcpy			.symtab	0x21604	32	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x21624	272	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x1d7a8	416	FUNC	<unknown>	DEFAULT	2
mylock			.symtab	0x39010	24	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x3f3a4	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x390fc	24	OBJECT	<unknown>	DEFAULT	9
nanosleep			.symtab	0x20594	72	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1092			.symtab	0x3f180	4	OBJECT	<unknown>	DEFAULT	10
ngPid			.symtab	0x3f3d0	4	OBJECT	<unknown>	DEFAULT	10
ntohl			.symtab	0x1e908	8	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x1e910	12	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x39148	8	OBJECT	<unknown>	DEFAULT	10
object.2329			.symtab	0x39124	24	OBJECT	<unknown>	DEFAULT	10
open			.symtab	0x1aac8	120	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x3f3cc	4	OBJECT	<unknown>	DEFAULT	10
p.2246			.symtab	0x38cf4	0	OBJECT	<unknown>	DEFAULT	9
parseHex			.symtab	0x11d34	136	FUNC	<unknown>	DEFAULT	2
pids			.symtab	0x3f3d8	4	OBJECT	<unknown>	DEFAULT	10
pipe			.symtab	0x1ab58	68	FUNC	<unknown>	DEFAULT	2
pipe.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
poll			.symtab	0x225bc	76	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0x1ab9c	84	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4072			.symtab	0x27b90	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x11140	1144	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x10d00	108	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x10f28	536	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x10d6c	444	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x14f18	8296	FUNC	<unknown>	DEFAULT	2
qual_chars.4078			.symtab	0x27ba8	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x240c4	24	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x1f6bc	16	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand__str			.symtab	0x18290	256	FUNC	<unknown>	DEFAULT	2
rand_alpha_str			.symtab	0x18390	188	FUNC	<unknown>	DEFAULT	2
rand_alphastr			.symtab	0x10bbc	324	FUNC	<unknown>	DEFAULT	2
rand_cmw			.symtab	0x10a58	356	FUNC	<unknown>	DEFAULT	2
rand_init			.symtab	0x18104	160	FUNC	<unknown>	DEFAULT	2
rand_next			.symtab	0x181a4	236	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x1f6cc	80	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x28840	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x1f94c	156	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x39044	128	OBJECT	<unknown>	DEFAULT	9
rawmemchr			.symtab	0x23080	204	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x1abf0	76	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0x1f314	280	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x1ed80	32	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x12110	752	FUNC	<unknown>	DEFAULT	2
recvfrom			.symtab	0x1eda0	88	FUNC	<unknown>	DEFAULT	2
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv_domain_to_hostname			.symtab	0x1844c	292	FUNC	<unknown>	DEFAULT	2
resolv_entries_free			.symtab	0x18fe4	88	FUNC	<unknown>	DEFAULT	2
resolv_lookup			.symtab	0x18674	2416	FUNC	<unknown>	DEFAULT	2
resolv_skip_name			.symtab	0x18570	260	FUNC	<unknown>	DEFAULT	2
rindex			.symtab	0x1dbc8	192	FUNC	<unknown>	DEFAULT	2
rtcp			.symtab	0x13998	1292	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x205dc	84	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x3f3d4	4	OBJECT	<unknown>	DEFAULT	10
select			.symtab	0x1ac3c	84	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x1edf8	32	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendSTD			.symtab	0x13ea4	476	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x1ee18	88	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x1ee70	44	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x1f71c	96	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x1f828	292	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x22338	160	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x1eee8	56	FUNC	<unknown>	DEFAULT	2
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x1ef20	32	FUNC	<unknown>	DEFAULT	2
signal			.symtab	0x1ef40	188	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x1ac90	140	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x1fea0	428	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x1ee9c	76	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x149b8	332	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x1165c	240	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4077			.symtab	0x27bbc	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4071			.symtab	0x27ba0	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4074			.symtab	0x27bf0	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4073			.symtab	0x27c08	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4076			.symtab	0x27bcc	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4075			.symtab	0x27be0	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x1ae2c	52	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x1f7dc	76	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x1f7dc	76	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x1f9e8	228	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x390e0	2	OBJECT	<unknown>	DEFAULT	9
static_ns			.symtab	0x3f3bc	4	OBJECT	<unknown>	DEFAULT	10
stderr			.symtab	0x38dcc	4	OBJECT	<unknown>	DEFAULT	9
stdin			.symtab	0x38dc4	4	OBJECT	<unknown>	DEFAULT	9
stdout			.symtab	0x38dc8	4	OBJECT	<unknown>	DEFAULT	9
strcasecmp			.symtab	0x242b8	92	FUNC	<unknown>	DEFAULT	2
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x1d9bc	524	FUNC	<unknown>	DEFAULT	2
strcmp			.symtab	0x1dd1c	648	FUNC	<unknown>	DEFAULT	2
strcoll			.symtab	0x1dd1c	648	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x1e00c	804	FUNC	<unknown>	DEFAULT	2
strdup			.symtab	0x2329c	56	FUNC	<unknown>	DEFAULT	2
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x1e744	284	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x1e398	120	FUNC	<unknown>	DEFAULT	2
strncat			.symtab	0x2314c	224	FUNC	<unknown>	DEFAULT	2
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x1e410	248	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x1e508	252	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x217b0	80	FUNC	<unknown>	DEFAULT	2
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strrchr			.symtab	0x1dbc8	192	FUNC	<unknown>	DEFAULT	2
strspn			.symtab	0x2322c	112	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x1e604	288	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x1e860	24	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x21734	124	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x1fbc8	20	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x11608	84	FUNC	<unknown>	DEFAULT	2
table			.symtab	0x3f3dc	232	OBJECT	<unknown>	DEFAULT	10
table.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
table_init			.symtab	0x1903c	568	FUNC	<unknown>	DEFAULT	2
table_key			.symtab	0x38db0	4	OBJECT	<unknown>	DEFAULT	9

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
table_lock_val			.symtab	0x192c0	76	FUNC	<unknown>	DEFAULT	2
table_retrieve_val			.symtab	0x1930c	104	FUNC	<unknown>	DEFAULT	2
table_unlock_val			.symtab	0x19274	76	FUNC	<unknown>	DEFAULT	2
tcgetattr			.symtab	0x1e898	112	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpFI00d			.symtab	0x132bc	1756	FUNC	<unknown>	DEFAULT	2
tcpcsum			.symtab	0x129e8	244	FUNC	<unknown>	DEFAULT	2
time			.symtab	0x1ad1c	72	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
times			.symtab	0x20630	72	FUNC	<unknown>	DEFAULT	2
times.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toggle_obf			.symtab	0x19400	384	FUNC	<unknown>	DEFAULT	2
tolower			.symtab	0x2414c	36	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x1adc4	36	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x108d0	392	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x27c10	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x27c28	12	OBJECT	<unknown>	DEFAULT	4
udpfI00d			.symtab	0x12bb8	1796	FUNC	<unknown>	DEFAULT	2
unknown.1115			.symtab	0x27cb8	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x39028	28	OBJECT	<unknown>	DEFAULT	9
uppercase			.symtab	0x12028	104	FUNC	<unknown>	DEFAULT	2
userID			.symtab	0x38da4	4	OBJECT	<unknown>	DEFAULT	9
usleep			.symtab	0x2004c	72	FUNC	<unknown>	DEFAULT	2
usleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util_atoi			.symtab	0x19994	832	FUNC	<unknown>	DEFAULT	2
util_fdgets			.symtab	0x1a258	252	FUNC	<unknown>	DEFAULT	2
util_isalpha			.symtab	0x1a3b8	148	FUNC	<unknown>	DEFAULT	2
util_isdigit			.symtab	0x1a4e0	100	FUNC	<unknown>	DEFAULT	2
util_isspace			.symtab	0x1a44c	148	FUNC	<unknown>	DEFAULT	2
util_isupper			.symtab	0x1a354	100	FUNC	<unknown>	DEFAULT	2
util_itoa			.symtab	0x19cd4	472	FUNC	<unknown>	DEFAULT	2
util_local_addr			.symtab	0x1a170	232	FUNC	<unknown>	DEFAULT	2
util_memcpy			.symtab	0x198c4	120	FUNC	<unknown>	DEFAULT	2
util_memsearch			.symtab	0x19eac	260	FUNC	<unknown>	DEFAULT	2
util_strcat			.symtab	0x19838	140	FUNC	<unknown>	DEFAULT	2
util_strcmp			.symtab	0x196f8	240	FUNC	<unknown>	DEFAULT	2
util_strcpy			.symtab	0x197e8	80	FUNC	<unknown>	DEFAULT	2
util_stristr			.symtab	0x19fb0	448	FUNC	<unknown>	DEFAULT	2
util_strlen			.symtab	0x19580	112	FUNC	<unknown>	DEFAULT	2
util_strncmp			.symtab	0x195f0	264	FUNC	<unknown>	DEFAULT	2
util_zero			.symtab	0x1993c	88	FUNC	<unknown>	DEFAULT	2
vfork			.symtab	0x1a64c	52	FUNC	<unknown>	DEFAULT	2
vseattack			.symtab	0x14174	1880	FUNC	<unknown>	DEFAULT	2
vsnprintf			.symtab	0x1ae60	156	FUNC	<unknown>	DEFAULT	2
vsnprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
w			.symtab	0x3d174	4	OBJECT	<unknown>	DEFAULT	10
wait4			.symtab	0x20678	80	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x1ad64	20	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
watchdog_maintain			.symtab	0x10664	392	FUNC	<unknown>	DEFAULT	2
watchdog_pid			.symtab	0x39144	4	OBJECT	<unknown>	DEFAULT	10
wcrtomb			.symtab	0x206d4	72	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x20738	188	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x2071c	28	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x11dbc	520	FUNC	<unknown>	DEFAULT	2
write			.symtab	0x1ad78	76	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
x			.symtab	0x3d168	4	OBJECT	<unknown>	DEFAULT	10
xdigits.3071			.symtab	0x28990	17	OBJECT	<unknown>	DEFAULT	4
y			.symtab	0x3d16c	4	OBJECT	<unknown>	DEFAULT	10
z			.symtab	0x3d170	4	OBJECT	<unknown>	DEFAULT	10
zprintf			.symtab	0x115b8	80	FUNC	<unknown>	DEFAULT	2



TCP Packets

System Behavior

Analysis Process: W9BzYpUe5X PID: 6228, Parent PID: 6127

General

Start time:	21:40:15
Start date:	08/08/2022
Path:	/tmp/W9BzYpUe5X
Arguments:	/tmp/W9BzYpUe5X
File size:	4379400 bytes
MD5 hash:	7dc1c0e23cd5e102bb12e5c29403410e

File Activities

File Deleted

File Read

File Written

Analysis Process: W9BzYpUe5X PID: 6230, Parent PID: 6228

General

Start time:	21:40:15
Start date:	08/08/2022
Path:	/tmp/W9BzYpUe5X
Arguments:	n/a
File size:	4379400 bytes
MD5 hash:	7dc1c0e23cd5e102bb12e5c29403410e

Analysis Process: W9BzYpUe5X PID: 6231, Parent PID: 6228

General

Start time:	21:40:15
Start date:	08/08/2022
Path:	/tmp/W9BzYpUe5X
Arguments:	n/a
File size:	4379400 bytes
MD5 hash:	7dc1c0e23cd5e102bb12e5c29403410e

Analysis Process: W9BzYpUe5X PID: 6234, Parent PID: 6231

General

Start time:	21:40:15
Start date:	08/08/2022
Path:	/tmp/W9BzYpUe5X
Arguments:	n/a
File size:	4379400 bytes
MD5 hash:	7dc1c0e23cd5e102bb12e5c29403410e