

JOeSandbox Cloud BASIC



ID: 680615

Sample Name: 8csaVSyOL3

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 21:52:52

Date: 08/08/2022

Version: 35.0.0 Citrine

Table of Contents

Table of Contents	2
Linux Analysis Report 8csaVSyOL3	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Initial Sample	4
Memory Dumps	4
Snort Signatures	6
Joe Sandbox Signatures	6
AV Detection	6
Spreading	6
System Summary	6
Stealing of Sensitive Information	6
Remote Access Functionality	6
Mitre Att&ck Matrix	6
Malware Configuration	7
Behavior Graph	7
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	8
Domains	8
URLs	8
Domains and IPs	8
Contacted Domains	8
World Map of Contacted IPs	8
Public IPs	8
Joe Sandbox View / Context	8
IPs	8
Domains	9
ASNs	9
JA3 Fingerprints	9
Dropped Files	9
Created / dropped Files	9
/tmp/qemu-open.GXcgYG (deleted)	9
Static File Info	9
General	9
Static ELF Info	9
ELF header	9
Sections	10
Program Segments	10
Symbols	10
Network Behavior	23
Network Port Distribution	23
TCP Packets	24
System Behavior	24
Analysis Process: 8csaVSyOL3 PID: 6235, Parent PID: 6133	24
General	24
File Activities	24
File Deleted	24
File Read	24
File Written	24
Analysis Process: 8csaVSyOL3 PID: 6237, Parent PID: 6235	24
General	24
Analysis Process: 8csaVSyOL3 PID: 6238, Parent PID: 6235	24
General	24
Analysis Process: 8csaVSyOL3 PID: 6241, Parent PID: 6238	24
General	24

Linux Analysis Report

8csaVSyOL3

Overview

General Information

Sample Name:	8csaVSyOL3
Analysis ID:	680615
MD5:	3a5290707eb774.
SHA1:	fcd1c387d54cec...
SHA256:	cf9290ccec1376...
Tags:	32 elf gafgyt Mirai powerpc
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Mirai

Score:	80
Range:	0 - 100
Whitelisted:	false

Signatures

Malicious sample detected (through...

Antivirus / Scanner detection for sub...

Yara detected Mirai

Multi AV Scanner detection for subm...

Contains symbols with names comm...

Opens /proc/net/* files useful for fin...

Yara signature match

Sample contains strings that are us...

Uses the "uname" system call to qu...

Tries to connect to HTTP servers, b...

Detected TCP or UDP traffic on non...

Classification

Analysis Advice

- Static ELF header machine description suggests that the sample might not execute correctly on this machine.
- All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.

General Information

Joe Sandbox Version:	35.0.0 Citrine
Analysis ID:	680615
Start date and time: 08/08/202221:52:52	2022-08-08 21:52:52 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 56s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	8csaVSyOL3
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal80.spre.troj.lin@0/1@0/0

Runtime Messages

Command:	/tmp/8csaVSyOL3
PID:	6235
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	gosh that chinese family at the other table sure ate alot
Standard Error:	

Process Tree

- system is Inxubuntu20
 - 8csaVSyOL3 (PID: 6235, Parent: 6133, MD5: ae65271c943d3451b7f026d1fadcea6) Arguments: /tmp/8csaVSyOL3
 - 8csaVSyOL3 New Fork (PID: 6237, Parent: 6235)
 - 8csaVSyOL3 New Fork (PID: 6238, Parent: 6235)
 - 8csaVSyOL3 New Fork (PID: 6241, Parent: 6238)
 - cleanup

Yara Signatures

Initial Sample

Source	Rule	Description	Author	Strings
8csaVSyOL3	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
8csaVSyOL3	Linux_Trojan_Gafg yt_28a2fe0c	unknown	unknown	● 0x12d70:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12d84:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12d98:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12dac:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12dc0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12dd4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12de8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12dfc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12e10:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12e24:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12e38:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12e4c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12e60:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12e74:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12e88:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12e9c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12eb0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12ec4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12ed8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12eec:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x12f00:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F

Memory Dumps

Source	Rule	Description	Author	Strings
6235.1.00007f1704001000.00007f1704018000.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

Source	Rule	Description	Author	Strings
6237.1.00007f1704001000.00007f1704018000.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
Click to see the 4 entries				

Snort Signatures

No Snort rule has matched

Joe Sandbox Signatures

AV Detection

Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file

Spreading

Opens /proc/net/* files useful for finding connected devices and routers

System Summary

Malicious sample detected (through community Yara rule)

Contains symbols with names commonly found in malware

Stealing of Sensitive Information

Yara detected Mirai

Remote Access Functionality

Yara detected Mirai


Mitre Att&ck Matrix													
Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	1 Remote System Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Non-Standard Port	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Local Accounts	At (Windows)	Logon Script (Mac)	Logon Script (Mac)	Binary Padding	NTDS	System Network Configuration Discovery	Distributed Component Object Model	Input Capture	Scheduled Transfer	1 Application Layer Protocol	SIM Card Swap		Carrier Billing Fraud

Malware Configuration

 No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
8csaVSyOL3	61%	VirusTotal		Browse
8csaVSyOL3	59%	ReversingLabs	Linux.Trojan.LnxGafgyt	
8csaVSyOL3	100%	Avira	LINUX/Mirai.Gafgyt	

Dropped Files

No Antivirus matches

Domains

No Antivirus matches


URLs

No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
109.206.241.200	unknown	Germany		209929	AWMLTNL	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

/tmp/qemu-open.GXcgYG (deleted)

Static File Info

General

File type:	ELF 32-bit MSB executable, PowerPC or cisco 4500, version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	6.1326055257398275
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	8csaVSyOL3
File size:	116786
MD5:	3a5290707eb77413340afdfbb2b9b998
SHA1:	fcd1c387d54cec2cb87e3fd069fe4779c34d64a2
SHA256:	cf9290ccec137672e65055b7f889ea7a2126acb953ae411f41b259ba923e5d1b
SHA512:	f682d7350dad36070607a50f45b52a41d63a2ced7a3ced2549bf4683ce7c300905cdb0f5736649d81123e3309782dc9e23af186d176ea057ab3c26773fb4f516
SSDEEP:	3072:pC/4rdZHsXsZwwR9pNk5mm/QcuLmHniPNb:pCwrvHwsZwY9pOmm/QcuLmHniPNb
TLSH:	43B32A37A61C0B43C09B55F02DB77BF24F69AEA313A611C46609FEC04B73AB22551F99
File Content Preview:	.ELF.....4.q.....4. ..(.....a\$.a\$.....a\$.a\$.a\$...@..h.....dt.Q.....!..\$H...H..1...\$8!. ...N.. !.?.....e...../...@..\\?.....a<.+.../...A..\$8...))....a<N..

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, big endian
Version:	1 (current)
Machine:	PowerPC
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x100001f0
Flags:	0x0
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	3
Section Header Offset:	94652

ELF header

Section Header Size:	40
Number of Section Headers:	17
Header String Table Index:	14

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x10000094	0x94	0x24	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x100000b8	0xb8	0x11b88	0x0	0x6	AX	0	0	4
.fini	PROGBITS	0x10011c40	0x11c40	0x20	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x10011c60	0x11c60	0x44c0	0x0	0x2	A	0	0	8
.eh_frame	PROGBITS	0x10016120	0x16120	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x10026124	0x16124	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x1002612c	0x1612c	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x10026134	0x16134	0x4	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x10026138	0x16138	0x3d0	0x0	0x3	WA	0	0	8
.sdata	PROGBITS	0x10026508	0x16508	0x5c	0x0	0x3	WA	0	0	4
.sbss	NOBITS	0x10026568	0x16564	0x94	0x0	0x3	WA	0	0	8
.bss	NOBITS	0x100265fc	0x16564	0x63c8	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0x16564	0xbe2	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x17146	0x73	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x17464	0x2fe0	0x10	0x0		16	280	4
.strtab	STRTAB	0x0	0x1a444	0x23ee	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x10000000	0x10000000	0x16124	0x16124	6.1754	0x5	R E	0x10000		.init .text .fini .rodata .eh_frame
LOAD	0x16124	0x10026124	0x10026124	0x440	0x68a0	3.4128	0x6	RW	0x10000		.ctors .dtors .jcr .data .sdata .sbss .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x10000094	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x100000b8	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x10011c40	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x10011c60	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x10016120	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x10026124	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x1002612c	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x10026134	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x10026138	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x10026508	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x10026568	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x100265fc	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
C.148.5810			.symtab	0x10014074	40	OBJECT	<unknown>	DEFAULT	4
C.179.6100			.symtab	0x100140e0	16	OBJECT	<unknown>	DEFAULT	4
C.180.6101			.symtab	0x100140b4	20	OBJECT	<unknown>	DEFAULT	4
KHcommSOCK			.symtab	0x10026570	4	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
KHserverHACKER			.symtab	0x1002651c	4	OBJECT	<unknown>	DEFAULT	10
LOCAL_ADDR			.symtab	0x10026568	4	OBJECT	<unknown>	DEFAULT	11
Q			.symtab	0x10026618	16384	OBJECT	<unknown>	DEFAULT	12
UserAgents			.symtab	0x10026144	144	OBJECT	<unknown>	DEFAULT	9
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_SDA_BASE_			.symtab	0x1002e508	0	NOTYPE	<unknown>	DEFAULT	10
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x10026128	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x10026124	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x10026528	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x10014a98	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x1002655c	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x10015e20	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x10026530	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x10014d98	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x10026130	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x1002612c	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x10016120	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x10016120	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x10026528	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_b_data			.symtab	0x10014a98	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_tolower			.symtab	0x1002655c	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_tolower_data			.symtab	0x10015e20	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x10026530	4	OBJECT	<unknown>	HIDDEN	10
__GI__C_ctype_toupper_data			.symtab	0x10014d98	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x1002652c	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_tolower			.symtab	0x10026560	4	OBJECT	<unknown>	HIDDEN	10
__GI__ctype_toupper			.symtab	0x10026534	4	OBJECT	<unknown>	HIDDEN	10
__GI__errno_location			.symtab	0x10009f54	12	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x100116e4	312	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x1000b9ac	48	FUNC	<unknown>	HIDDEN	2
__GI__h_errno_location			.symtab	0x1000dd30	12	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x10009898	132	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl64			.symtab	0x1000991c	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x10009c7c	120	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x1000d660	148	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x1000d760	128	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x1000b9dc	268	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x10009980	60	FUNC	<unknown>	HIDDEN	2
__GI_abort			.symtab	0x1000f92c	336	FUNC	<unknown>	HIDDEN	2
__GI_atoi			.symtab	0x1000d0c0	12	FUNC	<unknown>	HIDDEN	2
__GI_atol			.symtab	0x1000d0c0	12	FUNC	<unknown>	HIDDEN	2
__GI_brk			.symtab	0x1000fa98	52	FUNC	<unknown>	HIDDEN	2
__GI_close			.symtab	0x10009a04	72	FUNC	<unknown>	HIDDEN	2
__GI_connect			.symtab	0x1000c10c	52	FUNC	<unknown>	HIDDEN	2
__GI_dup2			.symtab	0x10009a4c	72	FUNC	<unknown>	HIDDEN	2
__GI_errno			.symtab	0x100265d8	4	OBJECT	<unknown>	HIDDEN	11
__GI_execl			.symtab	0x1000d30c	308	FUNC	<unknown>	HIDDEN	2
__GI_execve			.symtab	0x1000dac8	72	FUNC	<unknown>	HIDDEN	2
__GI_exit			.symtab	0x1000d288	132	FUNC	<unknown>	HIDDEN	2
__GI_fclose			.symtab	0x1000fb5c	332	FUNC	<unknown>	HIDDEN	2
__GI_fcntl			.symtab	0x10009898	132	FUNC	<unknown>	HIDDEN	2
__GI_fcntl64			.symtab	0x1000991c	100	FUNC	<unknown>	HIDDEN	2
__GI_fflush_unlocked			.symtab	0x100103a4	432	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_fgetc_unlocked			.symtab	0x100116e4	312	FUNC	<unknown>	HIDDEN	2
__Gl_fgets			.symtab	0x100101f0	148	FUNC	<unknown>	HIDDEN	2
__Gl_fgets_unlocked			.symtab	0x10010554	196	FUNC	<unknown>	HIDDEN	2
__Gl_fopen			.symtab	0x1000fca8	12	FUNC	<unknown>	HIDDEN	2
__Gl_fork			.symtab	0x10009a94	72	FUNC	<unknown>	HIDDEN	2
__Gl_fputs_unlocked			.symtab	0x1000b2d4	92	FUNC	<unknown>	HIDDEN	2
__Gl_fseek			.symtab	0x1000fcb4	16	FUNC	<unknown>	HIDDEN	2
__Gl_fseeko64			.symtab	0x1000fcc4	284	FUNC	<unknown>	HIDDEN	2
__Gl_fwrite_unlocked			.symtab	0x1000b330	184	FUNC	<unknown>	HIDDEN	2
__Gl_getc_unlocked			.symtab	0x100116e4	312	FUNC	<unknown>	HIDDEN	2
__Gl_getdtablesize			.symtab	0x10009adc	56	FUNC	<unknown>	HIDDEN	2
__Gl_getegid			.symtab	0x1000db10	72	FUNC	<unknown>	HIDDEN	2
__Gl_geteuid			.symtab	0x10009b14	72	FUNC	<unknown>	HIDDEN	2
__Gl_getgid			.symtab	0x1000db58	72	FUNC	<unknown>	HIDDEN	2
__Gl_gethostbyname			.symtab	0x1000bd74	84	FUNC	<unknown>	HIDDEN	2
__Gl_gethostbyname_r			.symtab	0x1000bdc8	836	FUNC	<unknown>	HIDDEN	2
__Gl_getpid			.symtab	0x10009b5c	72	FUNC	<unknown>	HIDDEN	2
__Gl_getrlimit			.symtab	0x10009bec	72	FUNC	<unknown>	HIDDEN	2
__Gl_getsockname			.symtab	0x1000c140	52	FUNC	<unknown>	HIDDEN	2
__Gl_getuid			.symtab	0x1000dba0	72	FUNC	<unknown>	HIDDEN	2
__Gl_h_errno			.symtab	0x100265dc	4	OBJECT	<unknown>	HIDDEN	11
__Gl_inet_addr			.symtab	0x1000bd40	52	FUNC	<unknown>	HIDDEN	2
__Gl_inet_aton			.symtab	0x1000ede0	192	FUNC	<unknown>	HIDDEN	2
__Gl_inet_ntop			.symtab	0x10010c88	676	FUNC	<unknown>	HIDDEN	2
__Gl_inet_pton			.symtab	0x1001091c	524	FUNC	<unknown>	HIDDEN	2
__Gl_initstate_r			.symtab	0x1000cfd8	232	FUNC	<unknown>	HIDDEN	2
__Gl_ioctl			.symtab	0x100097a0	232	FUNC	<unknown>	HIDDEN	2
__Gl_isatty			.symtab	0x1000bb04	44	FUNC	<unknown>	HIDDEN	2
__Gl_kill			.symtab	0x10009c34	72	FUNC	<unknown>	HIDDEN	2
__Gl_lseek64			.symtab	0x10011644	128	FUNC	<unknown>	HIDDEN	2
__Gl_memchr			.symtab	0x1000ead4	264	FUNC	<unknown>	HIDDEN	2
__Gl_memcpy			.symtab	0x1000b3e8	156	FUNC	<unknown>	HIDDEN	2
__Gl_memmove			.symtab	0x1000ea30	164	FUNC	<unknown>	HIDDEN	2
__Gl_mempcpy			.symtab	0x1000ebdc	52	FUNC	<unknown>	HIDDEN	2
__Gl_memrchr			.symtab	0x1000ec10	244	FUNC	<unknown>	HIDDEN	2
__Gl_memset			.symtab	0x1000b484	144	FUNC	<unknown>	HIDDEN	2
__Gl_nanosleep			.symtab	0x1000dbe8	72	FUNC	<unknown>	HIDDEN	2
__Gl_open			.symtab	0x10009c7c	120	FUNC	<unknown>	HIDDEN	2
__Gl_pipe			.symtab	0x10009d04	72	FUNC	<unknown>	HIDDEN	2
__Gl_poll			.symtab	0x1000fb14	72	FUNC	<unknown>	HIDDEN	2
__Gl_raise			.symtab	0x10011614	48	FUNC	<unknown>	HIDDEN	2
__Gl_random			.symtab	0x1000cb8c	108	FUNC	<unknown>	HIDDEN	2
__Gl_random_r			.symtab	0x1000ce64	144	FUNC	<unknown>	HIDDEN	2
__Gl_rawmemchr			.symtab	0x10010618	184	FUNC	<unknown>	HIDDEN	2
__Gl_read			.symtab	0x10009d94	72	FUNC	<unknown>	HIDDEN	2
__Gl_recv			.symtab	0x1000c1b0	56	FUNC	<unknown>	HIDDEN	2
__Gl_recvfrom			.symtab	0x1000c1e8	64	FUNC	<unknown>	HIDDEN	2
__Gl_sbrk			.symtab	0x1000dc30	112	FUNC	<unknown>	HIDDEN	2
__Gl_select			.symtab	0x10009ddc	72	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0x1000c228	56	FUNC	<unknown>	HIDDEN	2
__Gl_sendto			.symtab	0x1000c260	64	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x1000c2a0	60	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x1000cd70	244	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x1000f868	196	FUNC	<unknown>	HIDDEN	2
__Gl_sigaddset			.symtab	0x1000c310	76	FUNC	<unknown>	HIDDEN	2
__Gl_sigemptyset			.symtab	0x1000c35c	44	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x1000c388	224	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x10009e24	120	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_sleep			.symtab	0x1000d440	468	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0x1000c2dc	52	FUNC	<unknown>	HIDDEN	2
__GI_sprintf			.symtab	0x10009f98	140	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0x1000cef4	228	FUNC	<unknown>	HIDDEN	2
__GI_strcasecmp			.symtab	0x1001181c	80	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0x1000b514	256	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0x1000b614	52	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0x1000b614	52	FUNC	<unknown>	HIDDEN	2
__GI_strcpy			.symtab	0x1000b648	32	FUNC	<unknown>	HIDDEN	2
__GI_strdup			.symtab	0x100107ec	80	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0x1000b668	164	FUNC	<unknown>	HIDDEN	2
__GI_strncat			.symtab	0x100106d0	208	FUNC	<unknown>	HIDDEN	2
__GI_strncpy			.symtab	0x1000b70c	188	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0x1000b7c8	240	FUNC	<unknown>	HIDDEN	2
__GI_strpbrk			.symtab	0x1000eda4	60	FUNC	<unknown>	HIDDEN	2
__GI_strspn			.symtab	0x100107a0	76	FUNC	<unknown>	HIDDEN	2
__GI_strstr			.symtab	0x1000b8b8	244	FUNC	<unknown>	HIDDEN	2
__GI_strtok			.symtab	0x1000baf8	12	FUNC	<unknown>	HIDDEN	2
__GI_strtok_r			.symtab	0x1000ed04	160	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0x1000d0cc	8	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0x1000bb30	156	FUNC	<unknown>	HIDDEN	2
__GI_tcsgetattr			.symtab	0x1000bbcc	356	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0x10009e9c	72	FUNC	<unknown>	HIDDEN	2
__GI_times			.symtab	0x1000dca0	72	FUNC	<unknown>	HIDDEN	2
__GI_tolower			.symtab	0x100116c4	32	FUNC	<unknown>	HIDDEN	2
__GI_toupper			.symtab	0x10009f34	32	FUNC	<unknown>	HIDDEN	2
__GI_vfork			.symtab	0x10009888	16	FUNC	<unknown>	HIDDEN	2
__GI_vsnprintf			.symtab	0x1000a024	204	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0x1000dce8	72	FUNC	<unknown>	HIDDEN	2
__GI_waitpid			.symtab	0x10009ee4	8	FUNC	<unknown>	HIDDEN	2
__GI_wctomb			.symtab	0x1000dd3c	92	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x1000dda8	204	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0x1000dd98	16	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x10009eec	72	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x10026134	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x10026134	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x100265cc	4	OBJECT	<unknown>	HIDDEN	11
__atexit_lock			.symtab	0x100264bc	24	OBJECT	<unknown>	DEFAULT	9
__bsd_signal			.symtab	0x1000c388	224	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x10026564	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x1000d700	96	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x1002652c	4	OBJECT	<unknown>	DEFAULT	10
__ctype_tolower			.symtab	0x10026560	4	OBJECT	<unknown>	DEFAULT	10
__ctype_toupper			.symtab	0x10026534	4	OBJECT	<unknown>	DEFAULT	10
__curbrk			.symtab	0x100265f8	4	OBJECT	<unknown>	DEFAULT	11
__data_start			.symtab	0x10026140	0	NOTYPE	<unknown>	DEFAULT	9
__decode_answer			.symtab	0x10011184	272	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x10011938	244	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x10011018	196	FUNC	<unknown>	HIDDEN	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__dns_lookup			.symtab	0x1000eea0	1692	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x10011bd4	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x100000b8	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x10026138	0	OBJECT	<unknown>	HIDDEN	9
__encode_dotted			.symtab	0x1001186c	204	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x10010f2c	236	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x100110dc	124	FUNC	<unknown>	HIDDEN	2
__environ			.symtab	0x100265c4	4	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__errno_location			.symtab	0x10009f54	12	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x100265bc	4	OBJECT	<unknown>	HIDDEN	11
__fgetc_unlocked			.symtab	0x100116e4	312	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x10026124	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x10026124	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x1000f810	88	FUNC	<unknown>	HIDDEN	2
__glibc_strerror_r			.symtab	0x1000b9ac	48	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x1000dd30	12	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__heap_alloc			.symtab	0x1000c8d8	160	FUNC	<unknown>	DEFAULT	2
__heap_alloc_at			.symtab	0x1000c978	156	FUNC	<unknown>	DEFAULT	2
__heap_free			.symtab	0x1000ca5c	300	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area			.symtab	0x1000ca14	44	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area_after			.symtab	0x1000ca40	28	FUNC	<unknown>	DEFAULT	2
__init_array_end			.symtab	0x10026124	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x10026124	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x10011a2c	72	FUNC	<unknown>	HIDDEN	2
__length_question			.symtab	0x10011158	44	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x10009a04	72	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x1000c10c	52	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x10009cf4	16	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x10009898	132	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x1000991c	100	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x10009a94	72	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x10009b5c	72	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x10011644	128	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x1000dbe8	72	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x10009c7c	120	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x1000fb14	72	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x10009d94	72	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x1000c1b0	56	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0x1000c1e8	64	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x10009ddc	72	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x1000c228	56	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x1000c260	64	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x1000f868	196	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x100265c0	4	OBJECT	<unknown>	DEFAULT	11
__libc_waitpid			.symtab	0x10009ee4	8	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x10009eec	72	FUNC	<unknown>	DEFAULT	2
__malloc_heap			.symtab	0x10026554	4	OBJECT	<unknown>	DEFAULT	10
__malloc_heap_lock			.symtab	0x1002c7f8	24	OBJECT	<unknown>	DEFAULT	12
__malloc_sbrk_lock			.symtab	0x1002c990	24	OBJECT	<unknown>	DEFAULT	12
__nameserver			.symtab	0x1002c9b8	12	OBJECT	<unknown>	HIDDEN	12
__nameservers			.symtab	0x100265e4	4	OBJECT	<unknown>	HIDDEN	11
__open_etc_hosts			.symtab	0x10011294	100	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x1000f53c	724	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x100265c8	4	OBJECT	<unknown>	DEFAULT	11
__preinit_array_end			.symtab	0x10026124	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x10026124	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x1000d6f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x1000d6f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x1000d6f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x1000d6f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x1000d6f4	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x1000d6fc	4	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__raise			.symtab	0x10011614	48	FUNC	<unknown>	HIDDEN	2
__read_etc_hosts_r			.symtab	0x100112f8	796	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x100264d8	24	OBJECT	<unknown>	DEFAULT	9
__rtld_fini			.symtab	0x100265d0	4	OBJECT	<unknown>	HIDDEN	11
__searchdomain			.symtab	0x1002c9a8	16	OBJECT	<unknown>	HIDDEN	12
__searchdomains			.symtab	0x100265e8	4	OBJECT	<unknown>	HIDDEN	11
__sigaddset			.symtab	0x1000c490	40	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x1000c4b8	40	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x1000c468	40	FUNC	<unknown>	DEFAULT	2
__socketcall			.symtab	0x1000da80	72	FUNC	<unknown>	HIDDEN	2
__socketcall.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__stdin			.symtab	0x10026544	4	OBJECT	<unknown>	DEFAULT	10
__stdio_READ			.symtab	0x10011a74	116	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x1000de74	224	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x1000fde0	252	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x1000df54	364	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x1000a164	16	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.3862			.symtab	0x10015098	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x10011ae8	72	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x10010198	88	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x10011b30	164	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x1000e0c0	248	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x1000a234	80	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x10026548	4	OBJECT	<unknown>	DEFAULT	10
__syscall_error			.symtab	0x1000da4c	52	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x1000facc	72	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_fini			.symtab	0x1000d660	148	FUNC	<unknown>	DEFAULT	2
_uClibc_init			.symtab	0x1000d760	128	FUNC	<unknown>	DEFAULT	2
_uClibc_main			.symtab	0x1000d7e0	620	FUNC	<unknown>	DEFAULT	2
_uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_progname			.symtab	0x10026558	4	OBJECT	<unknown>	HIDDEN	10
__vfork			.symtab	0x10009888	16	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0x1000b9dc	268	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0x1000a284	96	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x1000fa7c	28	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x100265f0	4	OBJECT	<unknown>	DEFAULT	11
_dl_phnum			.symtab	0x100265f4	4	OBJECT	<unknown>	DEFAULT	11
_edata			.symtab	0x10026564	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x1002c9c4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x100265d8	4	OBJECT	<unknown>	DEFAULT	11
_exit			.symtab	0x10009980	60	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x10011c40	16	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x1002a618	8192	OBJECT	<unknown>	DEFAULT	12
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x1000a2e4	160	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x1000e36c	1732	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x100265dc	4	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_init			.symtab	0x10000094	16	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x1000e1b8	128	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x1000a9f4	188	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x1000adbc	1304	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x1000aab0	92	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x1000ab0c	624	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x1000ad7c	64	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x1000d6fc	4	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x1000d6fc	4	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signintr			.symtab	0x1002c910	128	OBJECT	<unknown>	HIDDEN	12
_start			.symtab	0x100001f0	72	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x1000fedc	700	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x1000a0f0	116	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x1002654c	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_add_lock			.symtab	0x100261dc	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_dec_use			.symtab	0x10010284	288	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x100265b4	4	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_del_lock			.symtab	0x100261f4	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_use_count			.symtab	0x100265b0	4	OBJECT	<unknown>	DEFAULT	11
_stdio_streams			.symtab	0x1002620c	240	OBJECT	<unknown>	DEFAULT	9
_stdio_term			.symtab	0x1000a174	192	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x10026550	4	OBJECT	<unknown>	DEFAULT	10
_stdlib_strto_l			.symtab	0x1000d0d4	436	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x1000e238	60	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x10015168	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x1000e274	248	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x1000a384	1648	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x1000f92c	336	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
access			.symtab	0x100099bc	72	FUNC	<unknown>	DEFAULT	2
access.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
acnc			.symtab	0x1000480c	220	FUNC	<unknown>	DEFAULT	2
add_entry			.symtab	0x1000863c	164	FUNC	<unknown>	DEFAULT	2
atoi			.symtab	0x1000d0c0	12	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x1000d0c0	12	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
axis_bp			.symtab	0x10026518	4	OBJECT	<unknown>	DEFAULT	10
bcopy			.symtab	0x1000bae8	16	FUNC	<unknown>	DEFAULT	2
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x100265ec	4	OBJECT	<unknown>	DEFAULT	11
been_there_done_that.2829			.symtab	0x100265d4	4	OBJECT	<unknown>	DEFAULT	11
brk			.symtab	0x1000fa98	52	FUNC	<unknown>	DEFAULT	2
bsd_signal			.symtab	0x1000c388	224	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
buf.4865			.symtab	0x1002c618	460	OBJECT	<unknown>	DEFAULT	12
c			.symtab	0x100261d4	4	OBJECT	<unknown>	DEFAULT	9
call___do_global_ctors_aux			.symtab	0x10011c24	0	FUNC	<unknown>	DEFAULT	2
call___do_global_dtors_aux			.symtab	0x1000014c	0	FUNC	<unknown>	DEFAULT	2
call_frame_dummy			.symtab	0x100001d4	0	FUNC	<unknown>	DEFAULT	2
calloc			.symtab	0x1000c638	112	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_generic			.symtab	0x10000238	212	FUNC	<unknown>	DEFAULT	2
checksum_tcp_udp			.symtab	0x1000030c	432	FUNC	<unknown>	DEFAULT	2
checksum_tcpudp			.symtab	0x100004bc	432	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0x10009f60	56	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x10009a04	72	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.3069			.symtab	0x100265fc	1	OBJECT	<unknown>	DEFAULT	12
connect			.symtab	0x1000c10c	52	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x100025e0	656	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x10009cf4	16	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x10002aa8	320	FUNC	<unknown>	DEFAULT	2
data_start			.symtab	0x10026140	0	NOTYPE	<unknown>	DEFAULT	9
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x10009a4c	72	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x100265c4	4	OBJECT	<unknown>	DEFAULT	11
errno			.symtab	0x100265d8	4	OBJECT	<unknown>	DEFAULT	11
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execl			.symtab	0x1000d30c	308	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x1000dac8	72	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x1000d288	132	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x10015d38	72	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x1000fb5c	332	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x10009898	132	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x1000991c	100	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x10001de4	232	FUNC	<unknown>	DEFAULT	2
fdopen_pids			.symtab	0x1002658c	4	OBJECT	<unknown>	DEFAULT	11
fdpclose			.symtab	0x10001c44	416	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x10001998	684	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x100103a4	432	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x100116e4	312	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x100101f0	148	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
fgets_unlocked			.symtab	0x10010554	196	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
findRandIP			.symtab	0x10002a38	112	FUNC	<unknown>	DEFAULT	2
fmt			.symtab	0x10015d20	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x1000fca8	12	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x10009a94	72	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x1000b2d4	92	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x10000168	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x1000c6a8	256	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x1000fcb4	16	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x1000fcb4	16	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x1000fcc4	284	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x1000b330	184	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBuild			.symtab	0x10006d6c	28	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x10002138	124	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x10006ad4	664	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x100116e4	312	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x10009adc	56	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x1000db10	72	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x10009b14	72	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x1000db58	72	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x1000bd74	84	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x1000bdc8	836	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x10009b5c	72	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0x10009ba4	72	FUNC	<unknown>	DEFAULT	2
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x10009bec	72	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x1000c140	52	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x1000c174	60	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x1000dba0	72	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.4864			.symtab	0x1002c7e4	20	OBJECT	<unknown>	DEFAULT	12
h_errno			.symtab	0x100265dc	4	OBJECT	<unknown>	DEFAULT	11
hacks			.symtab	0x10026508	4	OBJECT	<unknown>	DEFAULT	10
hacks2			.symtab	0x1002650c	4	OBJECT	<unknown>	DEFAULT	10
hacks3			.symtab	0x10026510	4	OBJECT	<unknown>	DEFAULT	10
hacks4			.symtab	0x10026514	4	OBJECT	<unknown>	DEFAULT	10
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_alloc_at.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
hextable			.symtab	0x10012954	1024	OBJECT	<unknown>	DEFAULT	4
htonl			.symtab	0x1000bd38	4	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x1000bd3c	4	FUNC	<unknown>	DEFAULT	2
httphex			.symtab	0x10004a30	1104	FUNC	<unknown>	DEFAULT	2
i.4522			.symtab	0x100261d8	4	OBJECT	<unknown>	DEFAULT	9
index			.symtab	0x1000b514	256	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x1000bd40	52	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x1000ede0	192	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntop			.symtab	0x10010c88	676	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x10010b28	352	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x1001091c	524	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x1001083c	224	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0x100068c4	528	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x100007d4	232	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x10026300	264	OBJECT	<unknown>	DEFAULT	9
initstate			.symtab	0x1000cc7c	136	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x1000cfd8	232	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x100097a0	232	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x1000bb04	44	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x10009c34	72	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer_status			.symtab	0x10026580	4	OBJECT	<unknown>	DEFAULT	11
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/powerpc/brk.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/powerpc/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/powerpc/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/powerpc/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/powerpc/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x10002870	456	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x10011644	128	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x10026584	6	OBJECT	<unknown>	DEFAULT	11
main			.symtab	0x10006d88	2284	FUNC	<unknown>	DEFAULT	2
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
makeIPPacket			.symtab	0x10002cf8	236	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x1000222c	188	FUNC	<unknown>	DEFAULT	2
makevsepacket			.symtab	0x10004078	264	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x1000c4e0	344	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memchr			.symtab	0x1000ead4	264	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x1000b3e8	156	FUNC	<unknown>	DEFAULT	2
memcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memmove			.symtab	0x1000ea30	164	FUNC	<unknown>	DEFAULT	2
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x1000ebdc	52	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x1000ec10	244	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x1000b484	144	FUNC	<unknown>	DEFAULT	2
memset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
mylock			.symtab	0x10026408	24	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x1002c810	24	OBJECT	<unknown>	DEFAULT	12
mylock			.symtab	0x100264f0	24	OBJECT	<unknown>	DEFAULT	9
nanosleep			.symtab	0x1000dbe8	72	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next__start.1106			.symtab	0x100265b8	4	OBJECT	<unknown>	DEFAULT	11
ngPid			.symtab	0x10026594	4	OBJECT	<unknown>	DEFAULT	11
ntohl			.symtab	0x1000bd30	4	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x1000bd34	4	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x10026578	8	OBJECT	<unknown>	DEFAULT	11
object.3150			.symtab	0x10026600	24	OBJECT	<unknown>	DEFAULT	12
open			.symtab	0x10009c7c	120	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourlP			.symtab	0x10026590	4	OBJECT	<unknown>	DEFAULT	11
p.3067			.symtab	0x1002613c	0	OBJECT	<unknown>	DEFAULT	9
parseHex			.symtab	0x10001ecc	144	FUNC	<unknown>	DEFAULT	2
pids			.symtab	0x1002659c	4	OBJECT	<unknown>	DEFAULT	11
pipe			.symtab	0x10009d04	72	FUNC	<unknown>	DEFAULT	2
pipe.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
poll			.symtab	0x1000fb14	72	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0x10009d4c	72	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4074			.symtab	0x100150c0	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x100010ec	1564	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x10000cc8	128	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x10000eec	512	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x10000d48	420	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x10004e80	6724	FUNC	<unknown>	DEFAULT	2
qual_chars.4079			.symtab	0x100150d4	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x10011614	48	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x1000cb88	4	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand__str			.symtab	0x100077c8	244	FUNC	<unknown>	DEFAULT	2
rand_alpha_str			.symtab	0x100078bc	212	FUNC	<unknown>	DEFAULT	2
rand_alphastr			.symtab	0x10000b90	312	FUNC	<unknown>	DEFAULT	2
rand_cmw			.symtab	0x10000a38	344	FUNC	<unknown>	DEFAULT	2
rand_init			.symtab	0x10007674	144	FUNC	<unknown>	DEFAULT	2
rand_next			.symtab	0x10007704	196	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x1000cb8c	108	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x10015cc4	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x1000ce64	144	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x1002643c	128	OBJECT	<unknown>	DEFAULT	9
rawmemchr			.symtab	0x10010618	184	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x10009d94	72	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0x1000c7a8	304	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x1000c1b0	56	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x100022e8	760	FUNC	<unknown>	DEFAULT	2
recvfrom			.symtab	0x1000c1e8	64	FUNC	<unknown>	DEFAULT	2
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv_domain_to_hostname			.symtab	0x10007990	296	FUNC	<unknown>	DEFAULT	2
resolv_entries_free			.symtab	0x100082ac	100	FUNC	<unknown>	DEFAULT	2
resolv_lookup			.symtab	0x10007bb8	1780	FUNC	<unknown>	DEFAULT	2
resolv_skip_name			.symtab	0x10007ab8	256	FUNC	<unknown>	DEFAULT	2
rtcp			.symtab	0x10003a08	1168	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x1000dc30	112	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x10026598	4	OBJECT	<unknown>	DEFAULT	11
select			.symtab	0x10009ddc	72	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x1000c228	56	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendSTD			.symtab	0x10003e98	480	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x1000c260	64	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x1000c2a0	60	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x1000cbf8	132	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x1000cd70	244	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x1000f868	196	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x1000c310	76	FUNC	<unknown>	DEFAULT	2
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x1000c35c	44	FUNC	<unknown>	DEFAULT	2
signal			.symtab	0x1000c388	224	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x10009e24	120	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x1000d440	468	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x1000c2dc	52	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x100048e8	328	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x10001864	308	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4078			.symtab	0x100150e8	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4073			.symtab	0x100150cc	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4075			.symtab	0x10015114	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4074			.symtab	0x1001512c	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4077			.symtab	0x100150f8	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4076			.symtab	0x10015108	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x10009f98	140	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x1000cd04	108	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x1000cd04	108	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x1000cef4	228	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x100264d4	2	OBJECT	<unknown>	DEFAULT	9
static_ns			.symtab	0x100265e0	4	OBJECT	<unknown>	DEFAULT	11
stderr			.symtab	0x10026540	4	OBJECT	<unknown>	DEFAULT	10
stdin			.symtab	0x10026538	4	OBJECT	<unknown>	DEFAULT	10
stdout			.symtab	0x1002653c	4	OBJECT	<unknown>	DEFAULT	10
strcasecmp			.symtab	0x1001181c	80	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strcasemp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x1000b514	256	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x1000b614	52	FUNC	<unknown>	DEFAULT	2
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x1000b614	52	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x1000b648	32	FUNC	<unknown>	DEFAULT	2
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strdup			.symtab	0x100107ec	80	FUNC	<unknown>	DEFAULT	2
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x1000b9dc	268	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x1000b668	164	FUNC	<unknown>	DEFAULT	2
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncat			.symtab	0x100106d0	208	FUNC	<unknown>	DEFAULT	2
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x1000b70c	188	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x1000b7c8	240	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x1000eda4	60	FUNC	<unknown>	DEFAULT	2
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x100107a0	76	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x1000b8b8	244	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x1000baf8	12	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x1000ed04	160	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x1000d0cc	8	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x100017b4	176	FUNC	<unknown>	DEFAULT	2
table			.symtab	0x1002c828	232	OBJECT	<unknown>	DEFAULT	12
table.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
table_init			.symtab	0x10008310	504	FUNC	<unknown>	DEFAULT	2
table_key			.symtab	0x10026524	4	OBJECT	<unknown>	DEFAULT	10
table_lock_val			.symtab	0x1000856c	100	FUNC	<unknown>	DEFAULT	2
table_retrieve_val			.symtab	0x100085d0	108	FUNC	<unknown>	DEFAULT	2
table_unlock_val			.symtab	0x10008508	100	FUNC	<unknown>	DEFAULT	2
tcgetattr			.symtab	0x1000bb30	156	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpFI00d			.symtab	0x1000340c	1532	FUNC	<unknown>	DEFAULT	2
tcpsum			.symtab	0x10002be8	272	FUNC	<unknown>	DEFAULT	2
tcsetattr			.symtab	0x1000bbcc	356	FUNC	<unknown>	DEFAULT	2
tcsetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
time			.symtab	0x10009e9c	72	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
times			.symtab	0x1000dca0	72	FUNC	<unknown>	DEFAULT	2
times.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toggle_obf			.symtab	0x100086e0	412	FUNC	<unknown>	DEFAULT	2
tolower			.symtab	0x100116c4	32	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x10009f34	32	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x100008bc	380	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x10015134	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x1001514c	12	OBJECT	<unknown>	DEFAULT	4
udpfI00d			.symtab	0x10002de4	1576	FUNC	<unknown>	DEFAULT	2

Total Packets: 16

- 80 (HTTP)
- 443 (HTTPS)
- 29448 undefined



TCP Packets

System Behavior

Analysis Process: 8csaVSyOL3 PID: 6235, Parent PID: 6133

General

Start time:	21:53:47
Start date:	08/08/2022
Path:	/tmp/8csaVSyOL3
Arguments:	/tmp/8csaVSyOL3
File size:	5388968 bytes
MD5 hash:	ae65271c943d3451b7f026d1fadccae6

File Activities

File Deleted

File Read

File Written

Analysis Process: 8csaVSyOL3 PID: 6237, Parent PID: 6235

General

Start time:	21:53:47
Start date:	08/08/2022
Path:	/tmp/8csaVSyOL3
Arguments:	n/a
File size:	5388968 bytes
MD5 hash:	ae65271c943d3451b7f026d1fadccae6

Analysis Process: 8csaVSyOL3 PID: 6238, Parent PID: 6235

General

Start time:	21:53:47
Start date:	08/08/2022
Path:	/tmp/8csaVSyOL3
Arguments:	n/a
File size:	5388968 bytes
MD5 hash:	ae65271c943d3451b7f026d1fadccae6

Analysis Process: 8csaVSyOL3 PID: 6241, Parent PID: 6238

General

Start time:	21:53:47
Start date:	08/08/2022
Path:	/tmp/8csaVSyOL3
Arguments:	n/a
File size:	5388968 bytes
MD5 hash:	ae65271c943d3451b7f026d1fadcea6