

JOeSandbox Cloud BASIC



ID: 680618

Sample Name: bmkW2SeYIM

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 22:02:01

Date: 08/08/2022

Version: 35.0.0 Citrine

Table of Contents

Table of Contents	2
Linux Analysis Report bmkW2SeYIM	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Initial Sample	4
Memory Dumps	4
Snort Signatures	6
Joe Sandbox Signatures	6
AV Detection	6
Spreading	6
System Summary	6
Stealing of Sensitive Information	6
Remote Access Functionality	6
Mitre Att&ck Matrix	6
Malware Configuration	7
Behavior Graph	7
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	8
Domains	8
URLs	8
Domains and IPs	8
Contacted Domains	8
World Map of Contacted IPs	8
Public IPs	8
Joe Sandbox View / Context	8
IPs	8
Domains	9
ASNs	9
JA3 Fingerprints	9
Dropped Files	9
Created / dropped Files	9
/tmp/qemu-open.94huVq (deleted)	9
Static File Info	9
General	9
Static ELF Info	9
ELF header	9
Sections	10
Program Segments	10
Symbols	10
Network Behavior	24
Network Port Distribution	24
TCP Packets	24
System Behavior	24
Analysis Process: bmkW2SeYIM PID: 6232, Parent PID: 6123	24
General	24
File Activities	24
File Deleted	24
File Read	24
File Written	24
Analysis Process: bmkW2SeYIM PID: 6234, Parent PID: 6232	24
General	24
Analysis Process: bmkW2SeYIM PID: 6235, Parent PID: 6232	25
General	25
Analysis Process: bmkW2SeYIM PID: 6238, Parent PID: 6235	25
General	25

Linux Analysis Report

bmkW2SeYIM

Overview

General Information

Sample Name:	bmkW2SeYIM
Analysis ID:	680618
MD5:	7e71a203198642..
SHA1:	c76001e9a692a4..
SHA256:	24952a727e10c1..
Tags:	32 elf mirai motorola
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Mirai

Score:	80
Range:	0 - 100
Whitelisted:	false

Signatures

Malicious sample detected (through...

Antivirus / Scanner detection for sub...

Yara detected Mirai

Multi AV Scanner detection for subm...

Contains symbols with names comm...

Opens /proc/net/* files useful for fin...

Yara signature match

Sample contains strings that are us...

Uses the "uname" system call to qu...

Tries to connect to HTTP servers, b...

Detected TCP or UDP traffic on non...

Classification

Analysis Advice

Static ELF header machine description suggests that the sample might not execute correctly on this machine.

All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.

General Information

Joe Sandbox Version:	35.0.0 Citrine
Analysis ID:	680618
Start date and time: 08/08/202222:02:01	2022-08-08 22:02:01 +02:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 41s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	bmkW2SeYIM
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal80.spre.troj.lin@0/1@0/0

Runtime Messages

Command:	/tmp/bmkW2SeYIM
PID:	6232
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	gosh that chinese family at the other table sure ate alot
Standard Error:	

Process Tree

- system is Inxubuntu20
 - bmkW2SeYIM (PID: 6232, Parent: 6123, MD5: cd177594338c77b895ae27c33f8f86cc) Arguments: /tmp/bmkW2SeYIM
 - bmkW2SeYIM New Fork (PID: 6234, Parent: 6232)
 - bmkW2SeYIM New Fork (PID: 6235, Parent: 6232)
 - bmkW2SeYIM New Fork (PID: 6238, Parent: 6235)
 - cleanup

Yara Signatures

Initial Sample

Source	Rule	Description	Author	Strings
bmkW2SeYIM	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
bmkW2SeYIM	Linux_Trojan_Gafgyt_28a2fe0c	unknown	unknown	● 0x131d6:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x131ea:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x131fe:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x13212:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x13226:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x1323a:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x1324e:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x13262:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x13276:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x1328a:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x1329e:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x132b2:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x132c6:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x132da:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x132ee:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x13302:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x13316:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x1332a:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x1333e:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x13352:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0x13366:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F

Memory Dumps

Source	Rule	Description	Author	Strings
6234.1.00007f4e60001000.00007f4e60018000.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

Source	Rule	Description	Author	Strings
6232.1.00007f4e60001000.00007f4e60018000.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
Click to see the 4 entries				

Snort Signatures

No Snort rule has matched

Joe Sandbox Signatures

AV Detection



Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file

Spreading



Opens /proc/net/* files useful for finding connected devices and routers

System Summary



Malicious sample detected (through community Yara rule)

Contains symbols with names commonly found in malware

Stealing of Sensitive Information



Yara detected Mirai

Remote Access Functionality



Yara detected Mirai

Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	1 1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	1 Remote System Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Non-Standard Port	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

Dropped Files

No Antivirus matches

Domains

No Antivirus matches


URLs

No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
109.206.241.200	unknown	Germany		209929	AWMLTNL	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

/tmp/qemu-open.94huVq (deleted)

Static File Info

General

File type:	ELF 32-bit MSB executable, Motorola m68k, 68020, version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	6.129042881772666
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	bmkW2SeYIM
File size:	118090
MD5:	7e71a2031986424b4d57db840ef7ccff
SHA1:	c76001e9a692a4b2040f81690a85cd7939c07e64
SHA256:	24952a727e10c1fff00c331ed6a29a7dcbf1b75ccc074ef0c2bf35bbff76f2c3
SHA512:	671b35761971fa1c58003936d31de6fc7c4b94a4c23db8320ee4f43fbc2ceab38258be6f2e5378d98724b69677cbcd974e3e4640905d4974adc5094027d316b1
SSDEEP:	3072:Ydg8GXIDvGik1MG8+mjypvZooamm/QcuLB1niDNb:YuFX0Gik1MHypxamm/QcuLB1niDNb
TLSH:	6DB3F872B804DF66F00A96B504D38B367E30BFA70E6316A2731B39669D331D528A7F45
File Content Preview:	.ELF.....D...4..uh.....4. ..(.....d...d..... ..d.....8..hX..... dt.Q.....NV..a....da... N^NuNV...J9...0f>"y.... QJ.g.X.#.....N."y.... QJ.f.A.....J.g.Hy..d.N.X.....0N^NuNV..N^NuN

Static ELF Info

ELF header

Class:	ELF32
Data:	2's complement, big endian
Version:	1 (current)
Machine:	MC68000
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x80000144
Flags:	0x0
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	3
Section Header Offset:	95592

ELF header

Section Header Size:	40
Number of Section Headers:	15
Header String Table Index:	12

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x80000094	0x94	0x14	0x0	0x6	AX	0	0	2
.text	PROGBITS	0x800000a8	0xa8	0x1204c	0x0	0x6	AX	0	0	4
.fini	PROGBITS	0x800120f4	0x120f4	0xe	0x0	0x6	AX	0	0	2
.rodata	PROGBITS	0x80012102	0x12102	0x43f0	0x0	0x2	A	0	0	2
.eh_frame	PROGBITS	0x800164f4	0x164f4	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x800184f8	0x164f8	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x80018500	0x16500	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x80018508	0x16508	0x4	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x8001850c	0x1650c	0x424	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x80018930	0x16930	0x6420	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0x16930	0xbd0	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x17500	0x66	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x177c0	0x30c0	0x10	0x0		14	298	4
.strtab	STRTAB	0x0	0x1a880	0x24ca	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x80000000	0x80000000	0x164f8	0x164f8	6.1370	0x5	R E	0x2000		.init .text .fini .rodata .eh_frame
LOAD	0x164f8	0x800184f8	0x800184f8	0x438	0x6858	3.3755	0x6	RW	0x2000		.ctors .dtors .jcr .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x80000094	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x800000a8	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x800120f4	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x80012102	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x800164f4	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x800184f8	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x80018500	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x80018508	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x8001850c	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x80018930	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
KHcommSOCK			.symtab	0x8001894c	4	OBJECT	<unknown>	DEFAULT	10
KHserverHACKER			.symtab	0x800185bc	4	OBJECT	<unknown>	DEFAULT	9
LOCAL_ADDR			.symtab	0x8001ebc8	4	OBJECT	<unknown>	DEFAULT	10
Q			.symtab	0x80018966	16384	OBJECT	<unknown>	DEFAULT	10
UserAgents			.symtab	0x8001852c	144	OBJECT	<unknown>	DEFAULT	9
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__CTOR_END__			.symtab	0x800184fc	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x800184f8	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x800185d0	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x80014e4e	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x80018928	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x800161f2	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x800185d8	4	OBJECT	<unknown>	DEFAULT	9
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x8001514e	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x80018504	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x80018500	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x800164f4	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x800164f4	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x800185d0	4	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_b_data			.symtab	0x80014e4e	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_tolower			.symtab	0x80018928	4	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_tolower_data			.symtab	0x800161f2	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x800185d8	4	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_toupper_data			.symtab	0x8001514e	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x800185d4	4	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_tolower			.symtab	0x8001892c	4	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_toupper			.symtab	0x800185dc	4	OBJECT	<unknown>	HIDDEN	9
__GI__errno_location			.symtab	0x8000728c	16	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x800119b4	500	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x80009ac8	36	FUNC	<unknown>	HIDDEN	2
__GI__h_errno_location			.symtab	0x8000c5e8	16	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x80006a18	188	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl64			.symtab	0x80006b2c	54	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x80006f2a	80	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x8000bf70	106	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x8000c08c	74	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x80009aec	264	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x80006b9c	16	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x8000f14c	390	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0x8000b90c	28	FUNC	<unknown>	HIDDEN	2
__GI__atol			.symtab	0x8000b90c	28	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x8000f300	64	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0x80006bf4	60	FUNC	<unknown>	HIDDEN	2
__GI__connect			.symtab	0x8000a260	48	FUNC	<unknown>	HIDDEN	2
__GI__dup2			.symtab	0x80006c30	72	FUNC	<unknown>	HIDDEN	2
__GI__errno			.symtab	0x8001c97c	4	OBJECT	<unknown>	HIDDEN	10
__GI__execl			.symtab	0x8000bbfc	178	FUNC	<unknown>	HIDDEN	2
__GI__execve			.symtab	0x8000c36c	84	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x8000bb80	124	FUNC	<unknown>	HIDDEN	2
__GI__fclose			.symtab	0x8000f3f8	416	FUNC	<unknown>	HIDDEN	2
__GI__fcntl			.symtab	0x80006a18	188	FUNC	<unknown>	HIDDEN	2
__GI__fcntl64			.symtab	0x80006b2c	54	FUNC	<unknown>	HIDDEN	2
__GI__fflush_unlocked			.symtab	0x8000fe8a	510	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x800119b4	500	FUNC	<unknown>	HIDDEN	2
__GI__fgets			.symtab	0x8000fccc	134	FUNC	<unknown>	HIDDEN	2
__GI__fgets_unlocked			.symtab	0x80010088	226	FUNC	<unknown>	HIDDEN	2
__GI__fopen			.symtab	0x8000f598	38	FUNC	<unknown>	HIDDEN	2
__GI__fork			.symtab	0x80006c78	56	FUNC	<unknown>	HIDDEN	2
__GI__fputs_unlocked			.symtab	0x80008b9c	80	FUNC	<unknown>	HIDDEN	2
__GI__fseek			.symtab	0x8000f5c0	40	FUNC	<unknown>	HIDDEN	2
__GI__fseeko64			.symtab	0x8000f5e8	346	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_fwrite_unlocked			.symtab	0x80008bec	162	FUNC	<unknown>	HIDDEN	2
__GI_getc_unlocked			.symtab	0x800119b4	500	FUNC	<unknown>	HIDDEN	2
__GI_getdtablesize			.symtab	0x80006cb0	52	FUNC	<unknown>	HIDDEN	2
__GI_getegid			.symtab	0x8000c3c0	60	FUNC	<unknown>	HIDDEN	2
__GI_geteuid			.symtab	0x80006ce4	60	FUNC	<unknown>	HIDDEN	2
__GI_getgid			.symtab	0x8000c3fc	60	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname			.symtab	0x80009d98	60	FUNC	<unknown>	HIDDEN	2
__GI_gethostbyname_r			.symtab	0x80009dd4	1164	FUNC	<unknown>	HIDDEN	2
__GI_getpid			.symtab	0x80006d20	56	FUNC	<unknown>	HIDDEN	2
__GI_getrlimit			.symtab	0x80006d90	90	FUNC	<unknown>	HIDDEN	2
__GI_getsockname			.symtab	0x8000a290	50	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x8000c438	60	FUNC	<unknown>	HIDDEN	2
__GI_h_errno			.symtab	0x8001c980	4	OBJECT	<unknown>	HIDDEN	10
__GI_inet_addr			.symtab	0x80009d68	48	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x8000e2cc	362	FUNC	<unknown>	HIDDEN	2
__GI_inet_ntop			.symtab	0x80010cf6	112	FUNC	<unknown>	HIDDEN	2
__GI_inet_pton			.symtab	0x80010804	96	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0x8000b7c2	330	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0x80006dec	130	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x80009c38	52	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0x80006eb8	20	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x80011906	108	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x8000d908	348	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x800090ba	240	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0x8000df24	288	FUNC	<unknown>	HIDDEN	2
__GI_mempcpy			.symtab	0x8000e044	42	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x8000e070	358	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0x800091ac	310	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x8000c474	78	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x80006f2a	80	FUNC	<unknown>	HIDDEN	2
__GI_pipe			.symtab	0x80006f98	62	FUNC	<unknown>	HIDDEN	2
__GI_poll			.symtab	0x8000f3a0	88	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x80011888	28	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0x8000b1dc	94	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x8000b512	266	FUNC	<unknown>	HIDDEN	2
__GI_rawmemchr			.symtab	0x8001016c	274	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x8000703c	84	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0x8000a308	56	FUNC	<unknown>	HIDDEN	2
__GI_recvfrom			.symtab	0x8000a340	72	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x8000c4c4	106	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0x80007090	100	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0x8000a388	56	FUNC	<unknown>	HIDDEN	2
__GI_sendto			.symtab	0x8000a3c0	70	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0x8000a408	64	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0x8000b37c	406	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0x8000f064	232	FUNC	<unknown>	HIDDEN	2
__GI_sigaddset			.symtab	0x8000a47c	70	FUNC	<unknown>	HIDDEN	2
__GI_sigemptyset			.symtab	0x8000a4c4	60	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0x8000a500	238	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0x800070f4	160	FUNC	<unknown>	HIDDEN	2
__GI_sleep			.symtab	0x8000bcb0	558	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0x8000a448	50	FUNC	<unknown>	HIDDEN	2
__GI_sprintf			.symtab	0x800072e8	52	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0x8000b61c	422	FUNC	<unknown>	HIDDEN	2
__GI_strcasecmp			.symtab	0x80011ba8	120	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0x800092e4	390	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0x8000946c	110	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0x8000946c	110	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_strerror			.symtab	0x800094dc	92	FUNC	<unknown>	HIDDEN	2
__GI_strdup			.symtab	0x80010420	80	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0x80009538	268	FUNC	<unknown>	HIDDEN	2
__GI_strncat			.symtab	0x80010280	310	FUNC	<unknown>	HIDDEN	2
__GI_strncpy			.symtab	0x80009644	320	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0x80009784	350	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0x8000e274	86	FUNC	<unknown>	HIDDEN	2
__GI_strspn			.symtab	0x800103b8	104	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0x800098e4	484	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0x80009c14	36	FUNC	<unknown>	HIDDEN	2
__GI_strerror_r			.symtab	0x8000e1d8	154	FUNC	<unknown>	HIDDEN	2
__GI_strerror			.symtab	0x8000b928	34	FUNC	<unknown>	HIDDEN	2
__GI_tcgetattr			.symtab	0x80009c6c	182	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0x80007194	62	FUNC	<unknown>	HIDDEN	2
__GI_times			.symtab	0x8000c530	62	FUNC	<unknown>	HIDDEN	2
__GI_tolower			.symtab	0x80011974	64	FUNC	<unknown>	HIDDEN	2
__GI_toupper			.symtab	0x8000724c	64	FUNC	<unknown>	HIDDEN	2
__GI_vfork			.symtab	0x800069f0	38	FUNC	<unknown>	HIDDEN	2
__GI_vsnprintf			.symtab	0x8000731c	198	FUNC	<unknown>	HIDDEN	2
__GI_wait4			.symtab	0x8000c5ca	30	FUNC	<unknown>	HIDDEN	2
__GI_waitpid			.symtab	0x800071d4	34	FUNC	<unknown>	HIDDEN	2
__GI_wctomb			.symtab	0x8000c5f8	100	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x8000c684	206	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0x8000c65c	38	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x800071f8	84	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x80018508	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x80018508	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x8001eb98	4	OBJECT	<unknown>	HIDDEN	10
__atexit_lock			.symtab	0x800188d8	24	OBJECT	<unknown>	DEFAULT	9
__bsd_signal			.symtab	0x8000a500	238	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x80018930	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x8000c048	68	FUNC	<unknown>	DEFAULT	2
__check_suid			.symtab	0x8000bfec	92	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x800185d4	4	OBJECT	<unknown>	DEFAULT	9
__ctype_tolower			.symtab	0x8001892c	4	OBJECT	<unknown>	DEFAULT	9
__ctype_toupper			.symtab	0x800185dc	4	OBJECT	<unknown>	DEFAULT	9
__curbrk			.symtab	0x8001ebc4	4	OBJECT	<unknown>	DEFAULT	10
__data_start			.symtab	0x80018514	0	NOTYPE	<unknown>	DEFAULT	9
__decode_answer			.symtab	0x80011238	460	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x80011d2c	340	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x80010f58	480	FUNC	<unknown>	HIDDEN	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__dns_lookup			.symtab	0x8000e438	2224	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x800120c0	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x800000a8	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x8001850c	0	OBJECT	<unknown>	HIDDEN	9
__encode_dotted			.symtab	0x80011c20	268	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x80010d68	494	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x80011138	198	FUNC	<unknown>	HIDDEN	2
__environ			.symtab	0x8001eb90	4	OBJECT	<unknown>	DEFAULT	10
__errno_location			.symtab	0x8000728c	16	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x8001eb88	4	OBJECT	<unknown>	HIDDEN	10
__fgetc_unlocked			.symtab	0x800119b4	500	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x800184f8	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x800184f8	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__free_to_heap			.symtab	0x8000aa18	342	FUNC	<unknown>	DEFAULT	2
__get_hosts_byname_r			.symtab	0x8000f030	50	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__glibc_strerror_r			.symtab	0x80009ac8	36	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x8000c5e8	16	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__heap_add_free_area			.symtab	0x8000aff6	66	FUNC	<unknown>	DEFAULT	2
__heap_alloc			.symtab	0x8000adc2	150	FUNC	<unknown>	DEFAULT	2
__heap_alloc_at			.symtab	0x8000aef2	144	FUNC	<unknown>	DEFAULT	2
__heap_delete			.symtab	0x8000a9c0	88	FUNC	<unknown>	DEFAULT	2
__heap_delete			.symtab	0x8000ad28	88	FUNC	<unknown>	DEFAULT	2
__heap_delete			.symtab	0x8000ae58	88	FUNC	<unknown>	DEFAULT	2
__heap_free			.symtab	0x8000b038	404	FUNC	<unknown>	DEFAULT	2
__heap_free_area_alloc			.symtab	0x8000ad80	66	FUNC	<unknown>	DEFAULT	2
__heap_free_area_alloc			.symtab	0x8000aeb0	66	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area			.symtab	0x8000af84	70	FUNC	<unknown>	DEFAULT	2
__heap_link_free_area_after			.symtab	0x8000afca	44	FUNC	<unknown>	DEFAULT	2
__init_array_end			.symtab	0x800184f8	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x800184f8	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x80011e80	114	FUNC	<unknown>	HIDDEN	2
__length_question			.symtab	0x80011200	56	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x80006bf4	60	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x8000a260	48	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x80006f7a	30	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x80006a18	188	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x80006b2c	54	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x80006c78	56	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x80006d20	56	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x80011906	108	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x8000c474	78	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x80006f2a	80	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x8000f3a0	88	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x8000703c	84	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x8000a308	56	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0x8000a340	72	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x80007090	100	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x8000a388	56	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x8000a3c0	70	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x8000f064	232	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x8001eb8c	4	OBJECT	<unknown>	DEFAULT	10
__libc_waitpid			.symtab	0x800071d4	34	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x800071f8	84	FUNC	<unknown>	DEFAULT	2
__malloc_from_heap			.symtab	0x8000a6cc	466	FUNC	<unknown>	DEFAULT	2
__malloc_heap			.symtab	0x8001871c	4	OBJECT	<unknown>	DEFAULT	9
__malloc_heap_lock			.symtab	0x8001eb70	24	OBJECT	<unknown>	DEFAULT	10
__malloc_sbrk_lock			.symtab	0x8001ed0a	24	OBJECT	<unknown>	DEFAULT	10
__nameserver			.symtab	0x8001ed32	12	OBJECT	<unknown>	HIDDEN	10
__nameservers			.symtab	0x8001ed3e	4	OBJECT	<unknown>	HIDDEN	10
__open_etc_hosts			.symtab	0x80011404	72	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x8000ece8	840	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x8001eb94	4	OBJECT	<unknown>	DEFAULT	10
__preinit_array_end			.symtab	0x800184f8	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x800184f8	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x8000bfd4	10	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x8000bfd4	10	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x8000bfd4	10	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x8000bfd4	10	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x8000bfd4	10	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x8000bfe4	8	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__raise			.symtab	0x80011888	28	FUNC	<unknown>	HIDDEN	2
__read_etc_hosts_r			.symtab	0x8001144c	1084	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x800188f8	24	OBJECT	<unknown>	DEFAULT	9
__rtld_fini			.symtab	0x8001eb9c	4	OBJECT	<unknown>	HIDDEN	10
__searchdomain			.symtab	0x8001ed22	16	OBJECT	<unknown>	HIDDEN	10
__searchdomains			.symtab	0x8001ed42	4	OBJECT	<unknown>	HIDDEN	10
__sigaddset			.symtab	0x8000a640	68	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x8000a684	72	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x8000a5f0	80	FUNC	<unknown>	DEFAULT	2
__socketcall			.symtab	0x8000c320	74	FUNC	<unknown>	HIDDEN	2
__socketcall.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__stdin			.symtab	0x800185ec	4	OBJECT	<unknown>	DEFAULT	9
__stdio_READ			.symtab	0x80011ef4	138	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x8000c754	314	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x8000f744	352	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x8000c890	518	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x8000744c	32	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.3828			.symtab	0x8001544e	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x80011f80	90	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x8000fc64	102	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x80011fdc	226	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x8000ca98	414	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x80007564	116	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x800185f0	4	OBJECT	<unknown>	DEFAULT	9
__syscall_exit			.symtab	0x80006b64	56	FUNC	<unknown>	DEFAULT	2
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64			.symtab	0x80006ad4	88	FUNC	<unknown>	DEFAULT	2
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_kill			.symtab	0x80006e70	72	FUNC	<unknown>	DEFAULT	2
__syscall_llseek			.symtab	0x800118a4	98	FUNC	<unknown>	DEFAULT	2
__syscall_open			.symtab	0x80006ecc	94	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction			.symtab	0x8000f340	94	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_wait4			.symtab	0x8000c570	90	FUNC	<unknown>	DEFAULT	2
__uClibc_fini			.symtab	0x8000bf70	106	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x8000c08c	74	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x8000c0d6	584	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x800188f0	4	OBJECT	<unknown>	HIDDEN	9
__vfork			.symtab	0x800069f0	38	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0x80009aec	264	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__charpad			.symtab	0x800075d8	74	FUNC	<unknown>	DEFAULT	2
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__dl_aux_init			.symtab	0x8000f2d4	44	FUNC	<unknown>	DEFAULT	2
__dl_phdr			.symtab	0x8001ed46	4	OBJECT	<unknown>	DEFAULT	10
__dl_phnum			.symtab	0x8001ed4a	4	OBJECT	<unknown>	DEFAULT	10
__do_one_spec			.symtab	0x800076ca	2118	FUNC	<unknown>	DEFAULT	2
__edata			.symtab	0x80018930	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__end			.symtab	0x8001ed50	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__errno			.symtab	0x8001c97c	4	OBJECT	<unknown>	DEFAULT	10
__exit			.symtab	0x80006b9c	16	FUNC	<unknown>	DEFAULT	2
__exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fini			.symtab	0x800120f4	0	FUNC	<unknown>	DEFAULT	3
__fixed_buffers			.symtab	0x8001c98c	8192	OBJECT	<unknown>	DEFAULT	10
__fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_fp_out_narrow			.symtab	0x80007622	168	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x8000cf40	2502	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x8001c980	4	OBJECT	<unknown>	DEFAULT	10
_init			.symtab	0x80000094	0	FUNC	<unknown>	DEFAULT	1
_is_equal_or_bigger_arg			.symtab	0x80008504	102	FUNC	<unknown>	DEFAULT	2
_load_inttype			.symtab	0x8000cc38	238	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x800080a4	208	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x8000856a	1584	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x80008174	108	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x800081e0	718	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x800084b0	84	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x8000bfe4	8	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x8000bfe4	8	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signintr			.symtab	0x8001ec8a	128	OBJECT	<unknown>	HIDDEN	10
_start			.symtab	0x80000144	0	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x8000f8a4	960	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x800073e4	104	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x800185f4	4	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_add_lock			.symtab	0x800185f8	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_dec_use			.symtab	0x8000fd54	310	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x8001c988	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_del_lock			.symtab	0x80018610	24	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_use_count			.symtab	0x8001c984	4	OBJECT	<unknown>	DEFAULT	10
_stdio_streams			.symtab	0x8001862c	240	OBJECT	<unknown>	DEFAULT	9
_stdio_term			.symtab	0x8000746c	248	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x80018628	4	OBJECT	<unknown>	DEFAULT	9
_stdlib_strto_l			.symtab	0x8000b94c	562	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x8000cd28	96	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x80015512	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x8000cd88	438	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x80007f10	404	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wordcopy_bwd_aligned			.symtab	0x8000da64	638	FUNC	<unknown>	DEFAULT	2
_wordcopy_bwd_dest_aligned			.symtab	0x8000dce2	578	FUNC	<unknown>	DEFAULT	2
_wordcopy_fwd_aligned			.symtab	0x80008c90	566	FUNC	<unknown>	DEFAULT	2
_wordcopy_fwd_dest_aligned			.symtab	0x80008ec6	500	FUNC	<unknown>	DEFAULT	2
abort			.symtab	0x8000f14c	390	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
access			.symtab	0x80006bac	72	FUNC	<unknown>	DEFAULT	2
access.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
acnc			.symtab	0x80003010	170	FUNC	<unknown>	DEFAULT	2
add_entry			.symtab	0x80006038	120	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
atoi			.symtab	0x8000b90c	28	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x8000b90c	28	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
axis_bp			.symtab	0x80018528	4	OBJECT	<unknown>	DEFAULT	9
bcopy			.symtab	0x80009bf4	30	FUNC	<unknown>	DEFAULT	2
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x8001ebc0	4	OBJECT	<unknown>	DEFAULT	10
been_there_done_that.2790			.symtab	0x8001eba0	4	OBJECT	<unknown>	DEFAULT	10
brk			.symtab	0x8000f300	64	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x8000a500	238	FUNC	<unknown>	DEFAULT	2
buf.4831			.symtab	0x8001e990	460	OBJECT	<unknown>	DEFAULT	10
c			.symtab	0x800185c4	4	OBJECT	<unknown>	DEFAULT	9
call__do_global_ctors_aux			.symtab	0x800120ea	0	FUNC	<unknown>	DEFAULT	2
call__do_global_dtors_aux			.symtab	0x800000f6	0	FUNC	<unknown>	DEFAULT	2
call_frame_dummy			.symtab	0x8000013c	0	FUNC	<unknown>	DEFAULT	2
calloc			.symtab	0x8000a948	118	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_generic			.symtab	0x8000016c	126	FUNC	<unknown>	DEFAULT	2
checksum_tcp_udp			.symtab	0x800001ea	288	FUNC	<unknown>	DEFAULT	2
checksum_tcpudp			.symtab	0x8000030a	288	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0x8000729c	76	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x80006bf4	60	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.2170			.symtab	0x80018930	1	OBJECT	<unknown>	DEFAULT	10
connect			.symtab	0x8000a260	48	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x800016a4	462	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x80006f7a	30	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x800019b6	228	FUNC	<unknown>	DEFAULT	2
data_start			.symtab	0x80018514	0	NOTYPE	<unknown>	DEFAULT	9
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x80006c30	72	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x8001eb90	4	OBJECT	<unknown>	DEFAULT	10
errno			.symtab	0x8001c97c	4	OBJECT	<unknown>	DEFAULT	10
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execl			.symtab	0x8000bbfc	178	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x8000c36c	84	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x8000bb80	124	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x800160fc	108	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x8000f3f8	416	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x80006a18	188	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
fcntl64			.symtab	0x80006b2c	54	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x800011dc	118	FUNC	<unknown>	DEFAULT	2
fdopen_pids			.symtab	0x8001c966	4	OBJECT	<unknown>	DEFAULT	10
fdpclose			.symtab	0x80001080	348	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x80000e78	520	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x8000fe8a	510	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x800119b4	500	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x8000fcc	134	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x80010088	226	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
findRandIP			.symtab	0x8000197e	56	FUNC	<unknown>	DEFAULT	2
fix_errno			.symtab	0x80006a08	0	NOTYPE	<unknown>	DEFAULT	2
fmt			.symtab	0x800160e8	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x8000f598	38	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x80006c78	56	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x80008b9c	80	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x800000fe	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x8000ab6e	32	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x8000f5c0	40	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x8000f5c0	40	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x8000f5e8	346	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x80008bec	162	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBuild			.symtab	0x80004eda	10	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x800013e8	56	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x80004cd6	516	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x800119b4	500	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x80006cb0	52	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x8000c3c0	60	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x80006ce4	60	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x8000c3fc	60	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x80009d98	60	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x80009dd4	1164	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x80006d20	56	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0x80006d58	56	FUNC	<unknown>	DEFAULT	2
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x80006d90	90	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x8000a290	50	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x8000a2c4	66	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x8000c438	60	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.4830			.symtab	0x8001eb5c	20	OBJECT	<unknown>	DEFAULT	10
h_erno			.symtab	0x8001c980	4	OBJECT	<unknown>	DEFAULT	10
hacks			.symtab	0x80018518	4	OBJECT	<unknown>	DEFAULT	9
hacks2			.symtab	0x8001851c	4	OBJECT	<unknown>	DEFAULT	9
hacks3			.symtab	0x80018520	4	OBJECT	<unknown>	DEFAULT	9
hacks4			.symtab	0x80018524	4	OBJECT	<unknown>	DEFAULT	9
have_current_got			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
have_current_got			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
have_current_got			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_alloc_at.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
hextable			.symtab	0x80012dbc	1024	OBJECT	<unknown>	DEFAULT	4
htonl			.symtab	0x80009d46	12	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x80009d52	22	FUNC	<unknown>	DEFAULT	2
httphex			.symtab	0x800031a8	958	FUNC	<unknown>	DEFAULT	2
i.4411			.symtab	0x800185c8	4	OBJECT	<unknown>	DEFAULT	9
index			.symtab	0x800092e4	390	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x80009d68	48	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x8000e2cc	362	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntop			.symtab	0x80010cf6	112	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x80010864	464	FUNC	<unknown>	DEFAULT	2
inet_ntop6			.symtab	0x80010a34	706	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x80010804	96	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x80010470	282	FUNC	<unknown>	DEFAULT	2
inet_pton6			.symtab	0x8001058a	634	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0x80004b3a	412	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x80000540	144	FUNC	<unknown>	DEFAULT	2
initial_fa			.symtab	0x80018720	260	OBJECT	<unknown>	DEFAULT	9
initstate			.symtab	0x8000b2ae	118	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x8000b7c2	330	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x80006dec	130	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x80009c38	52	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x80006eb8	20	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer_status			.symtab	0x8001895c	4	OBJECT	<unknown>	DEFAULT	10
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/m68k/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/m68k/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/m68k/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/m68k/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x80001872	268	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x80011906	108	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x80018960	6	OBJECT	<unknown>	DEFAULT	10
main			.symtab	0x80004ee4	1538	FUNC	<unknown>	DEFAULT	2
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
makeIPPacket			.symtab	0x80001b60	132	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x80001458	118	FUNC	<unknown>	DEFAULT	2
makevsepacket			.symtab	0x80002a78	148	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
malloc			.symtab	0x8000a89e	168	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memchr			.symtab	0x8000d908	348	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x800090ba	240	FUNC	<unknown>	DEFAULT	2
memcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memmove			.symtab	0x8000df24	288	FUNC	<unknown>	DEFAULT	2
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x8000e044	42	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x8000e070	358	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x800091ac	310	FUNC	<unknown>	DEFAULT	2
memset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x80018824	24	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x8001eba4	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x80018910	24	OBJECT	<unknown>	DEFAULT	9
nanosleep			.symtab	0x8000c474	78	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1067			.symtab	0x8001e98c	4	OBJECT	<unknown>	DEFAULT	10
ngPid			.symtab	0x8001ebd0	4	OBJECT	<unknown>	DEFAULT	10
ntohl			.symtab	0x80009d24	12	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x80009d30	22	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x80018954	8	OBJECT	<unknown>	DEFAULT	10
object.2251			.symtab	0x80018932	24	OBJECT	<unknown>	DEFAULT	10
open			.symtab	0x80006f2a	80	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opentimeservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x8001ebcc	4	OBJECT	<unknown>	DEFAULT	10
p.2168			.symtab	0x80018510	0	OBJECT	<unknown>	DEFAULT	9
parseHex			.symtab	0x80001252	84	FUNC	<unknown>	DEFAULT	2
pids			.symtab	0x8001ebd8	4	OBJECT	<unknown>	DEFAULT	10
pipe			.symtab	0x80006f98	62	FUNC	<unknown>	DEFAULT	2
pipe.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
poll			.symtab	0x8000f3a0	88	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0x80006fd8	98	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4042			.symtab	0x80015473	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x80000ace	688	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x8000087c	68	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x80000996	312	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x800008c0	214	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x80003566	5588	FUNC	<unknown>	DEFAULT	2
qual_chars.4045			.symtab	0x80015486	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x80011888	28	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x8000b1cc	14	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand__str			.symtab	0x800055bc	128	FUNC	<unknown>	DEFAULT	2
rand_alpha_str			.symtab	0x8000563c	106	FUNC	<unknown>	DEFAULT	2
rand_alphastr			.symtab	0x800007ba	194	FUNC	<unknown>	DEFAULT	2
rand_cmwC			.symtab	0x800006a2	280	FUNC	<unknown>	DEFAULT	2
rand_init			.symtab	0x800054e8	84	FUNC	<unknown>	DEFAULT	2
rand_next			.symtab	0x8000553c	128	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
random			.symtab	0x8000b1dc	94	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x8001606c	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x8000b512	266	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x80018858	128	OBJECT	<unknown>	DEFAULT	9
rawmemchr			.symtab	0x8001016c	274	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x8000703c	84	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0x8000ab90	408	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x8000a308	56	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x800014ce	470	FUNC	<unknown>	DEFAULT	2
recvfrom			.symtab	0x8000a340	72	FUNC	<unknown>	DEFAULT	2
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv_domain_to_hostname			.symtab	0x800056a8	140	FUNC	<unknown>	DEFAULT	2
resolv_entries_free			.symtab	0x80005d42	56	FUNC	<unknown>	DEFAULT	2
resolv_lookup			.symtab	0x800057d2	1392	FUNC	<unknown>	DEFAULT	2
resolv_skip_name			.symtab	0x80005734	158	FUNC	<unknown>	DEFAULT	2
rtcp			.symtab	0x8000253c	886	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x8000c4c4	106	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x8001ebd4	4	OBJECT	<unknown>	DEFAULT	10
select			.symtab	0x80007090	100	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x8000a388	56	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendSTD			.symtab	0x800028b2	454	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x8000a3c0	70	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x8000a408	64	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x8000b23a	116	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x8000b37c	406	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x8000f064	232	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x8000a47c	70	FUNC	<unknown>	DEFAULT	2
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x8000a4c4	60	FUNC	<unknown>	DEFAULT	2
signal			.symtab	0x8000a500	238	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x800070f4	160	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x8000bcb0	558	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x8000a448	50	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x800030ba	238	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x80000dca	174	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4044			.symtab	0x8001549a	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4041			.symtab	0x8001547f	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4041			.symtab	0x800154c3	21	OBJECT	<unknown>	DEFAULT	4

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
spec_flags.4040			.symtab	0x800154d8	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4043			.symtab	0x800154aa	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4042			.symtab	0x800154ba	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x800072e8	52	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x8000b324	88	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x8000b324	88	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x8000b61c	422	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x800188f4	2	OBJECT	<unknown>	DEFAULT	9
static_ns			.symtab	0x8001ebbc	4	OBJECT	<unknown>	DEFAULT	10
stderr			.symtab	0x800185e8	4	OBJECT	<unknown>	DEFAULT	9
stdin			.symtab	0x800185e0	4	OBJECT	<unknown>	DEFAULT	9
stdout			.symtab	0x800185e4	4	OBJECT	<unknown>	DEFAULT	9
strcasecmp			.symtab	0x80011ba8	120	FUNC	<unknown>	DEFAULT	2
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x800092e4	390	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x8000946c	110	FUNC	<unknown>	DEFAULT	2
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x8000946c	110	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x800094dc	92	FUNC	<unknown>	DEFAULT	2
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strdup			.symtab	0x80010420	80	FUNC	<unknown>	DEFAULT	2
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x80009aec	264	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x80009538	268	FUNC	<unknown>	DEFAULT	2
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncat			.symtab	0x80010280	310	FUNC	<unknown>	DEFAULT	2
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x80009644	320	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x80009784	350	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x8000e274	86	FUNC	<unknown>	DEFAULT	2
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x800103b8	104	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x800098e4	484	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x80009c14	36	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x8000e1d8	154	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x8000b928	34	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x80000da2	40	FUNC	<unknown>	DEFAULT	2
table			.symtab	0x8001ebdc	174	OBJECT	<unknown>	DEFAULT	10
table.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
table_init			.symtab	0x80005d7c	514	FUNC	<unknown>	DEFAULT	2
table_key			.symtab	0x800185cc	4	OBJECT	<unknown>	DEFAULT	9
table_lock_val			.symtab	0x80005fb8	58	FUNC	<unknown>	DEFAULT	2
table_retrieve_val			.symtab	0x80005ff2	70	FUNC	<unknown>	DEFAULT	2
table_unlock_val			.symtab	0x80005f7e	58	FUNC	<unknown>	DEFAULT	2
tcgetattr			.symtab	0x80009c6c	182	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpFI00d			.symtab	0x8000209c	1184	FUNC	<unknown>	DEFAULT	2
tcpcsum			.symtab	0x80001a9a	198	FUNC	<unknown>	DEFAULT	2
time			.symtab	0x80007194	62	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
times			.symtab	0x8000c530	62	FUNC	<unknown>	DEFAULT	2
times.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toggle_obf			.symtab	0x800060b0	286	FUNC	<unknown>	DEFAULT	2
tolower			.symtab	0x80011974	64	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x8000724c	64	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x800005d0	210	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x800154e0	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x800154f8	12	OBJECT	<unknown>	DEFAULT	4
udpfll00d			.symtab	0x80001be4	1208	FUNC	<unknown>	DEFAULT	2
unknown.1089			.symtab	0x80015504	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x8001883c	28	OBJECT	<unknown>	DEFAULT	9
uppercase			.symtab	0x80001420	56	FUNC	<unknown>	DEFAULT	2
userID			.symtab	0x800185c0	4	OBJECT	<unknown>	DEFAULT	9
usleep			.symtab	0x8000bee0	142	FUNC	<unknown>	DEFAULT	2
usleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util_atoi			.symtab	0x800063b0	444	FUNC	<unknown>	DEFAULT	2
util_fdgets			.symtab	0x80006882	142	FUNC	<unknown>	DEFAULT	2
util_isalpha			.symtab	0x80006940	64	FUNC	<unknown>	DEFAULT	2
util_isdigit			.symtab	0x800069c0	48	FUNC	<unknown>	DEFAULT	2
util_isspace			.symtab	0x80006980	64	FUNC	<unknown>	DEFAULT	2
util_isupper			.symtab	0x80006910	48	FUNC	<unknown>	DEFAULT	2
util_itoa			.symtab	0x8000656c	260	FUNC	<unknown>	DEFAULT	2
util_local_addr			.symtab	0x800067ce	180	FUNC	<unknown>	DEFAULT	2
util_memcpy			.symtab	0x80006354	54	FUNC	<unknown>	DEFAULT	2
util_memsearch			.symtab	0x80006670	122	FUNC	<unknown>	DEFAULT	2
util_strcat			.symtab	0x8000631e	54	FUNC	<unknown>	DEFAULT	2
util_strcmp			.symtab	0x80006276	114	FUNC	<unknown>	DEFAULT	2
util_strcpy			.symtab	0x800062e8	54	FUNC	<unknown>	DEFAULT	2
util_stristr			.symtab	0x800066ea	228	FUNC	<unknown>	DEFAULT	2
util_strlen			.symtab	0x800061d0	42	FUNC	<unknown>	DEFAULT	2
util_strncmp			.symtab	0x800061fa	124	FUNC	<unknown>	DEFAULT	2
util_zero			.symtab	0x8000638a	38	FUNC	<unknown>	DEFAULT	2
vfork			.symtab	0x800069f0	38	FUNC	<unknown>	DEFAULT	2
vseattack			.symtab	0x80002b0c	1284	FUNC	<unknown>	DEFAULT	2
vsnprintf			.symtab	0x8000731c	198	FUNC	<unknown>	DEFAULT	2
vsnprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
w			.symtab	0x8001c978	4	OBJECT	<unknown>	DEFAULT	10
wait4			.symtab	0x8000c5ca	30	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x800071d4	34	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
watchdog_maintain			.symtab	0x8000042c	276	FUNC	<unknown>	DEFAULT	2
watchdog_pid			.symtab	0x80018950	4	OBJECT	<unknown>	DEFAULT	10
wcrtomb			.symtab	0x8000c5f8	100	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x8000c684	206	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x8000c65c	38	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x800012a6	322	FUNC	<unknown>	DEFAULT	2
write			.symtab	0x800071f8	84	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
x			.symtab	0x8001c96c	4	OBJECT	<unknown>	DEFAULT	10
xdigits.3095			.symtab	0x800161c2	17	OBJECT	<unknown>	DEFAULT	4

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
y			.symtab	0x8001c970	4	OBJECT	<unknown>	DEFAULT	10
z			.symtab	0x8001c974	4	OBJECT	<unknown>	DEFAULT	10
zprintf			.symtab	0x80000d7e	36	FUNC	<unknown>	DEFAULT	2

Network Behavior

Network Port Distribution



Total Packets: 19

- 80 (HTTP)
- 29448 undefined
- 443 (HTTPS)

TCP Packets

System Behavior

Analysis Process: bmkW2SeYIM PID: 6232, Parent PID: 6123

General

Start time:	22:02:47
Start date:	08/08/2022
Path:	/tmp/bmkW2SeYIM
Arguments:	/tmp/bmkW2SeYIM
File size:	4463432 bytes
MD5 hash:	cd177594338c77b895ae27c33f8f86cc

File Activities

File Deleted

File Read

File Written

Analysis Process: bmkW2SeYIM PID: 6234, Parent PID: 6232

General

Start time:	22:02:47
Start date:	08/08/2022
Path:	/tmp/bmkW2SeYIM
Arguments:	n/a
File size:	4463432 bytes
MD5 hash:	cd177594338c77b895ae27c33f8f86cc

Analysis Process: bmkW2SeYIM PID: 6235, Parent PID: 6232	
General	
Start time:	22:02:47
Start date:	08/08/2022
Path:	/tmp/bmkW2SeYIM
Arguments:	n/a
File size:	4463432 bytes
MD5 hash:	cd177594338c77b895ae27c33f8f86cc

Analysis Process: bmkW2SeYIM PID: 6238, Parent PID: 6235	
General	
Start time:	22:02:47
Start date:	08/08/2022
Path:	/tmp/bmkW2SeYIM
Arguments:	n/a
File size:	4463432 bytes
MD5 hash:	cd177594338c77b895ae27c33f8f86cc