

JOeSandbox Cloud BASIC



ID: 756328

Sample Name: POF7B6Kfw5.elf

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 01:31:25

Date: 30/11/2022

Version: 36.0.0 Rainbow Opal

Table of Contents

Table of Contents	2
Linux Analysis Report POF7B6Kfw5.elf	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Initial Sample	4
Memory Dumps	4
Snort Signatures	5
Joe Sandbox Signatures	5
AV Detection	5
Spreading	5
System Summary	5
Stealing of Sensitive Information	6
Remote Access Functionality	6
Mitre Att&ck Matrix	6
Malware Configuration	6
Behavior Graph	6
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	7
Domains	7
URLs	7
Domains and IPs	7
Contacted Domains	8
World Map of Contacted IPs	8
Public IPs	8
Joe Sandbox View / Context	8
IPs	8
Domains	8
ASNs	8
JA3 Fingerprints	8
Dropped Files	8
Created / dropped Files	9
Static File Info	9
General	9
Static ELF Info	9
ELF header	9
Sections	9
Program Segments	10
Symbols	10
Network Behavior	23
Network Port Distribution	23
TCP Packets	24
ICMP Packets	24
System Behavior	24
Analysis Process: POF7B6Kfw5.elf PID: 6232, Parent PID: 6122	24
General	24
File Activities	24
File Read	24
Analysis Process: POF7B6Kfw5.elf PID: 6234, Parent PID: 6232	24
General	24
Analysis Process: POF7B6Kfw5.elf PID: 6235, Parent PID: 6232	24
General	24
Analysis Process: POF7B6Kfw5.elf PID: 6236, Parent PID: 6235	24
General	24

Linux Analysis Report

POF7B6Kfw5.elf

Overview

General Information

Sample Name:	POF7B6Kfw5.elf
Analysis ID:	756328
MD5:	d534f0c78e78ea..
SHA1:	b4445b06f32935..
SHA256:	9e9f17ca23eec5...
Tags:	32 elf gafgyt intel
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Mirai

Score:	84
Range:	0 - 100
Whitelisted:	false

Signatures

Malicious sample detected (through...

Antivirus / Scanner detection for sub...

Yara detected Mirai

Multi AV Scanner detection for subm...

Contains symbols with names comm...

Opens /proc/net/* files useful for fin...

Machine Learning detection for sam...

Yara signature match

Sample contains strings that are us...

Tries to connect to HTTP servers, b...

Detected TCP or UDP traffic on non...

Classification

Analysis Advice

All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.

General Information

Joe Sandbox Version:	36.0.0 Rainbow Opal
Analysis ID:	756328
Start date and time:	2022-11-30 01:31:25 +01:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 20s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	POF7B6Kfw5.elf
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal84.spre.troj.linELF@0/0@0/0

Runtime Messages

Command:	/tmp/POF7B6Kfw5.elf
PID:	6232
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	gosh that chinese family at the other table sure ate alot
Standard Error:	

Process Tree

- system is Inxubuntu20
 - POF7B6Kfw5.elf (PID: 6232, Parent: 6122, MD5: d534f0c78e78eabf717af7a7cf36955d) Arguments: /tmp/POF7B6Kfw5.elf
 - POF7B6Kfw5.elf New Fork (PID: 6234, Parent: 6232)
 - POF7B6Kfw5.elf New Fork (PID: 6235, Parent: 6232)
 - POF7B6Kfw5.elf New Fork (PID: 6236, Parent: 6235)
- cleanup

Yara Signatures

Initial Sample

Source	Rule	Description	Author	Strings
POF7B6Kfw5.elf	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
POF7B6Kfw5.elf	Linux_Trojan_Gafigt_83715433	unknown	unknown	● 0x130b:\$a: 8B 45 08 88 10 FF 45 08 8B 45 08 0F B6 00 8 4 C0 75 DB C9 C3 55
POF7B6Kfw5.elf	Linux_Trojan_Gafigt_28a2fe0c	unknown	unknown	● 0xf03c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf050:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf064:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf078:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf08c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf0a0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf0b4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf0c8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf0dc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf0f0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf104:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf118:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf12c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf140:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf154:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf168:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf17c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf190:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf1a4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf1b8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F ● 0xf1cc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 4 9 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F
POF7B6Kfw5.elf	Linux_Trojan_Gafigt_6122acdf	unknown	unknown	● 0x538:\$a: E8 B0 00 FC 8B 7D E8 F2 AE 89 C8 F7 D0 48 48 89 45 F8 EB 03 FF
POF7B6Kfw5.elf	Linux_Trojan_Gafigt_f51c5ac3	unknown	unknown	● 0x11e2:\$a: 74 2A 8B 45 0C 0F B6 00 84 C0 74 17 8B 45 0C 40 89 44 24 04 8B

Click to see the 3 entries

Memory Dumps

Source	Rule	Description	Author	Strings
6234.1.0000000008048000.000000000805b000.r-x.sdmf	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
6234.1.0000000008048000.000000000805b000.r-x.sdmf	Linux_Trojan_Gafigt_83715433	unknown	unknown	● 0x130b:\$a: 8B 45 08 88 10 FF 45 08 8B 45 08 0F B6 00 8 4 C0 75 DB C9 C3 55

Source	Rule	Description	Author	Strings
6234.1.0000000008048000.000000000805b000.r-x.sdmpr	Linux_Trojan_Gafty_28a2fe0c	unknown	unknown	0xf03c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf050:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf064:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf078:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf08c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf0a0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf0b4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf0c8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf0dc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf0f0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf104:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf118:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf12c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf140:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf154:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf168:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf17c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf190:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf1a4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf1b8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0xf1cc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F
6234.1.0000000008048000.000000000805b000.r-x.sdmpr	Linux_Trojan_Gafty_6122acdf	unknown	unknown	0x538:\$a: E8 B0 00 FC 8B 7D E8 F2 AE 89 C8 F7 D0 48 48 89 45 F8 EB 03 FF
6234.1.0000000008048000.000000000805b000.r-x.sdmpr	Linux_Trojan_Gafty_f51c5ac3	unknown	unknown	0x11e2:\$a: 74 2A 8B 45 0C 0F B6 00 84 C0 74 17 8B 45 0C 40 89 44 24 04 8B
Click to see the 22 entries				

Snort Signatures

No Snort rule has matched

Joe Sandbox Signatures

AV Detection

Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file

Machine Learning detection for sample

Spreading

Opens /proc/net/* files useful for finding connected devices and routers

System Summary

Malicious sample detected (through community Yara rule)

Contains symbols with names commonly found in malware

Stealing of Sensitive Information



Yara detected Mirai

Remote Access Functionality



Yara detected Mirai

Mitre Att&ck Matrix													
Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	1 Remote System Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Non-Standard Port	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data
Local Accounts	At (Windows)	Logon Script (Mac)	Logon Script (Mac)	Binary Padding	NTDS	System Network Configuration Discovery	Distributed Component Object Model	Input Capture	Scheduled Transfer	1 Application Layer Protocol	SIM Card Swap		Carrier Billing Fraud

Malware Configuration


No configs have been found

Behavior Graph

Contacted Domains

No contacted domains info

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
47.87.197.232	unknown	United States		3209	VODANETInternationalIP-BackboneofVodafoneDE	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files



No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, Intel 80386, version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	6.356436193544948
TrID:	- ELF Executable and Linkable format (Linux) (4029/14) 50.16% - ELF Executable and Linkable format (generic) (4004/1) 49.84%
File name:	POF7B6Kfw5.elf
File size:	104138
MD5:	d534f0c78e78eabf7f7af7a7cf36955d
SHA1:	b4445b06f329357134262ac31e15faceba044a18
SHA256:	9e9f17ca23eec5116f3559e9397af269293d8957bddbef6a83c1986878eecd15
SHA512:	a25fc16281a75836d3315192af86a78cbf97efbb1f895beb92b8b152ae4d167a68737182f777f4d2b5d1339ef49b33dd51feb12df5e365cfb56c689e62dee0b4
SSDEEP:	3072:wW8FQmUujld6Mkxm6hJ+4f9HmMFVcqQ0GnDZT:wJF7ULm6hJ+4f9HmMFVcqQ0GnDZT
TLSH:	A0A3F872E643CAB2C4430AF201A7DA6B0D21BE6B0A7A5A85F31C7CB09F334C57655F59
File Content Preview:	.ELF.....h...4...?.....4. ...(.....D&..D&.....0.....dk.....Q.td.....U..S.....w/...h...#... []...\$.....U.....=.....t.1...\$.....\$.....U.....t...\$@.....

Static ELF Info

ELF header

Class:	
Data:	
Version:	
Machine:	
Version Number:	
Type:	
OS/ABI:	
ABI Version:	
Entry Point Address:	
Flags:	
ELF Header Size:	
Program Header Offset:	
Program Header Size:	
Number of Program Headers:	
Section Header Offset:	
Section Header Size:	
Number of Section Headers:	
Header String Table Index:	

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x8048094	0x94	0x1c	0x0	0x6	AX	0	0	1
.text	PROGBITS	0x80480b0	0xb0	0xde54	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x8055f04	0xdf04	0x17	0x0	0x6	AX	0	0	1
.rodata	PROGBITS	0x8055f20	0xdf20	0x4720	0x0	0x2	A	0	0	32
.eh_frame	PROGBITS	0x805a640	0x12640	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x805b000	0x13000	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x805b008	0x13008	0x8	0x0	0x3	WA	0	0	4

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.jcr	PROGBITS	0x805b010	0x13010	0x4	0x0	0x3	WA	0	0	4
.got.plt	PROGBITS	0x805b014	0x13014	0xc	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x805b020	0x13020	0x360	0x0	0x3	WA	0	0	32
.bss	NOBITS	0x805b380	0x13380	0x67e4	0x0	0x3	WA	0	0	32
.comment	PROGBITS	0x0	0x13380	0xc06	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x13f86	0x6f	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x14278	0x3040	0x10	0x0		15	277	4
.strtab	STRTAB	0x0	0x172b8	0x2412	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD		0x8048000	0x8048000	0x12644	0x12644	6.5673	0x5	R E	0x1000		.init .text .fini .rodata .eh_frame
LOAD	0x13000	0x805b000	0x805b000	0x380	0x6b64	3.8526	0x6	RW	0x1000		.ctors .dtors .jcr .got.plt .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x8048094	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80480b0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x8055f04	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x8055f20	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x805a640	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x805b000	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x805b008	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x805b010	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x805b014	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x805b020	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x805b380	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
C.151.5750			.symtab	0x8058340	40	OBJECT	<unknown>	DEFAULT	4
KHcommSOCK			.symtab	0x805b3a0	4	OBJECT	<unknown>	DEFAULT	11
KHserverHACKER			.symtab	0x805b0f0	4	OBJECT	<unknown>	DEFAULT	10
LOCAL_ADDR			.symtab	0x8061628	4	OBJECT	<unknown>	DEFAULT	11
Q			.symtab	0x805b3c0	16384	OBJECT	<unknown>	DEFAULT	11
UserAgents			.symtab	0x805b060	144	OBJECT	<unknown>	DEFAULT	10
_GLOBAL_OFFSET_TABLE_			.symtab	0x805b014	0	OBJECT	<unknown>	HIDDEN	9
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x805b004	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x805b000	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x805b104	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x8058d00	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x805b378	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x805a340	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x805b10c	4	OBJECT	<unknown>	DEFAULT	10
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__C_ctype_toupper_data			.symtab	0x8059000	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x805b00c	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x805b008	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x805a640	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x805a640	0	OBJECT	<unknown>	DEFAULT	5
__Gl__C_ctype_b			.symtab	0x805b104	4	OBJECT	<unknown>	HIDDEN	10
__Gl__C_ctype_b_data			.symtab	0x8058d00	768	OBJECT	<unknown>	HIDDEN	4
__Gl__C_ctype_tolower			.symtab	0x805b378	4	OBJECT	<unknown>	HIDDEN	10
__Gl__C_ctype_tolower_data			.symtab	0x805a340	768	OBJECT	<unknown>	HIDDEN	4
__Gl__C_ctype_toupper			.symtab	0x805b10c	4	OBJECT	<unknown>	HIDDEN	10
__Gl__C_ctype_toupper_data			.symtab	0x8059000	768	OBJECT	<unknown>	HIDDEN	4
__Gl__ctype_b			.symtab	0x805b108	4	OBJECT	<unknown>	HIDDEN	10
__Gl__ctype_tolower			.symtab	0x805b37c	4	OBJECT	<unknown>	HIDDEN	10
__Gl__ctype_toupper			.symtab	0x805b110	4	OBJECT	<unknown>	HIDDEN	10
__Gl__errno_location			.symtab	0x804f64c	6	FUNC	<unknown>	HIDDEN	2
__Gl__fgetc_unlocked			.symtab	0x8055b24	220	FUNC	<unknown>	HIDDEN	2
__Gl__glibc_strerror_r			.symtab	0x80506e0	29	FUNC	<unknown>	HIDDEN	2
__Gl__h_errno_location			.symtab	0x8052f84	6	FUNC	<unknown>	HIDDEN	2
__Gl__libc_fcntl			.symtab	0x804f13c	87	FUNC	<unknown>	HIDDEN	2
__Gl__libc_fcntl64			.symtab	0x804f194	63	FUNC	<unknown>	HIDDEN	2
__Gl__libc_open			.symtab	0x804f404	75	FUNC	<unknown>	HIDDEN	2
__Gl__uClibc_fini			.symtab	0x8052924	63	FUNC	<unknown>	HIDDEN	2
__Gl__uClibc_init			.symtab	0x805299b	64	FUNC	<unknown>	HIDDEN	2
__Gl__xpg_strerror_r			.symtab	0x8050700	182	FUNC	<unknown>	HIDDEN	2
__Gl__exit			.symtab	0x804f1d4	40	FUNC	<unknown>	HIDDEN	2
__Gl__abort			.symtab	0x8051f60	273	FUNC	<unknown>	HIDDEN	2
__Gl__atoi			.symtab	0x80523f8	20	FUNC	<unknown>	HIDDEN	2
__Gl__atol			.symtab	0x80523f8	20	FUNC	<unknown>	HIDDEN	2
__Gl__brk			.symtab	0x80545cc	54	FUNC	<unknown>	HIDDEN	2
__Gl__clock_getres			.symtab	0x8052d28	50	FUNC	<unknown>	HIDDEN	2
__Gl__close			.symtab	0x804f230	46	FUNC	<unknown>	HIDDEN	2
__Gl__connect			.symtab	0x8050c30	43	FUNC	<unknown>	HIDDEN	2
__Gl__dup2			.symtab	0x804f260	50	FUNC	<unknown>	HIDDEN	2
__Gl__errno			.symtab	0x8061600	4	OBJECT	<unknown>	HIDDEN	11
__Gl__execl			.symtab	0x80525b4	105	FUNC	<unknown>	HIDDEN	2
__Gl__execve			.symtab	0x8052d5c	54	FUNC	<unknown>	HIDDEN	2
__Gl__exit			.symtab	0x805254c	103	FUNC	<unknown>	HIDDEN	2
__Gl__fclose			.symtab	0x805463c	271	FUNC	<unknown>	HIDDEN	2
__Gl__fcntl			.symtab	0x804f13c	87	FUNC	<unknown>	HIDDEN	2
__Gl__fcntl64			.symtab	0x804f194	63	FUNC	<unknown>	HIDDEN	2
__Gl__fflush_unlocked			.symtab	0x8054ccc	333	FUNC	<unknown>	HIDDEN	2
__Gl__fgetc_unlocked			.symtab	0x8055b24	220	FUNC	<unknown>	HIDDEN	2
__Gl__fgets			.symtab	0x8054b84	98	FUNC	<unknown>	HIDDEN	2
__Gl__fgets_unlocked			.symtab	0x8054e1c	105	FUNC	<unknown>	HIDDEN	2
__Gl__fopen			.symtab	0x805474c	24	FUNC	<unknown>	HIDDEN	2
__Gl__fork			.symtab	0x804f294	38	FUNC	<unknown>	HIDDEN	2
__Gl__fputs_unlocked			.symtab	0x8050490	49	FUNC	<unknown>	HIDDEN	2
__Gl__fseek			.symtab	0x8054764	27	FUNC	<unknown>	HIDDEN	2
__Gl__fseeko64			.symtab	0x8054780	231	FUNC	<unknown>	HIDDEN	2
__Gl__fwrite_unlocked			.symtab	0x80504c4	120	FUNC	<unknown>	HIDDEN	2
__Gl__getc_unlocked			.symtab	0x8055b24	220	FUNC	<unknown>	HIDDEN	2
__Gl__getdtablesize			.symtab	0x804f2bc	37	FUNC	<unknown>	HIDDEN	2
__Gl__getegid			.symtab	0x8052d94	38	FUNC	<unknown>	HIDDEN	2
__Gl__geteuid			.symtab	0x804f2e4	38	FUNC	<unknown>	HIDDEN	2
__Gl__getgid			.symtab	0x8052dbc	38	FUNC	<unknown>	HIDDEN	2
__Gl__gethostbyname			.symtab	0x80508cc	48	FUNC	<unknown>	HIDDEN	2
__Gl__gethostbyname_r			.symtab	0x80508fc	818	FUNC	<unknown>	HIDDEN	2
__Gl__getpagesize			.symtab	0x8052de4	17	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_getpid			.symtab	0x804f30c	38	FUNC	<unknown>	HIDDEN	2
__Gl_getrlimit			.symtab	0x804f35c	50	FUNC	<unknown>	HIDDEN	2
__Gl_getsockname			.symtab	0x8050c5c	43	FUNC	<unknown>	HIDDEN	2
__Gl_getuid			.symtab	0x8052df8	38	FUNC	<unknown>	HIDDEN	2
__Gl_h_errno			.symtab	0x8061604	4	OBJECT	<unknown>	HIDDEN	11
__Gl_inet_addr			.symtab	0x80508a4	37	FUNC	<unknown>	HIDDEN	2
__Gl_inet_aton			.symtab	0x8053b48	148	FUNC	<unknown>	HIDDEN	2
__Gl_inet_ntop			.symtab	0x8055309	465	FUNC	<unknown>	HIDDEN	2
__Gl_inet_pton			.symtab	0x805502e	458	FUNC	<unknown>	HIDDEN	2
__Gl_initstate_r			.symtab	0x805234d	171	FUNC	<unknown>	HIDDEN	2
__Gl_ioctl			.symtab	0x804f390	63	FUNC	<unknown>	HIDDEN	2
__Gl_isatty			.symtab	0x80507ec	29	FUNC	<unknown>	HIDDEN	2
__Gl_kill			.symtab	0x804f3d0	50	FUNC	<unknown>	HIDDEN	2
__Gl_lseek64			.symtab	0x8055aac	86	FUNC	<unknown>	HIDDEN	2
__Gl_memchr			.symtab	0x80539a4	35	FUNC	<unknown>	HIDDEN	2
__Gl_memcpy			.symtab	0x805053c	39	FUNC	<unknown>	HIDDEN	2
__Gl_memmove			.symtab	0x80539c8	39	FUNC	<unknown>	HIDDEN	2
__Gl_mempcpy			.symtab	0x80539f0	33	FUNC	<unknown>	HIDDEN	2
__Gl_memrchr			.symtab	0x8053a14	176	FUNC	<unknown>	HIDDEN	2
__Gl_memset			.symtab	0x8050564	21	FUNC	<unknown>	HIDDEN	2
__Gl_mmap			.symtab	0x8052c9c	27	FUNC	<unknown>	HIDDEN	2
__Gl_mremap			.symtab	0x8052e20	63	FUNC	<unknown>	HIDDEN	2
__Gl_munmap			.symtab	0x8052e60	50	FUNC	<unknown>	HIDDEN	2
__Gl_nanosleep			.symtab	0x8052e94	50	FUNC	<unknown>	HIDDEN	2
__Gl_open			.symtab	0x804f404	75	FUNC	<unknown>	HIDDEN	2
__Gl_pipe			.symtab	0x804f468	46	FUNC	<unknown>	HIDDEN	2
__Gl_poll			.symtab	0x8054604	54	FUNC	<unknown>	HIDDEN	2
__Gl_raise			.symtab	0x80545a0	24	FUNC	<unknown>	HIDDEN	2
__Gl_random			.symtab	0x805207c	72	FUNC	<unknown>	HIDDEN	2
__Gl_random_r			.symtab	0x8052255	94	FUNC	<unknown>	HIDDEN	2
__Gl_rawmemchr			.symtab	0x8054ed8	99	FUNC	<unknown>	HIDDEN	2
__Gl_read			.symtab	0x804f4d8	54	FUNC	<unknown>	HIDDEN	2
__Gl_recv			.symtab	0x8050cc4	51	FUNC	<unknown>	HIDDEN	2
__Gl_recvfrom			.symtab	0x8050cf8	67	FUNC	<unknown>	HIDDEN	2
__Gl_sbrk			.symtab	0x8052ec8	78	FUNC	<unknown>	HIDDEN	2
__Gl_select			.symtab	0x804f510	63	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0x8050d3c	51	FUNC	<unknown>	HIDDEN	2
__Gl_sendto			.symtab	0x8050d70	67	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x8050db4	59	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x80521bc	153	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x8052ba7	218	FUNC	<unknown>	HIDDEN	2
__Gl_sigaddset			.symtab	0x8050e1c	42	FUNC	<unknown>	HIDDEN	2
__Gl_sigemptyset			.symtab	0x8050e48	25	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x8050e64	175	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x804f550	85	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0x8052620	393	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0x8050df0	43	FUNC	<unknown>	HIDDEN	2
__Gl_sprintf			.symtab	0x804f678	31	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0x80522b3	154	FUNC	<unknown>	HIDDEN	2
__Gl_strcasecmp			.symtab	0x8055c00	54	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x805057c	30	FUNC	<unknown>	HIDDEN	2
__Gl_strcmp			.symtab	0x8054e88	29	FUNC	<unknown>	HIDDEN	2
__Gl_strcoll			.symtab	0x8054e88	29	FUNC	<unknown>	HIDDEN	2
__Gl_strcpy			.symtab	0x805059c	27	FUNC	<unknown>	HIDDEN	2
__Gl_strdup			.symtab	0x8054f70	54	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x80505b8	19	FUNC	<unknown>	HIDDEN	2
__Gl_strncat			.symtab	0x8054ea8	46	FUNC	<unknown>	HIDDEN	2
__Gl_strncpy			.symtab	0x80505cc	38	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_strnlen			.symtab	0x80505f4	25	FUNC	<unknown>	HIDDEN	2
__Gl_strpbrk			.symtab	0x8053b20	39	FUNC	<unknown>	HIDDEN	2
__Gl_strspn			.symtab	0x8054f3c	50	FUNC	<unknown>	HIDDEN	2
__Gl_strstr			.symtab	0x8050610	206	FUNC	<unknown>	HIDDEN	2
__Gl_strtok			.symtab	0x80507d0	25	FUNC	<unknown>	HIDDEN	2
__Gl_strtok_r			.symtab	0x8053ac4	89	FUNC	<unknown>	HIDDEN	2
__Gl_strtol			.symtab	0x805240c	26	FUNC	<unknown>	HIDDEN	2
__Gl_sysconf			.symtab	0x80527ac	325	FUNC	<unknown>	HIDDEN	2
__Gl_tcgetattr			.symtab	0x805080c	112	FUNC	<unknown>	HIDDEN	2
__Gl_time			.symtab	0x804f5a8	46	FUNC	<unknown>	HIDDEN	2
__Gl_times			.symtab	0x8052f18	46	FUNC	<unknown>	HIDDEN	2
__Gl_tolower			.symtab	0x8055b04	29	FUNC	<unknown>	HIDDEN	2
__Gl_toupper			.symtab	0x804f62c	29	FUNC	<unknown>	HIDDEN	2
__Gl_vfork			.symtab	0x804f124	21	FUNC	<unknown>	HIDDEN	2
__Gl_vsnprintf			.symtab	0x804f698	176	FUNC	<unknown>	HIDDEN	2
__Gl_wait4			.symtab	0x8052f48	59	FUNC	<unknown>	HIDDEN	2
__Gl_waitpid			.symtab	0x804f5d8	26	FUNC	<unknown>	HIDDEN	2
__Gl_wctomb			.symtab	0x8052f8c	69	FUNC	<unknown>	HIDDEN	2
__Gl_wcsnrtombs			.symtab	0x8052ff4	133	FUNC	<unknown>	HIDDEN	2
__Gl_wcsrtombs			.symtab	0x8052fd4	30	FUNC	<unknown>	HIDDEN	2
__Gl_write			.symtab	0x804f5f4	54	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x805b010	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x805b010	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x80615f4	4	OBJECT	<unknown>	HIDDEN	11
__atexit_lock			.symtab	0x805b340	24	OBJECT	<unknown>	DEFAULT	10
__bsd_signal			.symtab	0x8050e64	175	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x805b380	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x8052967	52	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x805b108	4	OBJECT	<unknown>	DEFAULT	10
__ctype_tolower			.symtab	0x805b37c	4	OBJECT	<unknown>	DEFAULT	10
__ctype_toupper			.symtab	0x805b110	4	OBJECT	<unknown>	DEFAULT	10
__curbrk			.symtab	0x8061624	4	OBJECT	<unknown>	HIDDEN	11
__data_start			.symtab	0x805b028	0	NOTYPE	<unknown>	DEFAULT	10
__decode_answer			.symtab	0x80556a8	249	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x8055cc8	217	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x805558c	171	FUNC	<unknown>	HIDDEN	2
__deregister_frame_info_bases			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__dns_lookup			.symtab	0x8053bdc	1876	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x8055ed0	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x80480c0	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x805b020	0	OBJECT	<unknown>	HIDDEN	10
__encode_dotted			.symtab	0x8055c38	144	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x80554dc	175	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x8055638	83	FUNC	<unknown>	HIDDEN	2
__environ			.symtab	0x80615ec	4	OBJECT	<unknown>	DEFAULT	11
__errno_location			.symtab	0x804f64c	6	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x80615e4	4	OBJECT	<unknown>	HIDDEN	11
__fgetc_unlocked			.symtab	0x8055b24	220	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x805b000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x805b000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x8054574	44	FUNC	<unknown>	HIDDEN	2
__get_pc_thunk_bx			.symtab	0x80480b0	0	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x8052de4	17	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x80506e0	29	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x8052f84	6	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__init_array_end			.symtab	0x805b000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x805b000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x8055da4	65	FUNC	<unknown>	HIDDEN	2
__length_question			.symtab	0x805568c	28	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x804f230	46	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x8050c30	43	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x804f44f	25	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x804f13c	87	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x804f194	63	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x804f294	38	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x804f30c	38	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x8055aac	86	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x8052e94	50	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x804f404	75	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x8054604	54	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x804f4d8	54	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x8050cc4	51	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0x8050cf8	67	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x804f510	63	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x8050d3c	51	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x8050d70	67	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x8052ba7	218	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x80615e8	4	OBJECT	<unknown>	DEFAULT	11
__libc_waitpid			.symtab	0x804f5d8	26	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x804f5f4	54	FUNC	<unknown>	DEFAULT	2
__malloc Consolidate			.symtab	0x8051bf9	424	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x8050f78	38	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x805b250	24	OBJECT	<unknown>	DEFAULT	10
__malloc_state			.symtab	0x80617c0	888	OBJECT	<unknown>	DEFAULT	11
__malloc_trim			.symtab	0x8051b6c	141	FUNC	<unknown>	DEFAULT	2
__nameserver			.symtab	0x8061b48	12	OBJECT	<unknown>	HIDDEN	11
__nameservers			.symtab	0x8061b54	4	OBJECT	<unknown>	HIDDEN	11
__open_etc_hosts			.symtab	0x80557a4	49	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x8054330	579	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x80615f0	4	OBJECT	<unknown>	DEFAULT	11
__preinit_array_end			.symtab	0x805b000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x805b000	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x8052963	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x8052963	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x8052963	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x8052963	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x8052963	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x8052966	1	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x80545a0	24	FUNC	<unknown>	HIDDEN	2
__read_etc_hosts_r			.symtab	0x80557d5	724	FUNC	<unknown>	HIDDEN	2
__register_frame_info_bases			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x805b360	24	OBJECT	<unknown>	DEFAULT	10
__restore			.symtab	0x8052b9f	0	NOTYPE	<unknown>	DEFAULT	2
__restore_rt			.symtab	0x8052b98	0	NOTYPE	<unknown>	DEFAULT	2
__rtd_fini			.symtab	0x80615f8	4	OBJECT	<unknown>	HIDDEN	11
__searchdomain			.symtab	0x8061b38	16	OBJECT	<unknown>	HIDDEN	11
__searchdomains			.symtab	0x8061b58	4	OBJECT	<unknown>	HIDDEN	11
__sigaddset			.symtab	0x8050f38	32	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x8050f58	32	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x8050f14	36	FUNC	<unknown>	DEFAULT	2
__socketcall			.symtab	0x8052cb8	50	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__socketcall.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__stdin			.symtab	0x805b120	4	OBJECT	<unknown>	DEFAULT	10
__stdio_READ			.symtab	0x8055de8	79	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x805307c	128	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x8054868	164	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x80530fc	234	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x804f7ab	23	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.4160			.symtab	0x8059300	24	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x8055e38	40	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x8054b50	51	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x8055e60	110	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x80531e8	167	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x804f84c	43	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x805b124	4	OBJECT	<unknown>	DEFAULT	10
__syscall_error			.symtab	0x8052c84	21	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x8052cec	59	FUNC	<unknown>	HIDDEN	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_fini			.symtab	0x8052924	63	FUNC	<unknown>	DEFAULT	2
_uClibc_init			.symtab	0x805299b	64	FUNC	<unknown>	DEFAULT	2
_uClibc_main			.symtab	0x80529db	443	FUNC	<unknown>	DEFAULT	2
_uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_progname			.symtab	0x805b358	4	OBJECT	<unknown>	HIDDEN	10
_vfork			.symtab	0x804f124	21	FUNC	<unknown>	HIDDEN	2
_xpg_strerror_r			.symtab	0x8050700	182	FUNC	<unknown>	DEFAULT	2
_xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0x804f878	54	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x80545b8	18	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x8061b5c	4	OBJECT	<unknown>	DEFAULT	11
_dl_phnum			.symtab	0x8061b60	4	OBJECT	<unknown>	DEFAULT	11
_edata			.symtab	0x805b380	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x8061b64	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x8061600	4	OBJECT	<unknown>	DEFAULT	11
_exit			.symtab	0x804f1d4	40	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x8055f04	3	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x805f3e0	8192	OBJECT	<unknown>	DEFAULT	11
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x804f8ae	106	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x80533f8	1449	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x8061604	4	OBJECT	<unknown>	DEFAULT	11
_init			.symtab	0x8048094	3	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x8053290	86	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x804fed0	111	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x80500c1	975	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x804ff40	66	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x804ff84	273	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_promoted_size			.symtab	0x8050098	41	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x8052966	1	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x8052966	1	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_sigintr			.symtab	0x8061740	128	OBJECT	<unknown>	HIDDEN	11
_start			.symtab	0x8048168	34	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x805490c	579	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x804f748	99	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x805b128	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_add_lock			.symtab	0x805b12c	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_dec_use			.symtab	0x8054be8	228	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x805f3d8	4	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_del_lock			.symtab	0x805b144	24	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_use_count			.symtab	0x805f3d4	4	OBJECT	<unknown>	DEFAULT	11
_stdio_streams			.symtab	0x805b160	240	OBJECT	<unknown>	DEFAULT	10
_stdio_term			.symtab	0x804f7c2	136	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x805b15c	4	OBJECT	<unknown>	DEFAULT	10
_stdlib_strto_l			.symtab	0x8052428	289	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x80532e8	61	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x80593e0	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x8053328	207	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x804f918	1464	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x8051f60	273	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
access			.symtab	0x804f1fc	50	FUNC	<unknown>	DEFAULT	2
access.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
acnc			.symtab	0x804af58	166	FUNC	<unknown>	DEFAULT	2
add_entry			.symtab	0x804e82d	85	FUNC	<unknown>	DEFAULT	2
atoi			.symtab	0x80523f8	20	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x80523f8	20	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
axis_bp			.symtab	0x805b050	4	OBJECT	<unknown>	DEFAULT	10
bcopy			.symtab	0x80507b8	21	FUNC	<unknown>	DEFAULT	2
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x80615e0	1	OBJECT	<unknown>	DEFAULT	11
been_there_done_that.3001			.symtab	0x80615fc	1	OBJECT	<unknown>	DEFAULT	11
brk			.symtab	0x80545cc	54	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x8050e64	175	FUNC	<unknown>	DEFAULT	2
buf.5162			.symtab	0x8061400	460	OBJECT	<unknown>	DEFAULT	11
c			.symtab	0x805b0f8	4	OBJECT	<unknown>	DEFAULT	10
calloc			.symtab	0x8051740	244	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_generic			.symtab	0x804818c	91	FUNC	<unknown>	DEFAULT	2
checksum_tcp_udp			.symtab	0x80481e7	207	FUNC	<unknown>	DEFAULT	2
checksum_tcpudp			.symtab	0x80482b6	207	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0x804f654	36	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
clock_getres			.symtab	0x8052d28	50	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x804f230	46	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.2429			.symtab	0x805b380	1	OBJECT	<unknown>	DEFAULT	11
connect			.symtab	0x8050c30	43	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x804954a	523	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x804f44f	25	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x8049886	159	FUNC	<unknown>	DEFAULT	2
data_start			.symtab	0x805b028	0	NOTYPE	<unknown>	DEFAULT	10
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x804f260	50	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x80615ec	4	OBJECT	<unknown>	DEFAULT	11
errno			.symtab	0x8061600	4	OBJECT	<unknown>	DEFAULT	11
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execl			.symtab	0x80525b4	105	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x8052d5c	54	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x805254c	103	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x805a200	156	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x805463c	271	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x804f13c	87	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x804f194	63	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x80490df	111	FUNC	<unknown>	DEFAULT	2
fdopen_pids			.symtab	0x805f3c0	4	OBJECT	<unknown>	DEFAULT	11
fdpclose			.symtab	0x8048f6a	373	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x8048d84	486	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x8054ccc	333	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x8055b24	220	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x8054b84	98	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x8054e1c	105	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
findRandIP			.symtab	0x804985a	44	FUNC	<unknown>	DEFAULT	2
fmt			.symtab	0x805a1dc	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x805474c	24	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x804f294	38	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x8050490	49	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x8048110	0	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
free			.symtab	0x8051da1	412	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x8054764	27	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x8054764	27	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x8054780	231	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x80504c4	120	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBuild			.symtab	0x804d5a8	5	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x80492b9	55	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x804d385	547	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x8055b24	220	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x804f2bc	37	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x8052d94	38	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x804f2e4	38	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x8052dbc	38	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x80508cc	48	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x80508fc	818	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x8052de4	17	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x804f30c	38	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0x804f334	38	FUNC	<unknown>	DEFAULT	2
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x804f35c	50	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x8050c5c	43	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x8050c88	59	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x8052df8	38	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.5161			.symtab	0x80615cc	20	OBJECT	<unknown>	DEFAULT	11
h_errno			.symtab	0x8061604	4	OBJECT	<unknown>	DEFAULT	11
hacks			.symtab	0x805b040	4	OBJECT	<unknown>	DEFAULT	10
hacks2			.symtab	0x805b044	4	OBJECT	<unknown>	DEFAULT	10
hacks3			.symtab	0x805b048	4	OBJECT	<unknown>	DEFAULT	10
hacks4			.symtab	0x805b04c	4	OBJECT	<unknown>	DEFAULT	10
hextable			.symtab	0x8056c20	1024	OBJECT	<unknown>	DEFAULT	4
htonl			.symtab	0x8050889	7	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x805087c	13	FUNC	<unknown>	DEFAULT	2
httphex			.symtab	0x804b0fc	1244	FUNC	<unknown>	DEFAULT	2
i.4536			.symtab	0x805b0fc	4	OBJECT	<unknown>	DEFAULT	10
index			.symtab	0x805057c	30	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x80508a4	37	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x8053b48	148	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntop			.symtab	0x8055309	465	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x80551f8	273	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
inet_pton			.symtab	0x805502e	458	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x8054fa8	134	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0x804d1f2	403	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x80484b1	111	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0x8052121	87	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x805234d	171	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x804f390	63	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x80507ec	29	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x804f3d0	50	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer_status			.symtab	0x805b3b0	4	OBJECT	<unknown>	DEFAULT	11
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/mmap.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/i386/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x8049755	261	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x8055aac	86	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x805b3b4	6	OBJECT	<unknown>	DEFAULT	11
main			.symtab	0x804d5ad	1795	FUNC	<unknown>	DEFAULT	2
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
makeIPPacket			.symtab	0x80499dd	132	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x804931f	106	FUNC	<unknown>	DEFAULT	2
makevsepacket			.symtab	0x804a9c4	151	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x8050f9e	1954	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0x8051f3d	34	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x80539a4	35	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x805053c	39	FUNC	<unknown>	DEFAULT	2
memcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memmove			.symtab	0x80539c8	39	FUNC	<unknown>	DEFAULT	2
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x80539f0	33	FUNC	<unknown>	DEFAULT	2
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x8053a14	176	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x8050564	21	FUNC	<unknown>	DEFAULT	2
memset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mmap			.symtab	0x8052c9c	27	FUNC	<unknown>	DEFAULT	2
mremap			.symtab	0x8052e20	63	FUNC	<unknown>	DEFAULT	2
mremap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
munmap			.symtab	0x8052e60	50	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x805b268	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x805b280	24	OBJECT	<unknown>	DEFAULT	10
mylock			.symtab	0x8061608	24	OBJECT	<unknown>	DEFAULT	11
nanosleep			.symtab	0x8052e94	50	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1278			.symtab	0x80613e0	4	OBJECT	<unknown>	DEFAULT	11
ngPid			.symtab	0x8061630	4	OBJECT	<unknown>	DEFAULT	11
ntohl			.symtab	0x805089d	7	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x8050890	13	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x805b3a8	8	OBJECT	<unknown>	DEFAULT	11
object.2482			.symtab	0x805b384	24	OBJECT	<unknown>	DEFAULT	11
open			.symtab	0x804f404	75	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x806162c	4	OBJECT	<unknown>	DEFAULT	11
p.2427			.symtab	0x805b024	0	OBJECT	<unknown>	DEFAULT	10
parseHex			.symtab	0x804914e	68	FUNC	<unknown>	DEFAULT	2
pids			.symtab	0x8061638	4	OBJECT	<unknown>	DEFAULT	11
pipe			.symtab	0x804f468	46	FUNC	<unknown>	DEFAULT	2
pipe.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
poll			.symtab	0x8054604	54	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0x804f498	63	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4371			.symtab	0x8059325	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x804899f	722	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x8048744	66	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x8048860	319	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x8048786	218	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x804b5d8	7194	FUNC	<unknown>	DEFAULT	2
qual_chars.4377			.symtab	0x8059338	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x80545a0	24	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x8052074	5	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand__str			.symtab	0x804dd65	110	FUNC	<unknown>	DEFAULT	2
rand_alpha_str			.symtab	0x804ddd3	114	FUNC	<unknown>	DEFAULT	2
rand_alphastr			.symtab	0x804869f	165	FUNC	<unknown>	DEFAULT	2
rand_cmw			.symtab	0x80485df	192	FUNC	<unknown>	DEFAULT	2
rand_init			.symtab	0x804dcb0	77	FUNC	<unknown>	DEFAULT	2
rand_next			.symtab	0x804dcfd	104	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x805207c	72	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x8059f40	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x8052255	94	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x805b2c0	128	OBJECT	<unknown>	DEFAULT	10
rawmemchr			.symtab	0x8054ed8	99	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x804f4d8	54	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0x8051834	822	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x8050cc4	51	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x8049389	449	FUNC	<unknown>	DEFAULT	2
recvfrom			.symtab	0x8050cf8	67	FUNC	<unknown>	DEFAULT	2
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv_domain_to_hostname			.symtab	0x804de48	125	FUNC	<unknown>	DEFAULT	2
resolv_entries_free			.symtab	0x804e4ed	49	FUNC	<unknown>	DEFAULT	2
resolv_lookup			.symtab	0x804df50	1437	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
resolv_skip_name			.symtab	0x804dec5	139	FUNC	<unknown>	DEFAULT	2
rtcp			.symtab	0x804a49c	904	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x8052ec8	78	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x8061634	4	OBJECT	<unknown>	DEFAULT	11
select			.symtab	0x804f510	63	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x8050d3c	51	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendSTD			.symtab	0x804a824	416	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x8050d70	67	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x8050db4	59	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x80520c4	93	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x80521bc	153	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x8052ba7	218	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x8050e1c	42	FUNC	<unknown>	DEFAULT	2
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x8050e48	25	FUNC	<unknown>	DEFAULT	2
signal			.symtab	0x8050e64	175	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x804f550	85	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x8052620	393	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x8050df0	43	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x804affe	254	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x8048cc0	196	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4376			.symtab	0x805934c	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4370			.symtab	0x8059331	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4373			.symtab	0x8059375	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4372			.symtab	0x805938a	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4375			.symtab	0x805935c	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4374			.symtab	0x805936c	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x804f678	31	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x8052178	67	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x8052178	67	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x80522b3	154	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x805b35c	2	OBJECT	<unknown>	DEFAULT	10
static_ns			.symtab	0x8061620	4	OBJECT	<unknown>	DEFAULT	11
stderr			.symtab	0x805b11c	4	OBJECT	<unknown>	DEFAULT	10
stdin			.symtab	0x805b114	4	OBJECT	<unknown>	DEFAULT	10
stdout			.symtab	0x805b118	4	OBJECT	<unknown>	DEFAULT	10
strcasecmp			.symtab	0x8055c00	54	FUNC	<unknown>	DEFAULT	2
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x805057c	30	FUNC	<unknown>	DEFAULT	2
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x8054e88	29	FUNC	<unknown>	DEFAULT	2
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x8054e88	29	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x805059c	27	FUNC	<unknown>	DEFAULT	2
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strdup			.symtab	0x8054f70	54	FUNC	<unknown>	DEFAULT	2
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x8050700	182	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x80505b8	19	FUNC	<unknown>	DEFAULT	2
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncat			.symtab	0x8054ea8	46	FUNC	<unknown>	DEFAULT	2
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x80505cc	38	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x80505f4	25	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x8053b20	39	FUNC	<unknown>	DEFAULT	2
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x8054f3c	50	FUNC	<unknown>	DEFAULT	2
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x8050610	206	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x80507d0	25	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x8053ac4	89	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x805240c	26	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sysconf			.symtab	0x80527ac	325	FUNC	<unknown>	DEFAULT	2
sysconf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x8048c99	39	FUNC	<unknown>	DEFAULT	2
table			.symtab	0x8061640	232	OBJECT	<unknown>	DEFAULT	11
table.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
table_init			.symtab	0x804e520	652	FUNC	<unknown>	DEFAULT	2
table_key			.symtab	0x805b100	4	OBJECT	<unknown>	DEFAULT	10
table_lock_val			.symtab	0x804e7d5	41	FUNC	<unknown>	DEFAULT	2
table_retrieve_val			.symtab	0x804e7fe	47	FUNC	<unknown>	DEFAULT	2
table_unlock_val			.symtab	0x804e7ac	41	FUNC	<unknown>	DEFAULT	2
tcgetattr			.symtab	0x805080c	112	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpFI00d			.symtab	0x8049f1d	1407	FUNC	<unknown>	DEFAULT	2
tcpcsum			.symtab	0x8049925	184	FUNC	<unknown>	DEFAULT	2
time			.symtab	0x804f5a8	46	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
times			.symtab	0x8052f18	46	FUNC	<unknown>	DEFAULT	2
times.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toggle_obf			.symtab	0x804e882	240	FUNC	<unknown>	DEFAULT	2
tolower			.symtab	0x8055b04	29	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x804f62c	29	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x8048520	191	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x8059392	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x80593aa	12	OBJECT	<unknown>	DEFAULT	4
udpFI00d			.symtab	0x8049a61	1212	FUNC	<unknown>	DEFAULT	2
unknown.1330			.symtab	0x80593b6	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x805b298	28	OBJECT	<unknown>	DEFAULT	10
uppercase			.symtab	0x80492f0	47	FUNC	<unknown>	DEFAULT	2
userID			.symtab	0x805b0f4	4	OBJECT	<unknown>	DEFAULT	10
usleep			.symtab	0x80528f4	48	FUNC	<unknown>	DEFAULT	2
usleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util_atoi			.symtab	0x804eb31	412	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
util_fdgets			.symtab	0x804efd1	133	FUNC	<unknown>	DEFAULT	2
util_isalpha			.symtab	0x804f083	57	FUNC	<unknown>	DEFAULT	2
util_isdigit			.symtab	0x804f0f5	45	FUNC	<unknown>	DEFAULT	2
util_isspace			.symtab	0x804f0bc	57	FUNC	<unknown>	DEFAULT	2
util_isupper			.symtab	0x804f056	45	FUNC	<unknown>	DEFAULT	2
util_itoa			.symtab	0x804eccd	253	FUNC	<unknown>	DEFAULT	2
util_local_addr			.symtab	0x804ef11	192	FUNC	<unknown>	DEFAULT	2
util_memcpy			.symtab	0x804eadf	48	FUNC	<unknown>	DEFAULT	2
util_memsearch			.symtab	0x804edca	118	FUNC	<unknown>	DEFAULT	2
util_strcat			.symtab	0x804eab0	47	FUNC	<unknown>	DEFAULT	2
util_strcmp			.symtab	0x804ea11	108	FUNC	<unknown>	DEFAULT	2
util_strcpy			.symtab	0x804ea7d	51	FUNC	<unknown>	DEFAULT	2
util_stristr			.symtab	0x804ee40	209	FUNC	<unknown>	DEFAULT	2
util_strlen			.symtab	0x804e974	41	FUNC	<unknown>	DEFAULT	2
util_strncmp			.symtab	0x804e99d	116	FUNC	<unknown>	DEFAULT	2
util_zero			.symtab	0x804eb0f	34	FUNC	<unknown>	DEFAULT	2
vfork			.symtab	0x804f124	21	FUNC	<unknown>	DEFAULT	2
vseattack			.symtab	0x804aa5b	1277	FUNC	<unknown>	DEFAULT	2
vsnprintf			.symtab	0x804f698	176	FUNC	<unknown>	DEFAULT	2
vsnprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
w			.symtab	0x805f3d0	4	OBJECT	<unknown>	DEFAULT	11
wait4			.symtab	0x8052f48	59	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x804f5d8	26	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
watchdog_maintain			.symtab	0x8048388	297	FUNC	<unknown>	DEFAULT	2
watchdog_pid			.symtab	0x805b3a4	4	OBJECT	<unknown>	DEFAULT	11
wcrtomb			.symtab	0x8052f8c	69	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x8052ff4	133	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x8052fd4	30	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x8049192	295	FUNC	<unknown>	DEFAULT	2
write			.symtab	0x804f5f4	54	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
x			.symtab	0x805f3c4	4	OBJECT	<unknown>	DEFAULT	11
xdigits.3285			.symtab	0x805a2f4	17	OBJECT	<unknown>	DEFAULT	4
y			.symtab	0x805f3c8	4	OBJECT	<unknown>	DEFAULT	11
z			.symtab	0x805f3cc	4	OBJECT	<unknown>	DEFAULT	11
zprintf			.symtab	0x8048c71	40	FUNC	<unknown>	DEFAULT	2

Network Behavior

Network Port Distribution

Total Packets: 17

- 80 (HTTP)
- 576 undefined
- 443 (HTTPS)



TCP Packets



ICMP Packets



System Behavior

Analysis Process: POF7B6Kfw5.elf PID: 6232, Parent PID: 6122



General



Start time:	01:32:11
Start date:	30/11/2022
Path:	/tmp/POF7B6Kfw5.elf
Arguments:	/tmp/POF7B6Kfw5.elf
File size:	104138 bytes
MD5 hash:	d534f0c78e78eabf7f7af7a7cf36955d

File Activities



File Read



Analysis Process: POF7B6Kfw5.elf PID: 6234, Parent PID: 6232



General



Start time:	01:32:11
Start date:	30/11/2022
Path:	/tmp/POF7B6Kfw5.elf
Arguments:	n/a
File size:	104138 bytes
MD5 hash:	d534f0c78e78eabf7f7af7a7cf36955d

Analysis Process: POF7B6Kfw5.elf PID: 6235, Parent PID: 6232



General



Start time:	01:32:11
Start date:	30/11/2022
Path:	/tmp/POF7B6Kfw5.elf
Arguments:	n/a
File size:	104138 bytes
MD5 hash:	d534f0c78e78eabf7f7af7a7cf36955d

Analysis Process: POF7B6Kfw5.elf PID: 6236, Parent PID: 6235



General



Start time:	01:32:11
Start date:	30/11/2022
Path:	/tmp/POF7B6Kfw5.elf
Arguments:	n/a
File size:	104138 bytes
MD5 hash:	d534f0c78e78eabf717af7a7cf36955d