

JOeSandbox Cloud BASIC



ID: 756329

Sample Name: a0dSUrhKjF.elf

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 01:35:50

Date: 30/11/2022

Version: 36.0.0 Rainbow Opal

Table of Contents

Table of Contents	2
Linux Analysis Report a0dSURhKjF.elf	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Initial Sample	4
Memory Dumps	4
Snort Signatures	6
Joe Sandbox Signatures	6
AV Detection	6
Spreading	6
System Summary	6
Stealing of Sensitive Information	6
Remote Access Functionality	6
Mitre Att&ck Matrix	6
Malware Configuration	7
Behavior Graph	7
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	8
Domains	8
URLs	8
Domains and IPs	8
Contacted Domains	8
World Map of Contacted IPs	8
Public IPs	8
Joe Sandbox View / Context	8
IPs	8
Domains	9
ASNs	9
JA3 Fingerprints	9
Dropped Files	9
Created / dropped Files	9
Static File Info	9
General	9
Static ELF Info	9
ELF header	9
Sections	10
Program Segments	10
Symbols	10
Network Behavior	24
Network Port Distribution	24
TCP Packets	24
ICMP Packets	24
System Behavior	24
Analysis Process: a0dSURhKjF.elf PID: 6228, Parent PID: 6124	24
General	24
File Activities	24
File Read	24
Analysis Process: a0dSURhKjF.elf PID: 6230, Parent PID: 6228	24
General	24
Analysis Process: a0dSURhKjF.elf PID: 6231, Parent PID: 6228	25
General	25
Analysis Process: a0dSURhKjF.elf PID: 6234, Parent PID: 6231	25
General	25

Linux Analysis Report

a0dSURhKjF.elf

Overview

General Information

Sample Name:	a0dSURhKjF.elf
Analysis ID:	756329
MD5:	c4ca25d9fd71ba...
SHA1:	11fa564755da7c..
SHA256:	14fe02e2d1524fc..
Tags:	32 elf gafgyt mips
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Mirai

Score:	80
Range:	0 - 100
Whitelisted:	false

Signatures

Malicious sample detected (through...

Antivirus / Scanner detection for sub...

Yara detected Mirai

Multi AV Scanner detection for subm...

Contains symbols with names comm...

Opens /proc/net/* files useful for fin...

Yara signature match

Sample contains strings that are us...

Uses the "uname" system call to qu...

Tries to connect to HTTP servers, b...

Detected TCP or UDP traffic on non...

Classification

Analysis Advice

Static ELF header machine description suggests that the sample might not execute correctly on this machine.
All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.
Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures.

General Information

Joe Sandbox Version:	36.0.0 Rainbow Opal
Analysis ID:	756329
Start date and time:	2022-11-30 01:35:50 +01:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 28s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	a0dSURhKjF.elf
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal80.spre.troj.linELF@0/0@0/0

Runtime Messages

Command:	/tmp/a0dSURhKjF.elf
PID:	6228
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	gosh that chinese family at the other table sure ate alot
Standard Error:	

Process Tree

- system is Inxubuntu20
- a0dSUrhKjF.elf (PID: 6228, Parent: 6124, MD5: 0d6f61f82cf2f781c6eb0661071d42d9) Arguments: /tmp/a0dSUrhKjF.elf
 - a0dSUrhKjF.elf New Fork (PID: 6230, Parent: 6228)
 - a0dSUrhKjF.elf New Fork (PID: 6231, Parent: 6228)
 - a0dSUrhKjF.elf New Fork (PID: 6234, Parent: 6231)
- cleanup

Yara Signatures

Initial Sample

Source	Rule	Description	Author	Strings
a0dSUrhKjF.elf	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
a0dSUrhKjF.elf	Linux_Trojan_Gafigt_28a2fe0c	unknown	unknown	• 0x19bb0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19bc4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19bd8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19bec:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19c00:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19c14:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19c28:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19c3c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19c50:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19c64:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19c78:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19c8c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19ca0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19cb4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19cc8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19cdc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19cf0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19d04:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19d18:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19d2c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x19d40:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F

Memory Dumps

Source	Rule	Description	Author	Strings
6228.1.00007fb298400000.00007fb29841e000.r-x.sdmf	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

Source	Rule	Description	Author	Strings
6231.1.00007fb298400000.00007fb29841e000.r-x.sdmpr	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
Click to see the 4 entries				

Snort Signatures

No Snort rule has matched

Joe Sandbox Signatures

AV Detection



Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file

Spreading



Opens /proc/net/* files useful for finding connected devices and routers

System Summary



Malicious sample detected (through community Yara rule)

Contains symbols with names commonly found in malware

Stealing of Sensitive Information



Yara detected Mirai

Remote Access Functionality



Yara detected Mirai

Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	1 Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	1 Remote System Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Non-Standard Port	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

Dropped Files

No Antivirus matches

Domains

No Antivirus matches


URLs

No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info



Public IPs						
IP	Domain	Country	Flag	ASN	ASN Name	Malicious
47.87.197.232	unknown	United States		3209	VODANETInternationalIP-BackboneofVodafoneDE	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, MIPS, MIPS-I version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	5.321844123186179
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	a0dSUrhKjF.elf
File size:	155476
MD5:	c4ca25d9fd71ba88047def343d3a2799
SHA1:	11fa564755da7c9b8127316d579b1dc890b22433
SHA256:	14fe02e2d1524fc31ed04bf9c4deb14432ad1adb9c934561f832618eec09aa04
SHA512:	7b5a9a65d8fb09b9583cf92bb1a4df49db2b868aad28cca05091bb83036b20ab7820486efaad8c72198e884e890fe08d72acf79a45b7108f218d764e9c178658
SSDEEP:	3072:dg1c9h1jlnLA2PiXYeyCV9VNMVGuo9mrThPaLEnvPrNb:dZ7lnLA2PileyU9VWDo9mrThPaLEnvP5
TLSH:	69E38536B7619E77D80ECE7305A985121C8CD98702D92B6BB2B4E51CEB6BC4F08D3D58
File Content Preview:	.ELF.....@.4...4.....4...{.....p.....@...@.....@...@.D...D.....D...D.E.D.E.P....o.....Q.td.....UF....<.T.!.....!.....<.T.!... ..

Static ELF Info

ELF header

Class:	
Data:	
Version:	
Machine:	
Version Number:	
Type:	
OS/ABI:	
ABI Version:	
Entry Point Address:	
Flags:	
ELF Header Size:	
Program Header Offset:	
Program Header Size:	

ELF header

Number of Program Headers:

Section Header Offset:

Section Header Size:

Number of Section Headers:

Header String Table Index:

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.reginfo	MIPS_REGINFO	0x4000b4	0xb4	0x18	0x18	0x2	A	0	0	4
.init	PROGBITS	0x4000cc	0xcc	0x8c	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x400160	0x160	0x188e0	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x418a40	0x18a40	0x5c	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x418aa0	0x18aa0	0x45a0	0x0	0x2	A	0	0	16
.eh_frame	PROGBITS	0x41d040	0x1d040	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x45d044	0x1d044	0x8	0x0	0x3	WA	0	0	4
.dtors	PROGBITS	0x45d04c	0x1d04c	0x8	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x45d054	0x1d054	0x4	0x0	0x3	WA	0	0	4
.data.rel.ro	PROGBITS	0x45d058	0x1d058	0x4c	0x0	0x3	WA	0	0	4
.data	PROGBITS	0x45d0b0	0x1d0b0	0x4e0	0x0	0x3	WA	0	0	16
.got	PROGBITS	0x45d590	0x1d590	0x504	0x4	0x10000003	WAp	0	0	16
.sbss	NOBITS	0x45da94	0x1da94	0x24	0x0	0x10000003	WAp	0	0	4
.bss	NOBITS	0x45dac0	0x1da94	0x648c	0x0	0x3	WA	0	0	16
.comment	PROGBITS	0x0	0x1da94	0xbe2	0x0	0x0		0	0	1
.mdebug.abi32	PROGBITS	0xbe2	0x1e676	0x0	0x0	0x0		0	0	1
.pdr	PROGBITS	0x0	0x1e678	0x2120	0x0	0x0		0	0	4
.shstrtab	STRTAB	0x0	0x20798	0x9a	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x20b7c	0x3030	0x10	0x0		20	321	4
.strib	STRTAB	0x0	0x23bac	0x23a8	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
<unknown>	0xb4	0x4000b4	0x4000b4	0x18	0x18	0.9834	0x4	R	0x4		.reginfo
LOAD	0x0	0x400000	0x400000	0x1d044	0x1d044	5.3117	0x5	R E	0x10000		.reginfo .init .text .fini .rodata .eh_frame
LOAD	0x1d044	0x45d044	0x45d044	0xa50	0x6f08	4.1543	0x6	RW	0x10000		.ctors .dtors .jcr .data.rel.ro .data .got .sbss .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x4000b4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x4000cc	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x400160	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x418a40	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x418aa0	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x41d040	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x45d044	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x45d04c	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x45d054	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x45d058	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x45d0b0	0	SECTION	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x45d590	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x45da94	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x45dac0	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0xbe2	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
C.151.5648			.symtab	0x45d058	40	OBJECT	<unknown>	DEFAULT	10
C.182.5940			.symtab	0x45d094	16	OBJECT	<unknown>	DEFAULT	10
C.183.5941			.symtab	0x45d080	20	OBJECT	<unknown>	DEFAULT	10
KHcommSOCK			.symtab	0x45dae0	4	OBJECT	<unknown>	DEFAULT	14
KHserverHACKER			.symtab	0x45d0f4	4	OBJECT	<unknown>	DEFAULT	11
LOCAL_ADDR			.symtab	0x45da94	4	OBJECT	<unknown>	DEFAULT	13
Q			.symtab	0x45dafc	16384	OBJECT	<unknown>	DEFAULT	14
UserAgents			.symtab	0x45d110	144	OBJECT	<unknown>	DEFAULT	11
_GLOBAL_OFFSET_TABLE_			.symtab	0x45d590	0	OBJECT	<unknown>	DEFAULT	12
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x45d048	0	OBJECT	<unknown>	DEFAULT	7
__CTOR_LIST__			.symtab	0x45d044	0	OBJECT	<unknown>	DEFAULT	7
__C_ctype_b			.symtab	0x45d1b0	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x41b8a0	768	OBJECT	<unknown>	DEFAULT	5
__C_ctype_tolower			.symtab	0x45d580	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x41cd40	768	OBJECT	<unknown>	DEFAULT	5
__C_ctype_toupper			.symtab	0x45d1c0	4	OBJECT	<unknown>	DEFAULT	11
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x41bba0	768	OBJECT	<unknown>	DEFAULT	5
__DTOR_END__			.symtab	0x45d050	0	OBJECT	<unknown>	DEFAULT	8
__DTOR_LIST__			.symtab	0x45d04c	0	OBJECT	<unknown>	DEFAULT	8
__EH_FRAME_BEGIN__			.symtab	0x41d040	0	OBJECT	<unknown>	DEFAULT	6
__FRAME_END__			.symtab	0x41d040	0	OBJECT	<unknown>	DEFAULT	6
__Gl__C_ctype_b			.symtab	0x45d1b0	4	OBJECT	<unknown>	HIDDEN	11
__Gl__C_ctype_b_data			.symtab	0x41b8a0	768	OBJECT	<unknown>	HIDDEN	5
__Gl__C_ctype_tolower			.symtab	0x45d580	4	OBJECT	<unknown>	HIDDEN	11
__Gl__C_ctype_tolower_data			.symtab	0x41cd40	768	OBJECT	<unknown>	HIDDEN	5
__Gl__C_ctype_toupper			.symtab	0x45d1c0	4	OBJECT	<unknown>	HIDDEN	11
__Gl__C_ctype_toupper_data			.symtab	0x41bba0	768	OBJECT	<unknown>	HIDDEN	5
__Gl__ctype_b			.symtab	0x45d1b4	4	OBJECT	<unknown>	HIDDEN	11
__Gl__ctype_tolower			.symtab	0x45d584	4	OBJECT	<unknown>	HIDDEN	11
__Gl__ctype_toupper			.symtab	0x45d1c4	4	OBJECT	<unknown>	HIDDEN	11
__Gl__errno_location			.symtab	0x40e410	24	FUNC	<unknown>	HIDDEN	3
__Gl__fgetc_unlocked			.symtab	0x418320	388	FUNC	<unknown>	HIDDEN	3
__Gl__glibc_strerror_r			.symtab	0x4103a0	68	FUNC	<unknown>	HIDDEN	3
__Gl__h_errno_location			.symtab	0x4134e0	24	FUNC	<unknown>	HIDDEN	3
__Gl__libc_fcntl			.symtab	0x40dac0	136	FUNC	<unknown>	HIDDEN	3
__Gl__libc_fcntl64			.symtab	0x40db50	104	FUNC	<unknown>	HIDDEN	3
__Gl__libc_open			.symtab	0x40e030	124	FUNC	<unknown>	HIDDEN	3
__Gl__uClibc_fini			.symtab	0x412ac0	196	FUNC	<unknown>	HIDDEN	3
__Gl__uClibc_init			.symtab	0x412c1c	140	FUNC	<unknown>	HIDDEN	3
__Gl__xpg_strerror_r			.symtab	0x4103f0	392	FUNC	<unknown>	HIDDEN	3
__Gl__exit			.symtab	0x40dbc0	80	FUNC	<unknown>	HIDDEN	3
__Gl_abort			.symtab	0x415ba0	428	FUNC	<unknown>	HIDDEN	3
__Gl_atoi			.symtab	0x4123a0	28	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_atol			.symtab	0x4123a0	28	FUNC	<unknown>	HIDDEN	3
__Gl_brk			.symtab	0x415d80	112	FUNC	<unknown>	HIDDEN	3
__Gl_close			.symtab	0x40dc70	84	FUNC	<unknown>	HIDDEN	3
__Gl_connect			.symtab	0x410c80	84	FUNC	<unknown>	HIDDEN	3
__Gl_dup2			.symtab	0x40dcd0	84	FUNC	<unknown>	HIDDEN	3
__Gl_erno			.symtab	0x463d60	4	OBJECT	<unknown>	HIDDEN	14
__Gl_execl			.symtab	0x412720	204	FUNC	<unknown>	HIDDEN	3
__Gl_execve			.symtab	0x4131b0	84	FUNC	<unknown>	HIDDEN	3
__Gl_exit			.symtab	0x412630	236	FUNC	<unknown>	HIDDEN	3
__Gl_fclose			.symtab	0x415e50	512	FUNC	<unknown>	HIDDEN	3
__Gl_fcntl			.symtab	0x40dac0	136	FUNC	<unknown>	HIDDEN	3
__Gl_fcntl64			.symtab	0x40db50	104	FUNC	<unknown>	HIDDEN	3
__Gl_fflush_unlocked			.symtab	0x4169e0	628	FUNC	<unknown>	HIDDEN	3
__Gl_fgetc_unlocked			.symtab	0x418320	388	FUNC	<unknown>	HIDDEN	3
__Gl_fgets			.symtab	0x416770	216	FUNC	<unknown>	HIDDEN	3
__Gl_fgets_unlocked			.symtab	0x416c60	268	FUNC	<unknown>	HIDDEN	3
__Gl_fopen			.symtab	0x416050	28	FUNC	<unknown>	HIDDEN	3
__Gl_fork			.symtab	0x40dd30	84	FUNC	<unknown>	HIDDEN	3
__Gl_fputs_unlocked			.symtab	0x40fb50	128	FUNC	<unknown>	HIDDEN	3
__Gl_fseek			.symtab	0x416070	68	FUNC	<unknown>	HIDDEN	3
__Gl_fseeko64			.symtab	0x4160c0	388	FUNC	<unknown>	HIDDEN	3
__Gl_fwrite_unlocked			.symtab	0x40fbd0	280	FUNC	<unknown>	HIDDEN	3
__Gl_getc_unlocked			.symtab	0x418320	388	FUNC	<unknown>	HIDDEN	3
__Gl_getdtablesize			.symtab	0x40dd90	72	FUNC	<unknown>	HIDDEN	3
__Gl_getegid			.symtab	0x413210	88	FUNC	<unknown>	HIDDEN	3
__Gl_geteuid			.symtab	0x40dde0	88	FUNC	<unknown>	HIDDEN	3
__Gl_getgid			.symtab	0x413270	84	FUNC	<unknown>	HIDDEN	3
__Gl_gethostbyname			.symtab	0x4107a0	116	FUNC	<unknown>	HIDDEN	3
__Gl_gethostbyname_r			.symtab	0x410820	1108	FUNC	<unknown>	HIDDEN	3
__Gl_getpid			.symtab	0x40de40	84	FUNC	<unknown>	HIDDEN	3
__Gl_getrlimit			.symtab	0x40df00	84	FUNC	<unknown>	HIDDEN	3
__Gl_getsockname			.symtab	0x410ce0	84	FUNC	<unknown>	HIDDEN	3
__Gl_getuid			.symtab	0x4132d0	84	FUNC	<unknown>	HIDDEN	3
__Gl_h_erno			.symtab	0x463d64	4	OBJECT	<unknown>	HIDDEN	14
__Gl_inet_addr			.symtab	0x410750	72	FUNC	<unknown>	HIDDEN	3
__Gl_inet_aton			.symtab	0x414c20	280	FUNC	<unknown>	HIDDEN	3
__Gl_inet_ntop			.symtab	0x417580	852	FUNC	<unknown>	HIDDEN	3
__Gl_inet_pton			.symtab	0x4170d0	700	FUNC	<unknown>	HIDDEN	3
__Gl_initstate_r			.symtab	0x412250	328	FUNC	<unknown>	HIDDEN	3
__Gl_ioctl			.symtab	0x40df60	104	FUNC	<unknown>	HIDDEN	3
__Gl_isatty			.symtab	0x4105e0	60	FUNC	<unknown>	HIDDEN	3
__Gl_kill			.symtab	0x40dfd0	88	FUNC	<unknown>	HIDDEN	3
__Gl_lseek64			.symtab	0x418230	164	FUNC	<unknown>	HIDDEN	3
__Gl_memchr			.symtab	0x414570	264	FUNC	<unknown>	HIDDEN	3
__Gl_memcpy			.symtab	0x40fcf0	308	FUNC	<unknown>	HIDDEN	3
__Gl_memmove			.symtab	0x414680	816	FUNC	<unknown>	HIDDEN	3
__Gl_mempcpy			.symtab	0x4149b0	76	FUNC	<unknown>	HIDDEN	3
__Gl_memrchr			.symtab	0x414a00	272	FUNC	<unknown>	HIDDEN	3
__Gl_memset			.symtab	0x40fe30	144	FUNC	<unknown>	HIDDEN	3
__Gl_nanosleep			.symtab	0x413330	84	FUNC	<unknown>	HIDDEN	3
__Gl_open			.symtab	0x40e030	124	FUNC	<unknown>	HIDDEN	3
__Gl_pipe			.symtab	0x40da80	64	FUNC	<unknown>	HIDDEN	3
__Gl_poll			.symtab	0x415df0	84	FUNC	<unknown>	HIDDEN	3
__Gl_raise			.symtab	0x4181e0	76	FUNC	<unknown>	HIDDEN	3
__Gl_random			.symtab	0x411c20	164	FUNC	<unknown>	HIDDEN	3
__Gl_random_r			.symtab	0x41202c	176	FUNC	<unknown>	HIDDEN	3
__Gl_rawmemchr			.symtab	0x416d70	200	FUNC	<unknown>	HIDDEN	3
__Gl_read			.symtab	0x40e150	84	FUNC	<unknown>	HIDDEN	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_recv			.symtab	0x410dc0	84	FUNC	<unknown>	HIDDEN	3
__Gl_recvfrom			.symtab	0x410e20	128	FUNC	<unknown>	HIDDEN	3
__Gl_sbrk			.symtab	0x413390	144	FUNC	<unknown>	HIDDEN	3
__Gl_select			.symtab	0x40e1b0	120	FUNC	<unknown>	HIDDEN	3
__Gl_send			.symtab	0x410ea0	84	FUNC	<unknown>	HIDDEN	3
__Gl_sendto			.symtab	0x410f00	128	FUNC	<unknown>	HIDDEN	3
__Gl_setsockopt			.symtab	0x410f80	120	FUNC	<unknown>	HIDDEN	3
__Gl_setstate_r			.symtab	0x411ef0	316	FUNC	<unknown>	HIDDEN	3
__Gl_sigaction			.symtab	0x413060	232	FUNC	<unknown>	HIDDEN	3
__Gl_sigaddset			.symtab	0x411060	104	FUNC	<unknown>	HIDDEN	3
__Gl_sigemptyset			.symtab	0x4110d0	60	FUNC	<unknown>	HIDDEN	3
__Gl_signal			.symtab	0x411110	252	FUNC	<unknown>	HIDDEN	3
__Gl_sigprocmask			.symtab	0x40e230	148	FUNC	<unknown>	HIDDEN	3
__Gl_sleep			.symtab	0x4127f0	564	FUNC	<unknown>	HIDDEN	3
__Gl_socket			.symtab	0x411000	84	FUNC	<unknown>	HIDDEN	3
__Gl_sprintf			.symtab	0x40e4a0	80	FUNC	<unknown>	HIDDEN	3
__Gl_srandom_r			.symtab	0x4120dc	372	FUNC	<unknown>	HIDDEN	3
__Gl_strerrorcmp			.symtab	0x4184b0	108	FUNC	<unknown>	HIDDEN	3
__Gl_strchr			.symtab	0x40fec0	256	FUNC	<unknown>	HIDDEN	3
__Gl_strcmp			.symtab	0x40ffc0	44	FUNC	<unknown>	HIDDEN	3
__Gl_strcoll			.symtab	0x40ffc0	44	FUNC	<unknown>	HIDDEN	3
__Gl_strcpy			.symtab	0x40fff0	36	FUNC	<unknown>	HIDDEN	3
__Gl_strdup			.symtab	0x416f50	144	FUNC	<unknown>	HIDDEN	3
__Gl_strlen			.symtab	0x410020	184	FUNC	<unknown>	HIDDEN	3
__Gl_strncat			.symtab	0x416e40	180	FUNC	<unknown>	HIDDEN	3
__Gl_strncpy			.symtab	0x4100e0	188	FUNC	<unknown>	HIDDEN	3
__Gl_strnlen			.symtab	0x4101a0	256	FUNC	<unknown>	HIDDEN	3
__Gl_strpbrk			.symtab	0x414be0	64	FUNC	<unknown>	HIDDEN	3
__Gl_strspn			.symtab	0x416f00	76	FUNC	<unknown>	HIDDEN	3
__Gl_strstr			.symtab	0x4102a0	256	FUNC	<unknown>	HIDDEN	3
__Gl_strtok			.symtab	0x4105c0	32	FUNC	<unknown>	HIDDEN	3
__Gl_strtok_r			.symtab	0x414b10	204	FUNC	<unknown>	HIDDEN	3
__Gl_strtol			.symtab	0x4123c0	28	FUNC	<unknown>	HIDDEN	3
__Gl_tcgetattr			.symtab	0x410620	176	FUNC	<unknown>	HIDDEN	3
__Gl_time			.symtab	0x40e2d0	84	FUNC	<unknown>	HIDDEN	3
__Gl_times			.symtab	0x413420	84	FUNC	<unknown>	HIDDEN	3
__Gl_tolower			.symtab	0x4182e0	60	FUNC	<unknown>	HIDDEN	3
__Gl_toupper			.symtab	0x40e3d0	60	FUNC	<unknown>	HIDDEN	3
__Gl_vfork			.symtab	0x40e330	28	FUNC	<unknown>	HIDDEN	3
__Gl_vsnprintf			.symtab	0x40e4f0	260	FUNC	<unknown>	HIDDEN	3
__Gl_wait4			.symtab	0x413480	88	FUNC	<unknown>	HIDDEN	3
__Gl_waitpid			.symtab	0x40e350	28	FUNC	<unknown>	HIDDEN	3
__Gl_wctomb			.symtab	0x413500	112	FUNC	<unknown>	HIDDEN	3
__Gl_wcsnrtombs			.symtab	0x4135b0	228	FUNC	<unknown>	HIDDEN	3
__Gl_wcsrtombs			.symtab	0x413570	64	FUNC	<unknown>	HIDDEN	3
__Gl_write			.symtab	0x40e370	84	FUNC	<unknown>	HIDDEN	3
__JCR_END__			.symtab	0x45d054	0	OBJECT	<unknown>	DEFAULT	9
__JCR_LIST__			.symtab	0x45d054	0	OBJECT	<unknown>	DEFAULT	9
__app_fini			.symtab	0x463d4c	4	OBJECT	<unknown>	HIDDEN	14
__atexit_lock			.symtab	0x45d500	24	OBJECT	<unknown>	DEFAULT	11
__bsd_signal			.symtab	0x411110	252	FUNC	<unknown>	HIDDEN	3
__bss_start			.symtab	0x45da94	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x412b94	136	FUNC	<unknown>	DEFAULT	3
__ctype_b			.symtab	0x45d1b4	4	OBJECT	<unknown>	DEFAULT	11
__ctype_tolower			.symtab	0x45d584	4	OBJECT	<unknown>	DEFAULT	11
__ctype_toupper			.symtab	0x45d1c4	4	OBJECT	<unknown>	DEFAULT	11
__curbrk			.symtab	0x463da0	4	OBJECT	<unknown>	HIDDEN	14
__data_start			.symtab	0x45d0d0	0	OBJECT	<unknown>	DEFAULT	11

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__decode_answer			.symtab	0x417be0	340	FUNC	<unknown>	HIDDEN	3
__decode_dotted			.symtab	0x418640	340	FUNC	<unknown>	HIDDEN	3
__decode_header			.symtab	0x4179f0	228	FUNC	<unknown>	HIDDEN	3
__deregister_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDE F
__dns_lookup			.symtab	0x414d40	2568	FUNC	<unknown>	HIDDEN	3
__do_global_ctors_aux			.symtab	0x4189d0	0	FUNC	<unknown>	DEFAULT	3
__do_global_dtors_aux			.symtab	0x400160	0	FUNC	<unknown>	DEFAULT	3
__dso_handle			.symtab	0x45d0b0	0	OBJECT	<unknown>	HIDDEN	11
__encode_dotted			.symtab	0x418520	280	FUNC	<unknown>	HIDDEN	3
__encode_header			.symtab	0x4178e0	272	FUNC	<unknown>	HIDDEN	3
__encode_question			.symtab	0x417ae0	172	FUNC	<unknown>	HIDDEN	3
__environ			.symtab	0x463d44	4	OBJECT	<unknown>	DEFAULT	14
__errno_location			.symtab	0x40e410	24	FUNC	<unknown>	DEFAULT	3
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x463d30	4	OBJECT	<unknown>	HIDDEN	14
__fgetc_unlocked			.symtab	0x418320	388	FUNC	<unknown>	DEFAULT	3
__fini_array_end			.symtab	0x45d044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x45d044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x415b30	104	FUNC	<unknown>	HIDDEN	3
__glibc_strerror_r			.symtab	0x4103a0	68	FUNC	<unknown>	DEFAULT	3
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x4134e0	24	FUNC	<unknown>	DEFAULT	3
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__heap_alloc			.symtab	0x4118c0	188	FUNC	<unknown>	DEFAULT	3
__heap_alloc_at			.symtab	0x411980	184	FUNC	<unknown>	DEFAULT	3
__heap_free			.symtab	0x411a88	364	FUNC	<unknown>	DEFAULT	3
__heap_link_free_area			.symtab	0x411a40	44	FUNC	<unknown>	DEFAULT	3
__heap_link_free_area_after			.symtab	0x411a6c	28	FUNC	<unknown>	DEFAULT	3
__init_array_end			.symtab	0x45d044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x45d044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x4187a0	72	FUNC	<unknown>	HIDDEN	3
__length_question			.symtab	0x417b90	72	FUNC	<unknown>	HIDDEN	3
__libc_close			.symtab	0x40dc70	84	FUNC	<unknown>	DEFAULT	3
__libc_connect			.symtab	0x410c80	84	FUNC	<unknown>	DEFAULT	3
__libc_creat			.symtab	0x40e0ac	28	FUNC	<unknown>	DEFAULT	3
__libc_fcntl			.symtab	0x40dac0	136	FUNC	<unknown>	DEFAULT	3
__libc_fcntl64			.symtab	0x40db50	104	FUNC	<unknown>	DEFAULT	3
__libc_fork			.symtab	0x40dd30	84	FUNC	<unknown>	DEFAULT	3
__libc_getpid			.symtab	0x40de40	84	FUNC	<unknown>	DEFAULT	3
__libc_lseek64			.symtab	0x418230	164	FUNC	<unknown>	DEFAULT	3
__libc_nanosleep			.symtab	0x413330	84	FUNC	<unknown>	DEFAULT	3
__libc_open			.symtab	0x40e030	124	FUNC	<unknown>	DEFAULT	3
__libc_poll			.symtab	0x415df0	84	FUNC	<unknown>	DEFAULT	3
__libc_read			.symtab	0x40e150	84	FUNC	<unknown>	DEFAULT	3
__libc_recv			.symtab	0x410dc0	84	FUNC	<unknown>	DEFAULT	3
__libc_recvfrom			.symtab	0x410e20	128	FUNC	<unknown>	DEFAULT	3
__libc_select			.symtab	0x40e1b0	120	FUNC	<unknown>	DEFAULT	3
__libc_send			.symtab	0x410ea0	84	FUNC	<unknown>	DEFAULT	3
__libc_sendto			.symtab	0x410f00	128	FUNC	<unknown>	DEFAULT	3
__libc_sigaction			.symtab	0x413060	232	FUNC	<unknown>	DEFAULT	3
__libc_stack_end			.symtab	0x463d40	4	OBJECT	<unknown>	DEFAULT	14
__libc_waitpid			.symtab	0x40e350	28	FUNC	<unknown>	DEFAULT	3
__libc_write			.symtab	0x40e370	84	FUNC	<unknown>	DEFAULT	3
__malloc_heap			.symtab	0x45d430	4	OBJECT	<unknown>	DEFAULT	11
__malloc_heap_lock			.symtab	0x463d10	24	OBJECT	<unknown>	DEFAULT	14
__malloc_sbrk_lock			.symtab	0x463f18	24	OBJECT	<unknown>	DEFAULT	14
__nameserver			.symtab	0x463f40	12	OBJECT	<unknown>	HIDDEN	14
__nameservers			.symtab	0x45daa8	4	OBJECT	<unknown>	HIDDEN	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__open_etc_hosts			.symtab	0x417d40	108	FUNC	<unknown>	HIDDEN	3
__open_nameservers			.symtab	0x415750	984	FUNC	<unknown>	HIDDEN	3
__pagesize			.symtab	0x463d48	4	OBJECT	<unknown>	DEFAULT	14
__preinit_array_end			.symtab	0x45d044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x45d044	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x412b84	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_lock			.symtab	0x412b84	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_trylock			.symtab	0x412b84	8	FUNC	<unknown>	DEFAULT	3
__pthread_mutex_unlock			.symtab	0x412b84	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_0			.symtab	0x412b84	8	FUNC	<unknown>	DEFAULT	3
__pthread_return_void			.symtab	0x412b8c	8	FUNC	<unknown>	DEFAULT	3
__raise			.symtab	0x4181e0	76	FUNC	<unknown>	HIDDEN	3
__read_etc_hosts_r			.symtab	0x417dac	1076	FUNC	<unknown>	HIDDEN	3
__register_frame_info			.symtab	0x0	0	FUNC	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x45d540	24	OBJECT	<unknown>	DEFAULT	11
__rtd_fini			.symtab	0x463d50	4	OBJECT	<unknown>	HIDDEN	14
__searchdomain			.symtab	0x463f30	16	OBJECT	<unknown>	HIDDEN	14
__searchdomains			.symtab	0x45daac	4	OBJECT	<unknown>	HIDDEN	13
__sigaddset			.symtab	0x411238	44	FUNC	<unknown>	DEFAULT	3
__sigdelset			.symtab	0x411264	48	FUNC	<unknown>	DEFAULT	3
__sigismember			.symtab	0x411210	40	FUNC	<unknown>	DEFAULT	3
__start			.symtab	0x4002a0	100	FUNC	<unknown>	DEFAULT	3
__stdin			.symtab	0x45d21c	4	OBJECT	<unknown>	DEFAULT	11
__stdio_READ			.symtab	0x4187f0	140	FUNC	<unknown>	HIDDEN	3
__stdio_WRITE			.symtab	0x4136a0	280	FUNC	<unknown>	HIDDEN	3
__stdio_adjust_position			.symtab	0x416250	320	FUNC	<unknown>	HIDDEN	3
__stdio_fwrite			.symtab	0x4137c0	472	FUNC	<unknown>	HIDDEN	3
__stdio_init_mutex			.symtab	0x40e6b8	32	FUNC	<unknown>	HIDDEN	3
__stdio_mutex_initializer.3833			.symtab	0x41bea0	24	OBJECT	<unknown>	DEFAULT	5
__stdio_rfill			.symtab	0x418880	88	FUNC	<unknown>	HIDDEN	3
__stdio_seek			.symtab	0x416700	112	FUNC	<unknown>	HIDDEN	3
__stdio_trans2r_o			.symtab	0x4188e0	228	FUNC	<unknown>	HIDDEN	3
__stdio_trans2w_o			.symtab	0x4139a0	308	FUNC	<unknown>	HIDDEN	3
__stdio_wcommit			.symtab	0x40e800	100	FUNC	<unknown>	HIDDEN	3
__stdout			.symtab	0x45d220	4	OBJECT	<unknown>	DEFAULT	11
__syscall_error			.symtab	0x413010	72	FUNC	<unknown>	HIDDEN	3
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_rt_sigaction			.symtab	0x413150	84	FUNC	<unknown>	HIDDEN	3
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_fini			.symtab	0x412ac0	196	FUNC	<unknown>	DEFAULT	3
__uClibc_init			.symtab	0x412c1c	140	FUNC	<unknown>	DEFAULT	3
__uClibc_main			.symtab	0x412ca8	864	FUNC	<unknown>	DEFAULT	3
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x45d520	4	OBJECT	<unknown>	HIDDEN	11
__vfork			.symtab	0x40e330	28	FUNC	<unknown>	HIDDEN	3
__xpg_strerror_r			.symtab	0x4103f0	392	FUNC	<unknown>	DEFAULT	3
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__charpad			.symtab	0x40e870	128	FUNC	<unknown>	DEFAULT	3
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__dl_aux_init			.symtab	0x415d50	44	FUNC	<unknown>	DEFAULT	3
__dl_phdr			.symtab	0x45dab0	4	OBJECT	<unknown>	DEFAULT	13
__dl_phnum			.symtab	0x45dab4	4	OBJECT	<unknown>	DEFAULT	13
__edata			.symtab	0x45da94	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_end			.symtab	0x463f4c	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x463d60	4	OBJECT	<unknown>	DEFAULT	14
_exit			.symtab	0x40dbc0	80	FUNC	<unknown>	DEFAULT	3
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fbss			.symtab	0x45da94	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_fdata			.symtab	0x45d0b0	0	NOTYPE	<unknown>	DEFAULT	11
_fini			.symtab	0x418a40	28	FUNC	<unknown>	DEFAULT	4
_fixed_buffers			.symtab	0x461b18	8192	OBJECT	<unknown>	DEFAULT	14
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x40e8f0	228	FUNC	<unknown>	DEFAULT	3
_fpmaxtostr			.symtab	0x413d20	2120	FUNC	<unknown>	HIDDEN	3
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ftext			.symtab	0x400160	0	NOTYPE	<unknown>	DEFAULT	3
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_gp			.symtab	0x465580	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_gp_disp			.symtab	0x0	0	OBJECT	<unknown>	DEFAULT	SHN_UNDE F
_h_errno			.symtab	0x463d64	4	OBJECT	<unknown>	DEFAULT	14
_init			.symtab	0x4000cc	28	FUNC	<unknown>	DEFAULT	2
_load_inttype			.symtab	0x413ae0	136	FUNC	<unknown>	HIDDEN	3
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x40f180	220	FUNC	<unknown>	HIDDEN	3
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x40f55c	1512	FUNC	<unknown>	HIDDEN	3
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x40f260	100	FUNC	<unknown>	HIDDEN	3
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x40f2d0	544	FUNC	<unknown>	HIDDEN	3
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x40f4f0	108	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_pop_restore			.symtab	0x412b8c	8	FUNC	<unknown>	DEFAULT	3
_pthread_cleanup_push_defer			.symtab	0x412b8c	8	FUNC	<unknown>	DEFAULT	3
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_signintr			.symtab	0x463e98	128	OBJECT	<unknown>	HIDDEN	14
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x416390	880	FUNC	<unknown>	HIDDEN	3
_stdio_init			.symtab	0x40e600	184	FUNC	<unknown>	HIDDEN	3
_stdio_openlist			.symtab	0x45d224	4	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_add_lock			.symtab	0x45d1d0	24	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_dec_use			.symtab	0x416850	400	FUNC	<unknown>	DEFAULT	3
_stdio_openlist_del_count			.symtab	0x461b14	4	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_del_lock			.symtab	0x45d1e8	24	OBJECT	<unknown>	DEFAULT	11
_stdio_openlist_use_count			.symtab	0x461b10	4	OBJECT	<unknown>	DEFAULT	14
_stdio_streams			.symtab	0x45d228	240	OBJECT	<unknown>	DEFAULT	11
_stdio_term			.symtab	0x40e6d8	284	FUNC	<unknown>	HIDDEN	3
_stdio_user_locking			.symtab	0x45d200	4	OBJECT	<unknown>	DEFAULT	11
_stdlib_strto_l			.symtab	0x4123e0	592	FUNC	<unknown>	HIDDEN	3
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x413b70	68	FUNC	<unknown>	HIDDEN	3
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x41c010	2934	OBJECT	<unknown>	HIDDEN	5
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x413bc0	340	FUNC	<unknown>	HIDDEN	3
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x40e9d4	1960	FUNC	<unknown>	HIDDEN	3
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
abort			.symtab	0x415ba0	428	FUNC	<unknown>	DEFAULT	3
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
access			.symtab	0x40dc10	84	FUNC	<unknown>	DEFAULT	3
access.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
acnc			.symtab	0x40620c	372	FUNC	<unknown>	DEFAULT	3
add_entry			.symtab	0x40c4b4	200	FUNC	<unknown>	DEFAULT	3
atoi			.symtab	0x4123a0	28	FUNC	<unknown>	DEFAULT	3
atol			.symtab	0x4123a0	28	FUNC	<unknown>	DEFAULT	3
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
axis_bp			.symtab	0x45d0f0	4	OBJECT	<unknown>	DEFAULT	11
bcopy			.symtab	0x410580	32	FUNC	<unknown>	DEFAULT	3
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x463d90	4	OBJECT	<unknown>	DEFAULT	14
been_there_done_that.2792			.symtab	0x463d54	4	OBJECT	<unknown>	DEFAULT	14
brk			.symtab	0x415d80	112	FUNC	<unknown>	DEFAULT	3
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x411110	252	FUNC	<unknown>	DEFAULT	3
buf.4833			.symtab	0x463b30	460	OBJECT	<unknown>	DEFAULT	14
bzero			.symtab	0x4105a0	28	FUNC	<unknown>	DEFAULT	3
bzero.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
c			.symtab	0x45d0fc	4	OBJECT	<unknown>	DEFAULT	11
calloc			.symtab	0x411490	180	FUNC	<unknown>	DEFAULT	3
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_generic			.symtab	0x400310	268	FUNC	<unknown>	DEFAULT	3
checksum_tcp_udp			.symtab	0x40041c	572	FUNC	<unknown>	DEFAULT	3
checksum_tcpudp			.symtab	0x400658	572	FUNC	<unknown>	DEFAULT	3
clock			.symtab	0x40e430	108	FUNC	<unknown>	DEFAULT	3
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x40dc70	84	FUNC	<unknown>	DEFAULT	3
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.2296			.symtab	0x45dac0	1	OBJECT	<unknown>	DEFAULT	14
connect			.symtab	0x410c80	84	FUNC	<unknown>	DEFAULT	3
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x403028	828	FUNC	<unknown>	DEFAULT	3
creat			.symtab	0x40e0ac	28	FUNC	<unknown>	DEFAULT	3
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x403688	460	FUNC	<unknown>	DEFAULT	3
data_start			.symtab	0x45d0d0	0	OBJECT	<unknown>	DEFAULT	11
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x40dcd0	84	FUNC	<unknown>	DEFAULT	3
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x463d44	4	OBJECT	<unknown>	DEFAULT	14
errno			.symtab	0x463d60	4	OBJECT	<unknown>	DEFAULT	14
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
estridx			.symtab	0x41bf80	126	OBJECT	<unknown>	DEFAULT	5
execl			.symtab	0x412720	204	FUNC	<unknown>	DEFAULT	3
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x4131b0	84	FUNC	<unknown>	DEFAULT	3
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
exit			.symtab	0x412630	236	FUNC	<unknown>	DEFAULT	3
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x41cc28	72	OBJECT	<unknown>	DEFAULT	5
fclose			.symtab	0x415e50	512	FUNC	<unknown>	DEFAULT	3
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x40dac0	136	FUNC	<unknown>	DEFAULT	3
fcntl64			.symtab	0x40db50	104	FUNC	<unknown>	DEFAULT	3
fdgets			.symtab	0x402608	292	FUNC	<unknown>	DEFAULT	3
fdopen_pids			.symtab	0x461afc	4	OBJECT	<unknown>	DEFAULT	14
fdpclose			.symtab	0x40238c	636	FUNC	<unknown>	DEFAULT	3
fdpopen			.symtab	0x401f18	1140	FUNC	<unknown>	DEFAULT	3
fflush_unlocked			.symtab	0x4169e0	628	FUNC	<unknown>	DEFAULT	3
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x418320	388	FUNC	<unknown>	DEFAULT	3
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x416770	216	FUNC	<unknown>	DEFAULT	3
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x416c60	268	FUNC	<unknown>	DEFAULT	3
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
findRandIP			.symtab	0x4035dc	172	FUNC	<unknown>	DEFAULT	3
fmt			.symtab	0x41cc10	20	OBJECT	<unknown>	DEFAULT	5
fopen			.symtab	0x416050	28	FUNC	<unknown>	DEFAULT	3
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x40dd30	84	FUNC	<unknown>	DEFAULT	3
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x40fb50	128	FUNC	<unknown>	DEFAULT	3
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x40021c	0	FUNC	<unknown>	DEFAULT	3
free			.symtab	0x411550	396	FUNC	<unknown>	DEFAULT	3
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x416070	68	FUNC	<unknown>	DEFAULT	3
fseeko			.symtab	0x416070	68	FUNC	<unknown>	DEFAULT	3
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x4160c0	388	FUNC	<unknown>	DEFAULT	3
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x40fbd0	280	FUNC	<unknown>	DEFAULT	3
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBuild			.symtab	0x409f54	32	FUNC	<unknown>	DEFAULT	3
getHost			.symtab	0x402a6c	160	FUNC	<unknown>	DEFAULT	3
getOurIP			.symtab	0x409bd4	896	FUNC	<unknown>	DEFAULT	3
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x418320	388	FUNC	<unknown>	DEFAULT	3
getdtablesize			.symtab	0x40dd90	72	FUNC	<unknown>	DEFAULT	3
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x413210	88	FUNC	<unknown>	DEFAULT	3
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x40dde0	88	FUNC	<unknown>	DEFAULT	3
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x413270	84	FUNC	<unknown>	DEFAULT	3
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x4107a0	116	FUNC	<unknown>	DEFAULT	3
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x410820	1108	FUNC	<unknown>	DEFAULT	3
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x40de40	84	FUNC	<unknown>	DEFAULT	3
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0x40dea0	84	FUNC	<unknown>	DEFAULT	3
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getrlimit			.symtab	0x40df00	84	FUNC	<unknown>	DEFAULT	3
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockname			.symtab	0x410ce0	84	FUNC	<unknown>	DEFAULT	3
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x410d40	120	FUNC	<unknown>	DEFAULT	3
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x4132d0	84	FUNC	<unknown>	DEFAULT	3
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.4832			.symtab	0x463cfc	20	OBJECT	<unknown>	DEFAULT	14
h_errno			.symtab	0x463d64	4	OBJECT	<unknown>	DEFAULT	14
hacks			.symtab	0x45d0e0	4	OBJECT	<unknown>	DEFAULT	11
hacks2			.symtab	0x45d0e4	4	OBJECT	<unknown>	DEFAULT	11
hacks3			.symtab	0x45d0e8	4	OBJECT	<unknown>	DEFAULT	11
hacks4			.symtab	0x45d0ec	4	OBJECT	<unknown>	DEFAULT	11
heap_alloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_alloc_at.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
heap_free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
hextable			.symtab	0x419794	1024	OBJECT	<unknown>	DEFAULT	5
hlt			.symtab	0x4002fc	0	NOTYPE	<unknown>	DEFAULT	3
htonl			.symtab	0x410710	40	FUNC	<unknown>	DEFAULT	3
htons			.symtab	0x410738	24	FUNC	<unknown>	DEFAULT	3
httphex			.symtab	0x40653c	1672	FUNC	<unknown>	DEFAULT	3
i.4419			.symtab	0x45d100	4	OBJECT	<unknown>	DEFAULT	11
index			.symtab	0x40fec0	256	FUNC	<unknown>	DEFAULT	3
inet_addr			.symtab	0x410750	72	FUNC	<unknown>	DEFAULT	3
inet_aton			.symtab	0x414c20	280	FUNC	<unknown>	DEFAULT	3
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntop			.symtab	0x417580	852	FUNC	<unknown>	DEFAULT	3
inet_ntop4			.symtab	0x41738c	500	FUNC	<unknown>	DEFAULT	3
inet_pton			.symtab	0x4170d0	700	FUNC	<unknown>	DEFAULT	3
inet_pton4			.symtab	0x416fe0	240	FUNC	<unknown>	DEFAULT	3
initConnection			.symtab	0x409910	708	FUNC	<unknown>	DEFAULT	3
init_rand			.symtab	0x400ad4	300	FUNC	<unknown>	DEFAULT	3
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initial_fa			.symtab	0x45d320	264	OBJECT	<unknown>	DEFAULT	11
initstate			.symtab	0x411d74	208	FUNC	<unknown>	DEFAULT	3
initstate_r			.symtab	0x412250	328	FUNC	<unknown>	DEFAULT	3
ioctl			.symtab	0x40df60	104	FUNC	<unknown>	DEFAULT	3
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x4105e0	60	FUNC	<unknown>	DEFAULT	3
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x40dfd0	88	FUNC	<unknown>	DEFAULT	3
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer_status			.symtab	0x45daf0	4	OBJECT	<unknown>	DEFAULT	14
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/mips/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/mips/pipe.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x403364	632	FUNC	<unknown>	DEFAULT	3
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x418230	164	FUNC	<unknown>	DEFAULT	3
macAddress			.symtab	0x45daf4	6	OBJECT	<unknown>	DEFAULT	14


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
main			.symtab	0x409f74	3460	FUNC	<unknown>	DEFAULT	3
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
makeIPPacket			.symtab	0x4039b8	296	FUNC	<unknown>	DEFAULT	3
makeRandomStr			.symtab	0x402bb0	268	FUNC	<unknown>	DEFAULT	3
makevsepacket			.symtab	0x4056f4	332	FUNC	<unknown>	DEFAULT	3
malloc			.symtab	0x4112a0	492	FUNC	<unknown>	DEFAULT	3
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memchr			.symtab	0x414570	264	FUNC	<unknown>	DEFAULT	3
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x40fcf0	308	FUNC	<unknown>	DEFAULT	3
memmove			.symtab	0x414680	816	FUNC	<unknown>	DEFAULT	3
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x4149b0	76	FUNC	<unknown>	DEFAULT	3
mempcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memrchr			.symtab	0x414a00	272	FUNC	<unknown>	DEFAULT	3
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x40fe30	144	FUNC	<unknown>	DEFAULT	3
mylock			.symtab	0x45d440	24	OBJECT	<unknown>	DEFAULT	11
mylock			.symtab	0x463d70	24	OBJECT	<unknown>	DEFAULT	14
mylock			.symtab	0x45d560	24	OBJECT	<unknown>	DEFAULT	11
nanosleep			.symtab	0x413330	84	FUNC	<unknown>	DEFAULT	3
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1065			.symtab	0x463b20	4	OBJECT	<unknown>	DEFAULT	14
ngPid			.symtab	0x45da9c	4	OBJECT	<unknown>	DEFAULT	13
ntohl			.symtab	0x4106d0	40	FUNC	<unknown>	DEFAULT	3
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x4106f8	24	FUNC	<unknown>	DEFAULT	3
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x45dae8	8	OBJECT	<unknown>	DEFAULT	14
object.2349			.symtab	0x45dac4	24	OBJECT	<unknown>	DEFAULT	14
open			.symtab	0x40e030	124	FUNC	<unknown>	DEFAULT	3
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x45da98	4	OBJECT	<unknown>	DEFAULT	13
p.2294			.symtab	0x45d0c0	0	OBJECT	<unknown>	DEFAULT	11
parseHex			.symtab	0x40272c	176	FUNC	<unknown>	DEFAULT	3
pids			.symtab	0x45daa4	4	OBJECT	<unknown>	DEFAULT	13
pipe			.symtab	0x40da80	64	FUNC	<unknown>	DEFAULT	3
poll			.symtab	0x415df0	84	FUNC	<unknown>	DEFAULT	3
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0x40e0d0	120	FUNC	<unknown>	DEFAULT	3
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4045			.symtab	0x41bed0	12	OBJECT	<unknown>	DEFAULT	5
print			.symtab	0x401720	1456	FUNC	<unknown>	DEFAULT	3
printchar			.symtab	0x401194	184	FUNC	<unknown>	DEFAULT	3
printi			.symtab	0x401488	664	FUNC	<unknown>	DEFAULT	3
prints			.symtab	0x40124c	572	FUNC	<unknown>	DEFAULT	3
processCmd			.symtab	0x406bc4	11596	FUNC	<unknown>	DEFAULT	3
qual_chars.4050			.symtab	0x41bef0	20	OBJECT	<unknown>	DEFAULT	5
raise			.symtab	0x4181e0	76	FUNC	<unknown>	DEFAULT	3
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x411c00	28	FUNC	<unknown>	DEFAULT	3
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand__str			.symtab	0x40af1c	372	FUNC	<unknown>	DEFAULT	3
rand_alpha_str			.symtab	0x40b090	300	FUNC	<unknown>	DEFAULT	3
rand_alphastr			.symtab	0x400fc4	464	FUNC	<unknown>	DEFAULT	3
rand_cmwcc			.symtab	0x400dec	472	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
rand_init			.symtab	0x40ad00	248	FUNC	<unknown>	DEFAULT	3
rand_next			.symtab	0x40adf8	292	FUNC	<unknown>	DEFAULT	3
random			.symtab	0x411c20	164	FUNC	<unknown>	DEFAULT	3
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x41cb90	40	OBJECT	<unknown>	DEFAULT	5
random_r			.symtab	0x41202c	176	FUNC	<unknown>	DEFAULT	3
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x45d458	128	OBJECT	<unknown>	DEFAULT	11
rawmemchr			.symtab	0x416d70	200	FUNC	<unknown>	DEFAULT	3
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x40e150	84	FUNC	<unknown>	DEFAULT	3
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0x4116e0	472	FUNC	<unknown>	DEFAULT	3
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x410dc0	84	FUNC	<unknown>	DEFAULT	3
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x402cbc	876	FUNC	<unknown>	DEFAULT	3
recvfrom			.symtab	0x410e20	128	FUNC	<unknown>	DEFAULT	3
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv_domain_to_hostname			.symtab	0x40b1c0	360	FUNC	<unknown>	DEFAULT	3
resolv_entries_free			.symtab	0x40be44	164	FUNC	<unknown>	DEFAULT	3
resolv_lookup			.symtab	0x40b46c	2520	FUNC	<unknown>	DEFAULT	3
resolv_skip_name			.symtab	0x40b328	324	FUNC	<unknown>	DEFAULT	3
rtcp			.symtab	0x404d58	1740	FUNC	<unknown>	DEFAULT	3
sbrk			.symtab	0x413390	144	FUNC	<unknown>	DEFAULT	3
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x45daa0	4	OBJECT	<unknown>	DEFAULT	13
select			.symtab	0x40e1b0	120	FUNC	<unknown>	DEFAULT	3
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x410ea0	84	FUNC	<unknown>	DEFAULT	3
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendSTD			.symtab	0x405424	720	FUNC	<unknown>	DEFAULT	3
sendto			.symtab	0x410f00	128	FUNC	<unknown>	DEFAULT	3
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x410f80	120	FUNC	<unknown>	DEFAULT	3
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x411cc4	176	FUNC	<unknown>	DEFAULT	3
setstate_r			.symtab	0x411ef0	316	FUNC	<unknown>	DEFAULT	3
sigaction			.symtab	0x413060	232	FUNC	<unknown>	DEFAULT	3
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x411060	104	FUNC	<unknown>	DEFAULT	3
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x4110d0	60	FUNC	<unknown>	DEFAULT	3
signal			.symtab	0x411110	252	FUNC	<unknown>	DEFAULT	3
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x40e230	148	FUNC	<unknown>	DEFAULT	3
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x4127f0	564	FUNC	<unknown>	DEFAULT	3
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x411000	84	FUNC	<unknown>	DEFAULT	3
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x406380	444	FUNC	<unknown>	DEFAULT	3
sockprintf			.symtab	0x401dc0	344	FUNC	<unknown>	DEFAULT	3
spec_and_mask.4049			.symtab	0x41bf04	16	OBJECT	<unknown>	DEFAULT	5

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
spec_base.4044			.symtab	0x41bedc	7	OBJECT	<unknown>	DEFAULT	5
spec_chars.4046			.symtab	0x41bf30	21	OBJECT	<unknown>	DEFAULT	5
spec_flags.4045			.symtab	0x41bf48	8	OBJECT	<unknown>	DEFAULT	5
spec_or_mask.4048			.symtab	0x41bf14	16	OBJECT	<unknown>	DEFAULT	5
spec_ranges.4047			.symtab	0x41bf24	9	OBJECT	<unknown>	DEFAULT	5
sprintf			.symtab	0x40e4a0	80	FUNC	<unknown>	DEFAULT	3
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x411e44	172	FUNC	<unknown>	DEFAULT	3
srandom			.symtab	0x411e44	172	FUNC	<unknown>	DEFAULT	3
srandom_r			.symtab	0x4120dc	372	FUNC	<unknown>	DEFAULT	3
static_id			.symtab	0x45d530	2	OBJECT	<unknown>	DEFAULT	11
static_ns			.symtab	0x463d88	4	OBJECT	<unknown>	DEFAULT	14
stderr			.symtab	0x45d218	4	OBJECT	<unknown>	DEFAULT	11
stdin			.symtab	0x45d210	4	OBJECT	<unknown>	DEFAULT	11
stdout			.symtab	0x45d214	4	OBJECT	<unknown>	DEFAULT	11
strcasecmp			.symtab	0x4184b0	108	FUNC	<unknown>	DEFAULT	3
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x40fec0	256	FUNC	<unknown>	DEFAULT	3
strchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcmp			.symtab	0x40ffc0	44	FUNC	<unknown>	DEFAULT	3
strcmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strcoll			.symtab	0x40ffc0	44	FUNC	<unknown>	DEFAULT	3
strcpy			.symtab	0x40fff0	36	FUNC	<unknown>	DEFAULT	3
strcpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strdup			.symtab	0x416f50	144	FUNC	<unknown>	DEFAULT	3
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x4103f0	392	FUNC	<unknown>	DEFAULT	3
strlen			.symtab	0x410020	184	FUNC	<unknown>	DEFAULT	3
strlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncat			.symtab	0x416e40	180	FUNC	<unknown>	DEFAULT	3
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x4100e0	188	FUNC	<unknown>	DEFAULT	3
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x4101a0	256	FUNC	<unknown>	DEFAULT	3
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x414be0	64	FUNC	<unknown>	DEFAULT	3
strpbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strspn			.symtab	0x416f00	76	FUNC	<unknown>	DEFAULT	3
strspn.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strstr			.symtab	0x4102a0	256	FUNC	<unknown>	DEFAULT	3
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok			.symtab	0x4105c0	32	FUNC	<unknown>	DEFAULT	3
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x414b10	204	FUNC	<unknown>	DEFAULT	3
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x4123c0	28	FUNC	<unknown>	DEFAULT	3
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x401d48	120	FUNC	<unknown>	DEFAULT	3
table			.symtab	0x463db0	232	OBJECT	<unknown>	DEFAULT	14
table.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
table_init			.symtab	0x40bef0	1068	FUNC	<unknown>	DEFAULT	3
table_key			.symtab	0x45d1a0	4	OBJECT	<unknown>	DEFAULT	11
table_lock_val			.symtab	0x40c3a0	132	FUNC	<unknown>	DEFAULT	3
table_retrieve_val			.symtab	0x40c424	144	FUNC	<unknown>	DEFAULT	3
table_unlock_val			.symtab	0x40c31c	132	FUNC	<unknown>	DEFAULT	3
tcgetattr			.symtab	0x410620	176	FUNC	<unknown>	DEFAULT	3
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpFI00d			.symtab	0x404444	2324	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
tcpsum			.symtab	0x403854	356	FUNC	<unknown>	DEFAULT	3
time			.symtab	0x40e2d0	84	FUNC	<unknown>	DEFAULT	3
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
times			.symtab	0x413420	84	FUNC	<unknown>	DEFAULT	3
times.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toggle_obf			.symtab	0x40c57c	552	FUNC	<unknown>	DEFAULT	3
tolower			.symtab	0x4182e0	60	FUNC	<unknown>	DEFAULT	3
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x40e3d0	60	FUNC	<unknown>	DEFAULT	3
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x400c00	492	FUNC	<unknown>	DEFAULT	3
type_codes			.symtab	0x41bf50	24	OBJECT	<unknown>	DEFAULT	5
type_sizes			.symtab	0x41bf68	12	OBJECT	<unknown>	DEFAULT	5
udpf100d			.symtab	0x403ae0	2404	FUNC	<unknown>	DEFAULT	3
unknown.1088			.symtab	0x41c000	14	OBJECT	<unknown>	DEFAULT	5
unsafe_state			.symtab	0x45d4e0	28	OBJECT	<unknown>	DEFAULT	11
uppercase			.symtab	0x402b0c	164	FUNC	<unknown>	DEFAULT	3
userID			.symtab	0x45d0f8	4	OBJECT	<unknown>	DEFAULT	11
usleep			.symtab	0x412a30	144	FUNC	<unknown>	DEFAULT	3
usleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util_atoi			.symtab	0x40ccd4	968	FUNC	<unknown>	DEFAULT	3
util_fdgets			.symtab	0x40d75c	320	FUNC	<unknown>	DEFAULT	3
util_isalpha			.symtab	0x40d904	144	FUNC	<unknown>	DEFAULT	3
util_isdigit			.symtab	0x40da14	104	FUNC	<unknown>	DEFAULT	3
util_isspace			.symtab	0x40d994	128	FUNC	<unknown>	DEFAULT	3
util_isupper			.symtab	0x40d89c	104	FUNC	<unknown>	DEFAULT	3
util_itoa			.symtab	0x40d09c	572	FUNC	<unknown>	DEFAULT	3
util_local_addr			.symtab	0x40d608	340	FUNC	<unknown>	DEFAULT	3
util_memcpy			.symtab	0x40cbb8	164	FUNC	<unknown>	DEFAULT	3
util_memsearch			.symtab	0x40d2d8	292	FUNC	<unknown>	DEFAULT	3
util_strcat			.symtab	0x40cb10	168	FUNC	<unknown>	DEFAULT	3
util_strcmp			.symtab	0x40c964	288	FUNC	<unknown>	DEFAULT	3
util_strcpy			.symtab	0x40ca84	140	FUNC	<unknown>	DEFAULT	3
util_stristr			.symtab	0x40d3fc	524	FUNC	<unknown>	DEFAULT	3
util_strlen			.symtab	0x40c7b0	116	FUNC	<unknown>	DEFAULT	3
util_strncmp			.symtab	0x40c824	320	FUNC	<unknown>	DEFAULT	3
util_zero			.symtab	0x40cc5c	120	FUNC	<unknown>	DEFAULT	3
vfork			.symtab	0x40e330	28	FUNC	<unknown>	DEFAULT	3
vfork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
vseattack			.symtab	0x405840	2508	FUNC	<unknown>	DEFAULT	3
vsnprintf			.symtab	0x40e4f0	260	FUNC	<unknown>	DEFAULT	3
vsnprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
w			.symtab	0x461b0c	4	OBJECT	<unknown>	DEFAULT	14
wait4			.symtab	0x413480	88	FUNC	<unknown>	DEFAULT	3
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x40e350	28	FUNC	<unknown>	DEFAULT	3
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
watchdog_maintain			.symtab	0x4008a0	564	FUNC	<unknown>	DEFAULT	3
watchdog_pid			.symtab	0x45dae4	4	OBJECT	<unknown>	DEFAULT	14
wcrtomb			.symtab	0x413500	112	FUNC	<unknown>	DEFAULT	3
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x4135b0	228	FUNC	<unknown>	DEFAULT	3
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x413570	64	FUNC	<unknown>	DEFAULT	3
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x4027dc	656	FUNC	<unknown>	DEFAULT	3
write			.symtab	0x40e370	84	FUNC	<unknown>	DEFAULT	3

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
x			.symtab	0x461b00	4	OBJECT	<unknown>	DEFAULT	14
xdigits.3043			.symtab	0x41ccf4	17	OBJECT	<unknown>	DEFAULT	5
y			.symtab	0x461b04	4	OBJECT	<unknown>	DEFAULT	14
z			.symtab	0x461b08	4	OBJECT	<unknown>	DEFAULT	14
zprintf			.symtab	0x401cd0	120	FUNC	<unknown>	DEFAULT	3



TCP Packets	▼
ICMP Packets	▼

System Behavior

Analysis Process: a0dSURhKjF.elf PID: 6228, Parent PID: 6124		—
General		—
Start time:	01:36:33	
Start date:	30/11/2022	
Path:	/tmp/a0dSURhKjF.elf	
Arguments:	/tmp/a0dSURhKjF.elf	
File size:	5773336 bytes	
MD5 hash:	0d6f61f82cf2f781c6eb0661071d42d9	
File Activities		—
File Read		▼
Analysis Process: a0dSURhKjF.elf PID: 6230, Parent PID: 6228		—
General		—
Start time:	01:36:33	
Start date:	30/11/2022	
Path:	/tmp/a0dSURhKjF.elf	
Arguments:	n/a	
File size:	5773336 bytes	
MD5 hash:	0d6f61f82cf2f781c6eb0661071d42d9	

Analysis Process: a0dSURhKjF.elf PID: 6231, Parent PID: 6228**General**

Start time:	01:36:33
Start date:	30/11/2022
Path:	/tmp/a0dSURhKjF.elf
Arguments:	n/a
File size:	5773336 bytes
MD5 hash:	0d6f61f82cf2f781c6eb0661071d42d9

Analysis Process: a0dSURhKjF.elf PID: 6234, Parent PID: 6231**General**

Start time:	01:36:33
Start date:	30/11/2022
Path:	/tmp/a0dSURhKjF.elf
Arguments:	n/a
File size:	5773336 bytes
MD5 hash:	0d6f61f82cf2f781c6eb0661071d42d9