

JoeSandbox Cloud BASIC



ID: 756330

Sample Name:
Y9P8b9THOV.elf

Cookbook:
defaultlinuxfilecookbook.jbs

Time: 01:40:14

Date: 30/11/2022

Version: 36.0.0 Rainbow Opal

Table of Contents

Table of Contents	2
Linux Analysis Report Y9P8b9THOV.elf	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
Analysis Advice	3
General Information	3
Runtime Messages	3
Process Tree	4
Yara Signatures	4
Initial Sample	4
Memory Dumps	4
Snort Signatures	5
Joe Sandbox Signatures	5
AV Detection	5
Spreading	5
System Summary	6
Stealing of Sensitive Information	6
Remote Access Functionality	6
Mitre Att&ck Matrix	6
Malware Configuration	6
Behavior Graph	6
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	7
Domains	7
URLs	7
Domains and IPs	7
Contacted Domains	8
World Map of Contacted IPs	8
Public IPs	8
Joe Sandbox View / Context	8
IPs	8
Domains	8
ASNs	8
JA3 Fingerprints	8
Dropped Files	8
Created / dropped Files	9
Static File Info	9
General	9
Static ELF Info	9
ELF header	9
Sections	9
Program Segments	10
Symbols	10
Network Behavior	23
Network Port Distribution	23
TCP Packets	24
ICMP Packets	24
System Behavior	24
Analysis Process: Y9P8b9THOV.elf PID: 6226, Parent PID: 6124	24
General	24
File Activities	24
File Read	24
Analysis Process: Y9P8b9THOV.elf PID: 6227, Parent PID: 6226	24
General	24
Analysis Process: Y9P8b9THOV.elf PID: 6228, Parent PID: 6226	24
General	24
Analysis Process: Y9P8b9THOV.elf PID: 6229, Parent PID: 6228	24
General	24

Linux Analysis Report

Y9P8b9THOV.elf

Overview

General Information

Sample Name:	Y9P8b9THOV.elf
Analysis ID:	756330
MD5:	3f1d4404666b8c...
SHA1:	5edc488c83feed...
SHA256:	1ce41c78a51ff7f...
Tags:	64 elf gafgyt
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Mirai

Score:	84
Range:	0 - 100
Whitelisted:	false

Signatures

Malicious sample detected (through...)

Antivirus / Scanner detection for sub...

Yara detected Mirai

Multi AV Scanner detection for subm...

Contains symbols with names comm...

Opens /proc/net/* files useful for fin...

Machine Learning detection for sam...

Yara signature match

Sample contains strings that are us...

Tries to connect to HTTP servers, b...

Detected TCP or UDP traffic on non...

Classification

Analysis Advice

All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.

General Information

Joe Sandbox Version:	36.0.0 Rainbow Opal
Analysis ID:	756330
Start date and time:	2022-11-30 01:40:14 +01:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 21s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	Y9P8b9THOV.elf
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal84.spre.troj.linELF@0/0@0/0

Runtime Messages

Command:	/tmp/Y9P8b9THOV.elf
PID:	6226
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	gosh that chinese family at the other table sure ate alot
Standard Error:	

Process Tree

- system is Inxubuntu20
 - [Y9P8b9THOV.elf](#) (PID: 6226, Parent: 6124, MD5: 3f1d4404666b8c00967537e2944521f9) Arguments: /tmp/Y9P8b9THOV.elf
 - [Y9P8b9THOV.elf](#) New Fork (PID: 6227, Parent: 6226)
 - [Y9P8b9THOV.elf](#) New Fork (PID: 6228, Parent: 6226)
 - [Y9P8b9THOV.elf](#) New Fork (PID: 6229, Parent: 6228)
- cleanup

Yara Signatures

Initial Sample

Source	Rule	Description	Author	Strings
Y9P8b9THOV.elf	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
Y9P8b9THOV.elf	Linux_Trojan_Gafgyt_28a2fe0c	unknown	unknown	• 0x10bc0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10bd4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10be8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10bfc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10c10:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10c24:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10c38:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10c4c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10c60:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10c74:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10c88:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10c9c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10cb0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10cc4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10cd8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10cec:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10d00:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10d14:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10d28:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10d3c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F • 0x10d50:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F
Y9P8b9THOV.elf	Linux_Trojan_Gafgyt_a6a2adb9	unknown	unknown	• 0xa29:\$a: CC 01 C2 89 55 B4 8B 45 B4 C9 C3 55 48 89 E5 48 81 EC 90 00
Y9P8b9THOV.elf	Linux_Trojan_Gafgyt_9e9530a7	unknown	unknown	• 0x9d14:\$a: F6 48 63 FF B8 36 00 00 00 0F 05 48 3D 00 F0 FF FF 48 89 C3
Y9P8b9THOV.elf	Linux_Trojan_Gafgyt_f3d83a74	unknown	unknown	• 0x950:\$a: DC 00 74 1B 83 7D E0 0A 75 15 83 7D E4 00 79 0F C7 45 C8 01 00

Click to see the 20 entries

Memory Dumps

Source	Rule	Description	Author	Strings
6226.1.0000000000400000.0000000000415000.r-x.sdump	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

Source	Rule	Description	Author	Strings
6226.1.0000000000400000.0000000000415000.r-x.sdm	Linux_Trojan_Gafg yt_28a2fe0c	unknown	unknown	0x10bc0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10bd4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10be8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10bfc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c10:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c24:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c38:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c4c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c60:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c74:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c88:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c9c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cb0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cc4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cd8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cec:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d00:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d14:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d28:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d3c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d50:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F
6226.1.0000000000400000.0000000000415000.r-x.sdm	Linux_Trojan_Gafg yt_a6a2adb9	unknown	unknown	0xa29:\$a: CC 01 C2 89 55 B4 8B 45 B4 C9 C3 55 48 89 E5 48 81 EC 90 00
6226.1.0000000000400000.0000000000415000.r-x.sdm	Linux_Trojan_Gafg yt_9e9530a7	unknown	unknown	0x9d14:\$a: F6 48 63 FF B8 36 00 00 00 0F 05 48 3D 00 F0 FF FF 48 89 C3
6226.1.0000000000400000.0000000000415000.r-x.sdm	Linux_Trojan_Gafg yt_f3d83a74	unknown	unknown	0x950:\$a: DC 00 74 1B 83 7D E0 0A 75 15 83 7D E4 00 7 9 0F C7 45 C8 01 00
Click to see the 73 entries				

Snort Signatures

No Snort rule has matched

Joe Sandbox Signatures

AV Detection

Antivirus / Scanner detection for submitted sample

Multi AV Scanner detection for submitted file

Machine Learning detection for sample

Spreading

Opens /proc/net/* files useful for finding connected devices and routers

System Summary



Malicious sample detected (through community Yara rule)

Contains symbols with names commonly found in malware

Stealing of Sensitive Information



Yara detected Mirai

Remote Access Functionality



Yara detected Mirai

Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	1 Remote System Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Non-Standard Port	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data
Local Accounts	At (Windows)	Logon Script (Mac)	Logon Script (Mac)	Binary Padding	NTDS	System Network Configuration Discovery	Distributed Component Object Model	Input Capture	Scheduled Transfer	1 Application Layer Protocol	SIM Card Swap		Carrier Billing Fraud

Malware Configuration


No configs have been found

Behavior Graph

Contacted Domains

⊘ No contacted domains info

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
47.87.197.232	unknown	United States		3209	VODANETInternationalIP-BackboneofVodafoneDE	false
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

⊘ No context

Domains

⊘ No context

ASNs

⊘ No context

JA3 Fingerprints

⊘ No context

Dropped Files

⊘ No context

Created / dropped Files

 No created / dropped files found

Static File Info

General

File type:	ELF 64-bit LSB executable, x86-64, version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	6.059916168604231
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	Y9P8b9THOV.elf
File size:	116503
MD5:	3f1d4404666b8c00967537e2944521f9
SHA1:	5edc488c83feeda42f543df675789653ea916013
SHA256:	1ce41c78a51ff7f9f2db2bfcd24cb517754b43d1e0f779426ce712b99ddd2820
SHA512:	50740d4e284daab5a35f6e42c9b193d375c55a6892f7fcc479d7992a2deb81037c7a94c9c3e717a670357671ada91f25d61c88a066afb83ece34b557db1b69
SSDEEP:	3072:kiry859a2A/JfFwHYqbgFFo8+HeJH+TRCm7FnVqfJXFWbNb:T9a2ijqkrFesm7FnVqfJXFWbNb
TLSH:	ECB33B376251C97AC08356F427EBC5729D13BCBB0B32219A33D47D60AF368DA1E99B05
File Content Preview:	.ELF.....>.....@.....@.....V.....@.8...@.....@.....@.....\$E.....\$E.....(E.....(EQ.....(EQ.....hs.....Q.td.....H...._.....H.....

Static ELF Info

ELF header

Class:	
Data:	
Version:	
Machine:	
Version Number:	
Type:	
OS/ABI:	
ABI Version:	
Entry Point Address:	
Flags:	
ELF Header Size:	
Program Header Offset:	
Program Header Size:	
Number of Program Headers:	
Section Header Offset:	
Section Header Size:	
Number of Section Headers:	
Header String Table Index:	

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x4000e8	0xe8	0x13	0x0	0x6	AX	0	0	1
.text	PROGBITS	0x400100	0x100	0xf548	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x40f648	0xf648	0xe	0x0	0x6	AX	0	0	1
.rodata	PROGBITS	0x40f660	0xf660	0x4ec0	0x0	0x2	A	0	0	32
.eh_frame	PROGBITS	0x414520	0x14520	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x514528	0x14528	0x10	0x0	0x3	WA	0	0	8
.dtors	PROGBITS	0x514538	0x14538	0x10	0x0	0x3	WA	0	0	8

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.jcr	PROGBITS	0x514548	0x14548	0x8	0x0	0x3	WA	0	0	8
.data	PROGBITS	0x514560	0x14560	0x5d8	0x0	0x3	WA	0	0	32
.bss	NOBITS	0x514b40	0x14b38	0x6d50	0x0	0x3	WA	0	0	32
.comment	PROGBITS	0x0	0x14b38	0xb52	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x1568a	0x66	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x15ab0	0x4818	0x18	0x0		14	272	8
.strtab	STRTAB	0x0	0x1a2c8	0x244f	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x400000	0x400000	0x14524	0x14524	6.3734	0x5	R E	0x100000		.init .text .fini .rodata .eh_frame
LOAD	0x14528	0x514528	0x514528	0x610	0x7368	2.2921	0x6	RW	0x100000		.ctors .dtors .jcr .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x8		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x4000e8	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x400100	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x40f648	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x40f660	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x414520	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x514528	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x514538	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x514548	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x514560	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x514b40	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
C.125.6137			.symtab	0x411ee0	80	OBJECT	<unknown>	DEFAULT	4
KHcommSOCK			.symtab	0x514ba0	4	OBJECT	<unknown>	DEFAULT	10
KHserverHACKER			.symtab	0x5146c0	4	OBJECT	<unknown>	DEFAULT	9
LOCAL_ADDR			.symtab	0x51aed8	4	OBJECT	<unknown>	DEFAULT	10
Q			.symtab	0x514bc0	16384	OBJECT	<unknown>	DEFAULT	10
UserAgents			.symtab	0x5145a0	288	OBJECT	<unknown>	DEFAULT	9
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x514530	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x514528	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x5146d8	8	OBJECT	<unknown>	DEFAULT	9
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x4128e0	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x514b28	8	OBJECT	<unknown>	DEFAULT	9
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x414220	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x5146e8	8	OBJECT	<unknown>	DEFAULT	9
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x412be0	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x514540	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x514538	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x414520	0	OBJECT	<unknown>	DEFAULT	5

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__FRAME_END__			.symtab	0x414520	0	OBJECT	<unknown>	DEFAULT	5
__GI__C_ctype_b			.symtab	0x5146d8	8	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_b_data			.symtab	0x4128e0	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_tolower			.symtab	0x514b28	8	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_tolower_data			.symtab	0x414220	768	OBJECT	<unknown>	HIDDEN	4
__GI__C_ctype_toupper			.symtab	0x5146e8	8	OBJECT	<unknown>	HIDDEN	9
__GI__C_ctype_toupper_data			.symtab	0x412be0	768	OBJECT	<unknown>	HIDDEN	4
__GI__ctype_b			.symtab	0x5146e0	8	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_tolower			.symtab	0x514b30	8	OBJECT	<unknown>	HIDDEN	9
__GI__ctype_toupper			.symtab	0x5146f0	8	OBJECT	<unknown>	HIDDEN	9
__GI__errno_location			.symtab	0x407e90	6	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x40f264	222	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x409694	14	FUNC	<unknown>	HIDDEN	2
__GI__h_errno_location			.symtab	0x40c0f0	6	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x407a08	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_lseek			.symtab	0x40f214	45	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x407c9c	106	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x40bafc	70	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x40bb7b	67	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x4096a4	194	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x407a6c	42	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x40afdc	276	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0x40b4c0	18	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x40db94	43	FUNC	<unknown>	HIDDEN	2
__GI__clock_getres			.symtab	0x40bef0	41	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0x407ac4	41	FUNC	<unknown>	HIDDEN	2
__GI__connect			.symtab	0x409c04	43	FUNC	<unknown>	HIDDEN	2
__GI__dup2			.symtab	0x407af0	44	FUNC	<unknown>	HIDDEN	2
__GI__errno			.symtab	0x51ae7c	4	OBJECT	<unknown>	HIDDEN	10
__GI__execl			.symtab	0x40b6a8	287	FUNC	<unknown>	HIDDEN	2
__GI__execve			.symtab	0x40bf1c	38	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x40b64c	92	FUNC	<unknown>	HIDDEN	2
__GI__fclose			.symtab	0x40dbec	259	FUNC	<unknown>	HIDDEN	2
__GI__fcntl			.symtab	0x407a08	100	FUNC	<unknown>	HIDDEN	2
__GI__fcntl64			.symtab	0x407a08	100	FUNC	<unknown>	HIDDEN	2
__GI__fflush_unlocked			.symtab	0x40e1f8	329	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x40f264	222	FUNC	<unknown>	HIDDEN	2
__GI__fgets			.symtab	0x40e0b0	109	FUNC	<unknown>	HIDDEN	2
__GI__fgets_unlocked			.symtab	0x40e344	116	FUNC	<unknown>	HIDDEN	2
__GI__fopen			.symtab	0x40dcf0	10	FUNC	<unknown>	HIDDEN	2
__GI__fork			.symtab	0x407b1c	38	FUNC	<unknown>	HIDDEN	2
__GI__fputs_unlocked			.symtab	0x408efc	56	FUNC	<unknown>	HIDDEN	2
__GI__fseek			.symtab	0x40dcfc	5	FUNC	<unknown>	HIDDEN	2
__GI__fseeko64			.symtab	0x40dd04	218	FUNC	<unknown>	HIDDEN	2
__GI__fwrite_unlocked			.symtab	0x408f34	134	FUNC	<unknown>	HIDDEN	2
__GI__getc_unlocked			.symtab	0x40f264	222	FUNC	<unknown>	HIDDEN	2
__GI__getdtablesize			.symtab	0x407b44	35	FUNC	<unknown>	HIDDEN	2
__GI__getegid			.symtab	0x40bf44	38	FUNC	<unknown>	HIDDEN	2
__GI__geteuid			.symtab	0x407b68	38	FUNC	<unknown>	HIDDEN	2
__GI__getgid			.symtab	0x40bf6c	38	FUNC	<unknown>	HIDDEN	2
__GI__gethostbyname			.symtab	0x409848	53	FUNC	<unknown>	HIDDEN	2
__GI__gethostbyname_r			.symtab	0x409880	897	FUNC	<unknown>	HIDDEN	2
__GI__getpagesize			.symtab	0x40bf94	19	FUNC	<unknown>	HIDDEN	2
__GI__getpid			.symtab	0x407b90	38	FUNC	<unknown>	HIDDEN	2
__GI__getrlimit			.symtab	0x407be0	40	FUNC	<unknown>	HIDDEN	2
__GI__getsockname			.symtab	0x409c30	41	FUNC	<unknown>	HIDDEN	2
__GI__getuid			.symtab	0x40bfa8	38	FUNC	<unknown>	HIDDEN	2
__GI__h_errno			.symtab	0x51ae80	4	OBJECT	<unknown>	HIDDEN	10

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_inet_addr			.symtab	0x40982c	28	FUNC	<unknown>	HIDDEN	2
__Gl_inet_aton			.symtab	0x40d10c	137	FUNC	<unknown>	HIDDEN	2
__Gl_inet_ntop			.symtab	0x40e9f4	527	FUNC	<unknown>	HIDDEN	2
__Gl_inet_pton			.symtab	0x40e6ef	493	FUNC	<unknown>	HIDDEN	2
__Gl_initstate_r			.symtab	0x40b407	185	FUNC	<unknown>	HIDDEN	2
__Gl_ioctl			.symtab	0x407c08	104	FUNC	<unknown>	HIDDEN	2
__Gl_isatty			.symtab	0x409784	25	FUNC	<unknown>	HIDDEN	2
__Gl_kill			.symtab	0x407c70	44	FUNC	<unknown>	HIDDEN	2
__Gl_lseek			.symtab	0x40f214	45	FUNC	<unknown>	HIDDEN	2
__Gl_lseek64			.symtab	0x40f20c	5	FUNC	<unknown>	HIDDEN	2
__Gl_memchr			.symtab	0x40cbec	240	FUNC	<unknown>	HIDDEN	2
__Gl_memcpy			.symtab	0x408fc0	102	FUNC	<unknown>	HIDDEN	2
__Gl_memmove			.symtab	0x40ccdc	734	FUNC	<unknown>	HIDDEN	2
__Gl_mempcpy			.symtab	0x40cb90	90	FUNC	<unknown>	HIDDEN	2
__Gl_memrchr			.symtab	0x40cfbc	237	FUNC	<unknown>	HIDDEN	2
__Gl_memset			.symtab	0x409030	210	FUNC	<unknown>	HIDDEN	2
__Gl_mmap			.symtab	0x40bec0	48	FUNC	<unknown>	HIDDEN	2
__Gl_mremap			.symtab	0x40bfd0	42	FUNC	<unknown>	HIDDEN	2
__Gl_munmap			.symtab	0x40bffc	38	FUNC	<unknown>	HIDDEN	2
__Gl_nanosleep			.symtab	0x40c024	38	FUNC	<unknown>	HIDDEN	2
__Gl_open			.symtab	0x407c9c	106	FUNC	<unknown>	HIDDEN	2
__Gl_pipe			.symtab	0x407d14	38	FUNC	<unknown>	HIDDEN	2
__Gl_poll			.symtab	0x40dbc0	41	FUNC	<unknown>	HIDDEN	2
__Gl_raise			.symtab	0x40db68	18	FUNC	<unknown>	HIDDEN	2
__Gl_random			.symtab	0x40b0fc	72	FUNC	<unknown>	HIDDEN	2
__Gl_random_r			.symtab	0x40b304	90	FUNC	<unknown>	HIDDEN	2
__Gl_rawmemchr			.symtab	0x40e4f8	190	FUNC	<unknown>	HIDDEN	2
__Gl_read			.symtab	0x407d68	39	FUNC	<unknown>	HIDDEN	2
__Gl_recv			.symtab	0x409c90	11	FUNC	<unknown>	HIDDEN	2
__Gl_recvfrom			.symtab	0x409c9c	45	FUNC	<unknown>	HIDDEN	2
__Gl_sbrk			.symtab	0x40c04c	74	FUNC	<unknown>	HIDDEN	2
__Gl_select			.symtab	0x407d90	44	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0x409ccc	11	FUNC	<unknown>	HIDDEN	2
__Gl_sendto			.symtab	0x409cd8	48	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x409d08	53	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x40b25c	168	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x40bdb1	247	FUNC	<unknown>	HIDDEN	2
__Gl_sigaddset			.symtab	0x409d70	35	FUNC	<unknown>	HIDDEN	2
__Gl_sigemptyset			.symtab	0x409d94	20	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x409da8	168	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x407dbc	85	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0x40b7c8	415	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0x409d40	47	FUNC	<unknown>	HIDDEN	2
__Gl_sprintf			.symtab	0x407ec8	149	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0x40b35e	169	FUNC	<unknown>	HIDDEN	2
__Gl_strcasecmp			.symtab	0x40f344	48	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x409110	417	FUNC	<unknown>	HIDDEN	2
__Gl_strcmp			.symtab	0x40e3b8	33	FUNC	<unknown>	HIDDEN	2
__Gl_strcoll			.symtab	0x40e3b8	33	FUNC	<unknown>	HIDDEN	2
__Gl_strcpy			.symtab	0x4092c0	213	FUNC	<unknown>	HIDDEN	2
__Gl_strdup			.symtab	0x40e630	54	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x4093a0	225	FUNC	<unknown>	HIDDEN	2
__Gl_strncat			.symtab	0x40e5b8	119	FUNC	<unknown>	HIDDEN	2
__Gl_strncpy			.symtab	0x409484	131	FUNC	<unknown>	HIDDEN	2
__Gl_strnlen			.symtab	0x409508	206	FUNC	<unknown>	HIDDEN	2
__Gl_strpbrk			.symtab	0x40e3e0	140	FUNC	<unknown>	HIDDEN	2
__Gl_strspn			.symtab	0x40e470	135	FUNC	<unknown>	HIDDEN	2
__Gl_strstr			.symtab	0x4095d8	187	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_strtok			.symtab	0x409778	10	FUNC	<unknown>	HIDDEN	2
__Gl_strtok_r			.symtab	0x40d0ac	94	FUNC	<unknown>	HIDDEN	2
__Gl_strtol			.symtab	0x40b4d4	10	FUNC	<unknown>	HIDDEN	2
__Gl_strtoll			.symtab	0x40b4d4	10	FUNC	<unknown>	HIDDEN	2
__Gl_sysconf			.symtab	0x40b968	351	FUNC	<unknown>	HIDDEN	2
__Gl_tcgetattr			.symtab	0x4097a0	110	FUNC	<unknown>	HIDDEN	2
__Gl_time			.symtab	0x407e14	39	FUNC	<unknown>	HIDDEN	2
__Gl_times			.symtab	0x40c098	39	FUNC	<unknown>	HIDDEN	2
__Gl_tolower			.symtab	0x40f244	30	FUNC	<unknown>	HIDDEN	2
__Gl_toupper			.symtab	0x407e70	30	FUNC	<unknown>	HIDDEN	2
__Gl_vfork			.symtab	0x4079f0	21	FUNC	<unknown>	HIDDEN	2
__Gl_vsnprintf			.symtab	0x407f60	199	FUNC	<unknown>	HIDDEN	2
__Gl_wait4			.symtab	0x40c0c0	47	FUNC	<unknown>	HIDDEN	2
__Gl_waitpid			.symtab	0x407e3c	7	FUNC	<unknown>	HIDDEN	2
__Gl_wctomb			.symtab	0x40c0f8	68	FUNC	<unknown>	HIDDEN	2
__Gl_wcsnrtombs			.symtab	0x40c14c	140	FUNC	<unknown>	HIDDEN	2
__Gl_wcsrtombs			.symtab	0x40c13c	15	FUNC	<unknown>	HIDDEN	2
__Gl_write			.symtab	0x407e44	42	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x514548	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x514548	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x51ae68	8	OBJECT	<unknown>	HIDDEN	10
__atexit_lock			.symtab	0x514ac0	40	OBJECT	<unknown>	DEFAULT	9
__bsd_signal			.symtab	0x409da8	168	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x514b38	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x40bb46	53	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x5146e0	8	OBJECT	<unknown>	DEFAULT	9
__ctype_tolower			.symtab	0x514b30	8	OBJECT	<unknown>	DEFAULT	9
__ctype_toupper			.symtab	0x5146f0	8	OBJECT	<unknown>	DEFAULT	9
__curbrk			.symtab	0x51aed0	8	OBJECT	<unknown>	HIDDEN	10
__data_start			.symtab	0x514570	0	NOTYPE	<unknown>	DEFAULT	9
__decode_answer			.symtab	0x40edb0	242	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x40f414	246	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x40eca8	161	FUNC	<unknown>	HIDDEN	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__dns_lookup			.symtab	0x40d198	1862	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x40f610	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x400100	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x514560	0	OBJECT	<unknown>	HIDDEN	9
__encode_dotted			.symtab	0x40f374	160	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x40ec04	163	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x40ed4c	80	FUNC	<unknown>	HIDDEN	2
__environ			.symtab	0x51ae58	8	OBJECT	<unknown>	DEFAULT	10
__errno_location			.symtab	0x407e90	6	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x51ae48	8	OBJECT	<unknown>	HIDDEN	10
__fgetc_unlocked			.symtab	0x40f264	222	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x40db38	48	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x40bf94	19	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x409694	14	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x40c0f0	6	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__init_array_end			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x40f50c	59	FUNC	<unknown>	HIDDEN	2
__length_question			.symtab	0x40ed9c	19	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__libc_close			.symtab	0x407ac4	41	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x409c04	43	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x407d06	14	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x407a08	100	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x407a08	100	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x407b1c	38	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x407b90	38	FUNC	<unknown>	DEFAULT	2
__libc_lseek			.symtab	0x40f214	45	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x40f20c	5	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x40c024	38	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x407c9c	106	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x40dbc0	41	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x407d68	39	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x409c90	11	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0x409c9c	45	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x407d90	44	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x409ccc	11	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x409cd8	48	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x40bdb1	247	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x51ae50	8	OBJECT	<unknown>	DEFAULT	10
__libc_waitpid			.symtab	0x407e3c	7	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x407e44	42	FUNC	<unknown>	DEFAULT	2
__malloc Consolidate			.symtab	0x40ac61	410	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x409eac	96	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x514940	40	OBJECT	<unknown>	DEFAULT	9
__malloc_state			.symtab	0x51b160	1752	OBJECT	<unknown>	DEFAULT	10
__malloc_trim			.symtab	0x40abc8	153	FUNC	<unknown>	DEFAULT	2
__nameserver			.symtab	0x51b860	24	OBJECT	<unknown>	HIDDEN	10
__nameservers			.symtab	0x51b878	4	OBJECT	<unknown>	HIDDEN	10
__open_etc_hosts			.symtab	0x40eea4	42	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x40d8e0	597	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x51ae60	8	OBJECT	<unknown>	DEFAULT	10
__preinit_array_end			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x40bb42	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x40bb42	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x40bb42	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x40bb42	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x40bb42	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x40bb45	1	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x40db68	18	FUNC	<unknown>	HIDDEN	2
__read_etc_hosts_r			.symtab	0x40eece	830	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x514b00	40	OBJECT	<unknown>	DEFAULT	9
__restore_rt			.symtab	0x40bda8	0	NOTYPE	<unknown>	DEFAULT	2
__rtld_fini			.symtab	0x51ae70	8	OBJECT	<unknown>	HIDDEN	10
__searchdomain			.symtab	0x51b840	32	OBJECT	<unknown>	HIDDEN	10
__searchdomains			.symtab	0x51b87c	4	OBJECT	<unknown>	HIDDEN	10
__sigaddset			.symtab	0x409e70	28	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x409e8c	30	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x409e50	32	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x514718	8	OBJECT	<unknown>	DEFAULT	9
__stdio_READ			.symtab	0x40f548	58	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x40c1d8	147	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x40dde0	133	FUNC	<unknown>	HIDDEN	2
__stdio_fwrit			.symtab	0x40c26c	259	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__stdio_init_mutex			.symtab	0x408093	15	FUNC	<unknown>	HIDDEN	2
__stdio_mutex_initializer.4280			.symtab	0x412ee0	40	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x40f584	37	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x40e090	31	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x40f5ac	90	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x40c370	148	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x40812c	39	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x514720	8	OBJECT	<unknown>	DEFAULT	9
__syscall_error			.symtab	0x40bea8	22	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_fini			.symtab	0x40bafc	70	FUNC	<unknown>	DEFAULT	2
_uClibc_init			.symtab	0x40bb7b	67	FUNC	<unknown>	DEFAULT	2
_uClibc_main			.symtab	0x40bbbe	489	FUNC	<unknown>	DEFAULT	2
_uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uclibc_progname			.symtab	0x514ae8	8	OBJECT	<unknown>	HIDDEN	9
_vfork			.symtab	0x4079f0	21	FUNC	<unknown>	HIDDEN	2
_xpg_strerror_r			.symtab	0x4096a4	194	FUNC	<unknown>	DEFAULT	2
_xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_charpad			.symtab	0x408154	68	FUNC	<unknown>	DEFAULT	2
_cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_dl_aux_init			.symtab	0x40db7c	23	FUNC	<unknown>	DEFAULT	2
_dl_phdr			.symtab	0x51b880	8	OBJECT	<unknown>	DEFAULT	10
_dl_phnum			.symtab	0x51b888	8	OBJECT	<unknown>	DEFAULT	10
_edata			.symtab	0x514b38	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x51b890	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_errno			.symtab	0x51ae7c	4	OBJECT	<unknown>	DEFAULT	10
_exit			.symtab	0x407a6c	42	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x40f648	5	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x518c00	8192	OBJECT	<unknown>	DEFAULT	10
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x408198	120	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x40c548	1608	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_h_errno			.symtab	0x51ae80	4	OBJECT	<unknown>	DEFAULT	10
_init			.symtab	0x4000e8	5	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x40c404	85	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_init			.symtab	0x40884c	114	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x408afe	1022	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x4088c0	67	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x408904	457	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x408ad0	46	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x40bb45	1	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x40bb45	1	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_sigintr			.symtab	0x51b0e0	128	OBJECT	<unknown>	HIDDEN	10
_start			.symtab	0x400194	42	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x40de68	551	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x408028	107	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_stdio_openlist			.symtab	0x514728	8	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_add_lock			.symtab	0x514740	40	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_dec_use			.symtab	0x40e120	216	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x518be4	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_del_lock			.symtab	0x514780	40	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_use_count			.symtab	0x518be0	4	OBJECT	<unknown>	DEFAULT	10
_stdio_streams			.symtab	0x5147c0	384	OBJECT	<unknown>	DEFAULT	9
_stdio_term			.symtab	0x4080a2	135	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x5147a8	4	OBJECT	<unknown>	DEFAULT	9
_stdlib_strto_l			.symtab	0x40b4e0	362	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x40c45c	46	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x412fe0	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x40c48c	187	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x408210	1595	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x40afdc	276	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
access			.symtab	0x407a98	41	FUNC	<unknown>	DEFAULT	2
access.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
acnc			.symtab	0x4035fc	161	FUNC	<unknown>	DEFAULT	2
add_entry			.symtab	0x40700e	99	FUNC	<unknown>	DEFAULT	2
atoi			.symtab	0x40b4c0	18	FUNC	<unknown>	DEFAULT	2
atoi.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
axis_bp			.symtab	0x514590	4	OBJECT	<unknown>	DEFAULT	9
bcopy			.symtab	0x409768	14	FUNC	<unknown>	DEFAULT	2
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x51ae40	4	OBJECT	<unknown>	DEFAULT	10
been_there_done_that.3160			.symtab	0x51ae78	4	OBJECT	<unknown>	DEFAULT	10
brk			.symtab	0x40db94	43	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x409da8	168	FUNC	<unknown>	DEFAULT	2
buf.5285			.symtab	0x51ac20	500	OBJECT	<unknown>	DEFAULT	10
c			.symtab	0x5146c8	4	OBJECT	<unknown>	DEFAULT	9
calloc			.symtab	0x40a774	248	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_generic			.symtab	0x4001c0	113	FUNC	<unknown>	DEFAULT	2
checksum_tcp_udp			.symtab	0x400231	222	FUNC	<unknown>	DEFAULT	2
checksum_tcpudp			.symtab	0x40030f	222	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0x407e98	46	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
clock_getres			.symtab	0x40bef0	41	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x407ac4	41	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.2761			.symtab	0x514b40	1	OBJECT	<unknown>	DEFAULT	10
connect			.symtab	0x409c04	43	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x401a50	572	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x407d06	14	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
csum			.symtab	0x401d84	115	FUNC	<unknown>	DEFAULT	2
data_start			.symtab	0x514570	0	NOTYPE	<unknown>	DEFAULT	9
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x407af0	44	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x51ae58	8	OBJECT	<unknown>	DEFAULT	10
errno			.symtab	0x51ae7c	4	OBJECT	<unknown>	DEFAULT	10
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execl			.symtab	0x40b6a8	287	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x40bf1c	38	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x40b64c	92	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x414060	208	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x40dbec	259	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x407a08	100	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x407a08	100	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x401534	128	FUNC	<unknown>	DEFAULT	2
fdopen_pids			.symtab	0x518bc0	8	OBJECT	<unknown>	DEFAULT	10
fdpclose			.symtab	0x4013c4	368	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x4011e8	476	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x40e1f8	329	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x40f264	222	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x40e0b0	109	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x40e344	116	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
findRandIP			.symtab	0x401d55	47	FUNC	<unknown>	DEFAULT	2
fmt			.symtab	0x414040	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x40dcf0	10	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x407b1c	38	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x408efc	56	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x400150	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x40adfb	452	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x40dcfc	5	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x40dcfc	5	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x40dd04	218	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x408f34	134	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBuild			.symtab	0x405e1d	6	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getHost			.symtab	0x401732	65	FUNC	<unknown>	DEFAULT	2
getOurIP			.symtab	0x405c39	484	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x40f264	222	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x407b44	35	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x40bf44	38	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x407b68	38	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x40bf6c	38	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x409848	53	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x409880	897	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x40bf94	19	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x407b90	38	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0x407bb8	38	FUNC	<unknown>	DEFAULT	2
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x407be0	40	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit64			.symtab	0x407be0	40	FUNC	<unknown>	DEFAULT	2
getsockname			.symtab	0x409c30	41	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x409c5c	50	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x40bfa8	38	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.5284			.symtab	0x51ae20	32	OBJECT	<unknown>	DEFAULT	10
h_errno			.symtab	0x51ae80	4	OBJECT	<unknown>	DEFAULT	10
hacks			.symtab	0x514580	4	OBJECT	<unknown>	DEFAULT	9
hacks2			.symtab	0x514584	4	OBJECT	<unknown>	DEFAULT	9
hacks3			.symtab	0x514588	4	OBJECT	<unknown>	DEFAULT	9
hacks4			.symtab	0x51458c	4	OBJECT	<unknown>	DEFAULT	9
hextable			.symtab	0x4103a0	2048	OBJECT	<unknown>	DEFAULT	4
htonl			.symtab	0x409818	5	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x409810	8	FUNC	<unknown>	DEFAULT	2
httphex			.symtab	0x403775	1256	FUNC	<unknown>	DEFAULT	2
i.4822			.symtab	0x5146cc	4	OBJECT	<unknown>	DEFAULT	9
index			.symtab	0x409110	417	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x40982c	28	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x40d10c	137	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntop			.symtab	0x40e9f4	527	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x40e8dc	280	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x40e6ef	493	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x40e668	135	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0x405ad0	361	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x400504	125	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0x40b1a6	110	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x40b407	185	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x407c08	104	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
isatty			.symtab	0x409784	25	FUNC	<unknown>	DEFAULT	2
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x407c70	44	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer_status			.symtab	0x514bb0	4	OBJECT	<unknown>	DEFAULT	10
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strchr.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strcmp.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strlen.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strprk.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strspn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x401c8c	201	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek			.symtab	0x40f214	45	FUNC	<unknown>	DEFAULT	2
lseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x40f20c	5	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x514bb4	6	OBJECT	<unknown>	DEFAULT	10
main			.symtab	0x405e23	1683	FUNC	<unknown>	DEFAULT	2
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
makeIPPacket			.symtab	0x401eb6	153	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x4017a9	109	FUNC	<unknown>	DEFAULT	2
makevsepacket			.symtab	0x402fd2	169	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x409f0c	2149	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0x40afb1	28	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x40cbec	240	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x408fc0	102	FUNC	<unknown>	DEFAULT	2
memmove			.symtab	0x40ccdc	734	FUNC	<unknown>	DEFAULT	2
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x40cb90	90	FUNC	<unknown>	DEFAULT	2
memrchr			.symtab	0x40cfbc	237	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x409030	210	FUNC	<unknown>	DEFAULT	2
mmap			.symtab	0x40bec0	48	FUNC	<unknown>	DEFAULT	2
mmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mremap			.symtab	0x40bfd0	42	FUNC	<unknown>	DEFAULT	2
mremap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
munmap			.symtab	0x40bffc	38	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x514980	40	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x5149c0	40	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x51aea0	40	OBJECT	<unknown>	DEFAULT	10
nanosleep			.symtab	0x40c024	38	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1440			.symtab	0x51ac00	8	OBJECT	<unknown>	DEFAULT	10
ngPid			.symtab	0x51aee4	4	OBJECT	<unknown>	DEFAULT	10
ntohl			.symtab	0x409825	5	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
ntohs			.symtab	0x40981d	8	FUNC	<unknown>	DEFAULT	2
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x514ba8	8	OBJECT	<unknown>	DEFAULT	10
object.2814			.symtab	0x514b60	48	OBJECT	<unknown>	DEFAULT	10
open			.symtab	0x407c9c	106	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourIP			.symtab	0x51aee0	4	OBJECT	<unknown>	DEFAULT	10
p.2759			.symtab	0x514568	0	OBJECT	<unknown>	DEFAULT	9
parseHex			.symtab	0x4015b4	84	FUNC	<unknown>	DEFAULT	2
pids			.symtab	0x51aef0	8	OBJECT	<unknown>	DEFAULT	10
pipe			.symtab	0x407d14	38	FUNC	<unknown>	DEFAULT	2
pipe.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
poll			.symtab	0x40dbc0	41	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0x407d3c	44	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4494			.symtab	0x412f15	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x400a34	1084	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x4007ca	75	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x4008f4	320	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x400815	223	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x403c5d	7795	FUNC	<unknown>	DEFAULT	2
qual_chars.4498			.symtab	0x412f30	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x40db68	18	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x40b0f0	11	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand__str			.symtab	0x40657e	149	FUNC	<unknown>	DEFAULT	2
rand_alpha_str			.symtab	0x406613	116	FUNC	<unknown>	DEFAULT	2
rand_alphastr			.symtab	0x40071f	171	FUNC	<unknown>	DEFAULT	2
rand_cmw			.symtab	0x40066c	179	FUNC	<unknown>	DEFAULT	2
rand_init			.symtab	0x4064b8	83	FUNC	<unknown>	DEFAULT	2
rand_next			.symtab	0x40650b	115	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x40b0fc	72	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x413b40	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x40b304	90	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x514a40	128	OBJECT	<unknown>	DEFAULT	9
rawmemchr			.symtab	0x40e4f8	190	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x407d68	39	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0x40a86c	857	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x409c90	11	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x401816	570	FUNC	<unknown>	DEFAULT	2
recvfrom			.symtab	0x409c9c	45	FUNC	<unknown>	DEFAULT	2
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv_domain_to_hostname			.symtab	0x406688	149	FUNC	<unknown>	DEFAULT	2
resolv_entries_free			.symtab	0x406d71	56	FUNC	<unknown>	DEFAULT	2
resolv_lookup			.symtab	0x4067c2	1455	FUNC	<unknown>	DEFAULT	2
resolv_skip_name			.symtab	0x40671d	165	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
rtcp			.symtab	0x402a77	932	FUNC	<unknown>	DEFAULT	2
sbrk			.symtab	0x40c04c	74	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x51aee8	4	OBJECT	<unknown>	DEFAULT	10
select			.symtab	0x407d90	44	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x409ccc	11	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendSTD			.symtab	0x402e1b	439	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x409cd8	48	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x409d08	53	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x40b144	98	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x40b25c	168	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x40bdb1	247	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x409d70	35	FUNC	<unknown>	DEFAULT	2
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x409d94	20	FUNC	<unknown>	DEFAULT	2
signal			.symtab	0x409da8	168	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x407dbc	85	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x40b7c8	415	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x409d40	47	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x40369d	216	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x401038	432	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4497			.symtab	0x412f50	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4493			.symtab	0x412f21	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4494			.symtab	0x412f80	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4493			.symtab	0x412f95	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4496			.symtab	0x412f60	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4495			.symtab	0x412f70	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x407ec8	149	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x40b214	72	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x40b214	72	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x40b35e	169	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x514af0	2	OBJECT	<unknown>	DEFAULT	9
static_ns			.symtab	0x51aec8	4	OBJECT	<unknown>	DEFAULT	10
stderr			.symtab	0x514710	8	OBJECT	<unknown>	DEFAULT	9
stdin			.symtab	0x514700	8	OBJECT	<unknown>	DEFAULT	9
stdout			.symtab	0x514708	8	OBJECT	<unknown>	DEFAULT	9
strcasecmp			.symtab	0x40f344	48	FUNC	<unknown>	DEFAULT	2
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x409110	417	FUNC	<unknown>	DEFAULT	2
strcmp			.symtab	0x40e3b8	33	FUNC	<unknown>	DEFAULT	2
strcoll			.symtab	0x40e3b8	33	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x4092c0	213	FUNC	<unknown>	DEFAULT	2
strdup			.symtab	0x40e630	54	FUNC	<unknown>	DEFAULT	2
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x4096a4	194	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x4093a0	225	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strncat			.symtab	0x40e5b8	119	FUNC	<unknown>	DEFAULT	2
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x409484	131	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x409508	206	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x40e3e0	140	FUNC	<unknown>	DEFAULT	2
strspn			.symtab	0x40e470	135	FUNC	<unknown>	DEFAULT	2
strstr			.symtab	0x4095d8	187	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtoimax			.symtab	0x40b4d4	10	FUNC	<unknown>	DEFAULT	2
strtok			.symtab	0x409778	10	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x40d0ac	94	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x40b4d4	10	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtoll			.symtab	0x40b4d4	10	FUNC	<unknown>	DEFAULT	2
sysconf			.symtab	0x40b968	351	FUNC	<unknown>	DEFAULT	2
sysconf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x400f53	229	FUNC	<unknown>	DEFAULT	2
table			.symtab	0x51af00	464	OBJECT	<unknown>	DEFAULT	10
table.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
table_init			.symtab	0x406dac	466	FUNC	<unknown>	DEFAULT	2
table_key			.symtab	0x5146d0	4	OBJECT	<unknown>	DEFAULT	9
table_lock_val			.symtab	0x406fa7	41	FUNC	<unknown>	DEFAULT	2
table_retrieve_val			.symtab	0x406fd0	62	FUNC	<unknown>	DEFAULT	2
table_unlock_val			.symtab	0x406f7e	41	FUNC	<unknown>	DEFAULT	2
tcgetattr			.symtab	0x4097a0	110	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpFI00d			.symtab	0x402465	1554	FUNC	<unknown>	DEFAULT	2
tcpcsum			.symtab	0x401df7	191	FUNC	<unknown>	DEFAULT	2
time			.symtab	0x407e14	39	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
times			.symtab	0x40c098	39	FUNC	<unknown>	DEFAULT	2
times.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toggle_obf			.symtab	0x407071	286	FUNC	<unknown>	DEFAULT	2
tolower			.symtab	0x40f244	30	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x407e70	30	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x400581	235	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x412fa0	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x412fb8	12	OBJECT	<unknown>	DEFAULT	4
udpfl00d			.symtab	0x401f4f	1302	FUNC	<unknown>	DEFAULT	2
unknown.2050			.symtab	0x412fc4	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x514a00	48	OBJECT	<unknown>	DEFAULT	9
uppercase			.symtab	0x401773	54	FUNC	<unknown>	DEFAULT	2
userID			.symtab	0x5146c4	4	OBJECT	<unknown>	DEFAULT	9
usleep			.symtab	0x40bac8	52	FUNC	<unknown>	DEFAULT	2
usleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util_atoi			.symtab	0x407392	480	FUNC	<unknown>	DEFAULT	2
util_fdgets			.symtab	0x40789c	151	FUNC	<unknown>	DEFAULT	2
util_isalpha			.symtab	0x40795c	53	FUNC	<unknown>	DEFAULT	2
util_isdigit			.symtab	0x4079c6	41	FUNC	<unknown>	DEFAULT	2
util_isspace			.symtab	0x407991	53	FUNC	<unknown>	DEFAULT	2
util_isupper			.symtab	0x407933	41	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
util_itoa			.symtab	0x407572	277	FUNC	<unknown>	DEFAULT	2
util_local_addr			.symtab	0x4077fa	162	FUNC	<unknown>	DEFAULT	2
util_memcpy			.symtab	0x407326	65	FUNC	<unknown>	DEFAULT	2
util_memsearch			.symtab	0x407687	137	FUNC	<unknown>	DEFAULT	2
util_strcat			.symtab	0x4072e7	63	FUNC	<unknown>	DEFAULT	2
util_strcmp			.symtab	0x40723e	118	FUNC	<unknown>	DEFAULT	2
util_strcpy			.symtab	0x4072b4	51	FUNC	<unknown>	DEFAULT	2
util_stristr			.symtab	0x407710	234	FUNC	<unknown>	DEFAULT	2
util_strlen			.symtab	0x407190	45	FUNC	<unknown>	DEFAULT	2
util_strncmp			.symtab	0x4071bd	129	FUNC	<unknown>	DEFAULT	2
util_zero			.symtab	0x407367	43	FUNC	<unknown>	DEFAULT	2
vfork			.symtab	0x4079f0	21	FUNC	<unknown>	DEFAULT	2
vseattack			.symtab	0x40307b	1409	FUNC	<unknown>	DEFAULT	2
vsprintf			.symtab	0x407f60	199	FUNC	<unknown>	DEFAULT	2
vsprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
w			.symtab	0x518bd4	4	OBJECT	<unknown>	DEFAULT	10
wait4			.symtab	0x40c0c0	47	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x407e3c	7	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
watchdog_maintain			.symtab	0x4003f0	276	FUNC	<unknown>	DEFAULT	2
watchdog_pid			.symtab	0x514ba4	4	OBJECT	<unknown>	DEFAULT	10
wcrtomb			.symtab	0x40c0f8	68	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x40c14c	140	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x40c13c	15	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x401608	298	FUNC	<unknown>	DEFAULT	2
write			.symtab	0x407e44	42	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
x			.symtab	0x518bc8	4	OBJECT	<unknown>	DEFAULT	10
xdigits.3747			.symtab	0x4141e0	17	OBJECT	<unknown>	DEFAULT	4
y			.symtab	0x518bcc	4	OBJECT	<unknown>	DEFAULT	10
z			.symtab	0x518bd0	4	OBJECT	<unknown>	DEFAULT	10
zprintf			.symtab	0x400e70	227	FUNC	<unknown>	DEFAULT	2



TCP Packets	▼
ICMP Packets	▼

System Behavior

Analysis Process: Y9P8b9THOV.elf PID: 6226, Parent PID: 6124

General	
Start time:	01:40:58
Start date:	30/11/2022
Path:	/tmp/Y9P8b9THOV.elf
Arguments:	/tmp/Y9P8b9THOV.elf
File size:	116503 bytes
MD5 hash:	3f1d4404666b8c00967537e2944521f9

File Activities

File Read

Analysis Process: Y9P8b9THOV.elf PID: 6227, Parent PID: 6226

General	
Start time:	01:40:59
Start date:	30/11/2022
Path:	/tmp/Y9P8b9THOV.elf
Arguments:	n/a
File size:	116503 bytes
MD5 hash:	3f1d4404666b8c00967537e2944521f9

Analysis Process: Y9P8b9THOV.elf PID: 6228, Parent PID: 6226

General	
Start time:	01:40:59
Start date:	30/11/2022
Path:	/tmp/Y9P8b9THOV.elf
Arguments:	n/a
File size:	116503 bytes
MD5 hash:	3f1d4404666b8c00967537e2944521f9

Analysis Process: Y9P8b9THOV.elf PID: 6229, Parent PID: 6228

General	
Start time:	01:40:59
Start date:	30/11/2022
Path:	/tmp/Y9P8b9THOV.elf
Arguments:	n/a
File size:	116503 bytes
MD5 hash:	3f1d4404666b8c00967537e2944521f9