

JOeSandbox Cloud BASIC



ID: 830800

Sample Name: k8CCRUs7Yi.elf

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 17:46:09

Date: 20/03/2023

Version: 37.0.0 Beryl

Table of Contents

Table of Contents	2
Linux Analysis Report k8CCRU7Yi.elf	4
Overview	4
General Information	4
Detection	4
Signatures	4
Classification	4
Analysis Advice	4
General Information	4
Warnings	4
Runtime Messages	4
Process Tree	5
Malware Threat Intel	5
Yara Signatures	5
Initial Sample	5
Memory Dumps	6
Snort Signatures	7
Joe Sandbox Signatures	8
AV Detection	8
Networking	8
System Summary	8
Persistence and Installation Behavior	8
Hooking and other Techniques for Hiding and Protection	8
Stealing of Sensitive Information	8
Remote Access Functionality	9
Mitre Att&ck Matrix	9
Malware Configuration	9
Behavior Graph	9
Antivirus, Machine Learning and Genetic Malware Detection	10
Initial Sample	10
Dropped Files	10
Domains	10
URLs	10
Domains and IPs	10
Contacted Domains	10
URLs from Memory and Binaries	11
World Map of Contacted IPs	11
Public IPs	11
Joe Sandbox View / Context	13
IPs	13
Domains	13
ASNs	13
JA3 Fingerprints	13
Dropped Files	14
Created / dropped Files	14
Static File Info	14
General	14
Static ELF Info	14
ELF header	14
Sections	14
Program Segments	15
Symbols	15
Network Behavior	33
Snort IDS Alerts	33
Network Port Distribution	33
TCP Packets	34
DNS Queries	34
DNS Answers	37
System Behavior	41
Analysis Process: k8CCRU7Yi.elf PID: 6232, Parent PID: 6126	41
General	41
File Activities	41
File Read	41
Analysis Process: k8CCRU7Yi.elf PID: 6234, Parent PID: 6232	41
General	41
Analysis Process: sh PID: 6234, Parent PID: 6232	42
General	42
File Activities	42
File Read	42
Analysis Process: sh PID: 6236, Parent PID: 6234	42
General	42
Analysis Process: rm PID: 6236, Parent PID: 6234	42
General	42
File Activities	42

File Deleted	42
File Read	42
Analysis Process: sh PID: 6237, Parent PID: 6234	42
General	42
Analysis Process: mkdir PID: 6237, Parent PID: 6234	42
General	42
File Activities	43
File Read	43
Directory Created	43
Analysis Process: sh PID: 6238, Parent PID: 6234	43
General	43
Analysis Process: mv PID: 6238, Parent PID: 6234	43
General	43
File Activities	43
File Read	43
File Moved	43
Analysis Process: sh PID: 6239, Parent PID: 6234	43
General	43
Analysis Process: chmod PID: 6239, Parent PID: 6234	43
General	43
File Activities	43
File Read	43
Analysis Process: k8CCRU7Yi.elf PID: 6241, Parent PID: 6232	43
General	43
Analysis Process: k8CCRU7Yi.elf PID: 6243, Parent PID: 6241	44
General	44
Analysis Process: k8CCRU7Yi.elf PID: 6244, Parent PID: 6241	44
General	44

Linux Analysis Report

k8CCRUs7Yi.elf

Overview

General Information

Sample Name:	k8CCRUs7Yi.elf
Original Sample Name:	24ae840c001c...
Analysis ID:	830800
MD5:	24ae840c001c...
SHA1:	fa8b9707a0843..
SHA256:	3f104601238dd..
Tags:	32armelfmirai
Infos:	

Detection

MALICIOUS

SUSPICIOUS

CLEAN

UNKNOWN

Mirai, Moobot

Score:	96
Range:	0 - 100
Whitelisted:	false

Signatures

Yara detected Mirai

Multi AV Scanner detection for subm...

Malicious sample detected (through...

Yara detected Moobot

Snort IDS alert for network traffic

Connects to many ports of the same...

Uses known network protocols on n...

Contains symbols with names comm...

Sets full permissions to files and/or ...

Yara signature match

Executes the "mkdir" command use...

Classification

Analysis Advice

All domains contacted by the sample do not resolve. The sample is likely an old dropper which does no longer work.
Static ELF header machine description suggests that the sample might not execute correctly on this machine.
All HTTP servers contacted by the sample do not answer. The sample is likely an old dropper which does no longer work.
Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures.

General Information

Joe Sandbox Version:	37.0.0 Beryl
Analysis ID:	830800
Start date and time:	2023-03-20 17:46:09 +01:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 30s
Hypervisor based Inspection enabled:	false
Report type:	light
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Sample file name:	k8CCRUs7Yi.elf
Original Sample Name:	24ae840c001c6640f8caac05c7e242a4.elf
Detection:	MAL
Classification:	mal96.troj.linELF@0/0@105/0

Warnings

Runtime Messages

Command:	/tmp/k8CCRUs7Yi.elf
PID:	6232
Exit Code:	0

Source	Rule	Description	Author	Strings
k8CCRUs7Yi.elf	Linux_Trojan_Gafgyt_28a2fe0c	unknown	unknown	0x1411c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14130:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14144:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14158:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x1416c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14180:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14194:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x141a8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x141bc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x141d0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x141e4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x141f8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x1420c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14220:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14234:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14248:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x1425c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14270:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14284:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14298:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x142ac:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F

Memory Dumps				
Source	Rule	Description	Author	Strings
6232.1.00007f281c017000.00007f281c02d000.r-x.sdmp	JoeSecurity_Moobot	Yara detected Moobot	Joe Security	
6232.1.00007f281c017000.00007f281c02d000.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

Source	Rule	Description	Author	Strings
6232.1.00007f281c017000.00007f281c02d000.r-x.sdmp	Linux_Trojan_Gafgyt_28a2fe0c	unknown	unknown	0x1411c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14130:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14144:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14158:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x1416c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14180:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14194:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x141a8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x141bc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x141d0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x141e4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x141f8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x1420c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14220:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14234:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14248:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x1425c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14270:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14284:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x14298:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x142ac:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F
6243.1.00007f281c017000.00007f281c02d000.r-x.sdmp	JoeSecurity_Moobot	Yara detected Moobot	Joe Security	
6243.1.00007f281c017000.00007f281c02d000.r-x.sdmp	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
Click to see the 5 entries				

Snort Signatures

ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215) - Source IP: 192.168.2.23 - Destination IP: 197.39.107.161

Timestamp:	192.168.2.23197.39.107.16136752372152835222 03/20/23-17:47:11.547445
SID:	2835222
Source Port:	36752
Destination Port:	37215
Protocol:	TCP
Classtype:	A Network Trojan was detected

ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215) - Source IP: 192.168.2.23 - Destination IP: 41.237.23.226

Timestamp:	192.168.2.2341.237.23.22647280372152835222 03/20/23-17:48:58.233356
SID:	2835222
Source Port:	47280
Destination Port:	37215
Protocol:	TCP
Classtype:	A Network Trojan was detected

ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215) - Source IP: 192.168.2.23 - Destination IP: 211.35.61.27

Timestamp:	192.168.2.23211.35.61.2738110372152835222 03/20/23-17:48:12.959548
SID:	2835222
Source Port:	38110
Destination Port:	37215

Protocol:	TCP
Classtype:	A Network Trojan was detected

ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215) - Source IP: 192.168.2.23 - Destination IP: 202.108.169.153		—
Timestamp:	192.168.2.23202.108.169.15353818372152835222 03/20/23-17:48:12.885568	
SID:	2835222	
Source Port:	53818	
Destination Port:	37215	
Protocol:	TCP	
Classtype:	A Network Trojan was detected	

ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215) - Source IP: 192.168.2.23 - Destination IP: 35.190.101.68		—
Timestamp:	192.168.2.2335.190.101.6838784372152835222 03/20/23-17:46:58.246045	
SID:	2835222	
Source Port:	38784	
Destination Port:	37215	
Protocol:	TCP	
Classtype:	A Network Trojan was detected	

ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215) - Source IP: 192.168.2.23 - Destination IP: 147.46.86.14		—
Timestamp:	192.168.2.23147.46.86.1455690372152835222 03/20/23-17:47:22.978510	
SID:	2835222	
Source Port:	55690	
Destination Port:	37215	
Protocol:	TCP	
Classtype:	A Network Trojan was detected	

Joe Sandbox Signatures

▼

AV Detection



Multi AV Scanner detection for submitted file

▼

Networking



- Snort IDS alert for network traffic
- ▼
- Connects to many ports of the same IP (likely port scanning)
- ▼
- Uses known network protocols on non-standard ports
- ▼

System Summary



- Malicious sample detected (through community Yara rule)
- ▼
- Contains symbols with names commonly found in malware
- ▼

Persistence and Installation Behavior



- Sets full permissions to files and/or directories
- ▼

Hooking and other Techniques for Hiding and Protection



- Uses known network protocols on non-standard ports
- ▼

Stealing of Sensitive Information



- Yara detected Mirai
- ▼



Remote Access Functionality



Yara detected Mirai



Yara detected Moobot




Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	1Scripting	Path Interception	Path Interception	1Masquerading	OS Credential Dumping	11Security Software Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1Encrypted Channel	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	1File and Directory Permissions Modification	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	11Non-Standard Port	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	1Scripting	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	2Non-Application Layer Protocol	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data
Local Accounts	At (Windows)	Logon Script (Mac)	Logon Script (Mac)	1File Deletion	NTDS	System Network Configuration Discovery	Distributed Component Object Model	Input Capture	Scheduled Transfer	3Application Layer Protocol	SIM Card Swap		Carrier Billing Fraud


Malware Configuration

No configs have been found

Behavior Graph



World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
197.210.172.219	unknown	Nigeria		29465	VCG-ASNG	false
197.0.2.50	unknown	Tunisia		37705	TOPNETTN	false
41.185.108.115	unknown	South Africa		36943	GridhostZA	false
41.235.61.9	unknown	Egypt		8452	TE-ASTE-ASEG	false
188.36.242.138	unknown	Hungary		5483	MAGYAR-TELEKOM-MAIN-ASMagyarTelekomNyrtHU	false
41.195.197.43	unknown	South Africa		16637	MTNNS-ASZA	false
149.237.153.9	unknown	Germany		12843	TELEMAXXDE	false
41.127.73.189	unknown	South Africa		16637	MTNNS-ASZA	false
197.166.154.51	unknown	Egypt		24863	LINKdotNET-ASEG	false
157.245.182.53	unknown	United States		14061	DIGITALOCEAN-ASNUS	false
197.153.36.4	unknown	Morocco		36925	ASMediMA	false
41.37.208.121	unknown	Egypt		8452	TE-ASTE-ASEG	false
197.31.187.197	unknown	Tunisia		37492	ORANGE-TN	false
197.225.251.131	unknown	Mauritius		23889	MauritiusTelecomMU	false
41.101.160.208	unknown	Algeria		36947	ALGTEL-ASDZ	false
41.57.220.73	unknown	Ghana		37103	BUSYINTERNETGH	false
97.30.206.138	unknown	United States		22394	CELLCOUS	false
95.57.208.75	unknown	Kazakhstan		9198	KAZTELECOM-ASKZ	false
157.222.204.85	unknown	United States		4704	SANNETRakutenMobileIncJP	false
159.74.183.119	unknown	United States		1257	TELE2EU	false
41.29.92.239	unknown	South Africa		29975	VODACOM-ZA	false
157.74.250.109	unknown	Japan		131932	JEIS-NETJREastInformationSyst emsCompanyJP	false
157.87.184.61	unknown	United States		21612	FUNDACAOINSTITUTOOS WALDOCRUZBR	false
41.241.171.238	unknown	Sudan		36998	SDN-MOBITELSD	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
157.159.2.23	unknown	France		2094	FR-TELECOM-MANAGEMENT-SUDPARISTelecomManagementSudPari	false
41.97.193.147	unknown	Algeria		36947	ALGTEL-ASDZ	false
197.84.139.255	unknown	South Africa		10474	OPTINETZA	false
157.84.108.140	unknown	United Kingdom		2907	SINET-ASResearchOrganizationofInformationandSystemsN	false
41.41.240.214	unknown	Egypt		8452	TE-ASTE-ASEG	false
157.22.104.166	unknown	United States		397379	NLN-ASN-01US	false
25.246.88.170	unknown	United Kingdom		199055	UKCLOUD-ASGB	false
197.89.147.89	unknown	South Africa		10474	OPTINETZA	false
204.176.93.89	unknown	United States		701	UUNETUS	false
197.47.50.230	unknown	Egypt		8452	TE-ASTE-ASEG	false
157.75.104.134	unknown	Japan		131932	JEIS-NETJREastInformationSystemsCompanyJP	false
141.67.194.206	unknown	Germany		680	DFNVerein zur Foerderung eines Deutschen Forschungsnetzes	false
192.51.188.240	unknown	China		136038	HDTIDCCLOUD-AS-APHTIDCLIMITEDHK	false
23.137.159.52	unknown	Reserved		397656	INFOSEC-ENTERPRISES-LLCUS	false
197.73.207.28	unknown	South Africa		16637	MTNNS-ASZA	false
197.8.107.197	unknown	Tunisia		5438	ATI-TN	false
41.15.176.228	unknown	South Africa		29975	VODACOM-ZA	false
197.11.215.229	unknown	Tunisia		5438	ATI-TN	false
197.237.113.171	unknown	Kenya		15399	WANANCHI-KE	false
41.123.104.154	unknown	South Africa		16637	MTNNS-ASZA	false
112.1.125.104	unknown	China		56046	CMNET-JIANGSU-APChinaMobilecommunicationscorporationCN	false
157.20.21.155	unknown	unknown		24297	FCNUniversityPublicCorporationOsakaJP	false
41.172.220.44	unknown	South Africa		36937	Neotel-ASZA	false
71.17.15.181	unknown	Canada		803	SASKTELCA	false
41.212.241.75	unknown	Mauritius		23889	MauritiusTelecomMU	false
157.200.4.53	unknown	Finland		1759	TSF-IP-CORETeliaFinlandOyjEU	false
157.210.167.248	unknown	United States		4704	SANNETRakutenMobileIncJP	false
32.96.114.0	unknown	United States		7018	ATT-INTERNET4US	false
197.108.245.191	unknown	South Africa		37168	CELL-CZA	false
157.247.33.238	unknown	Austria		8447	TELEKOM-ATA1TelekomAustriaAGAT	false
41.214.134.104	unknown	Morocco		36925	ASMediMA	false
41.8.13.54	unknown	South Africa		29975	VODACOM-ZA	false
157.94.185.59	unknown	Finland		51164	CYBERCOM-FICybercomFinlandOyFI	false
91.184.172.129	unknown	Germany		9063	SAARGATE-ASVSENETGmbHDE	false
157.182.56.30	unknown	United States		12118	WVUUS	false
197.130.149.43	unknown	Morocco		6713	IAM-ASMA	false
41.110.99.208	unknown	Algeria		36947	ALGTEL-ASDZ	false
157.180.86.150	unknown	Sweden		22192	SSHENETUS	false
197.165.32.75	unknown	Egypt		24863	LINKdotNET-ASEG	false
65.170.138.29	unknown	United States		1239	SPRINTLINKUS	false
195.232.253.86	unknown	Germany		12663	VODAFONE-GROUPIT	false
203.214.124.37	unknown	Australia		7545	TPG-INTERNET-APTPGTelecomLimitedAU	false
122.121.166.38	unknown	Taiwan; Republic of China (ROC)		3462	HINETDataCommunicationBusinessGroupTW	false
41.227.18.96	unknown	Tunisia		2609	TN-BB-ASTunisiaBackBoneASTN	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
168.57.1.121	unknown	United States		1761	TDIR-CAPNETUS	false
157.52.55.213	unknown	United States		63394	EIDG-AS1US	false
41.246.244.11	unknown	South Africa		5713	SAIX-NETZA	false
41.9.179.7	unknown	South Africa		29975	VODACOM-ZA	false
197.26.154.201	unknown	Tunisia		37492	ORANGE-TN	false
197.84.96.119	unknown	South Africa		10474	OPTINETZA	false
27.12.165.56	unknown	China		4837	CHINA169-BACKBONECHINAUNICO MChina169BackboneCN	false
157.217.40.254	unknown	United States		4704	SANNETRakutenMobileInc JP	false
41.219.71.247	unknown	Namibia		37009	MTCASNNA	false
197.245.175.177	unknown	South Africa		11845	Vox-TelecomZA	false
41.239.143.144	unknown	Egypt		8452	TE-ASTE-ASEG	false
181.122.141.219	unknown	Paraguay		23201	TelecelSAPY	false
41.184.118.254	unknown	Nigeria		29091	IPNXngNG	false
157.182.56.46	unknown	United States		12118	WVUUS	false
179.191.14.210	unknown	Brazil		263314	ATALINKTELECOMUNICA COESBR	false
157.21.225.93	unknown	United States		53446	EVMSUS	false
197.104.91.101	unknown	South Africa		37168	CELL-CZA	false
197.180.119.53	unknown	Kenya		33771	SAFARICOM-LIMITEDKE	false
41.123.104.169	unknown	South Africa		16637	MTNNS-ASZA	false
24.30.148.38	unknown	United States		20001	TWC-20001-PACWESTUS	false
41.59.61.86	unknown	Tanzania United Republic of		327795	Tanzania-e-Government- AgencyTZ	false
157.114.116.175	unknown	Japan		2907	SINET- ASResearchOrganizationof nformationandSystemsN	false
157.114.150.95	unknown	Japan		2907	SINET- ASResearchOrganizationof nformationandSystemsN	false
41.170.38.78	unknown	South Africa		328312	Deloitte-ASZA	false
58.127.56.107	unknown	Korea Republic of		9318	SKB- ASSKBroadbandCoLtdKR	false
157.224.81.251	unknown	United States		4704	SANNETRakutenMobileInc JP	false
197.179.45.150	unknown	Kenya		33771	SAFARICOM-LIMITEDKE	false
157.202.152.18	unknown	United States		1759	TSF-IP- CORETeliaFinlandOyjEU	false
197.55.193.48	unknown	Egypt		8452	TE-ASTE-ASEG	false
41.19.31.104	unknown	South Africa		29975	VODACOM-ZA	false
157.170.48.59	unknown	United States		22192	SSHENETUS	false
197.168.76.216	unknown	South Africa		37168	CELL-CZA	false

Joe Sandbox View / Context

IPs

 No context

Domains

 No context

ASNs

 No context

JA3 Fingerprints

 No context

Dropped Files

No context

Created / dropped Files

No created / dropped files found

Static File Info

General

File type:	ELF 32-bit LSB executable, ARM, EABI4 version 1 (SYSV), statically linked, with debug_info, not stripped
Entropy (8bit):	5.999336187264948
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	k8CCRUs7Yi.elf
File size:	150610
MD5:	24ae840c001c6640f8caac05c7e242a4
SHA1:	fa8b9707a0843bb71e6c0e9227a9363cc00ea606
SHA256:	3f104601238dda5a4860278edfff7a0fa8460b675278275bae18a13168667029
SHA512:	9e99469c3af0a64e978fbbacbbea33c6b56344282f4d998ecbceb2c9259d9ed76e10832e45bf67958f0dd7929b866335383be2913862e34c069dba18f8b01ff0
SSDEEP:	3072:iJLceVpExfBOcUagHbz4NfiU9J/Nle1F9kXMknM/9YnAY:iJLcdhUagHbz4NM9JrH9kXMEM/90AY
TLSH:	18E33B56EA408B13C0D61779B6DF42453323ABA493DB73069928BFB43F8679F4E23905
File Content Preview:	.ELF.....(.....4.....4. ... (.....p.^..... ' '2.....' 'Q.td.....-...L.....@-.. ..@...0...S

Static ELF Info

ELF header

Class:	
Data:	
Version:	
Machine:	
Version Number:	
Type:	
OS/ABI:	
ABI Version:	
Entry Point Address:	
Flags:	
ELF Header Size:	
Program Header Offset:	
Program Header Size:	
Number of Program Headers:	
Section Header Offset:	
Section Header Size:	
Number of Section Headers:	
Header String Table Index:	

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x80d4	0xd4	0x10	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x80f0	0xf0	0x13f40	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x1c030	0x14030	0x10	0x0	0x6	AX	0	0	4

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.rodata	PROGBITS	0x1c040	0x14040	0x1e88	0x0	0x2	A	0	0	8
.ARM.extab	PROGBITS	0x1dec8	0x15ec8	0x18	0x0	0x2	A	0	0	4
.ARM.exidx	ARM_EXIDX	0x1dee0	0x15ee0	0x120	0x0	0x82	AL	2	0	4
.eh_frame	PROGBITS	0x26000	0x16000	0x4	0x0	0x3	WA	0	0	4
.tbss	NOBITS	0x26004	0x16004	0x8	0x0	0x403	WAT	0	0	4
.init_array	INIT_ARRAY	0x26004	0x16004	0x4	0x0	0x3	WA	0	0	4
.fini_array	FINI_ARRAY	0x26008	0x16008	0x4	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x2600c	0x1600c	0x4	0x0	0x3	WA	0	0	4
.got	PROGBITS	0x26010	0x16010	0xa8	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x260b8	0x160b8	0x20c	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x262c4	0x162c4	0x3024	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0x162c4	0xb8c	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x16e50	0x140	0x0	0x0		0	0	8
.debug_pubnames	PROGBITS	0x0	0x16f90	0x213	0x0	0x0		0	0	1
.debug_info	PROGBITS	0x0	0x171a3	0x2043	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x191e6	0x6e2	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x198c8	0xe76	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x1a740	0x2b8	0x0	0x0		0	0	4
.debug_str	PROGBITS	0x0	0x1a9f8	0x8ca	0x1	0x30	MS	0	0	1
.debug_loc	PROGBITS	0x0	0x1b2c2	0x118f	0x0	0x0		0	0	1
.debug_ranges	PROGBITS	0x0	0x1c451	0x558	0x0	0x0		0	0	1
.ARM.attributes	ARM_ATTRIBUTES	0x0	0x1c9a9	0x16	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x1c9bf	0x117	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x1cf60	0x5330	0x10	0x0		28	765	4
.strtab	STRTAB	0x0	0x22290	0x29c2	0x0	0x0		0	0	1

Program Segments											
Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
EXIDX	0x15ee0	0x1dee0	0x1dee0	0x120	0x120	4.5034	0x4	R	0x4		.ARM.exidx
LOAD	0x0	0x8000	0x8000	0x16000	0x16000	6.1601	0x5	R E	0x8000		.init .text .fini .rodata .ARM.extab .ARM.exidx
LOAD	0x16000	0x26000	0x26000	0x2c4	0x32e8	4.0059	0x6	RW	0x8000		.eh_frame .tbss .init_array .fini_array .jcr .got .data .bss
TLS	0x16004	0x26004	0x26004	0x0	0x8	0.0000	0x4	R	0x4		.tbss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

Symbols											
Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx		
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF		
			.symtab	0x80d4	0	SECTION	<unknown>	DEFAULT	1		
			.symtab	0x80f0	0	SECTION	<unknown>	DEFAULT	2		
			.symtab	0x1c030	0	SECTION	<unknown>	DEFAULT	3		
			.symtab	0x1c040	0	SECTION	<unknown>	DEFAULT	4		
			.symtab	0x1dec8	0	SECTION	<unknown>	DEFAULT	5		
			.symtab	0x1dee0	0	SECTION	<unknown>	DEFAULT	6		
			.symtab	0x26000	0	SECTION	<unknown>	DEFAULT	7		
			.symtab	0x26004	0	SECTION	<unknown>	DEFAULT	8		
			.symtab	0x26004	0	SECTION	<unknown>	DEFAULT	9		
			.symtab	0x26008	0	SECTION	<unknown>	DEFAULT	10		
			.symtab	0x2600c	0	SECTION	<unknown>	DEFAULT	11		
			.symtab	0x26010	0	SECTION	<unknown>	DEFAULT	12		
			.symtab	0x260b8	0	SECTION	<unknown>	DEFAULT	13		
			.symtab	0x262c4	0	SECTION	<unknown>	DEFAULT	14		
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15		

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	21
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	22
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	23
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	24
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	25
\$a			.symtab	0x80d4	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1c030	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80e0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x1c03c	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8134	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8194	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x82cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8424	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8640	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x86ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x871c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8aa8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9170	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x981c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9f0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa6c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xadc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb49c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbc38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbc3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbdc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc1bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc840	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc890	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc934	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc9a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcbec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcdf4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcec8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd9e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xda0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdb50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdc24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdcb0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe720	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe77c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe7e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe920	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe9fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xea24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xef2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xef50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xeff0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf090	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf19c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf1c4	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0xf1fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf244	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf268	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf28c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf2a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf2bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf34c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf4dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf618	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf714	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf828	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf83c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf8d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf9c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfa30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfa44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfa7c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfac0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfb04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfb88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfbc8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfc2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfc5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfdd4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xfee4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xffb4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10078	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10128	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10210	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10230	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10264	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x102c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x102fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x103cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10b98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c38	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c7c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x113f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11428	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x114f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11500	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11510	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x115b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11610	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x116dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x117d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x117f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x118fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1192c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11954	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11998	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11a0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11a50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11a94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11b08	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11b4c	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x11b94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11bd4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11c18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11c88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11cd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11d58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11d9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11ee0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11f28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11f6c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1291c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12a5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12e1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x132bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x132fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13424	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1343c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x134e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13598	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13658	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x136fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1378c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13864	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1395c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13a48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13b0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x13c58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1427c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14648	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x146e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14728	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14818	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14954	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x149ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x149b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x149e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14a3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14a44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14a74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14acc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14ad4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14b04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14b5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14b64	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14b90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14c18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14cf4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14db4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14e08	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x14e60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1524c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x153a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x158ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15970	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x159ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15a18	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x15aa0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15aa8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ab4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ac0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ad0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15b10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15b50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15bb4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15c54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15c80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15c94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ca8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15cbc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ce4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15d1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15d5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15d70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15db4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15df4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15e34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15e94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15ed4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15f40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15fcc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15fe0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16020	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1609c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16188	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1652c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16580	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x165a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16660	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16990	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x169b0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16e10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16f50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16fd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17134	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17210	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17240	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x172b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x172e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1743c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17c30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17d74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17e90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18140	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x184ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18618	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x186c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18b50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18b70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18c60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18d40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18e30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18f1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18f60	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18fb0	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x18ffc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19074	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x190b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x190d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19154	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1924c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x192c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1932c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19580	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1958c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x195c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1961c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19674	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19680	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19760	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19798	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x198e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19904	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19ac4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19b1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19bf8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19cc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19cf0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19d94	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19dd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19df4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19ea4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19ee4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19f54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a098	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a4b4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a950	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1aa90	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1aae4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ab30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ab7c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ab84	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ab88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1abb4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1abc0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1abcc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1adec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1af3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1af58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1afb8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b024	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b0dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b0fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b240	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b788	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b790	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b798	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b7a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b85c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b8a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bfb4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bffc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8128	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x26008	0	NOTYPE	<unknown>	DEFAULT	10
\$d			.symtab	0x8180	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x26004	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x81c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x82c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8420	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8a74	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x916c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9818	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9f08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa6c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xadc0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb498	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbc30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc1b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc7e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x260b8	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xc990	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcbd4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcd0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x260bc	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xcec4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd9bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xda08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdc20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdca8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe694	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x260c0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x260c4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x260c8	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1cd84	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x1cda4	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x1cdb0	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x1cdbc	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0xe76c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe7d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe908	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe9ec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xef4c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xefe8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf088	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf180	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x260cc	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xf348	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf4d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x20	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x26	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0xf8cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf9b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfa28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfa78	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfabc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfb00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfb80	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfbc4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfc28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xfec8	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0xffac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1006c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10120	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1ce5c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x101fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1022c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10260	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x102bc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x103c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10b74	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1ce9c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x10e28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10e74	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x113c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x260d0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1cea4	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x114e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x116d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x118ec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1cf28	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x11924	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11990	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11a04	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11a48	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11a8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11b00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11b44	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11b8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11bd0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11c10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11c80	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11ccc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11d50	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11d94	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e04	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e50	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11ed8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11f20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11f64	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x128f8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x260d4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x12a40	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12dfc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x132a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x132f4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13410	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x260ec	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x134c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1357c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1363c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x136e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x26104	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2619c	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x13788	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13858	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1394c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x13a3c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1da94	0	NOTYPE	<unknown>	DEFAULT	4

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x13aec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x261b0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x13c34	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14250	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14620	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1480c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14938	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14950	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x149e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14a70	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14b00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14cec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14da0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14e00	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x14e54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15200	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x261c8	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x15388	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x158a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15964	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x159e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15a14	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15a94	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15b0c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15b4c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15bb0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15c50	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15cdc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15d18	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15d58	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15db0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15df0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15e30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15e8c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15ed0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15f38	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15fc8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1601c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16094	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16174	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16524	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1665c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16980	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16ddc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16fc0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17118	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x261e0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x261dc	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1720c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17c10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1de80	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x18124	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x184d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18610	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18c58	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18d38	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18e28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18f14	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x19150	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19244	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x192ac	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1931c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19558	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x195b8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19668	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19750	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19794	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x198d8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19ac0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19bf4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19cbc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19d90	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19e9c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19f50	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x4c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x53	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x1add0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b778	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x58	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	23
\$d			.symtab	0x23c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0xe39	0	NOTYPE	<unknown>	DEFAULT	23
\$d			.symtab	0x261d4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1db38	0	NOTYPE	<unknown>	DEFAULT	4
C.11.5548			.symtab	0x1db00	12	OBJECT	<unknown>	DEFAULT	4
C.5.4638			.symtab	0x1cdbc	12	OBJECT	<unknown>	DEFAULT	4
C.5.5083			.symtab	0x1ce5c	24	OBJECT	<unknown>	DEFAULT	4
C.6.4639			.symtab	0x1cdb0	12	OBJECT	<unknown>	DEFAULT	4
C.7.4640			.symtab	0x1cda4	12	OBJECT	<unknown>	DEFAULT	4
C.7.5370			.symtab	0x1db0c	12	OBJECT	<unknown>	DEFAULT	4
C.7.6078			.symtab	0x1ce74	12	OBJECT	<unknown>	DEFAULT	4
C.7.6109			.symtab	0x1de5c	12	OBJECT	<unknown>	DEFAULT	4
C.7.6182			.symtab	0x1de38	12	OBJECT	<unknown>	DEFAULT	4
C.8.6110			.symtab	0x1de50	12	OBJECT	<unknown>	DEFAULT	4
C.9.6119			.symtab	0x1de44	12	OBJECT	<unknown>	DEFAULT	4
GET_UID			.symtab	0x28e74	1	OBJECT	<unknown>	DEFAULT	14
LOCAL_ADDR			.symtab	0x28e70	4	OBJECT	<unknown>	DEFAULT	14
Laligned			.symtab	0x115d8	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0x115f4	0	NOTYPE	<unknown>	DEFAULT	2
_Exit			.symtab	0xf9c8	104	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x26010	0	OBJECT	<unknown>	HIDDEN	12
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_Unwind_Complete			.symtab	0x1ab84	4	FUNC	<unknown>	HIDDEN	2
_Unwind_DeleteException			.symtab	0x1ab88	44	FUNC	<unknown>	HIDDEN	2
_Unwind_ForcedUnwind			.symtab	0x1b838	36	FUNC	<unknown>	HIDDEN	2
_Unwind_GetCFA			.symtab	0x1ab7c	8	FUNC	<unknown>	HIDDEN	2
_Unwind_GetDataRelBase			.symtab	0x1abc0	12	FUNC	<unknown>	HIDDEN	2
_Unwind_GetLanguageSpecificData			.symtab	0x1b85c	68	FUNC	<unknown>	HIDDEN	2
_Unwind_GetRegionStart			.symtab	0x1bffc	52	FUNC	<unknown>	HIDDEN	2
_Unwind_GetTextRelBase			.symtab	0x1abb4	12	FUNC	<unknown>	HIDDEN	2
_Unwind_RaiseException			.symtab	0x1b7cc	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume			.symtab	0x1b7f0	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume_or_Rethrow			.symtab	0x1b814	36	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Get			.symtab	0x1aae4	76	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_Unwind_VRS_Pop			.symtab	0x1b0fc	324	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Set			.symtab	0x1ab30	76	FUNC	<unknown>	HIDDEN	2
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_C_ctype_b			.symtab	0x261d4	4	OBJECT	<unknown>	DEFAULT	13
_C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_C_ctype_b_data			.symtab	0x1db38	768	OBJECT	<unknown>	DEFAULT	4
__EH_FRAME_BEGIN__			.symtab	0x26000	0	OBJECT	<unknown>	DEFAULT	7
__FRAME_END__			.symtab	0x26000	0	OBJECT	<unknown>	DEFAULT	7
__GI__C_ctype_b			.symtab	0x261d4	4	OBJECT	<unknown>	HIDDEN	13
__GI__close			.symtab	0x14970	100	FUNC	<unknown>	HIDDEN	2
__GI__close_nocancel			.symtab	0x14954	24	FUNC	<unknown>	HIDDEN	2
__GI__ctype_b			.symtab	0x261d8	4	OBJECT	<unknown>	HIDDEN	13
__GI__errno_location			.symtab	0x10210	32	FUNC	<unknown>	HIDDEN	2
__GI__fcntl_nocancel			.symtab	0xf83c	152	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x184ec	300	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x117d8	24	FUNC	<unknown>	HIDDEN	2
__GI__libc_close			.symtab	0x14970	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0xf8d4	244	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x14a00	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_read			.symtab	0x14b20	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_write			.symtab	0x14a90	100	FUNC	<unknown>	HIDDEN	2
__GI__open			.symtab	0x14a00	100	FUNC	<unknown>	HIDDEN	2
__GI__open_nocancel			.symtab	0x149e4	24	FUNC	<unknown>	HIDDEN	2
__GI__read			.symtab	0x14b20	100	FUNC	<unknown>	HIDDEN	2
__GI__read_nocancel			.symtab	0x14b04	24	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x14d38	124	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x14e08	88	FUNC	<unknown>	HIDDEN	2
__GI__write			.symtab	0x14a90	100	FUNC	<unknown>	HIDDEN	2
__GI__write_nocancel			.symtab	0x14a74	24	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x117f0	268	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0xf9c8	104	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x132fc	296	FUNC	<unknown>	HIDDEN	2
__GI__accept			.symtab	0x11998	116	FUNC	<unknown>	HIDDEN	2
__GI__bind			.symtab	0x11a0c	68	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x1961c	88	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0x14970	100	FUNC	<unknown>	HIDDEN	2
__GI__closedir			.symtab	0xfdd4	272	FUNC	<unknown>	HIDDEN	2
__GI__config_close			.symtab	0x164b0	52	FUNC	<unknown>	HIDDEN	2
__GI__config_open			.symtab	0x164e4	72	FUNC	<unknown>	HIDDEN	2
__GI__config_read			.symtab	0x16188	808	FUNC	<unknown>	HIDDEN	2
__GI__connect			.symtab	0x11a94	116	FUNC	<unknown>	HIDDEN	2
__GI__execve			.symtab	0x15b10	64	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x13a48	196	FUNC	<unknown>	HIDDEN	2
__GI__fclose			.symtab	0x16660	816	FUNC	<unknown>	HIDDEN	2
__GI__fcntl			.symtab	0xf8d4	244	FUNC	<unknown>	HIDDEN	2
__GI__fflush_unlocked			.symtab	0x18140	940	FUNC	<unknown>	HIDDEN	2
__GI__fgetc			.symtab	0x17c30	324	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x184ec	300	FUNC	<unknown>	HIDDEN	2
__GI__fgets			.symtab	0x17d74	284	FUNC	<unknown>	HIDDEN	2
__GI__fgets_unlocked			.symtab	0x18618	160	FUNC	<unknown>	HIDDEN	2
__GI__fopen			.symtab	0x16990	32	FUNC	<unknown>	HIDDEN	2
__GI__fork			.symtab	0x1427c	972	FUNC	<unknown>	HIDDEN	2
__GI__fputs_unlocked			.symtab	0x113f0	56	FUNC	<unknown>	HIDDEN	2
__GI__fseek			.symtab	0x198e0	36	FUNC	<unknown>	HIDDEN	2
__GI__fseeko64			.symtab	0x19904	448	FUNC	<unknown>	HIDDEN	2
__GI__fstat			.symtab	0x15b50	100	FUNC	<unknown>	HIDDEN	2
__GI__fwrite_unlocked			.symtab	0x11428	188	FUNC	<unknown>	HIDDEN	2
__GI__getc_unlocked			.symtab	0x184ec	300	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_getdtablesize			.symtab	0x15c54	44	FUNC	<unknown>	HIDDEN	2
__Gl_getegid			.symtab	0x15c80	20	FUNC	<unknown>	HIDDEN	2
__Gl_geteuid			.symtab	0x15c94	20	FUNC	<unknown>	HIDDEN	2
__Gl_getgid			.symtab	0x15ca8	20	FUNC	<unknown>	HIDDEN	2
__Gl_getpagesize			.symtab	0x15cbc	40	FUNC	<unknown>	HIDDEN	2
__Gl_getpid			.symtab	0x146e0	72	FUNC	<unknown>	HIDDEN	2
__Gl_getrlimit			.symtab	0x15ce4	56	FUNC	<unknown>	HIDDEN	2
__Gl_getsockname			.symtab	0x11b08	68	FUNC	<unknown>	HIDDEN	2
__Gl_gettimeofday			.symtab	0x15d1c	64	FUNC	<unknown>	HIDDEN	2
__Gl_getuid			.symtab	0x15d5c	20	FUNC	<unknown>	HIDDEN	2
__Gl_inet_addr			.symtab	0x1192c	40	FUNC	<unknown>	HIDDEN	2
__Gl_inet_aton			.symtab	0x19154	248	FUNC	<unknown>	HIDDEN	2
__Gl_initstate_r			.symtab	0x13864	248	FUNC	<unknown>	HIDDEN	2
__Gl_ioctl			.symtab	0x19680	224	FUNC	<unknown>	HIDDEN	2
__Gl_isatty			.symtab	0x190b4	36	FUNC	<unknown>	HIDDEN	2
__Gl_kill			.symtab	0xfa44	56	FUNC	<unknown>	HIDDEN	2
__Gl_listen			.symtab	0x11b94	64	FUNC	<unknown>	HIDDEN	2
__Gl_lseek64			.symtab	0x19ee4	112	FUNC	<unknown>	HIDDEN	2
__Gl_memchr			.symtab	0x18b70	240	FUNC	<unknown>	HIDDEN	2
__Gl_memcpy			.symtab	0x114f0	4	FUNC	<unknown>	HIDDEN	2
__Gl_memmove			.symtab	0x11500	4	FUNC	<unknown>	HIDDEN	2
__Gl_mempcpy			.symtab	0x19dd0	36	FUNC	<unknown>	HIDDEN	2
__Gl_memrchr			.symtab	0x18c60	224	FUNC	<unknown>	HIDDEN	2
__Gl_memset			.symtab	0x11510	156	FUNC	<unknown>	HIDDEN	2
__Gl_mmap			.symtab	0x15970	124	FUNC	<unknown>	HIDDEN	2
__Gl_mremap			.symtab	0x15d70	68	FUNC	<unknown>	HIDDEN	2
__Gl_munmap			.symtab	0x15db4	64	FUNC	<unknown>	HIDDEN	2
__Gl_nanosleep			.symtab	0x15e34	96	FUNC	<unknown>	HIDDEN	2
__Gl_open			.symtab	0x14a00	100	FUNC	<unknown>	HIDDEN	2
__Gl_opendir			.symtab	0xffb4	196	FUNC	<unknown>	HIDDEN	2
__Gl_raise			.symtab	0x14728	240	FUNC	<unknown>	HIDDEN	2
__Gl_random			.symtab	0x1343c	164	FUNC	<unknown>	HIDDEN	2
__Gl_random_r			.symtab	0x136fc	144	FUNC	<unknown>	HIDDEN	2
__Gl_rawmemchr			.symtab	0x19df4	176	FUNC	<unknown>	HIDDEN	2
__Gl_read			.symtab	0x14b20	100	FUNC	<unknown>	HIDDEN	2
__Gl_readdir			.symtab	0x10128	232	FUNC	<unknown>	HIDDEN	2
__Gl_readdir64			.symtab	0x1609c	236	FUNC	<unknown>	HIDDEN	2
__Gl_recv			.symtab	0x11c18	112	FUNC	<unknown>	HIDDEN	2
__Gl_recvfrom			.symtab	0x11cd0	136	FUNC	<unknown>	HIDDEN	2
__Gl_remove			.symtab	0x10264	100	FUNC	<unknown>	HIDDEN	2
__Gl_rmdir			.symtab	0x15e94	64	FUNC	<unknown>	HIDDEN	2
__Gl_sbrk			.symtab	0x15ed4	108	FUNC	<unknown>	HIDDEN	2
__Gl_select			.symtab	0xfb04	132	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0x11d9c	112	FUNC	<unknown>	HIDDEN	2
__Gl_sendto			.symtab	0x11e58	136	FUNC	<unknown>	HIDDEN	2
__Gl_setsid			.symtab	0xfb88	64	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x11ee0	72	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x1395c	236	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x15a18	136	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x15f40	140	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0x14818	300	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0x11f28	68	FUNC	<unknown>	HIDDEN	2
__Gl_sprintf			.symtab	0x102c8	52	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0x1378c	216	FUNC	<unknown>	HIDDEN	2
__Gl_stat			.symtab	0xfbc8	100	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x18d40	240	FUNC	<unknown>	HIDDEN	2
__Gl_strchrnul			.symtab	0x18e30	236	FUNC	<unknown>	HIDDEN	2
__Gl_strerror			.symtab	0x18b50	28	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_strcoll			.symtab	0x18b50	28	FUNC	<unknown>	HIDDEN	2
__Gl_strcspn			.symtab	0x18f1c	68	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x115b0	96	FUNC	<unknown>	HIDDEN	2
__Gl_strnlen			.symtab	0x11610	204	FUNC	<unknown>	HIDDEN	2
__Gl_strpbrk			.symtab	0x19074	64	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x18f60	80	FUNC	<unknown>	HIDDEN	2
__Gl_strspn			.symtab	0x18fb0	76	FUNC	<unknown>	HIDDEN	2
__Gl_strstr			.symtab	0x116dc	252	FUNC	<unknown>	HIDDEN	2
__Gl_strtok			.symtab	0x118fc	48	FUNC	<unknown>	HIDDEN	2
__Gl_strtok_r			.symtab	0x18ffc	120	FUNC	<unknown>	HIDDEN	2
__Gl_sysconf			.symtab	0x13c58	1572	FUNC	<unknown>	HIDDEN	2
__Gl_tcgetattr			.symtab	0x190d8	124	FUNC	<unknown>	HIDDEN	2
__Gl_time			.symtab	0xfc2c	48	FUNC	<unknown>	HIDDEN	2
__Gl_times			.symtab	0x15fcc	20	FUNC	<unknown>	HIDDEN	2
__Gl_unlink			.symtab	0x15fe0	64	FUNC	<unknown>	HIDDEN	2
__Gl_vsnprintf			.symtab	0x102fc	208	FUNC	<unknown>	HIDDEN	2
__Gl_wait4			.symtab	0x19760	56	FUNC	<unknown>	HIDDEN	2
__Gl_waitpid			.symtab	0x16020	124	FUNC	<unknown>	HIDDEN	2
__Gl_wctomb			.symtab	0x1652c	84	FUNC	<unknown>	HIDDEN	2
__Gl_wcsnrtombs			.symtab	0x165a4	188	FUNC	<unknown>	HIDDEN	2
__Gl_wcsrtombs			.symtab	0x16580	36	FUNC	<unknown>	HIDDEN	2
__Gl_write			.symtab	0x14a90	100	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x2600c	0	OBJECT	<unknown>	DEFAULT	11
__JCR_LIST__			.symtab	0x2600c	0	OBJECT	<unknown>	DEFAULT	11
__Unwind_ForcedUnwind			.symtab	0x1b838	36	FUNC	<unknown>	HIDDEN	2
__Unwind_RaiseException			.symtab	0x1b7cc	36	FUNC	<unknown>	HIDDEN	2
__Unwind_Resume			.symtab	0x1b7f0	36	FUNC	<unknown>	HIDDEN	2
__Unwind_Resume_or_Rethrow			.symtab	0x1b814	36	FUNC	<unknown>	HIDDEN	2
__adddf3			.symtab	0x1a0a4	784	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmpeq			.symtab	0x1aa00	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmpne			.symtab	0x1aa00	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdrcmpne			.symtab	0x1a9e4	52	FUNC	<unknown>	HIDDEN	2
__aeabi_d2uiz			.symtab	0x1aa90	84	FUNC	<unknown>	HIDDEN	2
__aeabi_dadd			.symtab	0x1a0a4	784	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpeq			.symtab	0x1aa18	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpge			.symtab	0x1aa60	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpgt			.symtab	0x1aa78	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmple			.symtab	0x1aa48	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmplt			.symtab	0x1aa30	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ddiv			.symtab	0x1a744	524	FUNC	<unknown>	HIDDEN	2
__aeabi_dmul			.symtab	0x1a4b4	656	FUNC	<unknown>	HIDDEN	2
__aeabi_drsb			.symtab	0x1a098	0	FUNC	<unknown>	HIDDEN	2
__aeabi_dsub			.symtab	0x1a0a0	788	FUNC	<unknown>	HIDDEN	2
__aeabi_f2d			.symtab	0x1a400	64	FUNC	<unknown>	HIDDEN	2
__aeabi_i2d			.symtab	0x1a3d8	40	FUNC	<unknown>	HIDDEN	2
__aeabi_idiv			.symtab	0x19f54	0	FUNC	<unknown>	HIDDEN	2
__aeabi_idivmod			.symtab	0x1a080	24	FUNC	<unknown>	HIDDEN	2
__aeabi_l2d			.symtab	0x1a454	96	FUNC	<unknown>	HIDDEN	2
__aeabi_read_tp			.symtab	0x15ac0	8	FUNC	<unknown>	DEFAULT	2
__aeabi_ui2d			.symtab	0x1a3b4	36	FUNC	<unknown>	HIDDEN	2
__aeabi_uidiv			.symtab	0xf714	0	FUNC	<unknown>	HIDDEN	2
__aeabi_uidivmod			.symtab	0xf810	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ul2d			.symtab	0x1a440	116	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr0			.symtab	0x1b798	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr1			.symtab	0x1b790	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr2			.symtab	0x1b788	8	FUNC	<unknown>	HIDDEN	2
__app_fini			.symtab	0x268d8	4	OBJECT	<unknown>	HIDDEN	14
__atexit_lock			.symtab	0x261b0	24	OBJECT	<unknown>	DEFAULT	13

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__bss_end__			.symtab	0x292e8	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x262c4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x262c4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x14db4	84	FUNC	<unknown>	DEFAULT	2
__close			.symtab	0x14970	100	FUNC	<unknown>	DEFAULT	2
__close_nocancel			.symtab	0x14954	24	FUNC	<unknown>	DEFAULT	2
__cmpdf2			.symtab	0x1a960	132	FUNC	<unknown>	HIDDEN	2
__ctype_b			.symtab	0x261d8	4	OBJECT	<unknown>	DEFAULT	13
__curbrk			.symtab	0x28e6c	4	OBJECT	<unknown>	HIDDEN	14
__cxa_begin_cleanup			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_call_unexpected			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_type_match			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__data_start			.symtab	0x260b8	0	NOTYPE	<unknown>	DEFAULT	13
__default_rt_sa_restorer			.symtab	0x15ab8	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0x15aac	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__div0			.symtab	0xf828	20	FUNC	<unknown>	HIDDEN	2
__divdf3			.symtab	0x1a744	524	FUNC	<unknown>	HIDDEN	2
__divsi3			.symtab	0x19f54	300	FUNC	<unknown>	HIDDEN	2
__do_global_dtors_aux			.symtab	0x80f0	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux_fini_array_entry			.symtab	0x26008	0	OBJECT	<unknown>	DEFAULT	10
__end__			.symtab	0x292e8	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x268d0	4	OBJECT	<unknown>	DEFAULT	14
__eqdf2			.symtab	0x1a960	132	FUNC	<unknown>	HIDDEN	2
__errno_location			.symtab	0x10210	32	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exidx_end			.symtab	0x1e000	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exidx_start			.symtab	0x1dee0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x26380	4	OBJECT	<unknown>	HIDDEN	14
__extendsfdf2			.symtab	0x1a400	64	FUNC	<unknown>	HIDDEN	2
__fcntl_nocancel			.symtab	0xf83c	152	FUNC	<unknown>	DEFAULT	2
__fgetc_unlocked			.symtab	0x184ec	300	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x2600c	0	NOTYPE	<unknown>	HIDDEN	10
__fini_array_start			.symtab	0x26008	0	NOTYPE	<unknown>	HIDDEN	10
__fixunsdfsi			.symtab	0x1aa90	84	FUNC	<unknown>	HIDDEN	2
__floatdidf			.symtab	0x1a454	96	FUNC	<unknown>	HIDDEN	2
__floatsidf			.symtab	0x1a3d8	40	FUNC	<unknown>	HIDDEN	2
__floatundidf			.symtab	0x1a440	116	FUNC	<unknown>	HIDDEN	2
__floatunsidf			.symtab	0x1a3b4	36	FUNC	<unknown>	HIDDEN	2
__fork			.symtab	0x1427c	972	FUNC	<unknown>	DEFAULT	2
__fork_generation_pointer			.symtab	0x292b4	4	OBJECT	<unknown>	HIDDEN	14
__fork_handlers			.symtab	0x292b8	4	OBJECT	<unknown>	HIDDEN	14
__fork_lock			.symtab	0x26384	4	OBJECT	<unknown>	HIDDEN	14
__frame_dummy_init_array_entry			.symtab	0x26004	0	OBJECT	<unknown>	DEFAULT	9
__gedf2			.symtab	0x1a950	148	FUNC	<unknown>	HIDDEN	2
__getdents			.symtab	0x15bb4	160	FUNC	<unknown>	HIDDEN	2
__getdents64			.symtab	0x19798	328	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x15cbc	40	FUNC	<unknown>	DEFAULT	2
__getpid			.symtab	0x146e0	72	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x117d8	24	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gnu_Unwind_Find_exidx			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__gnu_Unwind_ForcedUnwind			.symtab	0x1af3c	28	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_RaiseException			.symtab	0x1b024	184	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__gnu_Unwind_Restore_VFP			.symtab	0x1b7bc	0	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume			.symtab	0x1afb8	108	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume_or_Rethrow			.symtab	0x1b0dc	32	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Save_VFP			.symtab	0x1b7c4	0	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_execute			.symtab	0x1b8a0	1812	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_frame			.symtab	0x1bfb4	72	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_pr_common			.symtab	0x1b240	1352	FUNC	<unknown>	DEFAULT	2
__gtdf2			.symtab	0x1a950	148	FUNC	<unknown>	HIDDEN	2
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__init_array_end			.symtab	0x26008	0	NOTYPE	<unknown>	HIDDEN	9
__init_array_start			.symtab	0x26004	0	NOTYPE	<unknown>	HIDDEN	9
__ledf2			.symtab	0x1a958	140	FUNC	<unknown>	HIDDEN	2
__libc_accept			.symtab	0x11998	116	FUNC	<unknown>	DEFAULT	2
__libc_close			.symtab	0x14970	100	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x11a94	116	FUNC	<unknown>	DEFAULT	2
__libc_disable_asynccancel			.symtab	0x14b90	136	FUNC	<unknown>	HIDDEN	2
__libc_enable_asynccancel			.symtab	0x14c18	220	FUNC	<unknown>	HIDDEN	2
__libc_errno			.symtab	0x0	4	TLS	<unknown>	HIDDEN	8
__libc_fcntl			.symtab	0xf8d4	244	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x1427c	972	FUNC	<unknown>	DEFAULT	2
__libc_h_errno			.symtab	0x4	4	TLS	<unknown>	HIDDEN	8
__libc_multiple_threads			.symtab	0x292bc	4	OBJECT	<unknown>	HIDDEN	14
__libc_nanosleep			.symtab	0x15e34	96	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x14a00	100	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x14b20	100	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x11c18	112	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0x11cd0	136	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0xfb04	132	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x11d9c	112	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x11e58	136	FUNC	<unknown>	DEFAULT	2
__libc_setup_tls			.symtab	0x19350	560	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x15a18	136	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x268cc	4	OBJECT	<unknown>	DEFAULT	14
__libc_system			.symtab	0x158ec	132	FUNC	<unknown>	DEFAULT	2
__libc_waitpid			.symtab	0x16020	124	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x14a90	100	FUNC	<unknown>	DEFAULT	2
__lll_lock_wait_private			.symtab	0x14648	152	FUNC	<unknown>	HIDDEN	2
__ltdf2			.symtab	0x1a958	140	FUNC	<unknown>	HIDDEN	2
__malloc Consolidate			.symtab	0x12ecc	436	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x11f6c	120	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x260d4	24	OBJECT	<unknown>	DEFAULT	13
__malloc_state			.symtab	0x28f3c	888	OBJECT	<unknown>	DEFAULT	14
__malloc_trim			.symtab	0x12e1c	176	FUNC	<unknown>	DEFAULT	2
__muldf3			.symtab	0x1a4b4	656	FUNC	<unknown>	HIDDEN	2
__nedf2			.symtab	0x1a960	132	FUNC	<unknown>	HIDDEN	2
__nptl_deallocate_tsd			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__nptl_nthreads			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__open			.symtab	0x14a00	100	FUNC	<unknown>	DEFAULT	2
__open_nocancel			.symtab	0x149e4	24	FUNC	<unknown>	DEFAULT	2
__pagesize			.symtab	0x268d4	4	OBJECT	<unknown>	DEFAULT	14
__preinit_array_end			.symtab	0x26004	0	NOTYPE	<unknown>	HIDDEN	8
__preinit_array_start			.symtab	0x26004	0	NOTYPE	<unknown>	HIDDEN	8
__progname			.symtab	0x261cc	4	OBJECT	<unknown>	DEFAULT	13
__progname_full			.symtab	0x261d0	4	OBJECT	<unknown>	DEFAULT	13
__pthread_initialize_minimal			.symtab	0x19580	12	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_init			.symtab	0x14cfc	8	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__pthread_mutex_lock			.symtab	0x14cf4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x14cf4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x14cf4	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x14cf4	8	FUNC	<unknown>	DEFAULT	2
__pthread_unwind			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__read			.symtab	0x14b20	100	FUNC	<unknown>	DEFAULT	2
__read_nocancel			.symtab	0x14b04	24	FUNC	<unknown>	DEFAULT	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__restore_core_regs			.symtab	0x1b7a0	28	FUNC	<unknown>	HIDDEN	2
__rtd_fini			.symtab	0x268dc	4	OBJECT	<unknown>	HIDDEN	14
__sigjmp_save			.symtab	0x19ea4	64	FUNC	<unknown>	HIDDEN	2
__sigsetjmp			.symtab	0x19674	12	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x261ec	4	OBJECT	<unknown>	DEFAULT	13
__stdio_READ			.symtab	0x19ac4	88	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x19b1c	220	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x19bf8	200	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x16e10	320	FUNC	<unknown>	HIDDEN	2
__stdio_rfill			.symtab	0x19cc0	48	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x19d94	60	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x19cf0	164	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x17134	220	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x17210	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x261f0	4	OBJECT	<unknown>	DEFAULT	13
__subdf3			.symtab	0x1a0a0	788	FUNC	<unknown>	HIDDEN	2
__sys_accept			.symtab	0x11954	68	FUNC	<unknown>	DEFAULT	2
__sys_connect			.symtab	0x11a50	68	FUNC	<unknown>	DEFAULT	2
__sys_recv			.symtab	0x11bd4	68	FUNC	<unknown>	DEFAULT	2
__sys_recvfrom			.symtab	0x11c88	72	FUNC	<unknown>	DEFAULT	2
__sys_send			.symtab	0x11d58	68	FUNC	<unknown>	DEFAULT	2
__sys_sendto			.symtab	0x11e0c	76	FUNC	<unknown>	DEFAULT	2
__syscall_error			.symtab	0x159ec	44	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_nanosleep			.symtab	0x15df4	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction			.symtab	0x15ad0	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_select			.symtab	0xfac0	68	FUNC	<unknown>	DEFAULT	2
__tls_get_addr			.symtab	0x1932c	36	FUNC	<unknown>	DEFAULT	2
__uClibc_fini			.symtab	0x14d38	124	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x14e08	88	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x14e60	1004	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uClibc_progname			.symtab	0x261c8	4	OBJECT	<unknown>	HIDDEN	13
__udivsi3			.symtab	0xf714	252	FUNC	<unknown>	HIDDEN	2
__write			.symtab	0x14a90	100	FUNC	<unknown>	DEFAULT	2
__write_nocancel			.symtab	0x14a74	24	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r			.symtab	0x117f0	268	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__xstat32_conv			.symtab	0xfd28	172	FUNC	<unknown>	HIDDEN	2
__xstat64_conv			.symtab	0xfc5c	204	FUNC	<unknown>	HIDDEN	2
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__bss_custom_printf_spec			.symtab	0x2636c	10	OBJECT	<unknown>	DEFAULT	14
__bss_end__			.symtab	0x292e8	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__charpad			.symtab	0x103cc	84	FUNC	<unknown>	DEFAULT	2
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__custom_printf_arginfo			.symtab	0x28eec	40	OBJECT	<unknown>	HIDDEN	14
__custom_printf_handler			.symtab	0x28f14	40	OBJECT	<unknown>	HIDDEN	14

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_custom_printf_spec			.symtab	0x260d0	4	OBJECT	<unknown>	HIDDEN	13
_dl_aux_init			.symtab	0x1958c	56	FUNC	<unknown>	DEFAULT	2
_dl_nothread_init_static_tls			.symtab	0x195c4	88	FUNC	<unknown>	HIDDEN	2
_dl_phdr			.symtab	0x292e0	4	OBJECT	<unknown>	DEFAULT	14
_dl_phnum			.symtab	0x292e4	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_dtv_gaps			.symtab	0x292d4	1	OBJECT	<unknown>	DEFAULT	14
_dl_tls_dtv_slotinfo_list			.symtab	0x292d0	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_generation			.symtab	0x292d8	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_max_dtv_idx			.symtab	0x292c8	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_setup			.symtab	0x192c4	104	FUNC	<unknown>	DEFAULT	2
_dl_tls_static_align			.symtab	0x292c4	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_nelem			.symtab	0x292dc	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_size			.symtab	0x292cc	4	OBJECT	<unknown>	DEFAULT	14
_dl_tls_static_used			.symtab	0x292c0	4	OBJECT	<unknown>	DEFAULT	14
_edata			.symtab	0x262c4	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_end			.symtab	0x292e8	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
_exit			.symtab	0xf9c8	104	FUNC	<unknown>	DEFAULT	2
_exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fini			.symtab	0x1c030	0	FUNC	<unknown>	DEFAULT	3
_fixed_buffers			.symtab	0x26930	8192	OBJECT	<unknown>	DEFAULT	14
_fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fp_out_narrow			.symtab	0x10420	132	FUNC	<unknown>	DEFAULT	2
_fpmaxtostr			.symtab	0x1743c	2036	FUNC	<unknown>	HIDDEN	2
_fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_init			.symtab	0x80d4	0	FUNC	<unknown>	DEFAULT	1
_load_inttype			.symtab	0x17240	116	FUNC	<unknown>	HIDDEN	2
_load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_memcpy			.symtab	0x186c0	0	FUNC	<unknown>	HIDDEN	2
_ppfs_init			.symtab	0x10b98	160	FUNC	<unknown>	HIDDEN	2
_ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_parsespec			.symtab	0x10e80	1392	FUNC	<unknown>	HIDDEN	2
_ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_prepargs			.symtab	0x10c38	68	FUNC	<unknown>	HIDDEN	2
_ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_ppfs_setargs			.symtab	0x10c7c	432	FUNC	<unknown>	HIDDEN	2
_ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_promoted_size			.symtab	0x10e2c	84	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x14d0c	44	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x14d04	8	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_setjmp			.symtab	0x15aa0	8	FUNC	<unknown>	DEFAULT	2
_start			.symtab	0x8194	0	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x169b0	1120	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x16f50	128	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x261f4	4	OBJECT	<unknown>	DEFAULT	13
_stdio_openlist_add_lock			.symtab	0x26910	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_dec_use			.symtab	0x17e90	688	FUNC	<unknown>	HIDDEN	2
_stdio_openlist_del_count			.symtab	0x2692c	4	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_del_lock			.symtab	0x2691c	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_use_count			.symtab	0x26928	4	OBJECT	<unknown>	DEFAULT	14
_stdio_streams			.symtab	0x261f8	204	OBJECT	<unknown>	DEFAULT	13
_stdio_term			.symtab	0x16fd0	356	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x261dc	4	OBJECT	<unknown>	DEFAULT	13
_store_inttype			.symtab	0x172b4	44	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x1cf38	2906	OBJECT	<unknown>	HIDDEN	4

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x172e0	348	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x104a4	1780	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x132fc	296	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
accept			.symtab	0x11998	116	FUNC	<unknown>	DEFAULT	2
accept.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
arch_names			.symtab	0x1cd84	32	OBJECT	<unknown>	DEFAULT	4
attack.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_get_opt_int			.symtab	0x86ac	112	FUNC	<unknown>	DEFAULT	2
attack_get_opt_ip			.symtab	0x8640	108	FUNC	<unknown>	DEFAULT	2
attack_init			.symtab	0x871c	908	FUNC	<unknown>	DEFAULT	2
attack_kill_all			.symtab	0x82cc	344	FUNC	<unknown>	DEFAULT	2
attack_method_nudp			.symtab	0xc1bc	1668	FUNC	<unknown>	DEFAULT	2
attack_method_stdhex			.symtab	0xbedc	736	FUNC	<unknown>	DEFAULT	2
attack_method_tcp			.symtab	0x9170	1708	FUNC	<unknown>	DEFAULT	2
attack_ongoing			.symtab	0x262e8	32	OBJECT	<unknown>	DEFAULT	14
attack_parse			.symtab	0x8424	540	FUNC	<unknown>	DEFAULT	2
attack_start			.symtab	0x81d0	252	FUNC	<unknown>	DEFAULT	2
attack_tcp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_tcp_ack			.symtab	0xa6c8	1788	FUNC	<unknown>	DEFAULT	2
attack_tcp_null			.symtab	0xb49c	1948	FUNC	<unknown>	DEFAULT	2
attack_tcp_sack2			.symtab	0x981c	1776	FUNC	<unknown>	DEFAULT	2
attack_tcp_stomp			.symtab	0x9f0c	1980	FUNC	<unknown>	DEFAULT	2
attack_tcp_syn			.symtab	0x8aa8	1736	FUNC	<unknown>	DEFAULT	2
attack_tcp_syndata			.symtab	0xadc4	1752	FUNC	<unknown>	DEFAULT	2
attack_udp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_udp_plain			.symtab	0xbc3c	672	FUNC	<unknown>	DEFAULT	2
been_there_done_that			.symtab	0x2637c	4	OBJECT	<unknown>	DEFAULT	14
bind			.symtab	0x11a0c	68	FUNC	<unknown>	DEFAULT	2
bind.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
brk			.symtab	0x1961c	88	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
calloc			.symtab	0x1291c	320	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
cancel_handler			.symtab	0x1524c	340	FUNC	<unknown>	DEFAULT	2
checksum.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_generic			.symtab	0xc840	80	FUNC	<unknown>	DEFAULT	2
checksum_tcpudp			.symtab	0xc890	164	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0x10230	52	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x14970	100	FUNC	<unknown>	DEFAULT	2
closedir			.symtab	0xfdd4	272	FUNC	<unknown>	DEFAULT	2
closedir.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.5105			.symtab	0x262c4	1	OBJECT	<unknown>	DEFAULT	14
conn_table			.symtab	0x2633c	4	OBJECT	<unknown>	DEFAULT	14
connect			.symtab	0x11a94	116	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
do_system			.symtab	0x153a0	1356	FUNC	<unknown>	DEFAULT	2
entries			.symtab	0x28e9c	4	OBJECT	<unknown>	DEFAULT	14

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
environ			.symtab	0x268d0	4	OBJECT	<unknown>	DEFAULT	14
errno			.symtab	0x0	4	TLS	<unknown>	DEFAULT	8
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x15b10	64	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x13a48	196	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x1de80	72	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x16660	816	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0xf8d4	244	FUNC	<unknown>	DEFAULT	2
fd_ctrl			.symtab	0x260c0	4	OBJECT	<unknown>	DEFAULT	13
fd_serv			.symtab	0x260c4	4	OBJECT	<unknown>	DEFAULT	13
fd_to_DIR			.symtab	0xfec4	208	FUNC	<unknown>	DEFAULT	2
fdopendir			.symtab	0x10078	176	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x18140	940	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc			.symtab	0x17c30	324	FUNC	<unknown>	DEFAULT	2
fgetc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x184ec	300	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x17d74	284	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x18618	160	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
first_connect			.symtab	0x26344	4	OBJECT	<unknown>	DEFAULT	14
fmt			.symtab	0x1de68	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x16990	32	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Network Behavior


Snort IDS Alerts

Timestamp	Protocol	SID	Message	Source Port	Dest Port	Source IP	Dest IP
192.168.2.23197.39.107.1613675237215283522203/20/23-17:47:11.547445	TCP	283522	ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215)	36752	37215	192.168.2.23	197.39.107.161
192.168.2.2341.237.23.2264728037215283522203/20/23-17:48:58.233356	TCP	283522	ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215)	47280	37215	192.168.2.23	41.237.23.226
192.168.2.23211.35.61.273811037215283522203/20/23-17:48:12.959548	TCP	283522	ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215)	38110	37215	192.168.2.23	211.35.61.27
192.168.2.23202.108.169.1535381837215283522203/20/23-17:48:12.885568	TCP	283522	ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215)	53818	37215	192.168.2.23	202.108.169.153
192.168.2.2335.190.101.683878437215283522203/20/23-17:46:58.246045	TCP	283522	ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215)	38784	37215	192.168.2.23	35.190.101.68
192.168.2.23147.46.86.145569037215283522203/20/23-17:47:22.978510	TCP	283522	ETPRO EXPLOIT Huawei Remote Command Execution - Outbound (CVE-2017-17215)	55690	37215	192.168.2.23	147.46.86.14

Network Port Distribution

Total Packets: 99

- 37215 undefined
- 443 (HTTPS)



TCP Packets

DNS Queries

Timestamp	Source IP	Dest IP	Trans ID	OP Code	Name	Type	Class	DNS over HTTPS
Mar 20, 2023 17:46:57.182296991 CET	192.168.2.23	8.8.8.8	0x34a6	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:46:57.200526953 CET	192.168.2.23	8.8.8.8	0x34a6	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:46:57.220632076 CET	192.168.2.23	8.8.8.8	0x34a6	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:46:57.240621090 CET	192.168.2.23	8.8.8.8	0x34a6	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:46:57.260588884 CET	192.168.2.23	8.8.8.8	0x34a6	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:00.279623032 CET	192.168.2.23	8.8.8.8	0x1e65	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:00.299720049 CET	192.168.2.23	8.8.8.8	0x1e65	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:00.318187952 CET	192.168.2.23	8.8.8.8	0x1e65	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:00.336684942 CET	192.168.2.23	8.8.8.8	0x1e65	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:00.357258081 CET	192.168.2.23	8.8.8.8	0x1e65	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:08.377738953 CET	192.168.2.23	8.8.8.8	0x5212	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:08.402264118 CET	192.168.2.23	8.8.8.8	0x5212	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:08.422425032 CET	192.168.2.23	8.8.8.8	0x5212	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:08.440953970 CET	192.168.2.23	8.8.8.8	0x5212	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:08.461072922 CET	192.168.2.23	8.8.8.8	0x5212	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:11.481190920 CET	192.168.2.23	8.8.8.8	0x5bfb	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:11.501657009 CET	192.168.2.23	8.8.8.8	0x5bfb	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:11.519925117 CET	192.168.2.23	8.8.8.8	0x5bfb	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:11.540189981 CET	192.168.2.23	8.8.8.8	0x5bfb	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:11.558625937 CET	192.168.2.23	8.8.8.8	0x5bfb	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:17.576850891 CET	192.168.2.23	8.8.8.8	0x36da	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:17.597343922 CET	192.168.2.23	8.8.8.8	0x36da	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:17.615499973 CET	192.168.2.23	8.8.8.8	0x36da	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false

Timestamp	Source IP	Dest IP	Trans ID	OP Code	Name	Type	Class	DNS over HTTPS
Mar 20, 2023 17:47:17.633760929 CET	192.168.2.23	8.8.8.8	0x36da	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:17.653882980 CET	192.168.2.23	8.8.8.8	0x36da	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:20.674166918 CET	192.168.2.23	8.8.8.8	0xa129	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:20.694153070 CET	192.168.2.23	8.8.8.8	0xa129	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:20.714229107 CET	192.168.2.23	8.8.8.8	0xa129	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:20.734304905 CET	192.168.2.23	8.8.8.8	0xa129	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:20.754290104 CET	192.168.2.23	8.8.8.8	0xa129	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:21.772371054 CET	192.168.2.23	8.8.8.8	0x204b	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:21.794600964 CET	192.168.2.23	8.8.8.8	0x204b	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:21.812896967 CET	192.168.2.23	8.8.8.8	0x204b	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:21.833312035 CET	192.168.2.23	8.8.8.8	0x204b	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:21.853585958 CET	192.168.2.23	8.8.8.8	0x204b	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:30.871433020 CET	192.168.2.23	8.8.8.8	0x8960	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:30.889847994 CET	192.168.2.23	8.8.8.8	0x8960	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:30.909928083 CET	192.168.2.23	8.8.8.8	0x8960	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:30.932018042 CET	192.168.2.23	8.8.8.8	0x8960	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:30.950604916 CET	192.168.2.23	8.8.8.8	0x8960	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:35.969424963 CET	192.168.2.23	8.8.8.8	0xaeb3	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:35.988399982 CET	192.168.2.23	8.8.8.8	0xaeb3	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:36.008583069 CET	192.168.2.23	8.8.8.8	0xaeb3	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:36.028618097 CET	192.168.2.23	8.8.8.8	0xaeb3	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:36.048665047 CET	192.168.2.23	8.8.8.8	0xaeb3	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:46.068608046 CET	192.168.2.23	8.8.8.8	0x14ee	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:46.089103937 CET	192.168.2.23	8.8.8.8	0x14ee	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:46.112081051 CET	192.168.2.23	8.8.8.8	0x14ee	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:46.131246090 CET	192.168.2.23	8.8.8.8	0x14ee	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:46.151587009 CET	192.168.2.23	8.8.8.8	0x14ee	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:50.170164108 CET	192.168.2.23	8.8.8.8	0x4ab8	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:50.188671112 CET	192.168.2.23	8.8.8.8	0x4ab8	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:50.207242012 CET	192.168.2.23	8.8.8.8	0x4ab8	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:50.226181030 CET	192.168.2.23	8.8.8.8	0x4ab8	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:50.246366024 CET	192.168.2.23	8.8.8.8	0x4ab8	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:59.266918898 CET	192.168.2.23	8.8.8.8	0x7d89	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:59.285355091 CET	192.168.2.23	8.8.8.8	0x7d89	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:59.305574894 CET	192.168.2.23	8.8.8.8	0x7d89	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false

Timestamp	Source IP	Dest IP	Trans ID	OP Code	Name	Type	Class	DNS over HTTPS
Mar 20, 2023 17:47:59.326026917 CET	192.168.2.23	8.8.8.8	0x7d89	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:59.346035004 CET	192.168.2.23	8.8.8.8	0x7d89	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:06.365075111 CET	192.168.2.23	8.8.8.8	0x6a69	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:06.384115934 CET	192.168.2.23	8.8.8.8	0x6a69	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:06.404311895 CET	192.168.2.23	8.8.8.8	0x6a69	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:06.424573898 CET	192.168.2.23	8.8.8.8	0x6a69	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:06.442883968 CET	192.168.2.23	8.8.8.8	0x6a69	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:09.461924076 CET	192.168.2.23	8.8.8.8	0xf77a	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:09.480165958 CET	192.168.2.23	8.8.8.8	0xf77a	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:09.500761986 CET	192.168.2.23	8.8.8.8	0xf77a	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:09.521025896 CET	192.168.2.23	8.8.8.8	0xf77a	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:09.539341927 CET	192.168.2.23	8.8.8.8	0xf77a	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:17.557642937 CET	192.168.2.23	8.8.8.8	0xf1ea	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:17.575979948 CET	192.168.2.23	8.8.8.8	0xf1ea	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:17.594372034 CET	192.168.2.23	8.8.8.8	0xf1ea	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:17.614660978 CET	192.168.2.23	8.8.8.8	0xf1ea	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:17.633071899 CET	192.168.2.23	8.8.8.8	0xf1ea	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:24.653182030 CET	192.168.2.23	8.8.8.8	0x14ae	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:24.673428059 CET	192.168.2.23	8.8.8.8	0x14ae	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:24.691694021 CET	192.168.2.23	8.8.8.8	0x14ae	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:24.711750031 CET	192.168.2.23	8.8.8.8	0x14ae	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:24.730860949 CET	192.168.2.23	8.8.8.8	0x14ae	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:31.751395941 CET	192.168.2.23	8.8.8.8	0x5cc9	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:31.771099091 CET	192.168.2.23	8.8.8.8	0x5cc9	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:31.788990974 CET	192.168.2.23	8.8.8.8	0x5cc9	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:31.809266090 CET	192.168.2.23	8.8.8.8	0x5cc9	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:31.829366922 CET	192.168.2.23	8.8.8.8	0x5cc9	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:38.847174883 CET	192.168.2.23	8.8.8.8	0x23d4	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:38.867616892 CET	192.168.2.23	8.8.8.8	0x23d4	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:38.885704994 CET	192.168.2.23	8.8.8.8	0x23d4	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:38.905788898 CET	192.168.2.23	8.8.8.8	0x23d4	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:38.924072981 CET	192.168.2.23	8.8.8.8	0x23d4	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:42.944756985 CET	192.168.2.23	8.8.8.8	0xfd72	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:42.963118076 CET	192.168.2.23	8.8.8.8	0xfd72	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:42.983601093 CET	192.168.2.23	8.8.8.8	0xfd72	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false

Timestamp	Source IP	Dest IP	Trans ID	OP Code	Name	Type	Class	DNS over HTTPS
Mar 20, 2023 17:48:43.002083063 CET	192.168.2.23	8.8.8.8	0xfd72	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:43.020654917 CET	192.168.2.23	8.8.8.8	0xfd72	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:53.041651011 CET	192.168.2.23	8.8.8.8	0xc69	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:53.061609983 CET	192.168.2.23	8.8.8.8	0xc69	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:53.081578016 CET	192.168.2.23	8.8.8.8	0xc69	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:53.099625111 CET	192.168.2.23	8.8.8.8	0xc69	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:53.119925976 CET	192.168.2.23	8.8.8.8	0xc69	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:58.137986898 CET	192.168.2.23	8.8.8.8	0x64fe	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:58.157968998 CET	192.168.2.23	8.8.8.8	0x64fe	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:58.178653002 CET	192.168.2.23	8.8.8.8	0x64fe	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:58.197494984 CET	192.168.2.23	8.8.8.8	0x64fe	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:58.215631962 CET	192.168.2.23	8.8.8.8	0x64fe	Standard query (0)	BC@^]B	A (IP address)	IN (0x0001)	false

DNS Answers										
Timestamp	Source IP	Dest IP	Trans ID	Reply Code	Name	CName	Address	Type	Class	DNS over HTTPS
Mar 20, 2023 17:46:57.200031042 CET	8.8.8.8	192.168.2.23	0x34a6	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:46:57.220463037 CET	8.8.8.8	192.168.2.23	0x34a6	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:46:57.240394115 CET	8.8.8.8	192.168.2.23	0x34a6	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:46:57.260369062 CET	8.8.8.8	192.168.2.23	0x34a6	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:46:57.278714895 CET	8.8.8.8	192.168.2.23	0x34a6	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:00.299316883 CET	8.8.8.8	192.168.2.23	0x1e65	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:00.317951918 CET	8.8.8.8	192.168.2.23	0x1e65	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:00.336440086 CET	8.8.8.8	192.168.2.23	0x1e65	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:00.356981039 CET	8.8.8.8	192.168.2.23	0x1e65	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:00.377440929 CET	8.8.8.8	192.168.2.23	0x1e65	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:08.395816088 CET	8.8.8.8	192.168.2.23	0x5212	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:08.422207117 CET	8.8.8.8	192.168.2.23	0x5212	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:08.440639019 CET	8.8.8.8	192.168.2.23	0x5212	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:08.460772038 CET	8.8.8.8	192.168.2.23	0x5212	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false

Timestamp	Source IP	Dest IP	Trans ID	Reply Code	Name	CName	Address	Type	Class	DNS over HTTPS
Mar 20, 2023 17:47:08.480822086 CET	8.8.8.8	192.168.2.23	0x5212	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:11.501358986 CET	8.8.8.8	192.168.2.23	0x5bfb	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:11.519701004 CET	8.8.8.8	192.168.2.23	0x5bfb	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:11.539881945 CET	8.8.8.8	192.168.2.23	0x5bfb	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:11.558084011 CET	8.8.8.8	192.168.2.23	0x5bfb	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:11.576536894 CET	8.8.8.8	192.168.2.23	0x5bfb	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:17.597105980 CET	8.8.8.8	192.168.2.23	0x36da	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:17.615245104 CET	8.8.8.8	192.168.2.23	0x36da	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:17.633483887 CET	8.8.8.8	192.168.2.23	0x36da	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:17.653687000 CET	8.8.8.8	192.168.2.23	0x36da	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:17.673755884 CET	8.8.8.8	192.168.2.23	0x36da	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:20.693797112 CET	8.8.8.8	192.168.2.23	0xa129	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:20.714077950 CET	8.8.8.8	192.168.2.23	0xa129	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:20.733990908 CET	8.8.8.8	192.168.2.23	0xa129	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:20.753964901 CET	8.8.8.8	192.168.2.23	0xa129	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:20.771840096 CET	8.8.8.8	192.168.2.23	0xa129	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:21.794317961 CET	8.8.8.8	192.168.2.23	0x204b	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:21.812553883 CET	8.8.8.8	192.168.2.23	0x204b	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:21.832756042 CET	8.8.8.8	192.168.2.23	0x204b	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:21.853257895 CET	8.8.8.8	192.168.2.23	0x204b	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:21.871153116 CET	8.8.8.8	192.168.2.23	0x204b	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:30.889426947 CET	8.8.8.8	192.168.2.23	0x8960	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:30.909600019 CET	8.8.8.8	192.168.2.23	0x8960	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:30.931610107 CET	8.8.8.8	192.168.2.23	0x8960	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:30.950180054 CET	8.8.8.8	192.168.2.23	0x8960	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false

Timestamp	Source IP	Dest IP	Trans ID	Reply Code	Name	CName	Address	Type	Class	DNS over HTTPS
Mar 20, 2023 17:47:30.968700886 CET	8.8.8.8	192.168.2.23	0x8960	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:35.988050938 CET	8.8.8.8	192.168.2.23	0xae3	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:36.008289099 CET	8.8.8.8	192.168.2.23	0xae3	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:36.028259039 CET	8.8.8.8	192.168.2.23	0xae3	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:36.048331022 CET	8.8.8.8	192.168.2.23	0xae3	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:36.068392992 CET	8.8.8.8	192.168.2.23	0xae3	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:46.088766098 CET	8.8.8.8	192.168.2.23	0x14ee	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:46.110902071 CET	8.8.8.8	192.168.2.23	0x14ee	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:46.130920887 CET	8.8.8.8	192.168.2.23	0x14ee	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:46.151335001 CET	8.8.8.8	192.168.2.23	0x14ee	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:46.169816971 CET	8.8.8.8	192.168.2.23	0x14ee	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:50.188369036 CET	8.8.8.8	192.168.2.23	0x4ab8	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:50.206935883 CET	8.8.8.8	192.168.2.23	0x4ab8	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:50.225836039 CET	8.8.8.8	192.168.2.23	0x4ab8	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:50.246076107 CET	8.8.8.8	192.168.2.23	0x4ab8	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:50.266705990 CET	8.8.8.8	192.168.2.23	0x4ab8	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:59.285064936 CET	8.8.8.8	192.168.2.23	0x7d89	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:59.305264950 CET	8.8.8.8	192.168.2.23	0x7d89	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:59.325726986 CET	8.8.8.8	192.168.2.23	0x7d89	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:59.345803022 CET	8.8.8.8	192.168.2.23	0x7d89	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:47:59.364650965 CET	8.8.8.8	192.168.2.23	0x7d89	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:06.383210897 CET	8.8.8.8	192.168.2.23	0x6a69	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:06.403930902 CET	8.8.8.8	192.168.2.23	0x6a69	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:06.424271107 CET	8.8.8.8	192.168.2.23	0x6a69	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:06.442583084 CET	8.8.8.8	192.168.2.23	0x6a69	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false

Timestamp	Source IP	Dest IP	Trans ID	Reply Code	Name	CName	Address	Type	Class	DNS over HTTPS
Mar 20, 2023 17:48:06.461261034 CET	8.8.8.8	192.168.2.23	0x6a69	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:09.479631901 CET	8.8.8.8	192.168.2.23	0xf77a	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:09.500483036 CET	8.8.8.8	192.168.2.23	0xf77a	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:09.520647049 CET	8.8.8.8	192.168.2.23	0xf77a	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:09.539011002 CET	8.8.8.8	192.168.2.23	0xf77a	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:09.557293892 CET	8.8.8.8	192.168.2.23	0xf77a	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:17.575525999 CET	8.8.8.8	192.168.2.23	0xf1ea	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:17.593969107 CET	8.8.8.8	192.168.2.23	0xf1ea	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:17.614238977 CET	8.8.8.8	192.168.2.23	0xf1ea	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:17.632635117 CET	8.8.8.8	192.168.2.23	0xf1ea	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:17.652791977 CET	8.8.8.8	192.168.2.23	0xf1ea	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:24.673091888 CET	8.8.8.8	192.168.2.23	0x14ae	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:24.691369057 CET	8.8.8.8	192.168.2.23	0x14ae	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:24.711412907 CET	8.8.8.8	192.168.2.23	0x14ae	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:24.730498075 CET	8.8.8.8	192.168.2.23	0x14ae	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:24.750997066 CET	8.8.8.8	192.168.2.23	0x14ae	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:31.770626068 CET	8.8.8.8	192.168.2.23	0x5cc9	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:31.788531065 CET	8.8.8.8	192.168.2.23	0x5cc9	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:31.808876991 CET	8.8.8.8	192.168.2.23	0x5cc9	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:31.828962088 CET	8.8.8.8	192.168.2.23	0x5cc9	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:31.846887112 CET	8.8.8.8	192.168.2.23	0x5cc9	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:38.867017984 CET	8.8.8.8	192.168.2.23	0x23d4	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:38.885417938 CET	8.8.8.8	192.168.2.23	0x23d4	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:38.905498981 CET	8.8.8.8	192.168.2.23	0x23d4	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:38.923613071 CET	8.8.8.8	192.168.2.23	0x23d4	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false

Timestamp	Source IP	Dest IP	Trans ID	Reply Code	Name	CName	Address	Type	Class	DNS over HTTPS
Mar 20, 2023 17:48:38.944248915 CET	8.8.8.8	192.168.2.23	0x23d4	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:42.962754965 CET	8.8.8.8	192.168.2.23	0xfd72	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:42.983098030 CET	8.8.8.8	192.168.2.23	0xfd72	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:43.001745939 CET	8.8.8.8	192.168.2.23	0xfd72	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:43.020328045 CET	8.8.8.8	192.168.2.23	0xfd72	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:43.041400909 CET	8.8.8.8	192.168.2.23	0xfd72	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:53.061374903 CET	8.8.8.8	192.168.2.23	0xc69	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:53.081233978 CET	8.8.8.8	192.168.2.23	0xc69	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:53.099360943 CET	8.8.8.8	192.168.2.23	0xc69	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:53.119606972 CET	8.8.8.8	192.168.2.23	0xc69	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:53.137734890 CET	8.8.8.8	192.168.2.23	0xc69	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:58.157665014 CET	8.8.8.8	192.168.2.23	0x64fe	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:58.178350925 CET	8.8.8.8	192.168.2.23	0x64fe	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:58.197163105 CET	8.8.8.8	192.168.2.23	0x64fe	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:58.215353012 CET	8.8.8.8	192.168.2.23	0x64fe	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false
Mar 20, 2023 17:48:58.233519077 CET	8.8.8.8	192.168.2.23	0x64fe	Name error (3)	BC@^]B	none	none	A (IP address)	IN (0x0001)	false

System Behavior

Analysis Process: k8CCRU\$7Yi.elfPID: 6232, Parent PID: 6126

General

Start time:

17:46:55

Start date:

20/03/2023

Path:

/tmp/k8CCRU\$7Yi.elf

Arguments:

/tmp/k8CCRU\$7Yi.elf

File size:

4956856 bytes

MD5 hash:

5ebfcae4fe2471fcc5695c2394773ff1

File Activities

File Read

Analysis Process: k8CCRU\$7Yi.elfPID: 6234, Parent PID: 6232

General

Start time:	17:46:55
Start date:	20/03/2023
Path:	/tmp/k8CCRU7Yi.elf
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: sh PID: 6234, Parent PID: 6232

General

Start time:	17:46:55
Start date:	20/03/2023
Path:	/bin/sh
Arguments:	/bin/sh -c "rm -rf bin/watchdog && mkdir bin; >bin/watchdog && mv /tmp/k8CCRU7Yi.elf bin/watchdog; chmod 777 bin/watchdog\xfb\xfe\xff\x8c\xfb\xfe\xff\x90\xa4"
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

File Activities

File Read

Analysis Process: sh PID: 6236, Parent PID: 6234

General

Start time:	17:46:55
Start date:	20/03/2023
Path:	/bin/sh
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: rm PID: 6236, Parent PID: 6234

General

Start time:	17:46:55
Start date:	20/03/2023
Path:	/usr/bin/rm
Arguments:	rm -rf bin/watchdog
File size:	72056 bytes
MD5 hash:	aa2b5496fdbfd88e38791ab81f90b95b

File Activities

File Deleted

File Read

Analysis Process: sh PID: 6237, Parent PID: 6234

General

Start time:	17:46:55
Start date:	20/03/2023
Path:	/bin/sh
Arguments:	n/a
File size:	129816 bytes
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c

Analysis Process: mkdir PID: 6237, Parent PID: 6234

General

Start time:	17:46:55
Start date:	20/03/2023

Path:	/usr/bin/mkdir
Arguments:	mkdir bin
File size:	88408 bytes
MD5 hash:	088c9d1df5a28ed16c726eca15964cb7

File Activities	—
File Read	▼
Directory Created	▼

Analysis Process: sh PID: 6238, Parent PID: 6234		—
General		—
Start time:	17:46:55	
Start date:	20/03/2023	
Path:	/bin/sh	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	

Analysis Process: mv PID: 6238, Parent PID: 6234		—
General		—
Start time:	17:46:55	
Start date:	20/03/2023	
Path:	/usr/bin/mv	
Arguments:	mv /tmp/k8CCRUs7Yi.elf bin/watchdog	
File size:	149888 bytes	
MD5 hash:	504f0590fa482d4da070a702260e3716	

File Activities	—
File Read	▼
File Moved	▼

Analysis Process: sh PID: 6239, Parent PID: 6234		—
General		—
Start time:	17:46:55	
Start date:	20/03/2023	
Path:	/bin/sh	
Arguments:	n/a	
File size:	129816 bytes	
MD5 hash:	1e6b1c887c59a315edb7eb9a315fc84c	

Analysis Process: chmod PID: 6239, Parent PID: 6234		—
General		—
Start time:	17:46:55	
Start date:	20/03/2023	
Path:	/usr/bin/chmod	
Arguments:	chmod 777 bin/watchdog\xfb\xfe\xfl\x8c\xfb\xfe\xff\x90\xa4	
File size:	63864 bytes	
MD5 hash:	739483b900c045ae1374d6f53a86a279	

File Activities	—
File Read	▼

Analysis Process: k8CCRUs7Yi.elf PID: 6241, Parent PID: 6232		—
General		—
Start time:	17:46:55	

Start date:	20/03/2023
Path:	/tmp/k8CCRUs7Yi.elf
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: k8CCRUs7Yi.elf PID: 6243, Parent PID: 6241

General

Start time:	17:46:56
Start date:	20/03/2023
Path:	/tmp/k8CCRUs7Yi.elf
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: k8CCRUs7Yi.elf PID: 6244, Parent PID: 6241

General

Start time:	17:46:56
Start date:	20/03/2023
Path:	/tmp/k8CCRUs7Yi.elf
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1