

JoeSandbox Cloud BASIC



ID: 831205

Sample Name: x86.elf

Cookbook:

defaultlinuxfilecookbook.jbs

Time: 09:14:08

Date: 21/03/2023

Version: 37.0.0 Beryl

Table of Contents

Table of Contents	2
Linux Analysis Report x86.elf	3
Overview	3
General Information	3
Detection	3
Signatures	3
Classification	3
General Information	3
Runtime Messages	3
Process Tree	3
Malware Threat Intel	4
Yara Signatures	4
Initial Sample	4
Memory Dumps	5
Snort Signatures	5
Joe Sandbox Signatures	5
AV Detection	5
Spreading	6
System Summary	6
Stealing of Sensitive Information	6
Remote Access Functionality	6
Mitre Att&ck Matrix	6
Malware Configuration	6
Behavior Graph	6
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	7
Domains	7
URLs	7
Domains and IPs	7
Contacted Domains	8
World Map of Contacted IPs	8
Public IPs	8
Joe Sandbox View / Context	8
IPs	8
Domains	8
ASNs	8
JA3 Fingerprints	8
Dropped Files	8
Created / dropped Files	9
Static File Info	9
General	9
Static ELF Info	9
ELF header	9
Sections	9
Program Segments	10
Symbols	10
Network Behavior	23
Network Port Distribution	23
TCP Packets	24
System Behavior	24
Analysis Process: x86.elf PID: 6230, Parent PID: 6133	24
General	24
File Activities	24
File Read	24
Analysis Process: x86.elf PID: 6232, Parent PID: 6230	24
General	24
Analysis Process: x86.elf PID: 6233, Parent PID: 6230	24
General	24
Analysis Process: x86.elf PID: 6234, Parent PID: 6233	24
General	24

Linux Analysis Report

x86.elf

Overview

General Information

Sample Name:	x86.elf
Analysis ID:	831205
MD5:	79cfa8e4ba193...
SHA1:	e090129823d6...
SHA256:	b879b68e9829...
Tags:	elfmirai
Infos:	   


Detection

MALICIOUS SUSPICIOUS CLEAN UNKNOWN	
Mirai	
Score:	84
Range:	0 - 100
Whitelisted:	false

Signatures

Malicious sample detected (through...
Antivirus / Scanner detection for sub...
Yara detected Mirai
Multi AV Scanner detection for subm...
Contains symbols with names comm...
Opens /proc/net/* files useful for fin...
Machine Learning detection for sam...
Yara signature match
Sample contains strings that are us...

Classification



General Information

Joe Sandbox Version:	37.0.0 Beryl
Analysis ID:	831205
Start date and time:	2023-03-21 09:14:08 +01:00
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 46s
Hypervisor based Inspection enabled:	false
Report type:	light
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Sample file name:	x86.elf
Detection:	MAL
Classification:	mal84.spre.troj.linELF@0/0@0/0

Runtime Messages

Command:	/tmp/x86.elf
PID:	6230
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	gosh that chinese family at the other table sure ate alot
Standard Error:	

Process Tree

■ system is Inxubuntu20
○ x86.elf (PID: 6230, Parent: 6133, MD5: 79cfa8e4ba19369308161188c8cdd61b) Arguments: /tmp/x86.elf
● x86.elf New Fork (PID: 6232, Parent: 6230)

- [x86.elf](#) New Fork (PID: 6233, Parent: 6230)
 - [x86.elf](#) New Fork (PID: 6234, Parent: 6233)
- [cleanup](#)

Malware Threat Intel Provided by malpedia				
Name	Description	Attribution	Blogpost URLs	Link
Mirai	Mirai is one of the first significant botnets targeting exposed networking devices running Linux. Found in August 2016 by MalwareMustDie, its name means "future" in Japanese. Nowadays it targets a wide range of networked embedded devices such as IP cameras, home routers (many vendors involved), and other IoT devices. Since the source code was published on "Hack Forums" many variants of the Mirai family appeared, infecting mostly home networks all around the world.	No Attribution	http://osint.bambenekconsulting.com/feeds/http://www.simonrose.s.com/2016/10/mirai-ddos-botnet-source-code-binary-analysis/ https://blog.malwaremustdie.org/2020/02/mmd-0065-2021-linuxmirai-fbot-re.html https://blog.netlab.360.com/another-lilin-dvr-0-day-being-used-to-spread-mirai-en/ https://blog.netlab.360.com/mirai_ptea-botnet-is-exploiting-undisclosed-kguard-dvr-vulnerability-en/	http://https://malpedia.caad.fkie.fr/aunhofer.de/details/elf.mirai

Yara Signatures				
Initial Sample				
Source	Rule	Description	Author	Strings
x86.elf	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
x86.elf	Linux_Trojan_Gafty_28a2fe0c	unknown	unknown	0x10bc0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10bd4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10be8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10bfc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c10:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c24:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c38:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c4c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c60:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c74:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c88:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c9c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cb0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cc4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cd8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cec:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d00:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d14:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d28:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d3c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d50:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F
x86.elf	Linux_Trojan_Gafty_a6a2adb9	unknown	unknown	0xa29:\$a: CC 01 C2 89 55 B4 8B 45 B4 C9 C3 55 48 89 E5 48 81 EC 90 00
x86.elf	Linux_Trojan_Gafty_9e9530a7	unknown	unknown	0x9d04:\$a: F6 48 63 FF B8 36 00 00 00 0F 05 48 3D 00 F0 FF FF 48 89 C3

Memory Dumps				
Source	Rule	Description	Author	Strings
6233.1.0000000000400000.0000000000415000.r-x.sdm	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	
6233.1.0000000000400000.0000000000415000.r-x.sdm	Linux_Trojan_Gafgyt_28a2fe0c	unknown	unknown	0x10bc0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10bd4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10be8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10bfc:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c10:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c24:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c38:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c4c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c60:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c74:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c88:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10c9c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cb0:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cc4:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cd8:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10cec:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d00:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d14:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d28:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d3c:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F 0x10d50:\$a: 2F 78 33 38 2F 78 46 4A 2F 78 39 33 2F 78 49 44 2F 78 39 41 2F 78 33 38 2F 78 46 4A 2F
6233.1.0000000000400000.0000000000415000.r-x.sdm	Linux_Trojan_Gafgyt_a6a2adb9	unknown	unknown	0xa29:\$a: CC 01 C2 89 55 B4 8B 45 B4 C9 C3 55 48 89 E5 48 81 EC 90 00
6233.1.0000000000400000.0000000000415000.r-x.sdm	Linux_Trojan_Gafgyt_9e9530a7	unknown	unknown	0x9d04:\$a: F6 48 63 FF B8 36 00 00 00 0F 05 48 3D 00 F0 FF FF 48 89 C3
6233.1.0000000000400000.0000000000415000.r-x.sdm	Linux_Trojan_Gafgyt_f3d83a74	unknown	unknown	0x950:\$a: DC 00 74 1B 83 7D E0 0A 75 15 83 7D E4 00 79 0F C7 45 C8 01 00
Click to see the 73 entries				

Joe Sandbox Signatures

Copyright Joe Security LLC 2023 Page 5 of 24

Multi AV Scanner detection for submitted file

Machine Learning detection for sample

Spreading

Opens /proc/net/* files useful for finding connected devices and routers

System Summary

Malicious sample detected (through community Yara rule)

Contains symbols with names commonly found in malware

Stealing of Sensitive Information

Yara detected Mirai

Remote Access Functionality


Yara detected Mirai

Mitre Att&ck Matrix													
Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping	1 Remote System Discovery	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	1 Data Obfuscation	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	Application Window Discovery	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	1 Encrypted Channel	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	1 Application Layer Protocol	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

Malware Configuration

No configs have been found

Behavior Graph



Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
x86.elf	64%	ReversingLabs	Linux.Trojan.LnxGafgyt	
x86.elf	62%	Virustotal		Browse
x86.elf	100%	Avira	LINUX/Mirai.Gafgyt.	
x86.elf	100%	Joe Sandbox ML		

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs


No Antivirus matches

Domains and IPs

Contacted Domains

No contacted domains info

World Map of Contacted IPs



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
109.202.202.202	unknown	Switzerland		13030	INIT7CH	false
91.189.91.43	unknown	United Kingdom		41231	CANONICAL-ASGB	false
185.250.149.94	unknown	Russian Federation		48430	FIRSTDC-ASRU	false
91.189.91.42	unknown	United Kingdom		41231	CANONICAL-ASGB	false

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Created / dropped Files

 No created / dropped files found

Static File Info

General

File type:	ELF 64-bit LSB executable, x86-64, version 1 (SYSV), statically linked, not stripped
Entropy (8bit):	6.061018564090624
TrID:	ELF Executable and Linkable format (generic) (4004/1) 100.00%
File name:	x86.elf
File size:	116503
MD5:	79cfa8e4ba19369308161188c8cdd61b
SHA1:	e090129823d66f22d019bd43472ecaa92a159991
SHA256:	b879b68e9829dff8209629afd872380a81f88a5acb16de10c97f7a0e75ee95a5
SHA512:	10675f0b233c09a2bb8c8e2265b5d52e8f7adac193f7fb74c992458b43e8f0b4b573f6a49dbaed64f079fa4643638bd55d53523d1c4928adad08321088674003
SSDEEP:	3072:CirOU8Ec6uPd0YqtxjIRt6l+eJg+dm7FnVqfJXFWbNb:lEc5bqtxrSg4m7FnVqfJXFWbNb
TLSH:	6DB33B376651C97AC08352F426EBC5729C13BCBF0B32215A33D47DA4AF368DA0D99B09
File Content Preview:	.ELF.....>.....@.....@.....V.....@.8...@.....@.....@.....\$E.....\$E.....(E.....(EQ..... (EQ.....hs.....Q.td.....H...._.....H.....

Static ELF Info

ELF header

Class:	
Data:	
Version:	
Machine:	
Version Number:	
Type:	
OS/ABI:	
ABI Version:	
Entry Point Address:	
Flags:	
ELF Header Size:	
Program Header Offset:	
Program Header Size:	
Number of Program Headers:	
Section Header Offset:	
Section Header Size:	
Number of Section Headers:	
Header String Table Index:	

Sections

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x4000e8	0xe8	0x13	0x0	0x6	AX	0	0	1
.text	PROGBITS	0x400100	0x100	0xf538	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x40f638	0xf638	0xe	0x0	0x6	AX	0	0	1
.rodata	PROGBITS	0x40f660	0xf660	0x4ec0	0x0	0x2	A	0	0	32
.eh_frame	PROGBITS	0x414520	0x14520	0x4	0x0	0x2	A	0	0	4
.ctors	PROGBITS	0x514528	0x14528	0x10	0x0	0x3	WA	0	0	8
.dtors	PROGBITS	0x514538	0x14538	0x10	0x0	0x3	WA	0	0	8
.jcr	PROGBITS	0x514548	0x14548	0x8	0x0	0x3	WA	0	0	8

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.data	PROGBITS	0x514560	0x14560	0x5d8	0x0	0x3	WA	0	0	32
.bss	NOBITS	0x514b40	0x14b38	0x6d50	0x0	0x3	WA	0	0	32
.comment	PROGBITS	0x0	0x14b38	0xb52	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x1568a	0x66	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x15ab0	0x4818	0x18	0x0		14	272	8
.strtab	STRTAB	0x0	0x1a2c8	0x244f	0x0	0x0		0	0	1

Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
LOAD	0x0	0x400000	0x400000	0x14524	0x14524	6.3759	0x5	R E	0x100000		.init .text .fini .rodata .eh_frame
LOAD	0x14528	0x514528	0x514528	0x610	0x7368	2.2982	0x6	RW	0x100000		.ctors .dtors .jcr .data .bss
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x6	RW	0x8		

Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x4000e8	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x400100	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x40f638	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x40f660	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x414520	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x514528	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x514538	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x514548	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x514560	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x514b40	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	14
C.125.6137			.symtab	0x411ee0	80	OBJECT	<unknown>	DEFAULT	4
KHcommSOCK			.symtab	0x514ba0	4	OBJECT	<unknown>	DEFAULT	10
KHserverHACKER			.symtab	0x5146c0	4	OBJECT	<unknown>	DEFAULT	9
LOCAL_ADDR			.symtab	0x51aed8	4	OBJECT	<unknown>	DEFAULT	10
Q			.symtab	0x514bc0	16384	OBJECT	<unknown>	DEFAULT	10
UserAgents			.symtab	0x5145a0	288	OBJECT	<unknown>	DEFAULT	9
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__CTOR_END__			.symtab	0x514530	0	OBJECT	<unknown>	DEFAULT	6
__CTOR_LIST__			.symtab	0x514528	0	OBJECT	<unknown>	DEFAULT	6
__C_ctype_b			.symtab	0x5146d8	8	OBJECT	<unknown>	DEFAULT	9
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x4128e0	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x514b28	8	OBJECT	<unknown>	DEFAULT	9
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x414220	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_toupper			.symtab	0x5146e8	8	OBJECT	<unknown>	DEFAULT	9
__C_ctype_toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_toupper_data			.symtab	0x412be0	768	OBJECT	<unknown>	DEFAULT	4
__DTOR_END__			.symtab	0x514540	0	OBJECT	<unknown>	DEFAULT	7
__DTOR_LIST__			.symtab	0x514538	0	OBJECT	<unknown>	DEFAULT	7
__EH_FRAME_BEGIN__			.symtab	0x414520	0	OBJECT	<unknown>	DEFAULT	5
__FRAME_END__			.symtab	0x414520	0	OBJECT	<unknown>	DEFAULT	5

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl__C_ctype_b			.symtab	0x5146d8	8	OBJECT	<unknown>	HIDDEN	9
__Gl__C_ctype_b_data			.symtab	0x4128e0	768	OBJECT	<unknown>	HIDDEN	4
__Gl__C_ctype_tolower			.symtab	0x514b28	8	OBJECT	<unknown>	HIDDEN	9
__Gl__C_ctype_tolower_data			.symtab	0x414220	768	OBJECT	<unknown>	HIDDEN	4
__Gl__C_ctype_toupper			.symtab	0x5146e8	8	OBJECT	<unknown>	HIDDEN	9
__Gl__C_ctype_toupper_data			.symtab	0x412be0	768	OBJECT	<unknown>	HIDDEN	4
__Gl__ctype_b			.symtab	0x5146e0	8	OBJECT	<unknown>	HIDDEN	9
__Gl__ctype_tolower			.symtab	0x514b30	8	OBJECT	<unknown>	HIDDEN	9
__Gl__ctype_toupper			.symtab	0x5146f0	8	OBJECT	<unknown>	HIDDEN	9
__Gl__errno_location			.symtab	0x407e78	6	FUNC	<unknown>	HIDDEN	2
__Gl__fgetc_unlocked			.symtab	0x40f254	222	FUNC	<unknown>	HIDDEN	2
__Gl__glibc_strerror_r			.symtab	0x409684	14	FUNC	<unknown>	HIDDEN	2
__Gl__h_errno_location			.symtab	0x40c0e0	6	FUNC	<unknown>	HIDDEN	2
__Gl__libc_fcntl			.symtab	0x4079f0	100	FUNC	<unknown>	HIDDEN	2
__Gl__libc_lseek			.symtab	0x40f204	45	FUNC	<unknown>	HIDDEN	2
__Gl__libc_open			.symtab	0x407c84	106	FUNC	<unknown>	HIDDEN	2
__Gl__uClibc_fini			.symtab	0x40baec	70	FUNC	<unknown>	HIDDEN	2
__Gl__uClibc_init			.symtab	0x40bb6b	67	FUNC	<unknown>	HIDDEN	2
__Gl__xpg_strerror_r			.symtab	0x409694	194	FUNC	<unknown>	HIDDEN	2
__Gl__exit			.symtab	0x407a54	42	FUNC	<unknown>	HIDDEN	2
__Gl__abort			.symtab	0x40afcc	276	FUNC	<unknown>	HIDDEN	2
__Gl__atoi			.symtab	0x40b4b0	18	FUNC	<unknown>	HIDDEN	2
__Gl__brk			.symtab	0x40db84	43	FUNC	<unknown>	HIDDEN	2
__Gl__clock_getres			.symtab	0x40bee0	41	FUNC	<unknown>	HIDDEN	2
__Gl__close			.symtab	0x407aac	41	FUNC	<unknown>	HIDDEN	2
__Gl__connect			.symtab	0x409bf4	43	FUNC	<unknown>	HIDDEN	2
__Gl__dup2			.symtab	0x407ad8	44	FUNC	<unknown>	HIDDEN	2
__Gl__errno			.symtab	0x51ae7c	4	OBJECT	<unknown>	HIDDEN	10
__Gl__execl			.symtab	0x40b698	287	FUNC	<unknown>	HIDDEN	2
__Gl__execve			.symtab	0x40bf0c	38	FUNC	<unknown>	HIDDEN	2
__Gl__exit			.symtab	0x40b63c	92	FUNC	<unknown>	HIDDEN	2
__Gl__fclose			.symtab	0x40dbdc	259	FUNC	<unknown>	HIDDEN	2
__Gl__fcntl			.symtab	0x4079f0	100	FUNC	<unknown>	HIDDEN	2
__Gl__fcntl64			.symtab	0x4079f0	100	FUNC	<unknown>	HIDDEN	2
__Gl__fflush_unlocked			.symtab	0x40e1e8	329	FUNC	<unknown>	HIDDEN	2
__Gl__fgetc_unlocked			.symtab	0x40f254	222	FUNC	<unknown>	HIDDEN	2
__Gl__fgets			.symtab	0x40e0a0	109	FUNC	<unknown>	HIDDEN	2
__Gl__fgets_unlocked			.symtab	0x40e334	116	FUNC	<unknown>	HIDDEN	2
__Gl__fopen			.symtab	0x40dce0	10	FUNC	<unknown>	HIDDEN	2
__Gl__fork			.symtab	0x407b04	38	FUNC	<unknown>	HIDDEN	2
__Gl__fputs_unlocked			.symtab	0x408ee4	56	FUNC	<unknown>	HIDDEN	2
__Gl__fseek			.symtab	0x40dcec	5	FUNC	<unknown>	HIDDEN	2
__Gl__fseeko64			.symtab	0x40dcf4	218	FUNC	<unknown>	HIDDEN	2
__Gl__fwrite_unlocked			.symtab	0x408f1c	134	FUNC	<unknown>	HIDDEN	2
__Gl__getc_unlocked			.symtab	0x40f254	222	FUNC	<unknown>	HIDDEN	2
__Gl__getdtablesize			.symtab	0x407b2c	35	FUNC	<unknown>	HIDDEN	2
__Gl__getegid			.symtab	0x40bf34	38	FUNC	<unknown>	HIDDEN	2
__Gl__geteuid			.symtab	0x407b50	38	FUNC	<unknown>	HIDDEN	2
__Gl__getgid			.symtab	0x40bf5c	38	FUNC	<unknown>	HIDDEN	2
__Gl__gethostbyname			.symtab	0x409838	53	FUNC	<unknown>	HIDDEN	2
__Gl__gethostbyname_r			.symtab	0x409870	897	FUNC	<unknown>	HIDDEN	2
__Gl__getpagesize			.symtab	0x40bf84	19	FUNC	<unknown>	HIDDEN	2
__Gl__getpid			.symtab	0x407b78	38	FUNC	<unknown>	HIDDEN	2
__Gl__getrlimit			.symtab	0x407bc8	40	FUNC	<unknown>	HIDDEN	2
__Gl__getsockname			.symtab	0x409c20	41	FUNC	<unknown>	HIDDEN	2
__Gl__getuid			.symtab	0x40bf98	38	FUNC	<unknown>	HIDDEN	2
__Gl__h_errno			.symtab	0x51ae80	4	OBJECT	<unknown>	HIDDEN	10
__Gl__inet_addr			.symtab	0x40981c	28	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_inet_aton			.symtab	0x40d0fc	137	FUNC	<unknown>	HIDDEN	2
__Gl_inet_ntop			.symtab	0x40e9e4	527	FUNC	<unknown>	HIDDEN	2
__Gl_inet_pton			.symtab	0x40e6df	493	FUNC	<unknown>	HIDDEN	2
__Gl_initstate_r			.symtab	0x40b3f7	185	FUNC	<unknown>	HIDDEN	2
__Gl_ioctl			.symtab	0x407bf0	104	FUNC	<unknown>	HIDDEN	2
__Gl_isatty			.symtab	0x409774	25	FUNC	<unknown>	HIDDEN	2
__Gl_kill			.symtab	0x407c58	44	FUNC	<unknown>	HIDDEN	2
__Gl_lseek			.symtab	0x40f204	45	FUNC	<unknown>	HIDDEN	2
__Gl_lseek64			.symtab	0x40f1fc	5	FUNC	<unknown>	HIDDEN	2
__Gl_memchr			.symtab	0x40cbdc	240	FUNC	<unknown>	HIDDEN	2
__Gl_memcpy			.symtab	0x408fb0	102	FUNC	<unknown>	HIDDEN	2
__Gl_memmove			.symtab	0x40cccc	734	FUNC	<unknown>	HIDDEN	2
__Gl_mempcpy			.symtab	0x40cb80	90	FUNC	<unknown>	HIDDEN	2
__Gl_memrchr			.symtab	0x40cfac	237	FUNC	<unknown>	HIDDEN	2
__Gl_memset			.symtab	0x409020	210	FUNC	<unknown>	HIDDEN	2
__Gl_mmap			.symtab	0x40beb0	48	FUNC	<unknown>	HIDDEN	2
__Gl_mremap			.symtab	0x40bfc0	42	FUNC	<unknown>	HIDDEN	2
__Gl_munmap			.symtab	0x40bfec	38	FUNC	<unknown>	HIDDEN	2
__Gl_nanosleep			.symtab	0x40c014	38	FUNC	<unknown>	HIDDEN	2
__Gl_open			.symtab	0x407c84	106	FUNC	<unknown>	HIDDEN	2
__Gl_pipe			.symtab	0x407cfc	38	FUNC	<unknown>	HIDDEN	2
__Gl_poll			.symtab	0x40dbb0	41	FUNC	<unknown>	HIDDEN	2
__Gl_raise			.symtab	0x40db58	18	FUNC	<unknown>	HIDDEN	2
__Gl_random			.symtab	0x40b0ec	72	FUNC	<unknown>	HIDDEN	2
__Gl_random_r			.symtab	0x40b2f4	90	FUNC	<unknown>	HIDDEN	2
__Gl_rawmemchr			.symtab	0x40e4e8	190	FUNC	<unknown>	HIDDEN	2
__Gl_read			.symtab	0x407d50	39	FUNC	<unknown>	HIDDEN	2
__Gl_recv			.symtab	0x409c80	11	FUNC	<unknown>	HIDDEN	2
__Gl_recvfrom			.symtab	0x409c8c	45	FUNC	<unknown>	HIDDEN	2
__Gl_sbrk			.symtab	0x40c03c	74	FUNC	<unknown>	HIDDEN	2
__Gl_select			.symtab	0x407d78	44	FUNC	<unknown>	HIDDEN	2
__Gl_send			.symtab	0x409cbc	11	FUNC	<unknown>	HIDDEN	2
__Gl_sendto			.symtab	0x409cc8	48	FUNC	<unknown>	HIDDEN	2
__Gl_setsockopt			.symtab	0x409cf8	53	FUNC	<unknown>	HIDDEN	2
__Gl_setstate_r			.symtab	0x40b24c	168	FUNC	<unknown>	HIDDEN	2
__Gl_sigaction			.symtab	0x40bda1	247	FUNC	<unknown>	HIDDEN	2
__Gl_sigaddset			.symtab	0x409d60	35	FUNC	<unknown>	HIDDEN	2
__Gl_sigemptyset			.symtab	0x409d84	20	FUNC	<unknown>	HIDDEN	2
__Gl_signal			.symtab	0x409d98	168	FUNC	<unknown>	HIDDEN	2
__Gl_sigprocmask			.symtab	0x407da4	85	FUNC	<unknown>	HIDDEN	2
__Gl_sleep			.symtab	0x40b7b8	415	FUNC	<unknown>	HIDDEN	2
__Gl_socket			.symtab	0x409d30	47	FUNC	<unknown>	HIDDEN	2
__Gl_sprintf			.symtab	0x407eb0	149	FUNC	<unknown>	HIDDEN	2
__Gl_srandom_r			.symtab	0x40b34e	169	FUNC	<unknown>	HIDDEN	2
__Gl_strcasecmp			.symtab	0x40f334	48	FUNC	<unknown>	HIDDEN	2
__Gl_strchr			.symtab	0x409100	417	FUNC	<unknown>	HIDDEN	2
__Gl_strcmp			.symtab	0x40e3a8	33	FUNC	<unknown>	HIDDEN	2
__Gl_strcoll			.symtab	0x40e3a8	33	FUNC	<unknown>	HIDDEN	2
__Gl_strcpy			.symtab	0x4092b0	213	FUNC	<unknown>	HIDDEN	2
__Gl_strdup			.symtab	0x40e620	54	FUNC	<unknown>	HIDDEN	2
__Gl_strlen			.symtab	0x409390	225	FUNC	<unknown>	HIDDEN	2
__Gl_strncat			.symtab	0x40e5a8	119	FUNC	<unknown>	HIDDEN	2
__Gl_strncpy			.symtab	0x409474	131	FUNC	<unknown>	HIDDEN	2
__Gl_strnlen			.symtab	0x4094f8	206	FUNC	<unknown>	HIDDEN	2
__Gl_strpbrk			.symtab	0x40e3d0	140	FUNC	<unknown>	HIDDEN	2
__Gl_strspn			.symtab	0x40e460	135	FUNC	<unknown>	HIDDEN	2
__Gl_strstr			.symtab	0x4095c8	187	FUNC	<unknown>	HIDDEN	2
__Gl_strtok			.symtab	0x409768	10	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__Gl_strtok_r			.symtab	0x40d09c	94	FUNC	<unknown>	HIDDEN	2
__Gl_strtol			.symtab	0x40b4c4	10	FUNC	<unknown>	HIDDEN	2
__Gl_strtoll			.symtab	0x40b4c4	10	FUNC	<unknown>	HIDDEN	2
__Gl_sysconf			.symtab	0x40b958	351	FUNC	<unknown>	HIDDEN	2
__Gl_tcgetattr			.symtab	0x409790	110	FUNC	<unknown>	HIDDEN	2
__Gl_time			.symtab	0x407dfc	39	FUNC	<unknown>	HIDDEN	2
__Gl_times			.symtab	0x40c088	39	FUNC	<unknown>	HIDDEN	2
__Gl_tolower			.symtab	0x40f234	30	FUNC	<unknown>	HIDDEN	2
__Gl_toupper			.symtab	0x407e58	30	FUNC	<unknown>	HIDDEN	2
__Gl_vfork			.symtab	0x4079d8	21	FUNC	<unknown>	HIDDEN	2
__Gl_vsnprintf			.symtab	0x407f48	199	FUNC	<unknown>	HIDDEN	2
__Gl_wait4			.symtab	0x40c0b0	47	FUNC	<unknown>	HIDDEN	2
__Gl_waitpid			.symtab	0x407e24	7	FUNC	<unknown>	HIDDEN	2
__Gl_wctomb			.symtab	0x40c0e8	68	FUNC	<unknown>	HIDDEN	2
__Gl_wcsnrtombs			.symtab	0x40c13c	140	FUNC	<unknown>	HIDDEN	2
__Gl_wcsrtombs			.symtab	0x40c12c	15	FUNC	<unknown>	HIDDEN	2
__Gl_write			.symtab	0x407e2c	42	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x514548	0	OBJECT	<unknown>	DEFAULT	8
__JCR_LIST__			.symtab	0x514548	0	OBJECT	<unknown>	DEFAULT	8
__app_fini			.symtab	0x51ae68	8	OBJECT	<unknown>	HIDDEN	10
__atexit_lock			.symtab	0x514ac0	40	OBJECT	<unknown>	DEFAULT	9
__bsd_signal			.symtab	0x409d98	168	FUNC	<unknown>	HIDDEN	2
__bss_start			.symtab	0x514b38	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x40bb36	53	FUNC	<unknown>	DEFAULT	2
__ctype_b			.symtab	0x5146e0	8	OBJECT	<unknown>	DEFAULT	9
__ctype_tolower			.symtab	0x514b30	8	OBJECT	<unknown>	DEFAULT	9
__ctype_toupper			.symtab	0x5146f0	8	OBJECT	<unknown>	DEFAULT	9
__curbrk			.symtab	0x51aed0	8	OBJECT	<unknown>	HIDDEN	10
__data_start			.symtab	0x514570	0	NOTYPE	<unknown>	DEFAULT	9
__decode_answer			.symtab	0x40eda0	242	FUNC	<unknown>	HIDDEN	2
__decode_dotted			.symtab	0x40f404	246	FUNC	<unknown>	HIDDEN	2
__decode_header			.symtab	0x40ec98	161	FUNC	<unknown>	HIDDEN	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDE F
__dns_lookup			.symtab	0x40d188	1862	FUNC	<unknown>	HIDDEN	2
__do_global_ctors_aux			.symtab	0x40f600	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux			.symtab	0x400100	0	FUNC	<unknown>	DEFAULT	2
__dso_handle			.symtab	0x514560	0	OBJECT	<unknown>	HIDDEN	9
__encode_dotted			.symtab	0x40f364	160	FUNC	<unknown>	HIDDEN	2
__encode_header			.symtab	0x40ebf4	163	FUNC	<unknown>	HIDDEN	2
__encode_question			.symtab	0x40ed3c	80	FUNC	<unknown>	HIDDEN	2
__environ			.symtab	0x51ae58	8	OBJECT	<unknown>	DEFAULT	10
__errno_location			.symtab	0x407e78	6	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x51ae48	8	OBJECT	<unknown>	HIDDEN	10
__fgetc_unlocked			.symtab	0x40f254	222	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__fini_array_start			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__get_hosts_byname_r			.symtab	0x40db28	48	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x40bf84	19	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x409684	14	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno_location			.symtab	0x40c0e0	6	FUNC	<unknown>	DEFAULT	2
__h_errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__init_array_end			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__init_array_start			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__length_dotted			.symtab	0x40f4fc	59	FUNC	<unknown>	HIDDEN	2
__length_question			.symtab	0x40ed8c	19	FUNC	<unknown>	HIDDEN	2
__libc_close			.symtab	0x407aac	41	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__libc_connect			.symtab	0x409bf4	43	FUNC	<unknown>	DEFAULT	2
__libc_creat			.symtab	0x407cee	14	FUNC	<unknown>	DEFAULT	2
__libc_fcntl			.symtab	0x4079f0	100	FUNC	<unknown>	DEFAULT	2
__libc_fcntl64			.symtab	0x4079f0	100	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x407b04	38	FUNC	<unknown>	DEFAULT	2
__libc_getpid			.symtab	0x407b78	38	FUNC	<unknown>	DEFAULT	2
__libc_lseek			.symtab	0x40f204	45	FUNC	<unknown>	DEFAULT	2
__libc_lseek64			.symtab	0x40f1fc	5	FUNC	<unknown>	DEFAULT	2
__libc_nanosleep			.symtab	0x40c014	38	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x407c84	106	FUNC	<unknown>	DEFAULT	2
__libc_poll			.symtab	0x40dbb0	41	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x407d50	39	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x409c80	11	FUNC	<unknown>	DEFAULT	2
__libc_recvfrom			.symtab	0x409c8c	45	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x407d78	44	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x409cbc	11	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x409cc8	48	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x40bda1	247	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x51ae50	8	OBJECT	<unknown>	DEFAULT	10
__libc_waitpid			.symtab	0x407e24	7	FUNC	<unknown>	DEFAULT	2
__libc_write			.symtab	0x407e2c	42	FUNC	<unknown>	DEFAULT	2
__malloc_consolidate			.symtab	0x40ac51	410	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x409e9c	96	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x514940	40	OBJECT	<unknown>	DEFAULT	9
__malloc_state			.symtab	0x51b160	1752	OBJECT	<unknown>	DEFAULT	10
__malloc_trim			.symtab	0x40abb8	153	FUNC	<unknown>	DEFAULT	2
__nameserver			.symtab	0x51b860	24	OBJECT	<unknown>	HIDDEN	10
__nameservers			.symtab	0x51b878	4	OBJECT	<unknown>	HIDDEN	10
__open_etc_hosts			.symtab	0x40ee94	42	FUNC	<unknown>	HIDDEN	2
__open_nameservers			.symtab	0x40d8d0	597	FUNC	<unknown>	HIDDEN	2
__pagesize			.symtab	0x51ae60	8	OBJECT	<unknown>	DEFAULT	10
__preinit_array_end			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__preinit_array_start			.symtab	0x514524	0	NOTYPE	<unknown>	HIDDEN	SHN_ABS
__pthread_initialize_minimal			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__pthread_mutex_init			.symtab	0x40bb32	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x40bb32	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x40bb32	3	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x40bb32	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x40bb32	3	FUNC	<unknown>	DEFAULT	2
__pthread_return_void			.symtab	0x40bb35	1	FUNC	<unknown>	DEFAULT	2
__raise			.symtab	0x40db58	18	FUNC	<unknown>	HIDDEN	2
__read_etc_hosts_r			.symtab	0x40eebe	830	FUNC	<unknown>	HIDDEN	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__resolv_lock			.symtab	0x514b00	40	OBJECT	<unknown>	DEFAULT	9
__restore_rt			.symtab	0x40bd98	0	NOTYPE	<unknown>	DEFAULT	2
__rtld_fini			.symtab	0x51ae70	8	OBJECT	<unknown>	HIDDEN	10
__searchdomain			.symtab	0x51b840	32	OBJECT	<unknown>	HIDDEN	10
__searchdomains			.symtab	0x51b87c	4	OBJECT	<unknown>	HIDDEN	10
__sigaddset			.symtab	0x409e60	28	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x409e7c	30	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x409e40	32	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x514718	8	OBJECT	<unknown>	DEFAULT	9
__stdio_READ			.symtab	0x40f538	58	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x40c1c8	147	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x40ddd0	133	FUNC	<unknown>	HIDDEN	2
__stdio_fwrite			.symtab	0x40c25c	259	FUNC	<unknown>	HIDDEN	2
__stdio_init_mutex			.symtab	0x40807b	15	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__stdio_mutex_initializer.4280			.symtab	0x412ee0	40	OBJECT	<unknown>	DEFAULT	4
__stdio_rfill			.symtab	0x40f574	37	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x40e080	31	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x40f59c	90	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x40c360	148	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x408114	39	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x514720	8	OBJECT	<unknown>	DEFAULT	9
__syscall_error			.symtab	0x40be98	22	FUNC	<unknown>	HIDDEN	2
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uClibc_fini			.symtab	0x40baec	70	FUNC	<unknown>	DEFAULT	2
_uClibc_init			.symtab	0x40bb6b	67	FUNC	<unknown>	DEFAULT	2
_uClibc_main			.symtab	0x40bbae	489	FUNC	<unknown>	DEFAULT	2
_uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uclibc_progname			.symtab	0x514ae8	8	OBJECT	<unknown>	HIDDEN	9
__vfork			.symtab	0x4079d8	21	FUNC	<unknown>	HIDDEN	2
__xpg_strerror_r			.symtab	0x409694	194	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__charpad			.symtab	0x40813c	68	FUNC	<unknown>	DEFAULT	2
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__dl_aux_init			.symtab	0x40db6c	23	FUNC	<unknown>	DEFAULT	2
__dl_phdr			.symtab	0x51b880	8	OBJECT	<unknown>	DEFAULT	10
__dl_phnum			.symtab	0x51b888	8	OBJECT	<unknown>	DEFAULT	10
__edata			.symtab	0x514b38	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__end			.symtab	0x51b890	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__errno			.symtab	0x51ae7c	4	OBJECT	<unknown>	DEFAULT	10
__exit			.symtab	0x407a54	42	FUNC	<unknown>	DEFAULT	2
__exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fini			.symtab	0x40f638	5	FUNC	<unknown>	DEFAULT	3
__fixed_buffers			.symtab	0x518c00	8192	OBJECT	<unknown>	DEFAULT	10
__fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fp_out_narrow			.symtab	0x408180	120	FUNC	<unknown>	DEFAULT	2
__fpmaxtostr			.symtab	0x40c538	1608	FUNC	<unknown>	HIDDEN	2
__fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__h_errno			.symtab	0x51ae80	4	OBJECT	<unknown>	DEFAULT	10
__init			.symtab	0x4000e8	5	FUNC	<unknown>	DEFAULT	1
__load_inttype			.symtab	0x40c3f4	85	FUNC	<unknown>	HIDDEN	2
__load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_init			.symtab	0x408834	114	FUNC	<unknown>	HIDDEN	2
__ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_parsespec			.symtab	0x408ae6	1022	FUNC	<unknown>	HIDDEN	2
__ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_prepargs			.symtab	0x4088a8	67	FUNC	<unknown>	HIDDEN	2
__ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_setargs			.symtab	0x4088ec	457	FUNC	<unknown>	HIDDEN	2
__ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__promoted_size			.symtab	0x408ab8	46	FUNC	<unknown>	DEFAULT	2
__pthread_cleanup_pop_restore			.symtab	0x40bb35	1	FUNC	<unknown>	DEFAULT	2
__pthread_cleanup_push_defer			.symtab	0x40bb35	1	FUNC	<unknown>	DEFAULT	2
__rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__sigintr			.symtab	0x51b0e0	128	OBJECT	<unknown>	HIDDEN	10
__start			.symtab	0x400194	42	FUNC	<unknown>	DEFAULT	2
__stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__stdio_fopen			.symtab	0x40de58	551	FUNC	<unknown>	HIDDEN	2
__stdio_init			.symtab	0x408010	107	FUNC	<unknown>	HIDDEN	2
__stdio_openlist			.symtab	0x514728	8	OBJECT	<unknown>	DEFAULT	9

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_stdio_openlist_add_lock			.symtab	0x514740	40	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_dec_use			.symtab	0x40e110	216	FUNC	<unknown>	DEFAULT	2
_stdio_openlist_del_count			.symtab	0x518be4	4	OBJECT	<unknown>	DEFAULT	10
_stdio_openlist_del_lock			.symtab	0x514780	40	OBJECT	<unknown>	DEFAULT	9
_stdio_openlist_use_count			.symtab	0x518be0	4	OBJECT	<unknown>	DEFAULT	10
_stdio_streams			.symtab	0x5147c0	384	OBJECT	<unknown>	DEFAULT	9
_stdio_term			.symtab	0x40808a	135	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x5147a8	4	OBJECT	<unknown>	DEFAULT	9
_stdlib_strto_l			.symtab	0x40b4d0	362	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x40c44c	46	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x412fe0	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x40c47c	187	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x4081f8	1595	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x40afcc	276	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
access			.symtab	0x407a80	41	FUNC	<unknown>	DEFAULT	2
access.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
acnc			.symtab	0x4035fc	161	FUNC	<unknown>	DEFAULT	2
add_entry			.symtab	0x406ff6	99	FUNC	<unknown>	DEFAULT	2
atoi			.symtab	0x40b4b0	18	FUNC	<unknown>	DEFAULT	2
atoi.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
axis_bp			.symtab	0x514590	4	OBJECT	<unknown>	DEFAULT	9
bcopy			.symtab	0x409758	14	FUNC	<unknown>	DEFAULT	2
bcopy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
been_there_done_that			.symtab	0x51ae40	4	OBJECT	<unknown>	DEFAULT	10
been_there_done_that.3160			.symtab	0x51ae78	4	OBJECT	<unknown>	DEFAULT	10
brk			.symtab	0x40db84	43	FUNC	<unknown>	DEFAULT	2
brk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
bsd_signal			.symtab	0x409d98	168	FUNC	<unknown>	DEFAULT	2
buf.5285			.symtab	0x51ac20	500	OBJECT	<unknown>	DEFAULT	10
c			.symtab	0x5146c8	4	OBJECT	<unknown>	DEFAULT	9
calloc			.symtab	0x40a764	248	FUNC	<unknown>	DEFAULT	2
calloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
checksum_generic			.symtab	0x4001c0	113	FUNC	<unknown>	DEFAULT	2
checksum_tcp_udp			.symtab	0x400231	222	FUNC	<unknown>	DEFAULT	2
checksum_tcpudp			.symtab	0x40030f	222	FUNC	<unknown>	DEFAULT	2
clock			.symtab	0x407e80	46	FUNC	<unknown>	DEFAULT	2
clock.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
clock_getres			.symtab	0x40bee0	41	FUNC	<unknown>	DEFAULT	2
clock_getres.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
close			.symtab	0x407aac	41	FUNC	<unknown>	DEFAULT	2
close.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
completed.2761			.symtab	0x514b40	1	OBJECT	<unknown>	DEFAULT	10
connect			.symtab	0x409b14	43	FUNC	<unknown>	DEFAULT	2
connect.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
connectTimeout			.symtab	0x401a50	572	FUNC	<unknown>	DEFAULT	2
creat			.symtab	0x407cee	14	FUNC	<unknown>	DEFAULT	2
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
crtstuff.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
csum			.symtab	0x401d84	115	FUNC	<unknown>	DEFAULT	2
data_start			.symtab	0x514570	0	NOTYPE	<unknown>	DEFAULT	9
decodea.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
decodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dl-support.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dnslookup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
dup2			.symtab	0x407ad8	44	FUNC	<unknown>	DEFAULT	2
dup2.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encoded.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeh.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
encodeq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
environ			.symtab	0x51ae58	8	OBJECT	<unknown>	DEFAULT	10
errno			.symtab	0x51ae7c	4	OBJECT	<unknown>	DEFAULT	10
errno.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execl			.symtab	0x40b698	287	FUNC	<unknown>	DEFAULT	2
execl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
execve			.symtab	0x40bf0c	38	FUNC	<unknown>	DEFAULT	2
execve.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exit			.symtab	0x40b63c	92	FUNC	<unknown>	DEFAULT	2
exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
exp10_table			.symtab	0x414060	208	OBJECT	<unknown>	DEFAULT	4
fclose			.symtab	0x40dbdc	259	FUNC	<unknown>	DEFAULT	2
fclose.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fcntl			.symtab	0x4079f0	100	FUNC	<unknown>	DEFAULT	2
fcntl64			.symtab	0x4079f0	100	FUNC	<unknown>	DEFAULT	2
fdgets			.symtab	0x401534	128	FUNC	<unknown>	DEFAULT	2
fdopen_pids			.symtab	0x518bc0	8	OBJECT	<unknown>	DEFAULT	10
fdpclose			.symtab	0x4013c4	368	FUNC	<unknown>	DEFAULT	2
fdpopen			.symtab	0x4011e8	476	FUNC	<unknown>	DEFAULT	2
fflush_unlocked			.symtab	0x40e1e8	329	FUNC	<unknown>	DEFAULT	2
fflush_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgetc_unlocked			.symtab	0x40f254	222	FUNC	<unknown>	DEFAULT	2
fgetc_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets			.symtab	0x40e0a0	109	FUNC	<unknown>	DEFAULT	2
fgets.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fgets_unlocked			.symtab	0x40e334	116	FUNC	<unknown>	DEFAULT	2
fgets_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
findRandIP			.symtab	0x401d55	47	FUNC	<unknown>	DEFAULT	2
fmt			.symtab	0x414040	20	OBJECT	<unknown>	DEFAULT	4
fopen			.symtab	0x40dce0	10	FUNC	<unknown>	DEFAULT	2
fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fork			.symtab	0x407b04	38	FUNC	<unknown>	DEFAULT	2
fork.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fputs_unlocked			.symtab	0x408ee4	56	FUNC	<unknown>	DEFAULT	2
fputs_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
frame_dummy			.symtab	0x400150	0	FUNC	<unknown>	DEFAULT	2
free			.symtab	0x40adeb	452	FUNC	<unknown>	DEFAULT	2
free.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseek			.symtab	0x40dcec	5	FUNC	<unknown>	DEFAULT	2
fseeko			.symtab	0x40dcec	5	FUNC	<unknown>	DEFAULT	2
fseeko.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fseeko64			.symtab	0x40dcf4	218	FUNC	<unknown>	DEFAULT	2
fseeko64.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
fwrite_unlocked			.symtab	0x408f1c	134	FUNC	<unknown>	DEFAULT	2
fwrite_unlocked.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getBuild			.symtab	0x405e07	6	FUNC	<unknown>	DEFAULT	2
getHost			.symtab	0x401732	65	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
getOurIP			.symtab	0x405c23	484	FUNC	<unknown>	DEFAULT	2
get_hosts_byname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getc_unlocked			.symtab	0x40f254	222	FUNC	<unknown>	DEFAULT	2
getdtablesize			.symtab	0x407b2c	35	FUNC	<unknown>	DEFAULT	2
getdtablesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getegid			.symtab	0x40bf34	38	FUNC	<unknown>	DEFAULT	2
getegid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
geteuid			.symtab	0x407b50	38	FUNC	<unknown>	DEFAULT	2
geteuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getgid			.symtab	0x40bf5c	38	FUNC	<unknown>	DEFAULT	2
getgid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname			.symtab	0x409838	53	FUNC	<unknown>	DEFAULT	2
gethostbyname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
gethostbyname_r			.symtab	0x409870	897	FUNC	<unknown>	DEFAULT	2
gethostbyname_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpagesize			.symtab	0x40bf84	19	FUNC	<unknown>	DEFAULT	2
getpagesize.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getpid			.symtab	0x407b78	38	FUNC	<unknown>	DEFAULT	2
getpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getppid			.symtab	0x407ba0	38	FUNC	<unknown>	DEFAULT	2
getppid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit			.symtab	0x407bc8	40	FUNC	<unknown>	DEFAULT	2
getrlimit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getrlimit64			.symtab	0x407bc8	40	FUNC	<unknown>	DEFAULT	2
getsockname			.symtab	0x409c20	41	FUNC	<unknown>	DEFAULT	2
getsockname.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getsockopt			.symtab	0x409c4c	50	FUNC	<unknown>	DEFAULT	2
getsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
getuid			.symtab	0x40bf98	38	FUNC	<unknown>	DEFAULT	2
getuid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
h.5284			.symtab	0x51ae20	32	OBJECT	<unknown>	DEFAULT	10
h_errno			.symtab	0x51ae80	4	OBJECT	<unknown>	DEFAULT	10
hacks			.symtab	0x514580	4	OBJECT	<unknown>	DEFAULT	9
hacks2			.symtab	0x514584	4	OBJECT	<unknown>	DEFAULT	9
hacks3			.symtab	0x514588	4	OBJECT	<unknown>	DEFAULT	9
hacks4			.symtab	0x51458c	4	OBJECT	<unknown>	DEFAULT	9
hextable			.symtab	0x4103a0	2048	OBJECT	<unknown>	DEFAULT	4
htonl			.symtab	0x409808	5	FUNC	<unknown>	DEFAULT	2
htons			.symtab	0x409800	8	FUNC	<unknown>	DEFAULT	2
httphex			.symtab	0x403775	1256	FUNC	<unknown>	DEFAULT	2
i.4822			.symtab	0x5146cc	4	OBJECT	<unknown>	DEFAULT	9
index			.symtab	0x409100	417	FUNC	<unknown>	DEFAULT	2
inet_addr			.symtab	0x40981c	28	FUNC	<unknown>	DEFAULT	2
inet_aton			.symtab	0x40d0fc	137	FUNC	<unknown>	DEFAULT	2
inet_aton.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_makeaddr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
inet_ntop			.symtab	0x40e9e4	527	FUNC	<unknown>	DEFAULT	2
inet_ntop4			.symtab	0x40e8cc	280	FUNC	<unknown>	DEFAULT	2
inet_pton			.symtab	0x40e6df	493	FUNC	<unknown>	DEFAULT	2
inet_pton4			.symtab	0x40e658	135	FUNC	<unknown>	DEFAULT	2
initConnection			.symtab	0x405aba	361	FUNC	<unknown>	DEFAULT	2
init_rand			.symtab	0x400504	125	FUNC	<unknown>	DEFAULT	2
initfini.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
initstate			.symtab	0x40b196	110	FUNC	<unknown>	DEFAULT	2
initstate_r			.symtab	0x40b3f7	185	FUNC	<unknown>	DEFAULT	2
ioctl			.symtab	0x407bf0	104	FUNC	<unknown>	DEFAULT	2
ioctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
isatty			.symtab	0x409774	25	FUNC	<unknown>	DEFAULT	2


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
isatty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
kill			.symtab	0x407c58	44	FUNC	<unknown>	DEFAULT	2
kill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
killer_status			.symtab	0x514bb0	4	OBJECT	<unknown>	DEFAULT	10
lengthd.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lengthq.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/memcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/memset.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strchr.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strcmp.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strcpy.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strlen.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strpbrk.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/string/x86_64/strspn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crt1.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crti.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/crtn.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
libc/sysdeps/linux/x86_64/vfork.S			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
listFork			.symtab	0x401c8c	201	FUNC	<unknown>	DEFAULT	2
llseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek			.symtab	0x40f204	45	FUNC	<unknown>	DEFAULT	2
lseek.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
lseek64			.symtab	0x40f1fc	5	FUNC	<unknown>	DEFAULT	2
macAddress			.symtab	0x514bb4	6	OBJECT	<unknown>	DEFAULT	10
main			.symtab	0x405e0d	1683	FUNC	<unknown>	DEFAULT	2
main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
makeIPPacket			.symtab	0x401eb6	153	FUNC	<unknown>	DEFAULT	2
makeRandomStr			.symtab	0x4017a9	109	FUNC	<unknown>	DEFAULT	2
makevsepacket			.symtab	0x402fd2	169	FUNC	<unknown>	DEFAULT	2
malloc			.symtab	0x409efc	2149	FUNC	<unknown>	DEFAULT	2
malloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
malloc_trim			.symtab	0x40afaf	28	FUNC	<unknown>	DEFAULT	2
memchr			.symtab	0x40cbdc	240	FUNC	<unknown>	DEFAULT	2
memchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memcpy			.symtab	0x408fb0	102	FUNC	<unknown>	DEFAULT	2
memmove			.symtab	0x40cccc	734	FUNC	<unknown>	DEFAULT	2
memmove.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mempcpy			.symtab	0x40cb80	90	FUNC	<unknown>	DEFAULT	2
memrchr			.symtab	0x40cfac	237	FUNC	<unknown>	DEFAULT	2
memrchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
memset			.symtab	0x409020	210	FUNC	<unknown>	DEFAULT	2
mmap			.symtab	0x40beb0	48	FUNC	<unknown>	DEFAULT	2
mmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mremap			.symtab	0x40bfc0	42	FUNC	<unknown>	DEFAULT	2
mremap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
munmap			.symtab	0x40bfec	38	FUNC	<unknown>	DEFAULT	2
munmap.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
mylock			.symtab	0x514980	40	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x5149c0	40	OBJECT	<unknown>	DEFAULT	9
mylock			.symtab	0x51aea0	40	OBJECT	<unknown>	DEFAULT	10
nanosleep			.symtab	0x40c014	38	FUNC	<unknown>	DEFAULT	2
nanosleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
next_start.1440			.symtab	0x51ac00	8	OBJECT	<unknown>	DEFAULT	10
ngPid			.symtab	0x51aee4	4	OBJECT	<unknown>	DEFAULT	10
ntohl			.symtab	0x409815	5	FUNC	<unknown>	DEFAULT	2
ntohl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ntohs			.symtab	0x40980d	8	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
ntop.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
numpids			.symtab	0x514ba8	8	OBJECT	<unknown>	DEFAULT	10
object.2814			.symtab	0x514b60	48	OBJECT	<unknown>	DEFAULT	10
open			.symtab	0x407c84	106	FUNC	<unknown>	DEFAULT	2
open.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
opennameservers.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
ourlP			.symtab	0x51aee0	4	OBJECT	<unknown>	DEFAULT	10
p.2759			.symtab	0x514568	0	OBJECT	<unknown>	DEFAULT	9
parseHex			.symtab	0x4015b4	84	FUNC	<unknown>	DEFAULT	2
pids			.symtab	0x51aef0	8	OBJECT	<unknown>	DEFAULT	10
pipe			.symtab	0x407cfc	38	FUNC	<unknown>	DEFAULT	2
pipe.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
poll			.symtab	0x40dbb0	41	FUNC	<unknown>	DEFAULT	2
poll.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prctl			.symtab	0x407d24	44	FUNC	<unknown>	DEFAULT	2
prctl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
prefix.4494			.symtab	0x412f15	12	OBJECT	<unknown>	DEFAULT	4
print			.symtab	0x400a34	1084	FUNC	<unknown>	DEFAULT	2
printchar			.symtab	0x4007ca	75	FUNC	<unknown>	DEFAULT	2
printi			.symtab	0x4008f4	320	FUNC	<unknown>	DEFAULT	2
prints			.symtab	0x400815	223	FUNC	<unknown>	DEFAULT	2
processCmd			.symtab	0x403c5d	7773	FUNC	<unknown>	DEFAULT	2
qual_chars.4498			.symtab	0x412f30	20	OBJECT	<unknown>	DEFAULT	4
raise			.symtab	0x40db58	18	FUNC	<unknown>	DEFAULT	2
raise.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand			.symtab	0x40b0e0	11	FUNC	<unknown>	DEFAULT	2
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
rand__str			.symtab	0x406566	149	FUNC	<unknown>	DEFAULT	2
rand_alpha_str			.symtab	0x4065fb	116	FUNC	<unknown>	DEFAULT	2
rand_alphastr			.symtab	0x40071f	171	FUNC	<unknown>	DEFAULT	2
rand_cmwC			.symtab	0x40066c	179	FUNC	<unknown>	DEFAULT	2
rand_init			.symtab	0x4064a0	83	FUNC	<unknown>	DEFAULT	2
rand_next			.symtab	0x4064f3	115	FUNC	<unknown>	DEFAULT	2
random			.symtab	0x40b0ec	72	FUNC	<unknown>	DEFAULT	2
random.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
random_poly_info			.symtab	0x413b40	40	OBJECT	<unknown>	DEFAULT	4
random_r			.symtab	0x40b2f4	90	FUNC	<unknown>	DEFAULT	2
random_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
randtbl			.symtab	0x514a40	128	OBJECT	<unknown>	DEFAULT	9
rawmemchr			.symtab	0x40e4e8	190	FUNC	<unknown>	DEFAULT	2
rawmemchr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read			.symtab	0x407d50	39	FUNC	<unknown>	DEFAULT	2
read.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
read_etc_hosts_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
realloc			.symtab	0x40a85c	857	FUNC	<unknown>	DEFAULT	2
realloc.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recv			.symtab	0x409c80	11	FUNC	<unknown>	DEFAULT	2
recv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
recvLine			.symtab	0x401816	570	FUNC	<unknown>	DEFAULT	2
recvfrom			.symtab	0x409c8c	45	FUNC	<unknown>	DEFAULT	2
recvfrom.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
resolv_domain_to_hostname			.symtab	0x406670	149	FUNC	<unknown>	DEFAULT	2
resolv_entries_free			.symtab	0x406d59	56	FUNC	<unknown>	DEFAULT	2
resolv_lookup			.symtab	0x4067aa	1455	FUNC	<unknown>	DEFAULT	2
resolv_skip_name			.symtab	0x406705	165	FUNC	<unknown>	DEFAULT	2
rtcp			.symtab	0x402a77	932	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
sbrk			.symtab	0x40c03c	74	FUNC	<unknown>	DEFAULT	2
sbrk.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
scanPid			.symtab	0x51aee8	4	OBJECT	<unknown>	DEFAULT	10
select			.symtab	0x407d78	44	FUNC	<unknown>	DEFAULT	2
select.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
send			.symtab	0x409cbc	11	FUNC	<unknown>	DEFAULT	2
send.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sendSTD			.symtab	0x402e1b	439	FUNC	<unknown>	DEFAULT	2
sendto			.symtab	0x409cc8	48	FUNC	<unknown>	DEFAULT	2
sendto.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setsockopt			.symtab	0x409cf8	53	FUNC	<unknown>	DEFAULT	2
setsockopt.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
setstate			.symtab	0x40b134	98	FUNC	<unknown>	DEFAULT	2
setstate_r			.symtab	0x40b24c	168	FUNC	<unknown>	DEFAULT	2
sigaction			.symtab	0x40bda1	247	FUNC	<unknown>	DEFAULT	2
sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigaddset			.symtab	0x409d60	35	FUNC	<unknown>	DEFAULT	2
sigaddset.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigempty.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigemptyset			.symtab	0x409d84	20	FUNC	<unknown>	DEFAULT	2
signal			.symtab	0x409d98	168	FUNC	<unknown>	DEFAULT	2
signal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigprocmask			.symtab	0x407da4	85	FUNC	<unknown>	DEFAULT	2
sigprocmask.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sigsetops.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
sleep			.symtab	0x40b7b8	415	FUNC	<unknown>	DEFAULT	2
sleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket			.symtab	0x409d30	47	FUNC	<unknown>	DEFAULT	2
socket.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
socket_connect			.symtab	0x40369d	216	FUNC	<unknown>	DEFAULT	2
sockprintf			.symtab	0x401038	432	FUNC	<unknown>	DEFAULT	2
spec_and_mask.4497			.symtab	0x412f50	16	OBJECT	<unknown>	DEFAULT	4
spec_base.4493			.symtab	0x412f21	7	OBJECT	<unknown>	DEFAULT	4
spec_chars.4494			.symtab	0x412f80	21	OBJECT	<unknown>	DEFAULT	4
spec_flags.4493			.symtab	0x412f95	8	OBJECT	<unknown>	DEFAULT	4
spec_or_mask.4496			.symtab	0x412f60	16	OBJECT	<unknown>	DEFAULT	4
spec_ranges.4495			.symtab	0x412f70	9	OBJECT	<unknown>	DEFAULT	4
sprintf			.symtab	0x407eb0	149	FUNC	<unknown>	DEFAULT	2
sprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
srand			.symtab	0x40b204	72	FUNC	<unknown>	DEFAULT	2
srandom			.symtab	0x40b204	72	FUNC	<unknown>	DEFAULT	2
srandom_r			.symtab	0x40b34e	169	FUNC	<unknown>	DEFAULT	2
static_id			.symtab	0x514af0	2	OBJECT	<unknown>	DEFAULT	9
static_ns			.symtab	0x51aec8	4	OBJECT	<unknown>	DEFAULT	10
stderr			.symtab	0x514710	8	OBJECT	<unknown>	DEFAULT	9
stdin			.symtab	0x514700	8	OBJECT	<unknown>	DEFAULT	9
stdout			.symtab	0x514708	8	OBJECT	<unknown>	DEFAULT	9
strcasecmp			.symtab	0x40f334	48	FUNC	<unknown>	DEFAULT	2
strcasecmp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strchr			.symtab	0x409100	417	FUNC	<unknown>	DEFAULT	2
strcmp			.symtab	0x40e3a8	33	FUNC	<unknown>	DEFAULT	2
strcoll			.symtab	0x40e3a8	33	FUNC	<unknown>	DEFAULT	2
strcpy			.symtab	0x4092b0	213	FUNC	<unknown>	DEFAULT	2
strdup			.symtab	0x40e620	54	FUNC	<unknown>	DEFAULT	2
strdup.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strerror_r			.symtab	0x409694	194	FUNC	<unknown>	DEFAULT	2
strlen			.symtab	0x409390	225	FUNC	<unknown>	DEFAULT	2
strncat			.symtab	0x40e5a8	119	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
strncat.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strncpy			.symtab	0x409474	131	FUNC	<unknown>	DEFAULT	2
strncpy.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strnlen			.symtab	0x4094f8	206	FUNC	<unknown>	DEFAULT	2
strnlen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strpbrk			.symtab	0x40e3d0	140	FUNC	<unknown>	DEFAULT	2
strspn			.symtab	0x40e460	135	FUNC	<unknown>	DEFAULT	2
strstr			.symtab	0x4095c8	187	FUNC	<unknown>	DEFAULT	2
strstr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtoimax			.symtab	0x40b4c4	10	FUNC	<unknown>	DEFAULT	2
strtok			.symtab	0x409768	10	FUNC	<unknown>	DEFAULT	2
strtok.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtok_r			.symtab	0x40d09c	94	FUNC	<unknown>	DEFAULT	2
strtok_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtol			.symtab	0x40b4c4	10	FUNC	<unknown>	DEFAULT	2
strtol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
strtoll			.symtab	0x40b4c4	10	FUNC	<unknown>	DEFAULT	2
sysconf			.symtab	0x40b958	351	FUNC	<unknown>	DEFAULT	2
sysconf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
szprintf			.symtab	0x400f53	229	FUNC	<unknown>	DEFAULT	2
table			.symtab	0x51af00	464	OBJECT	<unknown>	DEFAULT	10
table.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
table_init			.symtab	0x406d94	466	FUNC	<unknown>	DEFAULT	2
table_key			.symtab	0x5146d0	4	OBJECT	<unknown>	DEFAULT	9
table_lock_val			.symtab	0x406f8f	41	FUNC	<unknown>	DEFAULT	2
table_retrieve_val			.symtab	0x406fb8	62	FUNC	<unknown>	DEFAULT	2
table_unlock_val			.symtab	0x406f66	41	FUNC	<unknown>	DEFAULT	2
tcgetattr			.symtab	0x409790	110	FUNC	<unknown>	DEFAULT	2
tcgetattr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
tcpFI00d			.symtab	0x402465	1554	FUNC	<unknown>	DEFAULT	2
tcpsum			.symtab	0x401df7	191	FUNC	<unknown>	DEFAULT	2
time			.symtab	0x407dfc	39	FUNC	<unknown>	DEFAULT	2
time.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
times			.symtab	0x40c088	39	FUNC	<unknown>	DEFAULT	2
times.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toggle_obf			.symtab	0x407059	286	FUNC	<unknown>	DEFAULT	2
tolower			.symtab	0x40f234	30	FUNC	<unknown>	DEFAULT	2
tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
toupper			.symtab	0x407e58	30	FUNC	<unknown>	DEFAULT	2
toupper.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
trim			.symtab	0x400581	235	FUNC	<unknown>	DEFAULT	2
type_codes			.symtab	0x412fa0	24	OBJECT	<unknown>	DEFAULT	4
type_sizes			.symtab	0x412fb8	12	OBJECT	<unknown>	DEFAULT	4
udpFI00d			.symtab	0x401faf	1302	FUNC	<unknown>	DEFAULT	2
unknown.2050			.symtab	0x412fc4	14	OBJECT	<unknown>	DEFAULT	4
unsafe_state			.symtab	0x514a00	48	OBJECT	<unknown>	DEFAULT	9
uppercase			.symtab	0x401773	54	FUNC	<unknown>	DEFAULT	2
userID			.symtab	0x5146c4	4	OBJECT	<unknown>	DEFAULT	9
usleep			.symtab	0x40bab8	52	FUNC	<unknown>	DEFAULT	2
usleep.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
util_atoi			.symtab	0x40737a	480	FUNC	<unknown>	DEFAULT	2
util_fdgets			.symtab	0x407884	151	FUNC	<unknown>	DEFAULT	2
util_isalpha			.symtab	0x407944	53	FUNC	<unknown>	DEFAULT	2
util_isdigit			.symtab	0x4079ae	41	FUNC	<unknown>	DEFAULT	2
util_isspace			.symtab	0x407979	53	FUNC	<unknown>	DEFAULT	2
util_isupper			.symtab	0x40791b	41	FUNC	<unknown>	DEFAULT	2
util_itoa			.symtab	0x40755a	277	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
util_local_addr			.symtab	0x4077e2	162	FUNC	<unknown>	DEFAULT	2
util_memcpy			.symtab	0x40730e	65	FUNC	<unknown>	DEFAULT	2
util_memsearch			.symtab	0x40766f	137	FUNC	<unknown>	DEFAULT	2
util_strcat			.symtab	0x4072cf	63	FUNC	<unknown>	DEFAULT	2
util_strcmp			.symtab	0x407226	118	FUNC	<unknown>	DEFAULT	2
util_strcpy			.symtab	0x40729c	51	FUNC	<unknown>	DEFAULT	2
util_stristr			.symtab	0x4076f8	234	FUNC	<unknown>	DEFAULT	2
util_strlen			.symtab	0x407178	45	FUNC	<unknown>	DEFAULT	2
util_strncmp			.symtab	0x4071a5	129	FUNC	<unknown>	DEFAULT	2
util_zero			.symtab	0x40734f	43	FUNC	<unknown>	DEFAULT	2
vfork			.symtab	0x4079d8	21	FUNC	<unknown>	DEFAULT	2
vseattack			.symtab	0x40307b	1409	FUNC	<unknown>	DEFAULT	2
vsprintf			.symtab	0x407f48	199	FUNC	<unknown>	DEFAULT	2
vsprintf.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
w			.symtab	0x518bd4	4	OBJECT	<unknown>	DEFAULT	10
wait4			.symtab	0x40c0b0	47	FUNC	<unknown>	DEFAULT	2
wait4.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
waitpid			.symtab	0x407e24	7	FUNC	<unknown>	DEFAULT	2
waitpid.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
watchdog_maintain			.symtab	0x4003f0	276	FUNC	<unknown>	DEFAULT	2
watchdog_pid			.symtab	0x514ba4	4	OBJECT	<unknown>	DEFAULT	10
wcrtomb			.symtab	0x40c0e8	68	FUNC	<unknown>	DEFAULT	2
wcrtomb.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsnrtombs			.symtab	0x40c13c	140	FUNC	<unknown>	DEFAULT	2
wcsnrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wcsrtombs			.symtab	0x40c12c	15	FUNC	<unknown>	DEFAULT	2
wcsrtombs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
wildString			.symtab	0x401608	298	FUNC	<unknown>	DEFAULT	2
write			.symtab	0x407e2c	42	FUNC	<unknown>	DEFAULT	2
write.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
x			.symtab	0x518bc8	4	OBJECT	<unknown>	DEFAULT	10
xdigits.3747			.symtab	0x4141e0	17	OBJECT	<unknown>	DEFAULT	4
y			.symtab	0x518bcc	4	OBJECT	<unknown>	DEFAULT	10
z			.symtab	0x518bd0	4	OBJECT	<unknown>	DEFAULT	10
zprintf			.symtab	0x400e70	227	FUNC	<unknown>	DEFAULT	2





System Behavior

Analysis Process: x86.elf PID: 6230, Parent PID: 6133



General



Start time:	09:14:57
Start date:	21/03/2023
Path:	/tmp/x86.elf
Arguments:	/tmp/x86.elf
File size:	116503 bytes
MD5 hash:	79cfa8e4ba19369308161188c8cdd61b

File Activities



File Read



Analysis Process: x86.elf PID: 6232, Parent PID: 6230



General



Start time:	09:14:57
Start date:	21/03/2023
Path:	/tmp/x86.elf
Arguments:	n/a
File size:	116503 bytes
MD5 hash:	79cfa8e4ba19369308161188c8cdd61b

Analysis Process: x86.elf PID: 6233, Parent PID: 6230



General



Start time:	09:14:57
Start date:	21/03/2023
Path:	/tmp/x86.elf
Arguments:	n/a
File size:	116503 bytes
MD5 hash:	79cfa8e4ba19369308161188c8cdd61b

Analysis Process: x86.elf PID: 6234, Parent PID: 6233



General



Start time:	09:14:57
Start date:	21/03/2023
Path:	/tmp/x86.elf
Arguments:	n/a
File size:	116503 bytes
MD5 hash:	79cfa8e4ba19369308161188c8cdd61b